

온보딩 API

회원가입

· endpoint:

```
POST /apis/members
HOST localhost:8080
Authorization: Bearer {{access_token}}
Content-Type: application/json

{
    "email": string;
    "password": string;
    "name": string;
}

HTTP/1.1 204 NO CONTENT
```

▼ request 예시

```
POST http://localhost:8080/apis/members
Content-Type: application/json

{
    "email": "asdfsf@naver.com",
    "password": "password!123",
    "name": "문어"
}
```

▼ response 예시

```
HTTP/1.1 204 NO CONTENT
```

▼ ErrorCode - 임시

```
HTTP/1.1 400 BAD REQUEST
EMP4001("올바르지 않은 형식입니다.")
```

온보딩 API 1

이메일 중복 확인

· endpoint:

```
GET /apis/validate-email?email=test@test.com
HOST localhost:8080
Authorization: Bearer {{access_token}}
Content-Type: application/json

HTTP/1.1 200 OK
{
    "email": ""
}
```

▼ request 예시

```
POST http://localhost:8080//apis/validate-email
Content-Type: application/json
```

▼ response 예시

```
HTTP/1.1 204 NO CONTENT
```

▼ ErrorCode - 임시

```
HTTP/1.1 400 BAD REQUEST
EMP4001("올바르지 않은 형식입니다.")
```

로그인

· endpoint:

```
POST /apis/login
HOST localhost:8080
Authorization: Bearer {{access_token}}
Content-Type: application/json
{
```

온보딩 API 2

```
"email": string;
"password": string;
}

HTTP/1.1 200 OK
{
    "accessToken": "adfadfsadf",
    "refreshToken": "dfasdfsdfsd1231"
}
```

▼ request 예시

```
POST /apis/login
Content-Type: application/json

{
    "email": "asdfsf@naver.com",
    "password": "password!123",
}
```

▼ response 예시

```
HTTP/1.1 200 OK
```

▼ ErrorCode - 임시

```
HTTP/1.1 400 BAD REQUEST
EMP4001("email 또는 password가 일치하지 않습니다.")
```

온보딩 API 3