

방명록 API

방명록 조회

• endpoint:

```
//공개/비공개인지 확인하는 거 추가하기
{\tt GET /apis/\{homepee-id\}/guest/guest-notes?size=4\&page=0}
HOST localhost:8080
Authorization: Bearer {{access_token}}
Content-Type: application/json
HTTP/1.1 200 OK
  "content": [
     "id": 0,
      "member"{
       "id": 0,
       "name":"", //멤버이름추가
       "profileImageUrl":"" //멤버프로필추가
     "content": "test",
     "visible": true,
     "createdAt": ""
   },
     "id": 1,
      "member"{
       "id": 3,
       "name":"", //멤버이름추가
       "profileImageUrl":"" //멤버프로필추가
      "content": "test!",
     "visible": true,
     "createdAt": ""
   }
 ],
  "page": {
       "totalPages": 1,
       "totalElements": 2
   }
}
```

▼ request 예시

▼ response 예시

```
[
{
    "id": 0,
    "memberId": 0,
    "content": "test",
    "visible": true,
    "createdAt": ""
},
{
    "id": 1,
    "memberId": 2,
    "content": "test!",
    "visible": true,
    "createdAt": ""
},
]
```

▼ ErrorCode - 임시

방명록 작성

• endpoint:

```
POST /apis/{homepee-id}/guest/guest-notes
HOST localhost:8080
Authorization: Bearer {{access_token}}
Content-Type: application/json

{
    "memberId": 0,
    "content": "",
    "visible": true
}

HTTP/1.1 200 OK
{
    "id": 0,
    "member"{
```

```
"id": 3,
"name":"", //멤버이름추가
"profileImageUrl":"" //멤버프로필추가
},
"content": "",
"visible": true,
"createdAt": ""
}
```

▼ request 예시

```
POST http://localhost:8080/apis/100/guest-notes
Authorization: Bearer {{access_token}}
Content-Type: application/json

{
   "memberId": 59,
   "content": "잘 구경하다 갑니다~",
   "visible": true
}
```

▼ response 예시

```
HTTP/1.1 200 OK
{
    "id": 1,
    "memberId": 59,
    "content": "잘 구경하다 갑니다~",
    "visible": true,
    "createdAt": "2021-07-25:11:23:46"
}
```

▼ ErrorCode - 임시

```
HTTP/1.1 400 BAD REQUEST
EMP4001("방명록을 저장하는데 실패했습니다.")
```

방명록 수정

• endpoint:

```
PUT /apis/{homepee-id}/guest/guest-notes/{guest-note-id}
HOST localhost:8080
Authorization: Bearer {{access_token}}
Content-Type: application/json

{
    "memberId": 0,
    "content": "",
    "visible": true
}

HTTP/1.1 204 NO CONTENT
```

▼ request 예시

```
PUT http://localhost:8080/apis/100/guest/guest-notes/1
Authorization: Bearer {{access_token}}
Content-Type: application/json

{
   "memberId": 59,
   "content": "잘 구경하다 갑니다~ 다음에 또 올게요!",
   "visible": true
}
```

▼ response 예시

```
HTTP/1.1 204 NO CONTENT
```

▼ ErrorCode - 임시

```
HTTP/1.1 400 BAD REQUEST
EMP4002("방명록을 수정하는데 실패했습니다.")
```

방명록 삭제

· endpoint:

```
DELETE /apis/{homepee-id}/guest/guest-notes/{guest-note-id}
HOST localhost:8080
Authorization: Bearer {{access_token}}

HTTP/1.1 204 NO CONTENT
```

▼ request 예시

```
DELETE http://localhost:8080/apis/100/guest-notes/1
Authorization: Bearer {{access_token}}
```

▼ response 예시

HTTP/1.1 204 NO CONTENT

▼ ErrorCode - 임시

```
HTTP/1.1 400 BAD REQUEST
EMP4003("방명록을 삭제하는데 실패했습니다.")
```