

RECEIVED: July 27, 2022 REVISED: October 28, 2022 ACCEPTED: January 1, 2023 PUBLISHED: June 27, 2023

Exclusive dielectron production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{ m NN}}=5.02$ TeV with ATLAS



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

Abstract: Exclusive production of dielectron pairs, $\gamma \gamma \to e^+ e^-$, is studied using $\mathcal{L}_{int} =$ $1.72~{\rm nb}^{-1}$ of data from ultraperipheral collisions of lead nuclei at $\sqrt{s_{\rm NN}}=5.02\,{\rm TeV}$ recorded by the ATLAS detector at the LHC. The process of interest proceeds via photon-photon interactions in the strong electromagnetic fields of relativistic lead nuclei. Dielectron production is measured in the fiducial region defined by following requirements: electron transverse momentum $p_{\rm T}^e > 2.5 \,{\rm GeV}$, absolute electron pseudorapidity $|\eta^e| < 2.5$, dielectron invariant mass $m_{ee} > 5 \,\text{GeV}$, and dielectron transverse momentum $p_{\text{T}}^{ee} < 2 \,\text{GeV}$. Differential cross-sections are measured as a function of m_{ee} , average $p_{\rm T}^e$, absolute dielectron rapidity $|y_{ee}|$, and scattering angle in the dielectron rest frame, $|\cos\theta^*|$, in the inclusive sample, and also with a requirement of no activity in the forward direction. The total integrated fiducial cross-section is measured to be $215 \pm 1 ({\rm stat.}) ~^{+23}_{-20} ({\rm syst.}) \pm 4 ({\rm lumi.})~\mu {\rm b}$. Within experimental uncertainties the measured integrated cross-section is in good agreement with the QED predictions from the Monte Carlo programs STARLIGHT and SUPERCHIC, confirming the broad features of the initial photon fluxes. The differential cross-sections show systematic differences from these predictions which are more pronounced at high $|y_{ee}|$ and $|\cos \theta^*|$ values.

Keywords: Heavy Ion Experiments, Heavy-Ion Collision

ARXIV EPRINT: 2207.12781

Contents		
1	Introduction	1
2	ATLAS detector	3
3	Data and Monte Carlo simulation samples	4
4	Signal selection and detector corrections	5
5	Background contributions	8
6	Analysis	11
7	Systematic uncertainties	13
8	Results	15
9	Conclusions	17
Tł	The ATLAS collaboration	

1 Introduction

Collisions of ultrarelativistic heavy ions provide an opportunity to study not only the strong interactions between nucleons but also processes involving electromagnetic (EM) interactions. This is due to the presence of intense EM fields associated with the ultrarelativistic ions. The EM interactions become dominant at large impact parameters, $b > 2R_A$, where R_A is the ion radius. Such collisions are usually referred to as ultraperipheral collisions (UPC). Comprehensive reviews of UPC physics can be found in refs. [1, 2].

The EM fields associated with the ultrarelativistic nuclei can be treated as fluxes of quasi-real photons according to the equivalent photon approximation (EPA) formalism [3, 4]. In this approach, the total cross-section for a given process is calculated as a convolution of the photon flux with the elementary production cross-section. Although the same approach is also valid for proton–proton (pp) collisions, the expected cross-sections are strongly enhanced in the heavy-ion (HI) collisions. The photon flux from each nucleus is enhanced by a factor of Z^2 , where Z is the atomic number. That results in a Z^4 enhancement of the cross-sections. For lead (Pb, Z=82), this Z^4 enhancement is 4.5×10^7 . Another advantage of studying photon-induced interactions in UPC HI collisions is the relatively low number of interactions per LHC bunch crossing. The mean number of simultaneous hadronic interactions, μ , is typically at the subpercent level. This provides a clean




Figure 1. Feynman diagram of the leading-order $\gamma \gamma \to e^+e^-$ process.

environment, facilitating the detection of the interaction products, and little contamination from unrelated interactions in the same crossing. With the centre-of-mass energy per nucleon pair available at the Large Hadron Collider (LHC), $\sqrt{s_{\rm NN}}=5.02\,{\rm TeV}$, the initial photons can reach energies up to 75–100 GeV in the Pb+Pb centre-of-mass system.

Among the possible set of photon-induced reactions, the exclusive production of dielectron pairs from photon–photon collisions, i.e. $\gamma\gamma \to e^+e^-$, is one of the cleanest elementary processes. This process, also referred to as the Breit–Wheeler process [5], is a non-resonant two-photon scattering to opposite-charge electron pairs. The outgoing nuclei may be excited, due to incoherent emission of photons participating in $\gamma\gamma \to e^+e^-$ process or via photonuclear reactions, occurring when an additional photon is exchanged. [6, 7]. A Feynman diagram of the leading-order $\gamma\gamma \to e^+e^-$ reaction is shown in figure 1. Even for large $\gamma\gamma$ invariant masses, the relatively large cross-section associated with this process allows precise differential measurements to be made. Thus, this process is a particularly effective tool for studying the modelling of photon fluxes and elementary production cross-sections, as well as for studying the effects of nuclear break-up induced by additional photon exchanges, whose probability is strongly correlated with the internuclear impact parameter [2]. Nuclear break-up gives rise to forward neutron production, and the fraction of events with such activity is larger at smaller impact parameters.

Exclusive dilepton production, via both electron-pair and muon-pair final states, has been measured by ATLAS and CMS in pp collisions at $\sqrt{s}=7\,\mathrm{TeV}$ [8–10] and $\sqrt{s}=13\,\mathrm{TeV}$ [11–13]. The ALICE Collaboration has measured exclusive production of electron pairs in Pb+Pb collisions at $\sqrt{s_\mathrm{NN}}=2.76\,\mathrm{TeV}$ [14] over a limited kinematic range. The STAR and PHENIX experiments at RHIC have measured exclusive dileptons at lower invariant masses at $\sqrt{s_\mathrm{NN}}=200\,\mathrm{GeV}$ for both Au+Au and U+U collisions [15–17]. With the higher centre-of-mass energy of $\sqrt{s_\mathrm{NN}}=5.02\,\mathrm{TeV}$, ATLAS has performed differential measurements of $\gamma\gamma\to\mu^+\mu^-$ production in UPC Pb+Pb collisions [18]. Both STAR and ATLAS have observed substantial broadening of angular distributions for exclusive dileptons from $\gamma\gamma$ interactions in events where the nuclei overlapped and interacted hadronically [15, 19]. Finally, CMS has observed that angular correlations in exclusive dimuon

events are broadened significantly as a function of the impact parameter [20], as inferred by the amount of forward neutron production.

Exclusive dielectron production is an important reference process for other measurements. References [21] and [22] propose using it in the context of $\gamma\gamma \to \tau^+\tau^-$ production, in order to reduce the impact of correlated systematic uncertainties for the measurement of the τ -lepton anomalous magnetic moment. It is also an important background for light-by-light scattering, which proceeds via loop diagrams and thus has a much lower cross-section. This has been assessed in several publications on light-by-light scattering by ATLAS [23–25] and CMS [26].

This paper presents a measurement of the exclusive production of dielectrons with the ATLAS detector at the LHC. It uses Pb+Pb data collected in 2018, which have an integrated luminosity three times larger than the sample used in the ATLAS dimuon measurement [18]. Dielectron production is measured in the fiducial region defined by the following requirements: electron transverse momentum $p_{\rm T}^e > 2.5 \,\text{GeV}$, electron pseudorapidity $|\eta^e| < 2.5$, dielectron invariant mass $m_{ee} > 5 \,\text{GeV}$, and dielectron transverse momentum $p_{\rm T}^{ee} < 2 \,\text{GeV}$. Compared to the dimuon measurement discussed in ref. [18], this fiducial region has wider coverage in lepton $p_{\rm T}$ and dilepton invariant mass, with the minimum values lowered by 1.5 GeV and 5 GeV, respectively. The backgrounds originating from single-dissociative processes, $\Upsilon(nS)$ production, and exclusive τ -lepton pair production, $\gamma\gamma \to \tau^+\tau^-$, are estimated and subtracted. Differential cross-sections are measured as a function of m_{ee} , average electron transverse momentum $\langle p_{\rm T}^e \rangle$, absolute dielectron rapidity $|y_{ee}|$, and scattering angle in the dielectron rest frame, $|\cos\theta^*|$. The cross-sections are extracted both inclusively in forward neutron activity and exclusively in $\gamma\gamma \to e^+e^-$ events without activity in the forward direction. The latter is a unique feature of this paper.

2 ATLAS detector

The ATLAS detector [27] at the LHC covers nearly the entire solid angle around the collision point. It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting toroidal magnets with eight coils each.

The inner detector (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the pseudorapidity range $|\eta| < 2.5.^1$ The high-granularity silicon pixel (Pixel) detector covers the vertex region and typically provides four measurements per track, with the first hit normally being in the insertable B-layer (IBL) [28], which was installed at the mean distance of 3.3 cm from the beam axis before the start of Run 2. It is followed by the silicon microstrip tracker (SCT), which usually provides four two-dimensional measurement points per track. These silicon detectors are complemented by

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam pipe. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2}$. The photon (electron) transverse energy is $E_T = E/\cosh(\eta)$, where E is its energy.

the transition radiation tracker, which enables radially extended track reconstruction up to $|\eta| = 2.0$.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap lead/liquid-argon (LAr) calorimeters (high granularity for $|\eta| < 2.5$), with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadronic calorimetry is provided by the steel/scintillator-tile calorimeter, which is segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules (FCal) optimised for electromagnetic and hadronic measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroids. The precision chamber system covers the region $|\eta| < 2.7$ with three layers of monitored drift tubes, complemented by cathode strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive plate chambers in the barrel, and thin gap chambers in the endcap regions.

The zero-degree calorimeters (ZDC) consist of four longitudinal compartments on each side of the IP, each with one nuclear interaction length of tungsten absorber, with Cherenkov light read out by 1.5-mm-diameter quartz rods. The detectors are located 140 m from the nominal IP in both directions, covering $|\eta| > 8.3$, and are well suited to measuring neutral particles originating from the collision. In Pb+Pb collisions the ZDC detects individual neutrons originating from the incoming nuclei. The ZDC calibration is performed in each set of four modules using photonuclear processes that deposit one or more neutrons on one side, and a single neutron, carrying the full per-nucleon beam energy, on the other. Time-dependent weights are determined for each module in short time intervals to minimise the variance around the nominal per-nucleon beam energy. Energy resolutions achieved are typically around $\Delta E/E \approx 16\%$.

The ATLAS trigger system [29, 30] consists of a first-level (L1) trigger implemented using a combination of dedicated electronics and programmable logic, and a software-based high-level trigger (HLT). An extensive software suite [31] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and Monte Carlo simulation samples

The data used in this measurement are from Pb+Pb collisions with a centre-of-mass energy of $\sqrt{s_{\rm NN}} = 5.02$ TeV, recorded in 2018 with the ATLAS detector at the LHC. The full data set corresponds to an integrated luminosity of $1.72\,{\rm nb}^{-1}$. Only high-quality data [32] with all detectors operating normally are analysed.

Monte Carlo (MC) simulated events for the $\gamma\gamma \to e^+e^-$ signal process were generated at leading order (LO) using Starlight v3.13 [33]. In this approach, the cross-section

is computed by convolving the Pb+Pb photon flux with the LO calculation of the elementary $\gamma\gamma \to e^+e^-$ process. The photon spectrum is calculated in impact parameter space by integrating the photon number density over all impact parameters while assuming that the beam projectiles do not interact hadronically. This is done by utilising a simple Glauber model [34] which provides an impact-parameter-dependent probability of inelastic processes. Starlight also requires that the dilepton pairs are not formed within either nucleus. Several signal samples were produced for exclusive m_{ee} intervals within the range $4.5 < m_{ee} < 200 \,\text{GeV}$. An alternative sample for the signal $\gamma\gamma \to e^+e^-$ process uses the SuperChic v3.05 [35] program. The difference between the nominal and alternative signal prediction is mainly in the implementation of the initial photon flux. The Starlight generator relies on flux from point-like sources restricted to impact parameters larger than nuclear radius $(b > R_A)$, while SuperChic generator implements flux calculations down to b = 0 and takes the nuclear form factor into account.

Backgrounds from $\gamma\gamma \to \tau^+\tau^-$ and $\Upsilon(nS) \to e^+e^-$ were simulated using STARLIGHT v3.13. All generated events utilised PYTHIA 8 (Py8) [36] to model QED final-state radiation (FSR) from the outgoing leptons.

Incoherent emission of photons participating in $\gamma\gamma \to e^+e^-$ process contribute to background in the dielectron production sample. In such a process either one (single dissociation) or both (double dissociation) nuclei interact inelastically and dissociate. Simulation of this process is not available in any MC generator, however a similar process in pp collisions is modelled using Superchic v4.0 (SC4) [37]. The sample generated with SC4 was interfaced to Pythia 8 for showering and hadronisation. A data-driven approach, discussed in detail in section 5, is used in the analysis to utilise this sample in Pb+Pb collisions.

Apart from the alternative signal sample, all generated events are processed with a detector simulation [38] based on Geant [39] and are reconstructed with the standard ATLAS reconstruction software [31]. The alternative signal sample is used for comparisons with the measured differential cross-sections discussed in section 8.

4 Signal selection and detector corrections

Candidate dielectron events were recorded using a dedicated trigger for events with moderate activity in the calorimeter but little additional activity in the entire detector. A logical OR of two L1 trigger conditions was required: (1) at least one EM cluster with $E_{\rm T} > 1\,{\rm GeV}$ in coincidence with a total $E_{\rm T}$ of 4–200 GeV registered in the calorimeter, or (2) at least two EM clusters with $E_{\rm T} > 1\,{\rm GeV}$ and a total $E_{\rm T}$ below 50 GeV registered in the calorimeter. At the HLT, the total $E_{\rm T}$ on each side of the FCal detector was required to be below 3 GeV. Additionally, a veto condition on the maximum activity in the Pixel detector, hereafter referred to as the Pixel-veto, had to be satisfied at the HLT. The number of hits was required to be at most 15 to be compatible with low-multiplicity UPC events.

Electrons are reconstructed from EM clusters in the calorimeter and tracking information provided by the ID [40]. Selection requirements are applied to remove EM clusters with a large amount of energy from poorly functioning calorimeter cells, and a timing requirement is made to reject out-of-time candidates. An energy calibration specifically optimised for electrons and photons [40] is applied to the candidates to account for upstream energy loss and both lateral and longitudinal shower leakage. The calibration is derived for nominal pp collisions with dedicated factors applied to account for the much lower contribution from multiple Pb+Pb collisions in the same bunch crossing.

The electron identification in this analysis is based on a 'loose' cut-based working point [40] which is defined using selections on the shower-shape and tracking variables. Only electrons with $p_{\rm T}^e > 2.5\,{\rm GeV}$ and $|\eta^e| < 2.47$, excluding the calorimeter transition region $1.37 < |\eta^e| < 1.52$, are considered. The minimum $p_{\rm T}^e$ requirement is driven by the electron reconstruction efficiency, which drops below 20% for $p_{\rm T}^e$ values below this threshold.

Preselected events are required to have exactly two opposite-charge electrons satisfying the above selection criteria, with a dielectron invariant mass, m_{ee} , greater than 5 GeV. To suppress non-exclusive backgrounds, only two charged-particle tracks [41, 42] each with $p_{\rm T} > 100\,{\rm MeV}$, $|\eta| < 2.5$, at least seven hits in the Pixel and SCT detectors in total and at most two silicon sensors without a hit, and associated with the dielectron are allowed. To reject non-collision backgrounds such as cosmic-ray muons, the event must not have a track in the MS. Finally, the total $p_{\rm T}$ of the dielectron, $p_{\rm T}^{ee}$, is required to be less than 2 GeV. Low $p_{\rm T}^{ee}$ values are a key feature of the purely EM process, which involves initial-state photons with very low $p_{\rm T}$.

Each of the events satisfying the $\gamma\gamma \to e^+e^-$ criteria can be further classified into one of three categories based on the observed activity in the ZDC detector: 1) no neutron is registered in either ZDC ('0n0n'), 2) one or more forward neutrons registered in one ZDC and none in the other ('Xn0n'), and 3) one or more forward neutrons detected in both ZDC arms ('XnXn'). The observed fractions of events falling into these categories are: $f_{0n0n} = (62.9 \pm 0.3)\%$, $f_{Xn0n} = (29.7 \pm 0.3)\%$, and $f_{XnXn} = (7.4 \pm 0.2)\%$. Due to the relatively large instantaneous luminosity of Pb+Pb collisions, which peaked around 7×10^{27} cm⁻²s⁻¹, additional neutrons might be generated per bunch crossing by single and mutual dissociation processes and detected in one or both arms of the ZDC, but they are not associated with the exclusive dielectron process. This leads to an outflow of events from the 0n0n and Xn0n categories to both the Xn0n and XnXn categories. This effect is accounted for using the method established in ref. [18]. A matrix equation with two fundamental parameters representing probabilities for single and mutual dissociation is built. The corrected fractions are measured in four bins of m_{ee} , with boundaries at 5, 10, 20, and 40 GeV, and three bins of $|y_{ee}|$, with boundaries at 0, 0.8, 1.6, and 2.4, and also in the sample integrated over m_{ee} and $|y_{ee}|$. On average, in the 0n0n category, they are about 13% larger than the observed fractions. Figure 2 shows the fractions of events in the 0n0n category as a function of m_{ee} in three bins of $|y_{ee}|$, corrected for the presence of additional neutrons. These fractions tend to drop with increasing mass, and are in general larger for higher $|y_{ee}|$ values. For the rapidity range of $|y_{ee}| < 0.8$, which has the largest number of events, the f_{0n0n} values drop from about 78% in the lowest mass bin to about 57% in the highest mass bin. The systematic uncertainties in the fractions of events in the 0n0n category originate from several sources: uncertainties in the exclusive single and double EM dissociation cross-sections measured by the ALICE Collaboration [43], and their




Figure 2. Fractions of events in the 0n0n category evaluated from data in three bins of $|y_{ee}|$, corrected for the presence of additional neutrons. Error bars represent statistical uncertainties, while shaded boxes represent systematic uncertainties. Points for $|y_{ee}| < 0.8$ and $1.6 < |y_{ee}| < 2.4$ are displaced horizontally for better visibility.

extrapolation from $\sqrt{s_{\rm NN}} = 2.76\,{\rm TeV}$ to 5.02 TeV as evaluated in ref. [18]; the uncertainty in the dissociative background contribution as discussed in section 5; and the uncertainty in the ZDC efficiency.

The efficiency of the primary physics trigger (ϵ_T) is determined as $\epsilon_T = \epsilon_{L1} \cdot \epsilon_{PixVeto}$. $\varepsilon_{\text{FCal}}$, where ε_{L1} is the efficiency of the L1 EM trigger to register the moderate calorimeter activity characteristic of the signal process, $\varepsilon_{PixVeto}$ is the efficiency of the trigger to reject events with large numbers of Pixel detector hits, and $\varepsilon_{\text{FCal}}$ is the efficiency of the FCal selection to reject events with large energy depositions on either side. Individual efficiencies are evaluated in a sample of $\gamma\gamma \to e^+e^-$ events collected with a set of dedicated supporting triggers that do not use the condition under study in the primary physics trigger to reject any events. The $\varepsilon_{\rm L1}$ value rises with the sum of the transverse energies of the two electron clusters and reaches 100% for $\Sigma E_{\rm T} > 8$ GeV. The Pixel-veto efficiency and its uncertainties are measured as a function of the dielectron rapidity in the dedicated dielectron sample collected by the supporting trigger requiring at least two tracks with $p_{\rm T}$ above 1 GeV and without veto requirement on the number of Pixel hits. The efficiency is evaluated as a ratio of events passing the Pixel-veto requirement to all selected events. It is just over 80% for $|y_{ee}| \sim 0$ and falls to about 50% for $|y_{ee}| > 2$. The dependence on $|y_{ee}|$ originates from the growing number of Pixel-detector layers in the forward direction that a dielectron pair has to pass through. The average number of Pixel hits for the signal process is 10 in the central region, and it increases to 14 in the forward direction. The systematic uncertainties are evaluated by repeating the efficiency measurement on the dielectron sample selected by varying requirements on $p_{\rm T}^e$ and m_{ee} , and acoplanarity ($\alpha=1-|\Delta\phi|/\pi$, where $\Delta\phi$ is the azimuthal angle between the two electrons). They are at the level of 0.5%, while the statistical uncertainty ranges between 1 and 2%. Finally, the FCal veto efficiency is measured to be (99.1 ± 0.6)%, and it is constant for the entire range in $\Sigma E_{\rm T}$. The total uncertainty in the trigger efficiency is determined by increasing and decreasing all of the individual components by their respective total uncertainties. They amount to about 3%–4% for the primary calorimeter pair trigger, driven mainly by the limited number of dielectron events collected by an independent ZDC-based trigger used to measure $\varepsilon_{\rm L1}$, and less than a percent for the other contributions.

The total electron efficiency is the product of the electron reconstruction efficiency and the 'loose' electron identification efficiency [40]. This is determined in data using a sample of events triggered by the presence of EM clusters, limited total $E_{\rm T}$, and a maximal number of Pixel hits, on which a tag-and-probe procedure is performed. The tag is a well-reconstructed, high-purity electron candidate with $E_{\rm T}>2.5\,{\rm GeV}$, and the probe is an opposite-charge track built from at least three hits in the Pixel detector (referred to as a 'Pixel-track'). Pixel tracks are required to have $p_T > 50 \,\mathrm{MeV}$. The invariant mass of the tag-and-probe system must exceed 5 GeV and the acoplanarity has to be less than 0.1. The extracted mass distribution is found to agree well with a reconstructed sample of STARLIGHT events. The reconstruction efficiency is defined as the fraction of probes which are reconstructed electrons, while the identification efficiency is the fraction of reconstructed electrons which are identified as 'loose' electrons. The reconstruction efficiency has large variations with both $p_{\rm T}$ and Pixel-track η , and ranges from about 30% at $p_{\rm T}=2.5\,{\rm GeV}$ to 95% above 15 GeV. The identification efficiency is found to vary more weakly with Pixeltrack η , ranging between 80% and 90%. Then, the overall reconstruction scale factors are extracted as the ratio of efficiencies measured in data and MC simulation. They vary between 0.9 and 1.2, with the largest deviations from unity being in the forward direction for Pixel-track $|\eta| > 1.1$. Systematic uncertainties in the scale factors are evaluated using tighter selection criteria for the tag and probe candidates, as well as reducing a potential contribution from background processes by limiting the measurement to the 0n0n category or to a narrow acoplanarity region, $\alpha < 0.01$. In particular the requirement on maximum α reduces the contribution from the exclusive $\tau^+\tau^-$ production to 0.25% level. The total systematic uncertainty is at the level of 5% for central Pixel-tracks with $|\eta| < 1$, and grows to 10% in the forward direction. In the forward region, the statistical and systematic uncertainties are of similar size.

5 Background contributions

There are three primary sources of background considered in this analysis, presented in order of decreasing contributions: dissociative $\gamma\gamma \to e^+e^-$ production; Υ -meson production; and exclusive τ -lepton pair $(\tau^+\tau^-)$ production.

The largest background originates from $\gamma\gamma \to e^+e^-$ production with nuclear dissociation. In this process one (or both) of the initial photons originates from the substructure

of the nucleon, rather than from the exterior EM field of the nuclei as a whole. The photon interaction that produces the e^+e^- pair is thus accompanied by the dissociation of the emitting nucleus, whose remnants are produced in the forward direction and are typically captured by the ZDC detector.

The contribution from dissociative events is estimated using a template-fitting approach applied to the acoplanarity distribution. The signal template is simulated with Starlight + Pythia 8 and it is peaked at $\alpha \approx 0$, with some contribution in the tail originating from events with FSR. The background template shape is taken from the single-dissociative events simulated in pp collisions with SuperChic v4.0 interfaced with Pythia 8. These events have a much wider α distribution than the signal. The acoplanarity shape is strongly correlated with the transverse momentum of the $\gamma\gamma$ system, which is driven by the transverse momenta of the initial photons. For the photons emitted coherently from the nucleus, the transverse momentum is of order $\hbar c/R_A \approx 30 \,\text{MeV}$, while typical $p_{\rm T}$ scale for dissociative events is of order GeV. In the case of dilepton production in pp collisions, the typical initial $p_{\rm T}$ scale is about 200 MeV. The convolution of photon fluxes originating from either proton or ion with photons emitted from nucleon substructure is always dominated by the harder spectrum of the latter. Therefore, the shape of the acoplanarity distribution for dissociative dielectron production in Pb+Pb collisions can be described by the simulation of this process in pp collisions. The fit to the data is performed in the same intervals of m_{ee} and $|y_{ee}|$ as in the study of the fractions of events in the 0n0n, Xn0n and XnXn categories. In each bin, a binned maximum-likelihood fitting procedure is performed separately in three ZDC categories. The normalisation of the relative background contribution, f_{bkg} , is taken to be a free parameter of the fit. The signal fraction is thus $(1-f_{\rm bkg})$. For the inclusive sample, $f_{\rm bkg}$ is a weighted sum of the results for the 0n0n, Xn0n, and XnXn categories. The f_{bkg} fraction accounts for contributions from dissociative production and exclusive $\tau^+\tau^-$ production, $\gamma\gamma\to\tau^+\tau^-$. The latter may contribute to the electron background, especially when both τ -leptons decay in the electron channel. The $\tau^+\tau^-$ contribution is estimated using a dedicated MC sample from STARLIGHT. The resulting background fraction of $\gamma\gamma \to \tau^+\tau^-$ events in the full data sample amounts to 0.1%. It is found that the shape of the α distribution for the exclusive $\tau^+\tau^-$ events is similar to the α distribution for the pure dissociative component. However, the origin of this shape in $\tau^+\tau^-$ events is due to the presence of the neutrino in τ -lepton decay. The dissociative contribution, $f_{\rm diss}$, is therefore determined as the background fraction obtained from the fitting procedure, then reduced by the $\tau^+\tau^-$ background fraction.

The results of the fitting procedure for the data from the $10 < m_{ee} < 20 \,\text{GeV}$ and $|y_{ee}| < 0.8$ interval are presented in figure 3 for three ZDC categories as well as for the inclusive sample. The f_{bkg} fraction amounts to $(0.3 \pm 0.2)\%$, $(9.9 \pm 0.6)\%$, $(13 \pm 1)\%$ and $(4.3 \pm 0.3)\%$ for the 0n0n, Xn0n, XnXn categories, and the inclusive sample, respectively and increases with m_{ee} and $|y_{ee}|$.

The contribution from Υ -meson production is estimated using the dedicated STARLIGHT + PYTHIA 8 samples. Three Υ states, $\Upsilon(1S), \Upsilon(2S)$, and $\Upsilon(3S)$ are considered. This background is significant only for m_{ee} below 14 GeV and amounts to 2.4% of events satisfying the selection criteria for the $\gamma\gamma \to e^+e^-$ process. The α distribution of




Figure 3. Acoplanarity distribution in the data sample (markers) of $\gamma\gamma \to e^+e^-$ candidates selected with $10 < m_{ee} < 20 \,\text{GeV}$ and $|y_{ee}| < 0.8$ requirements. The sample is split into 0n0n (top left), Xn0n (top right), XnXn (bottom left) and inclusive (bottom right) categories. The fitted dissociative background in each category is shown with the green dashed line, while the prediction for the signal process is shown by the red line. The sum of the two components is shown with the solid blue line. The resulting estimate of the background fraction in the data, $f_{\rm bkg}$, is given in the legend. The shaded area represents the total uncertainty of the sum of signal and background components.

the dielectron candidates from Υ decays is peaked at zero, similarly to the signal shape. It does not contribute to $f_{\rm bkg}$ because the resulting fraction is not sensitive to a 2.4% change in the acoplanarity peak. Hence, the Υ contribution is subtracted separately from the data.

A background contribution originating from photonuclear processes occurring in ultraperipheral heavy-ion collisions is largely suppressed by the trigger requirement limiting the maximum $E_{\rm T}$ deposited in the FCal to 3 GeV per side. The validity of this assumption was tested by examining the multiplicity distribution of Pixel-tracks. The fraction of events that have more than two Pixel-tracks is 1.3% and consistent with simulations of $\gamma\gamma \to e^+e^-$ events. This also confirms that the pileup contribution from additional low- $p_{\rm T}$ $\gamma\gamma \to e^+e^-$ interactions, which should be below 1%, can be neglected in the selected data sample.

Figure 4 shows control distributions for reconstructed and uncorrected values of m_{ee} , $\langle p_{\rm T}^e \rangle$, y_{ee} , $|\cos \theta^*| = |\tanh(\Delta \eta_{ee}/2)|$, and α for the inclusive data sample compared with MC predictions including the signal and background processes. The trigger decision is not

simulated in the MC events. Instead, the distributions are weighted event-by-event by the parameterised trigger efficiency and by electron scale factors. The signal, Υ decay and $\tau^+\tau^-$ MC prediction is normalised to the integrated luminosity in data. The dissociative contribution is scaled to constitute the f_{diss} fraction (determined for the inclusive sample) of the data. In general, good agreement between data and the sum of the predictions for signal and background processes is found. On average, the observed discrepancies are at the level of 10%-15% with some exceptions which are discussed further. In the m_{ee} distribution the data excess is more strongly pronounced for m_{ee} between 10 and 20 GeV, where the difference between data and MC simulation is 10%–20%. The data-to-MC ratio drops below unity for masses above 40 GeV. The same features are observed in the $\langle p_{\rm T}^{\rm e} \rangle$ distribution, with the largest deviations from unity in the range 5–10 GeV. In the y_{ee} distribution, the data excess is smaller, up to 10%, in the range from -1.2 to 1.2, with larger discrepancies for higher $|y_{ee}|$ values. The data-to-MC ratio in the $|\cos\theta^*|$ distribution drops slowly from 1.2 for $|\cos \theta^*| = 0$ to unity at $|\cos \theta^*| = 0.75$, and then falls more steeply, to 0.5 for the largest values of $|\cos \theta^*|$. In the α distribution, a difference in the overall shape is observed in the full range. This can be explained by a sensitivity of the results to the p_T spectrum assumed by Starlight, since this spectrum determines the width of the α distribution. In general, all these discrepancies tend to be consistent with the observations made in the ATLAS $\gamma\gamma \to \mu^+\mu^-$ measurement [18], where the STARLIGHT predictions were found to underestimate the measured integrated fiducial cross-sections by about 10%.

6 Analysis

The integrated fiducial cross-section for exclusive dielectron production is calculated using the following formula:

$$\sigma^{\text{fid}} = rac{N_{ ext{data}} - N_{ ext{bkg}}}{C \cdot A \cdot L},$$

where:

- N_{data} and N_{bkg} refer to the number of events in data after event selection and the expected number of background events in this selected sample, respectively;
- C is a correction factor accounting for detector inefficiencies (including the trigger), calculated as $N_{
 m MC,reco}^{
 m fid,cut}/N_{
 m MC,gen}^{
 m fid,cut}$ where $N_{
 m MC,gen}^{
 m fid,cut}$ is the number of generated events passing fiducial requirements of the analysis, while $N_{
 m MC,reco}^{
 m fid,cut}$ is the number of simulated signal events that also pass the reconstruction-level selection;
- A is the acceptance correction, used to correct the result for the exclusion of the calorimeter transition region and extrapolation from $|\eta^e| < 2.47$ to $|\eta^e| < 2.5$; and is calculated as $N_{\rm MC,gen}^{\rm fid,cut}/N_{\rm MC,gen}^{\rm fid}$, where $N_{\rm MC,gen}^{\rm fid}$ is the number of generated events passing all fiducial requirements of the analysis, except the requirement to exclude the calorimeter transition region;
- L is the total integrated luminosity.




Figure 4. Distributions of m_{ee} (top left), $\langle p_{\rm T}^e \rangle$ (top right), y_{ee} (middle left), $|\cos \theta^*|$ (middle right), and α (bottom) for the inclusive sample in data and the MC predictions for signal and background processes. The lower panels show the ratio of data to MC simulation. Error bars represent statistical uncertainties. The shaded area represents the overall uncertainty of the total MC prediction. In the y_{ee} , $|\cos \theta^*|$, and α distributions, the Υ and $\tau^+\tau^-$ contributions are shown together. The dissociative contribution is scaled to constitute the $f_{\rm diss}$ fraction from the data fit.

Both $N_{\rm MC,gen}^{\rm fid,cut}$ and $N_{\rm MC,gen}^{\rm fid}$ are extracted with respect to the generator-level electrons before FSR. The fiducial region is defined by the following requirements: $p_{\rm T}^e > 2.5\,{\rm GeV}$, $|\eta^e| < 2.5$, $m_{ee} > 5\,{\rm GeV}$, and $p_{\rm T}^{ee} < 2\,{\rm GeV}$. The number of events passing the fiducial

selection is $N_{\rm data} = 30456$. The dissociative and $\tau^+\tau^-$ background fraction obtained from the fit amounts to 4.5%. The Υ background amounts to 2.4% of all events satisfying the selection criteria.

The selected data sample is corrected in a few subsequent steps in order to compare it with the theoretical predictions. In the first step the backgrounds are subtracted. Distributions in the data are reweighted event-by-event by the factor $(1 - f_{\text{bkg}})$ where f_{bkg} is the fraction of background (inclusive in ZDC) from the fit in a given m_{ee} and $|y_{ee}|$ range. For masses above 40 GeV, the fraction obtained from the fit in the full $|y_{ee}| < 2.4$ range is taken. For events with m_{ee} below 40 GeV, the fraction as a function of $|y_{ee}|$ is used. If $|y_{ee}|$ exceeds 2.4, the fraction from the 1.6 $< |y_{ee}| < 2.4$ bin is applied. In the next step, the background expected from $\Upsilon(nS)$ decays is subtracted.

For differential cross-section measurement, the data are corrected with fiducial correction factors defined as the fraction of events in each bin which fall into the fiducial region at generator level. These factors correct for the events that are reconstructed within the fiducial region, but fall outside it at the generator level. They are parameterised using the reconstructed kinematic variables. They deviate from unity at the subpercent level, so their impact is marginal. After this, the reconstructed data are unfolded using a Bayesian-inspired iterative procedure [44] with one iteration for all distributions implemented in the RooUnfold package [45], using response matrices derived from signal MC samples. The number of iterations is chosen to minimise the resulting statistical uncertainty and at the same time provide good closure. A closure test based on the signal MC samples is performed to validate the unfolding procedure. The signal sample is split into two parts. The first part is used to fill the response matrices, while the second one is unfolded. The ratio of the unfolded yields to the generated yields deviates from unity by 1% at most.

Finally, the distributions are divided by the luminosity as well as the product of correction factors, $C \times A$, which account for detector inefficiencies as well as acceptance losses. They are determined for each bin of the unfolded distribution as the fraction of events that pass the fiducial requirements at reconstruction level, in events that pass them at generator level. The $C \times A$ factors are parameterised using generator-level kinematics, but then weighted by trigger and reconstruction efficiency scale factors, evaluated at reconstruction level. The average C and A factors amount to 0.087 and 0.878, respectively.

7 Systematic uncertainties

The following systematic uncertainties are considered in the cross-section measurement. The total scale factors for the electron reconstruction and identification efficiency [40] are varied upwards and downwards coherently over the full kinematic range, as a conservative estimate. The data-driven trigger efficiency, which is the product of the L1 efficiency, the Pixel-veto efficiency, and the forward transverse energy requirement efficiency, is increased and decreased by its total uncertainty. To assess known uncertainties in the EM energy scale and energy resolution, the calibrations are varied by factors determined in $13 \, \text{TeV} \, pp$ collisions [40]. The background contributions are increased and decreased by their total uncertainties. The dissociative backgrounds are dominated by their statisti-

cal uncertainties from the fit. The systematic uncertainties are also evaluated, and the largest contribution is related to the shape of the signal template. This is estimated using data from the 0n0n category as a signal distribution for the Xn0n and XnXn categories. The background template shape uncertainty is estimated by adding the double dissociative component. The uncertainty in the expected Υ yields is dominated by both the efficiency scale factors and the EM energy scale. Given the small contribution from Υ production, the theoretical uncertainties of its cross-section are considered to have negligible impact on the final measurement.

For the differential cross-sections, additional systematic uncertainties are related to the unfolding procedures. The MC sample is split in two, with one subsample used to determine the response matrix and the other treated as a simulated data set. The differences between the generated and unfolded yields are treated as a systematic uncertainty. Similarly, the sensitivity to the Bayesian prior is tested by reweighting the simulated data set to agree with the reconstructed data. Again, the differences between simulated and reconstructed yields in this closure test are applied as an uncertainty. While the primary unfolding is evaluated in one dimension rather than two, a cross-check is performed using the response in two dimensions. For each of the unfolded variables, every other one is used in the second dimension, but with the number of bins reduced to four (three) for m_{ee} and $\langle p_{\rm T}^e \rangle$ $(|y_{ee}| \text{ and } |\cos \theta^*|)$ to compensate for the limited number of events in the MC sample. The three resulting two-dimensional cross-sections are projected to one dimension and compared with the nominal results for each unfolded variable. The largest variations in each bin are included as an uncertainty. Finally, the spectra are evaluated in the 0n0n category, using the fractions determined in section 4, but evaluated for generator-level m_{ee} and $|y_{ee}|$ (as opposed to the reconstructed values). The differences are found to be within 1%-2%.

The uncertainty in the integrated luminosity of the data sample is 2.0%. It is derived from the calibration of the luminosity scale using x-y beam-separation scans, following a methodology similar to that detailed in ref. [46], and using the LUCID-2 detector for the baseline luminosity measurements [47].

A summary of the systematic uncertainties as a function of m_{ee} and $|y_{ee}|$ is shown in figure 5. The dominant source of uncertainty arises from the uncertainties in the electron scale factors. They are at the level of 10%–11% in the whole range of m_{ee} , and rise from 9% at $|y_{ee}| \approx 0$ to about 15% for $|y_{ee}|$ close to 2. The systematic uncertainty from the trigger efficiency is approximately 2% for m_{ee} above 10 GeV and $|y_{ee}|$ below 1.6. It rises to 4% for smaller m_{ee} , and to 6% for the highest $|y_{ee}|$ values. The uncertainty related to the energy scale and resolution is below 1% in the whole range of $|y_{ee}|$, but exceeds this value in some m_{ee} bins, reaching approximately 5% for the lowest m_{ee} values. The background uncertainties are within 1%–3% and increase slightly with increasing m_{ee} and $|y_{ee}|$. Uncertainties related to unfolding procedures do not exhibit such clear dependencies in m_{ee} and $|y_{ee}|$. They are mostly within the 2%–3% range but exceed this value, up to 5%, at intermediate m_{ee} and $|y_{ee}|$.




Figure 5. Breakdown of relative systematic uncertainties in the differential cross-section as a function of m_{ee} (left) and $|y_{ee}|$ (right).

8 Results

The total integrated fiducial cross-section is measured to be $215 \pm 1(\text{stat.}) ^{+23}_{-20}(\text{syst.}) \pm 4(\text{lumi.}) \, \mu\text{b}$. The Starlight prediction for the total integrated fiducial cross-section is $196.9 \, \mu\text{b}$, while the SuperChic prediction is $235.1 \, \mu\text{b}$. Both predictions are statistically compatible with the measurement.

The differential cross-sections for exclusive dielectron production are presented as a function of m_{ee} , $\langle p_{\rm T}^e \rangle$, $|y_{ee}|$, and $|\cos \theta^*|$ in figure 6. The cross-sections are measured inclusively in the ZDC categories. The results are corrected for detector inefficiency and resolution effects, and are compared with Starlight v3.13 and SuperChic v3.05 predictions for the signal $\gamma\gamma \to e^+e^-$ process. The bottom panel in each plot shows the ratio of the unfolded data to MC predictions. On average the STARLIGHT predictions underestimate the data by about 10%-15%, while SUPERCHIC predictions are higher by about the same amount. The STARLIGHT and SUPERCHIC predictions tend to have very similar shapes. The difference in the absolute normalisation of the two predictions is due to different approaches in the calculation of the initial photon flux. The predictions describe the shape of the data well, except at high $|y_{ee}|$ and high $|\cos\theta^*|$. The differences are more pronounced for m_{ee} between 10 and 20 GeV, and for $\langle p_{\rm T}^e \rangle$ between 5 and 10 GeV. The ratio of data to Starlight rises from about 1.1 to 1.2 as $|y_{ee}|$ increases from 0 to 2.5. For $|\cos \theta^*|$ close to 0, the data-to-STARLIGHT ratio reaches its largest value, around 1.15, and then slowly decreases to about 1.05 for $|\cos \theta^*| = 0.8$. The ratio falls more steeply in the last two bins of $|\cos\theta^*|$ and drops below unity to 0.75 and 0.65 for Starlight and SuperChic respectively. The measured cross-section in the highest $|\cos \theta^*|$ bin is 1.8 (2.7) standard deviations below the theory prediction from Starlight (SuperChic). There is a plausible proposal that higher-order scattering processes (involving more than two photons in the initial state) are relevant and would tend to reduce the predicted cross-sections by the observed discrepancies [48].

The differential cross-sections as a function of m_{ee} , $\langle p_{\rm T}^e \rangle$, $|y_{ee}|$ and $|\cos \theta^*|$ for the 0n0n category are presented in figure 7. They are compared with the MC predictions




Figure 6. Fully corrected differential cross-sections measured inclusively in ZDC categories for exclusive dielectron production, $\gamma\gamma \to e^+e^-$, as a function of m_{ee} , $\langle p_{\rm T}^e \rangle$, $|y_{ee}|$ and $|\cos\theta^*|$ for data (dots) and MC predictions from Starlight (solid blue) and SuperChic (dashed red). Bottom panels present the ratios of data to MC predictions. The shaded area represents the total uncertainty of the data, excluding the 2% luminosity uncertainty.

from Starlight v3.13 and SuperChic v3.05. Both simulated samples were produced inclusively and reweighted to the 0n0n category using the measured fractions presented in figure 2. The reweighting was performed event-by-event based on the generator level values of m_{ee} and $|y_{ee}|$. Each theory prediction is represented by two curves reflecting the systematic variations of the measured 0n0n fractions. Starlight can also generate a prediction conditional on the presence of neutron emission in one or both directions. These dedicated predictions from Starlight for the 0n0n category are shown in the same plots. That prediction agrees well with the shape of the inclusive Starlight prediction corrected for the measured 0n0n fractions, but is systematically lower by 2%–3% for $|y_{ee}| < 1.4$. The general conclusions from this comparison between MC predictions and data are consistent




Figure 7. Fully corrected differential cross-sections measured for the 0n0n category for exclusive dielectron production as a function of m_{ee} , $\langle p_{\rm T}^e \rangle$, $|y_{ee}|$ and $|\cos\theta^*|$. The cross-sections are compared with MC predictions from Starlight (solid blue) and SuperChic v3.05 (dashed red), each represented by two lines reflecting systematic variations. Also, a dedicated prediction from Starlight for the 0n0n category (dashed-dotted black) is shown. The bottom panels show the ratios of data to predictions. The shaded area represents the total uncertainty of the data, excluding the 2% luminosity uncertainty.

with the inclusive case. Agreement between data and MC events is generally better for lower $|y_{ee}|$ and $|\cos \theta^*|$ values, i.e. involving lower-energy initial-state photons.

9 Conclusions

A measurement of the cross-section for exclusive dielectron production, $\gamma\gamma \to e^+e^-$, is performed using $\mathcal{L}_{\rm int}=1.72~{\rm nb^{-1}}$ of ultraperipheral Pb+Pb collision data at $\sqrt{s_{\rm NN}}=5.02~{\rm TeV}$ recorded by the ATLAS detector at the LHC. The cross-section is corrected for detector

efficiency, acceptance losses, and background contributions. The backgrounds from dissociative processes, Υ decays, and $\tau^+\tau^-$ production are subtracted, with the first contribution estimated using a template fit to the acoplanarity distribution. After all corrections, the integrated cross-section for the $\gamma\gamma \to e^+e^-$ process in the fiducial region, defined by $p_{\rm T}^e > 2.5 \,{\rm GeV}, \, |\eta^e| < 2.5, \, m_{ee} > 5 \,{\rm GeV}, \, {\rm and} \, p_{\rm T}^{ee} < 2 \,{\rm GeV}$ requirements, is measured to be $215 \pm 1(\text{stat.}) + \frac{23}{20}(\text{syst.}) \pm 4(\text{lumi.}) \,\mu\text{b.}$ Within experimental uncertainties the data are in good agreement with the QED predictions from Starlight v3.13 and SuperChic v3.05. The differential cross-sections are presented as a function of m_{ee} , $\langle p_{\rm T}^e \rangle$, $|y_{ee}|$ and $|\cos \theta^*|$, both with and without requirements on forward neutron activity. The differential results are compared with the predictions from STARLIGHT v3.13, which are generally lower than measured cross-sections, and from SuperChic v3.05, which tend to be higher. In general, the shapes of the distributions agree well, but some systematic differences are observed. In particular, the discrepancy between data and the STARLIGHT prediction rises with higher $|y_{ee}|$, similarly to what ATLAS observed previously in $\gamma\gamma \to \mu^+\mu^-$ production. For $|\cos \theta^*| \approx 1$, the measured cross-section is 1.8 (2.7) standard deviations below the theory prediction from STARLIGHT (SUPERCHIC). Agreement between data and MC simulation is generally better for lower $|y_{ee}|$ and $|\cos \theta^*|$ values.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana,

Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [49].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License (CC-BY 4.0), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited. SCOAP³ supports the goals of the International Year of Basic Sciences for Sustainable Development.

References

- [1] A.J. Baltz, The physics of ultraperipheral collisions at the LHC, Phys. Rept. 458 (2008) 1 [arXiv:0706.3356] [INSPIRE].
- [2] S. Klein and P. Steinberg, Photonuclear and two-photon interactions at high-energy nuclear colliders, Ann. Rev. Nucl. Part. Sci. 70 (2020) 323 [arXiv:2005.01872] [INSPIRE].
- [3] E. Fermi, On the theory of collisions between atoms and electrically charged particles, Nuovo Cim. 2 (1925) 143 [hep-th/0205086] [INSPIRE].
- [4] E.J. Williams, Nature of the high-energy particles of penetrating radiation and status of ionization and radiation formulae, Phys. Rev. 45 (1934) 729 [INSPIRE].
- [5] G. Breit and J.A. Wheeler, Collision of two light quanta, Phys. Rev. 46 (1934) 1087[INSPIRE].
- [6] I.A. Pshenichnov, Electromagnetic excitation and fragmentation of ultrarelativistic nuclei, Phys. Part. Nucl. 42 (2011) 215 [INSPIRE].
- [7] A. Veyssiere et al., Photoneutron cross sections of ²⁰⁸Pb and ¹⁹⁷Au, Nucl. Phys. A **159** (1970) 561 [INSPIRE].
- [8] ATLAS collaboration, Measurement of exclusive $\gamma\gamma \to \ell^+\ell^-$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, Phys. Lett. B **749** (2015) 242 [arXiv:1506.07098] [INSPIRE].
- [9] CMS collaboration, Search for exclusive or semi-exclusive photon pair production and observation of exclusive and semi-exclusive electron pair production in pp collisions at √s = 7 TeV, JHEP 11 (2012) 080 [arXiv:1209.1666] [INSPIRE].
- [10] CMS collaboration, Exclusive photon-photon production of muon pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV, JHEP **01** (2012) 052 [arXiv:1111.5536] [INSPIRE].
- [11] ATLAS collaboration, Measurement of the exclusive $\gamma\gamma \to \mu^+\mu^-$ process in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 777 (2018) 303 [arXiv:1708.04053] [INSPIRE].

- [12] ATLAS collaboration, Observation and measurement of forward proton scattering in association with lepton pairs produced via the photon fusion mechanism at ATLAS, Phys. Rev. Lett. 125 (2020) 261801 [arXiv:2009.14537] [INSPIRE].
- [13] CMS and TOTEM collaborations, Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer, JHEP 07 (2018) 153 [arXiv:1803.04496] [INSPIRE].
- [14] ALICE collaboration, Charmonium and e^+e^- pair photoproduction at mid-rapidity in ultra-peripheral Pb-Pb collisions at $\sqrt{s_{\rm NN}} = 2.76$ TeV, Eur. Phys. J. C **73** (2013) 2617 [arXiv:1305.1467] [INSPIRE].
- [15] STAR collaboration, Low- p_T e^+e^- pair production in Au+Au collisions at $\sqrt{s_{NN}} = 200$ GeV and U+U collisions at $\sqrt{s_{NN}} = 193$ GeV at STAR, Phys. Rev. Lett. **121** (2018) 132301 [arXiv:1806.02295] [INSPIRE].
- [16] STAR collaboration, Measurement of e⁺e⁻ momentum and angular distributions from linearly polarized photon collisions, Phys. Rev. Lett. 127 (2021) 052302 [arXiv:1910.12400] [INSPIRE].
- [17] PHENIX collaboration, Photoproduction of J/ψ and of high mass e^+e^- in ultra-peripheral Au+Au collisions at $\sqrt{s}=200$ TeV, Phys. Lett. B **679** (2009) 321 [arXiv:0903.2041] [INSPIRE].
- [18] ATLAS collaboration, Exclusive dimuon production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV with ATLAS, Phys. Rev. C **104** (2021) 024906 [arXiv:2011.12211] [INSPIRE].
- [19] ATLAS collaboration, Observation of centrality-dependent acoplanarity for muon pairs produced via two-photon scattering in Pb+Pb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV with the ATLAS detector, Phys. Rev. Lett. 121 (2018) 212301 [arXiv:1806.08708] [INSPIRE].
- [20] CMS collaboration, Observation of forward neutron multiplicity dependence of dimuon acoplanarity in ultraperipheral Pb-Pb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV, Phys. Rev. Lett. 127 (2021) 122001 [arXiv:2011.05239] [INSPIRE].
- [21] M. Dyndał, M. Kłusek-Gawenda, A. Szczurek, M. Schott, Anomalous electromagnetic moments of τ lepton in $\gamma\gamma \to \tau^+\tau^-$ reaction in Pb+Pb collisions at the LHC, Phys. Lett. B 809 (2020) 135682 [arXiv:2002.05503] [INSPIRE].
- [22] L. Beresford and J. Liu, New physics and tau g-2 using LHC heavy ion collisions, Phys. Rev. D 102 (2020) 113008 [Erratum ibid. 106 (2022) 039902] [arXiv:1908.05180] [INSPIRE].
- [23] ATLAS collaboration, Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC, Nature Phys. 13 (2017) 852 [arXiv:1702.01625] [INSPIRE].
- [24] ATLAS collaboration, Observation of light-by-light scattering in ultraperipheral Pb+Pb collisions with the ATLAS detector, Phys. Rev. Lett. 123 (2019) 052001 [arXiv:1904.03536] [INSPIRE].
- [25] ATLAS collaboration, Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb⁻¹ of Pb+Pb data with the ATLAS detector, JHEP **03** (2021) 243 [Erratum ibid. **11** (2021) 050] [arXiv:2008.05355] [INSPIRE].
- [26] CMS collaboration, Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV, Phys. Lett. B **797** (2019) 134826 [arXiv:1810.04602] [INSPIRE].

- [27] ATLAS collaboration, The ATLAS Experiment at the CERN Large Hadron Collider, 2008 JINST 3 S08003 [INSPIRE].
- [28] ATLAS collaboration, ATLAS Insertable B-Layer: Technical Design Report, CERN-LHCC-2010-013 (2010).
- [29] ATLAS collaboration, Performance of the ATLAS Trigger System in 2015, Eur. Phys. J. C 77 (2017) 317 [arXiv:1611.09661] [INSPIRE].
- [30] ATLAS collaboration, Operation of the ATLAS trigger system in Run 2, 2020 JINST 15 P10004 [arXiv:2007.12539] [INSPIRE].
- [31] ATLAS collaboration, *The ATLAS collaboration software and firmware*, ATL-SOFT-PUB-2021-001, CERN, Geneva (2021).
- [32] ATLAS collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, 2020 JINST 15 P04003 [arXiv:1911.04632] [INSPIRE].
- [33] S.R. Klein et al., STARlight: a Monte Carlo simulation program for ultra-peripheral collisions of relativistic ions, Comput. Phys. Commun. 212 (2017) 258 [arXiv:1607.03838] [INSPIRE].
- [34] M.L. Miller, K. Reygers, S.J. Sanders and P. Steinberg, Glauber modeling in high energy nuclear collisions, Ann. Rev. Nucl. Part. Sci. 57 (2007) 205 [nucl-ex/0701025] [INSPIRE].
- [35] L.A. Harland-Lang, V.A. Khoze and M.G. Ryskin, Exclusive LHC physics with heavy ions: SuperChic 3, Eur. Phys. J. C 79 (2019) 39 [arXiv:1810.06567] [INSPIRE].
- [36] T. Sjöstrand et al., An introduction to PYTHIA 8.2, Comput. Phys. Commun. 191 (2015) 159 [arXiv:1410.3012] [INSPIRE].
- [37] L.A. Harland-Lang, M. Tasevsky, V.A. Khoze and M.G. Ryskin, A new approach to modelling elastic and inelastic photon-initiated production at the LHC: SuperChic 4, Eur. Phys. J. C 80 (2020) 925 [arXiv:2007.12704] [INSPIRE].
- [38] ATLAS collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823 [arXiv:1005.4568] [INSPIRE].
- [39] GEANT4 collaboration, GEANT4 a simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250 [INSPIRE].
- [40] ATLAS collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data, 2019 JINST 14 P12006 [arXiv:1908.00005] [INSPIRE].
- [41] ATLAS collaboration, Early Inner Detector Tracking Performance in the 2015 data at $\sqrt{s}=13~TeV$, ATL-PHYS-PUB-2015-051, CERN, Geneva (2015).
- [42] ATLAS collaboration, Performance of the ATLAS Track Reconstruction Algorithms in Dense Environments in LHC Run 2, Eur. Phys. J. C 77 (2017) 673 [arXiv:1704.07983] [INSPIRE].
- [43] ALICE collaboration, Measurement of the cross section for electromagnetic dissociation with neutron emission in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, Phys. Rev. Lett. 109 (2012) 252302 [arXiv:1203.2436] [INSPIRE].
- [44] G. D'Agostini, A Multidimensional unfolding method based on Bayes' theorem, Nucl. Instrum. Meth. A 362 (1995) 487 [INSPIRE].
- [45] T. Adye, Unfolding algorithms and tests using RooUnfold, [DOI:10.5170/CERN-2011-006.313] [arXiv:1105.1160] [INSPIRE].

- [46] ATLAS collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653 [arXiv:1608.03953] [INSPIRE].
- [47] G. Avoni et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, 2018 JINST 13 P07017 [INSPIRE].
- [48] W. Zha and Z. Tang, Discovery of higher-order quantum electrodynamics effect for the vacuum pair production, JHEP 08 (2021) 083 [arXiv:2103.04605] [INSPIRE].
- [49] ATLAS collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2021-003 (2021).

The ATLAS collaboration

```
G. Aad 6<sup>101</sup>, B. Abbott 6<sup>119</sup>, D.C. Abbott 6<sup>102</sup>, K. Abeling 5<sup>55</sup>, S.H. Abidi 6<sup>29</sup>,
A. Aboulhorma <sup>6</sup> <sup>35e</sup>, H. Abramowicz <sup>6</sup> <sup>150</sup>, H. Abreu <sup>6</sup> <sup>149</sup>, Y. Abulaiti <sup>6</sup> <sup>116</sup>,
A.C. Abusleme Hoffman <sup>136a</sup>, B.S. Acharya <sup>68a,68b,o</sup>, B. Achkar <sup>55</sup>, L. Adam <sup>99</sup>,
C. Adam Bourdarios <sup>6</sup>4, L. Adamczyk <sup>6</sup>84a, L. Adamek <sup>6</sup>154, S.V. Addepalli <sup>6</sup>26,
J. Adelman <sup>114</sup>, A. Adiguzel <sup>21c</sup>, S. Adorni <sup>56</sup>, T. Adye <sup>133</sup>, A.A. Affolder <sup>135</sup>, Y. Afik <sup>36</sup>,
M.N. Agaras <sup>13</sup>, J. Agarwala <sup>72a,72b</sup>, A. Aggarwal <sup>99</sup>, C. Agheorghiesei <sup>27c</sup>,
J.A. Aguilar-Saavedra <sup>129</sup>, A. Ahmad <sup>36</sup>, F. Ahmadov <sup>38</sup>, W.S. Ahmed <sup>103</sup>, S. Ahuja <sup>94</sup>,
X. Ai <sup>648</sup>, G. Aielli <sup>675</sup>a, I. Aizenberg <sup>6167</sup>, M. Akbiyik <sup>699</sup>, T.P.A. Åkesson <sup>697</sup>,
A.V. Akimov <sup>37</sup>, K. Al Khoury <sup>41</sup>, G.L. Alberghi <sup>23b</sup>, J. Albert <sup>163</sup>, P. Albicocco <sup>53</sup>,
M.J. Alconada Verzini <sup>689</sup>, S. Alderweireldt <sup>52</sup>, M. Aleksa <sup>636</sup>, I.N. Aleksandrov <sup>38</sup>,
C. Alexa (0) 27b, T. Alexopoulos (0) 10, A. Alfonsi (0) 113, F. Alfonsi (0) 23b, M. Alhroob (0) 119, B. Ali (0) 131,
S. Ali 6 147, M. Aliev 37, G. Alimonti 6 70a, C. Allaire 36, B.M.M. Allbrooke 145,
P.P. Allport <sup>©</sup> <sup>20</sup>, A. Aloisio <sup>©</sup> <sup>71a,71b</sup>, F. Alonso <sup>©</sup> <sup>89</sup>, C. Alpigiani <sup>©</sup> <sup>137</sup>, E. Alunno Camelia <sup>75a,75b</sup>,
M. Alvarez Estevez <sup>198</sup>, M.G. Alviggi <sup>71a,71b</sup>, Y. Amaral Coutinho <sup>81b</sup>, A. Ambler <sup>103</sup>,
C. Amelung<sup>36</sup>, C.G. Ames<sup>108</sup>, D. Amidei<sup>105</sup>, S.P. Amor Dos Santos<sup>129a</sup>, S. Amoroso<sup>48</sup>,
K.R. Amos<sup>161</sup>, C.S. Amrouche<sup>56</sup>, V. Ananiev<sup>124</sup>, C. Anastopoulos<sup>138</sup>, N. Andari<sup>134</sup>,
T. Andeen <sup>11</sup>, J.K. Anders <sup>19</sup>, S.Y. Andrean <sup>47a,47b</sup>, A. Andreazza <sup>70a,70b</sup>, S. Angelidakis <sup>9</sup>,
A. Angerami ^{\bullet}<sup>13,y</sup>, A.V. Anisenkov ^{\bullet}<sup>37</sup>, A. Annovi ^{\bullet}<sup>73a</sup>, C. Antel ^{\bullet}<sup>56</sup>, M.T. Anthony ^{\bullet}<sup>138</sup>,
E. Antipov 120, M. Antonelli 53, D.J.A. Antrim 17a, F. Anulli 74a, M. Aoki 82,
J.A. Aparisi Pozo<sup>161</sup>, M.A. Aparo<sup>145</sup>, L. Aperio Bella<sup>48</sup>, C. Appelt<sup>18</sup>, N. Aranzabal<sup>36</sup>,
V. Araujo Ferraz<sup>1</sup><sup>81a</sup>, C. Arcangeletti<sup>1</sup><sup>53</sup>, A.T.H. Arce<sup>1</sup><sup>51</sup>, E. Arena<sup>1</sup><sup>91</sup>, J-F. Arguin<sup>1</sup><sup>07</sup>,
S. Argyropoulos <sup>54</sup>, J.-H. Arling <sup>48</sup>, A.J. Armbruster <sup>56</sup>, O. Arnaez <sup>5154</sup>, H. Arnold <sup>113</sup>,
Z.P. Arrubarrena Tame<sup>108</sup>, G. Artoni <sup>6</sup>7<sup>4a,74b</sup>, H. Asada <sup>6</sup>1<sup>10</sup>, K. Asai <sup>6</sup>1<sup>17</sup>, S. Asai <sup>6</sup>1<sup>52</sup>,
N.A. Asbah 661, E.M. Asimakopoulou 6159, J. Assahsah 635d, K. Assamagan 629, R. Astalos 628a,
R.J. Atkin <sup>©</sup> <sup>33a</sup>, M. Atkinson <sup>160</sup>, N.B. Atlay <sup>©</sup> <sup>18</sup>, H. Atmani <sup>62b</sup>, P.A. Atmasiddha <sup>©</sup> <sup>105</sup>,
K. Augsten <sup>131</sup>, S. Auricchio <sup>71a,71b</sup>, A.D. Auriol <sup>20</sup>, V.A. Austrup <sup>169</sup>, G. Avner <sup>149</sup>,
G. Avolio 636, K. Axiotis 556, M.K. Ayoub 614c, G. Azuelos 6107,aa, D. Babal 628a,
H. Bachacou 134, K. Bachas 151,q, A. Bachiu 34, F. Backman 47a,47b, A. Badea 61,
P. Bagnaia • 74a,74b, M. Bahmani • 18, A.J. Bailey • 161, V.R. Bailey • 160, J.T. Baines • 133,
C. Bakalis <sup>10</sup>, O.K. Baker <sup>170</sup>, P.J. Bakker <sup>113</sup>, E. Bakos <sup>15</sup>, D. Bakshi Gupta <sup>8</sup>,
S. Balaji 146, R. Balasubramanian 113, E.M. Baldin 137, P. Balek 132, E. Ballabene 170a, 70b,
F. Balli 134, L.M. Baltes 163a, W.K. Balunas 132, J. Balz 199, E. Banas 185,
M. Bandieramonte <sup>128</sup>, A. Bandyopadhyay <sup>24</sup>, S. Bansal <sup>24</sup>, L. Barak <sup>150</sup>,
E.L. Barberio 104, D. Barberis 576,57a, M. Barbero 101, G. Barbour, K.N. Barends 13a,
T. Barillari <sup>109</sup>, M-S. Barisits <sup>36</sup>, J. Barkeloo <sup>122</sup>, T. Barklow <sup>142</sup>, R.M. Barnett <sup>17a</sup>,
P. Baron 121, D.A. Baron Moreno 100, A. Baroncelli 162a, G. Barone 29, A.J. Barr 155,
L. Barranco Navarro (1047a,47b), F. Barreiro (1098), J. Barreiro Guimarães da Costa (1014a),
U. Barron <sup>150</sup>, M.G. Barros Teixeira <sup>129a</sup>, S. Barsov <sup>37</sup>, F. Bartels <sup>63a</sup>, R. Bartoldus <sup>142</sup>,
A.E. Barton <sup>690</sup>, P. Bartos <sup>628a</sup>, A. Basalaev <sup>648</sup>, A. Basan <sup>999</sup>, M. Baselga <sup>499</sup>,
I. Bashta 6,76a,76b, A. Bassalat 6,66,af, M.J. Basso 6,154, C.R. Basson 6,100, R.L. Bates 6,59,
S. Batlamous<sup>35e</sup>, J.R. Batley<sup>©32</sup>, B. Batool<sup>©140</sup>, M. Battaglia<sup>©135</sup>, M. Bauce<sup>©74a,74b</sup>,
```

```
P. Bauer <sup>24</sup>, A. Bayirli <sup>21a</sup>, J.B. Beacham <sup>51</sup>, T. Beau <sup>126</sup>, P.H. Beauchemin <sup>157</sup>,
F. Becherer <sup>654</sup>, P. Bechtle <sup>624</sup>, H.P. Beck <sup>619,p</sup>, K. Becker <sup>6165</sup>, C. Becot <sup>648</sup>, A.J. Beddall <sup>621d</sup>,
V.A. Bednyakov <sup>38</sup>, C.P. Bee <sup>144</sup>, L.J. Beemster T.A. Beermann <sup>36</sup>, M. Begalli <sup>81d,81d</sup>,
M. Begel <sup>29</sup>, A. Behera <sup>144</sup>, J.K. Behr <sup>48</sup>, C. Beirao Da Cruz E Silva <sup>36</sup>, J.F. Beirer <sup>55,36</sup>,
F. Beisiegel <sup>24</sup>, M. Belfkir <sup>115b</sup>, G. Bella <sup>150</sup>, L. Bellagamba <sup>23b</sup>, A. Bellerive <sup>34</sup>,
P. Bellos <sup>20</sup>, K. Beloborodov <sup>37</sup>, K. Belotskiy <sup>37</sup>, N.L. Belyaev <sup>37</sup>, D. Benchekroun <sup>35a</sup>,
F. Bendebba 0^{35a}, Y. Benhammou 0^{150}, D.P. Benjamin 0^{29}, M. Benoit 0^{29}, J.R. Bensinger 0^{26},
S. Bentvelsen 113, L. Beresford 36, M. Beretta 53, D. Berge 18, E. Bergeaas Kuutmann 159,
N. Berger <sup>1</sup>0<sup>4</sup>, B. Bergmann <sup>1</sup>3<sup>1</sup>, J. Beringer <sup>1</sup>7<sup>a</sup>, S. Berlendis <sup>1</sup>7, G. Bernardi <sup>1</sup>5,
C. Bernius <sup>142</sup>, F.U. Bernlochner <sup>24</sup>, T. Berry <sup>94</sup>, P. Berta <sup>132</sup>, A. Berthold <sup>50</sup>,
I.A. Bertram 690, O. Bessidskaia Bylund 6169, S. Bethke 1109, A. Betti 74a,74b, A.J. Bevan 693,
M. Bhamjee \mathbb{D}^{33c}, S. Bhatta \mathbb{D}^{144}, D.S. Bhattacharya \mathbb{D}^{164}, P. Bhattarai \mathbb{D}^{26}, V.S. Bhopatkar \mathbb{D}^{6},
R. Bi<sup>128</sup>, R. Bi<sup>29,ad</sup>, R.M. Bianchi <sup>128</sup>, O. Biebel <sup>108</sup>, R. Bielski <sup>122</sup>, M. Biglietti <sup>16</sup>
T.R.V. Billoud <sup>131</sup>, M. Bindi <sup>55</sup>, A. Bingul <sup>21b</sup>, C. Bini <sup>74a,74b</sup>, S. Biondi <sup>23b,23a</sup>,
A. Biondini <sup>69</sup>, C.J. Birch-sykes <sup>610</sup>, G.A. Bird <sup>620,133</sup>, M. Birman <sup>616</sup>, T. Bisanz <sup>636</sup>,
E. Bisceglie 643b,43a, D. Biswas 168k, A. Bitadze 100, K. Bjørke 124, I. Bloch 48,
C. Blocker <sup>©</sup> <sup>26</sup>, A. Blue <sup>©</sup> <sup>59</sup>, U. Blumenschein <sup>©</sup> <sup>93</sup>, J. Blumenthal <sup>©</sup> <sup>99</sup>, G.J. Bobbink <sup>©</sup> <sup>113</sup>,
V.S. Bobrovnikov <sup>©37</sup>, M. Boehler <sup>©54</sup>, D. Bogavac <sup>©36</sup>, A.G. Bogdanchikov <sup>©37</sup>, C. Bohm <sup>©47a</sup>,
V. Boisvert <sup>6</sup> <sup>94</sup>, P. Bokan <sup>6</sup> <sup>48</sup>, T. Bold <sup>6</sup> <sup>84a</sup>, M. Bomben <sup>6</sup> <sup>5</sup>, M. Bona <sup>6</sup> <sup>93</sup>, M. Boonekamp <sup>6</sup> <sup>134</sup>,
C.D. Booth <sup>94</sup>, A.G. Borbély <sup>59</sup>, H.M. Borecka-Bielska <sup>107</sup>, L.S. Borgna <sup>95</sup>, G. Borissov <sup>90</sup>,
D. Bortoletto 125, D. Boscherini 23b, M. Bosman 13, J.D. Bossio Sola 36, K. Bouaouda 35a,
J. Boudreau <sup>128</sup>, E.V. Bouhova-Thacker <sup>90</sup>, D. Boumediene <sup>140</sup>, R. Bouquet <sup>5</sup>,
A. Boveia 118, J. Boyd 36, D. Boye 29, I.R. Boyko 38, J. Bracinik 20, N. Brahimi 62d,62c,
G. Brandt • 169, O. Brandt • 32, F. Braren • 48, B. Brau • 102, J.E. Brau • 122,
W.D. Breaden Madden <sup>59</sup>, K. Brendlinger <sup>48</sup>, R. Brener <sup>167</sup>, L. Brenner <sup>36</sup>, R. Brenner <sup>159</sup>,
S. Bressler <sup>6</sup> <sup>167</sup>, B. Brickwedde <sup>99</sup>, D. Britton <sup>59</sup>, D. Britzger <sup>109</sup>, I. Brock <sup>24</sup>,
G. Brooijmans <sup>641</sup>, W.K. Brooks <sup>6136f</sup>, E. Brost <sup>629</sup>, P.A. Bruckman de Renstrom <sup>685</sup>,
B. Brüers^{\bullet 48}, D. Bruncko^{\bullet 28b,*}, A. Bruni^{\bullet 23b}, G. Bruni^{\bullet 23b}, M. Bruschi^{\bullet 23b},
N. Bruscino <sup>6</sup>7<sup>4a,74b</sup>, L. Bryngemark <sup>6</sup>1<sup>42</sup>, T. Buanes <sup>6</sup>1<sup>6</sup>, Q. Buat <sup>6</sup>1<sup>37</sup>, P. Buchholz <sup>6</sup>1<sup>40</sup>,
A.G. Buckley <sup>59</sup>, I.A. Budagov <sup>38,*</sup>, M.K. Bugge <sup>124</sup>, O. Bulekov <sup>37</sup>, B.A. Bullard <sup>61</sup>,
S. Burdin<sup>1</sup>, C.D. Burgard<sup>1</sup>, A.M. Burger<sup>1</sup>, B. Burghgrave<sup>1</sup>, J.T.P. Burr<sup>1</sup>,
C.D. Burton <sup>11</sup>, J.C. Burzynski <sup>141</sup>, E.L. Busch <sup>41</sup>, V. Büscher <sup>99</sup>, P.J. Bussey <sup>59</sup>,
J.M. Butler <sup>©25</sup>, C.M. Buttar <sup>©59</sup>, J.M. Butterworth <sup>©95</sup>, W. Buttinger <sup>©133</sup>,
C.J. Buxo Vazquez<sup>106</sup>, A.R. Buzykaev<sup>©37</sup>, G. Cabras<sup>©23b</sup>, S. Cabrera Urbán<sup>©161</sup>,
D. Caforio 658, H. Cai 6128, Y. Cai 614a,14d, V.M.M. Cairo 636, O. Cakir 63a, N. Calace 636,
P. Calafiura <sup>17a</sup>, G. Calderini <sup>126</sup>, P. Calfayan <sup>67</sup>, G. Callea <sup>59</sup>, L.P. Caloba <sup>81b</sup>,
D. Calvet \mathbb{D}^{40}, S. Calvet \mathbb{D}^{40}, T.P. Calvet \mathbb{D}^{101}, M. Calvetti \mathbb{D}^{73a,73b}, R. Camacho Toro \mathbb{D}^{126},
S. Camarda 636, D. Camarero Munoz 698, P. Camarri 675a,75b, M.T. Camerlingo 676a,76b,
D. Cameron 124, C. Camincher 163, M. Campanelli 95, A. Camplani 42, V. Canale 71a,71b,
A. Canesse 103, M. Cano Bret 179, J. Cantero 161, Y. Cao 160, F. Capocasa 1626,
M. Capua ^{\bullet} 43b,43a, A. Carbone ^{\bullet} 70a,70b, R. Cardarelli ^{\bullet} 75a, J.C.J. Cardenas ^{\bullet} 8, F. Cardillo ^{\bullet} 161,
T. Carli 636, G. Carlino 71a, B.T. Carlson 128, E.M. Carlson 163,155a, L. Carminati 70a,70b,
M. Carnesale • <sup>74a,74b</sup>, S. Caron • <sup>112</sup>, E. Carquin • <sup>136f</sup>, S. Carrá • <sup>70a,70b</sup>, G. Carratta • <sup>23b,23a</sup>,
```

```
F. Carrio Argos <sup>133g</sup>, J.W.S. Carter <sup>154</sup>, T.M. Carter <sup>52</sup>, M.P. Casado <sup>13,h</sup>, A.F. Casha <sup>154</sup>,
E.G. Castiglia <sup>170</sup>, F.L. Castillo <sup>63a</sup>, L. Castillo Garcia <sup>13</sup>, V. Castillo Gimenez <sup>161</sup>,
N.F. Castro 129a,129e, A. Catinaccio 36, J.R. Catmore 124, V. Cavaliere 29,
N. Cavalli <sup>6</sup>23b,23a, V. Cavasinni <sup>73a,73b</sup>, E. Celebi <sup>621a</sup>, F. Celli <sup>6125</sup>, M.S. Centonze <sup>69a,69b</sup>,
K. Cerny <sup>121</sup>, A.S. Cerqueira <sup>81a</sup>, A. Cerri <sup>145</sup>, L. Cerrito <sup>75a,75b</sup>, F. Cerutti <sup>17a</sup>,
A. Cervelli \mathbb{D}^{23b}, S.A. Cetin \mathbb{D}^{21d}, Z. Chadi \mathbb{D}^{35a}, D. Chakraborty \mathbb{D}^{114}, M. Chala \mathbb{D}^{129f},
J. Chan 6 168, W.S. Chan 113, W.Y. Chan 152, J.D. Chapman 132, B. Chargeishvili 1486,
D.G. Charlton <sup>©20</sup>, T.P. Charman <sup>©93</sup>, M. Chatterjee <sup>©19</sup>, S. Chekanov <sup>©6</sup>, S.V. Chekulaev <sup>©155a</sup>,
G.A. Chelkov ^{038,a}, A. Chen ^{0105}, B. Chen ^{0150}, B. Chen ^{0163}, C. Chen ^{62a}, H. Chen ^{014c},
H. Chen 629, J. Chen 62c, J. Chen 26, S. Chen 152, S.J. Chen 14c, X. Chen 62c,
X. Chen \bigcirc^{14b,z}, Y. Chen \bigcirc^{62a}, C.L. Cheng \bigcirc^{168}, H.C. Cheng \bigcirc^{64a}, A. Cheplakov \bigcirc^{38},
E. Cheremushkina <sup>648</sup>, E. Cherepanova <sup>6113</sup>, R. Cherkaoui El Moursli <sup>635e</sup>, E. Cheu <sup>67</sup>,
K. Cheung <sup>65</sup>, L. Chevalier <sup>134</sup>, V. Chiarella <sup>53</sup>, G. Chiarelli <sup>73a</sup>, N. Chiedde <sup>101</sup>,
G. Chiodini 69a, A.S. Chisholm 20, A. Chitan 27b, Y.H. Chiu 163, M.V. Chizhov 38,
K. Choi <sup>11</sup>, A.R. Chomont <sup>74a,74b</sup>, Y. Chou <sup>10</sup>, E.Y.S. Chow <sup>113</sup>, T. Chowdhury <sup>33g</sup>,
L.D. Christopher \mathbb{D}^{33g}, K.L. Chu^{64a}, M.C. Chu\mathbb{D}^{64a}, X. Chu\mathbb{D}^{14a,14d}, J. Chudoba\mathbb{D}^{130},
J.J. Chwastowski <sup>685</sup>, D. Cieri <sup>109</sup>, K.M. Ciesla <sup>684a</sup>, V. Cindro <sup>692</sup>, A. Ciocio <sup>617a</sup>,
F. Cirotto <sup>171</sup>a, 71b, Z.H. Citron <sup>167</sup>l, M. Citterio <sup>170</sup>a, D.A. Ciubotaru<sup>27</sup>b, B.M. Ciungu <sup>154</sup>,
A. Clark <sup>56</sup>, P.J. Clark <sup>52</sup>, J.M. Clavijo Columbie <sup>48</sup>, S.E. Clawson <sup>100</sup>, C. Clement <sup>47a,47b</sup>,
J. Clercx 648, L. Clissa 23b,23a, Y. Coadou 1011, M. Cobal 68a,68c, A. Coccaro 57b,
R.F. Coelho Barrue <sup>129a</sup>, R. Coelho Lopes De Sa <sup>102</sup>, S. Coelli <sup>70a</sup>, H. Cohen <sup>150</sup>,
A.E.C. Coimbra ^{\circ} ^{70a,70b}, B. Cole ^{\circ} ^{41}, J. Collot ^{\circ} ^{60}, P. Conde Muiño ^{\circ} ^{129a,129g},
M.P. Connell 633c, S.H. Connell 633c, I.A. Connelly 59, E.I. Conroy 6125, F. Conventi 71a,ab,
H.G. Cooke<sup>©20</sup>, A.M. Cooper-Sarkar<sup>©125</sup>, F. Cormier<sup>©162</sup>, L.D. Corpe<sup>©36</sup>, M. Corradi<sup>©74a,74b</sup>,
E.E. Corrigan <sup>97</sup>, F. Corriveau <sup>103,v</sup>, A. Cortes-Gonzalez <sup>18</sup>, M.J. Costa <sup>161</sup>, F. Costanza <sup>4</sup>,
D. Costanzo 138, B.M. Cote 118, G. Cowan 94, J.W. Cowley 32, K. Cranmer 116,
S. Crépé-Renaudin 60, F. Crescioli 126, M. Cristinziani 140, M. Cristoforetti 77a,77b,c,
V. Croft 157, G. Crosetti 43b,43a, A. Cueto 536, T. Cuhadar Donszelmann 5158, H. Cui 514a,14d,
Z. Cui <sup>07</sup>, A.R. Cukierman <sup>0142</sup>, W.R. Cunningham <sup>059</sup>, F. Curcio <sup>043b,43a</sup>, P. Czodrowski <sup>036</sup>,
M.M. Czurylo 63b, M.J. Da Cunha Sargedas De Sousa 62a, J.V. Da Fonseca Pinto 81b,
C. Da Via^{\bullet 100}, W. Dabrowski^{\bullet 84a}, T. Dado^{\bullet 49}, S. Dahbi^{\bullet 33g}, T. Dai^{\bullet 105},
C. Dallapiccola 6 102, M. Dam 6 42, G. D'amen 6 29, V. D'Amico 7 6 a, 76 b, J. Damp 6 99,
J.R. Dandoy 6 127, M.F. Daneri 6 30, M. Danninger 6 141, V. Dao 6 36, G. Darbo 6 57b,
S. Darmora 6, S.J. Das 29, A. Dattagupta 122, S. D'Auria 70a,70b, C. David 15b,
T. Davidek <sup>132</sup>, D.R. Davis <sup>51</sup>, B. Davis-Purcell <sup>34</sup>, I. Dawson <sup>93</sup>, K. De <sup>8</sup>,
R. De Asmundis <sup>6</sup><sup>71a</sup>, M. De Beurs <sup>6</sup><sup>113</sup>, S. De Castro <sup>6</sup><sup>23b,23a</sup>, N. De Groot <sup>6</sup><sup>112</sup>,
P. de Jong <sup>113</sup>, H. De la Torre <sup>106</sup>, A. De Maria <sup>14c</sup>, A. De Salvo <sup>74a</sup>, U. De Sanctis <sup>75a,75b</sup>,
A. De Santo 145, J.B. De Vivie De Regie 60, D.V. Dedovich 78, J. Degens 113,
A.M. Deiana 644, F. Del Corso 23b,23a, J. Del Peso 98, F. Del Rio 63a, F. Deliot 134,
C.M. Delitzsch <sup>6</sup><sup>49</sup>, M. Della Pietra <sup>6</sup><sup>71a,71b</sup>, D. Della Volpe <sup>6</sup><sup>56</sup>, A. Dell'Acqua <sup>6</sup><sup>36</sup>,
L. Dell'Asta 0^{70a,70b}, M. Delmastro 0^4, P.A. Delsart 0^{60}, S. Demers 0^{170}, M. Demichev 0^{38},
S.P. Denisov <sup>637</sup>, L. D'Eramo <sup>6114</sup>, D. Derendarz <sup>685</sup>, F. Derue <sup>6126</sup>, P. Dervan <sup>691</sup>,
K. Desch <sup>©</sup> <sup>24</sup>, K. Dette <sup>©</sup> <sup>154</sup>, C. Deutsch <sup>©</sup> <sup>24</sup>, P.O. Deviveiros <sup>©</sup> <sup>36</sup>, F.A. Di Bello <sup>©</sup> <sup>74a,74b</sup>,
```

```
A. Di Ciaccio <sup>6</sup>7<sup>5a,75b</sup>, L. Di Ciaccio <sup>6</sup>4, A. Di Domenico <sup>6</sup>7<sup>4a,74b</sup>, C. Di Donato <sup>6</sup>7<sup>1a,71b</sup>,
A. Di Girolamo <sup>36</sup>, G. Di Gregorio <sup>73a,73b</sup>, A. Di Luca <sup>77a,77b</sup>, B. Di Micco <sup>76a,76b</sup>,
R. Di Nardo^{676a,76b}, C. Diaconu^{6101}, F.A. Dias^{6113}, T. Dias Do Vale^{6141},
M.A. Diaz 136a, 136b, F.G. Diaz Capriles 24, M. Didenko 161, E.B. Diehl 105, L. Diehl 154,
S. Díez Cornell<sup>6</sup><sup>48</sup>, C. Diez Pardos<sup>6</sup><sup>140</sup>, C. Dimitriadi<sup>6</sup><sup>24,159</sup>, A. Dimitrievska<sup>6</sup><sup>17a</sup>,
W. Ding^{\bullet 14b}, J. Dingfelder^{\bullet 24}, I-M. Dinu^{\bullet 27b}, S.J. Dittmeier^{\bullet 63b}, F. Dittus^{\bullet 36},
F. Djama 10101, T. Djobava 10148b, J.I. Djuvsland 1016, D. Dodsworth 1026, C. Doglioni 1010,97,
J. Dolejsi 132, Z. Dolezal 132, M. Donadelli 181c, B. Dong 162c, J. Donini 140,
A. D'Onofrio 14c, M. D'Onofrio 191, J. Dopke 133, A. Doria 171a, M.T. Dova 89,
A.T. Doyle 59, M.A. Draguet 125, E. Drechsler 141, E. Dreyer 167, I. Drivas-koulouris 10,
A.S. Drobac 6 157, D. Du 6 2a, T.A. du Pree 113, F. Dubinin 6 37, M. Dubovsky 6 28a,
E. Duchovni 6 167, G. Duckeck 6 108, O.A. Ducu 6 36, D. Duda 6 109, A. Dudarev 5 36,
M. D'uffizi 100, L. Duflot 166, M. Dührssen 1636, C. Dülsen 169, A.E. Dumitriu 1627,
M. Dunford 63a, S. Dungs 49, K. Dunne 47a,47b, A. Duperrin 111, H. Duran Yildiz 3a,
M. Düren^{058}, A. Durglishvili^{0148b}, B.L. Dwyer^{0114}, G.I. Dyckes^{017a}, M. Dyndal^{084a},
S. Dysch 100, B.S. Dziedzic 85, Z.O. Earnshaw 145, B. Eckerova 28a, M.G. Eggleston 15,
E. Egidio Purcino De Souza<sup>®81b</sup>, L.F. Ehrke<sup>®56</sup>, G. Eigen<sup>®16</sup>, K. Einsweiler<sup>®17a</sup>,
T. Ekelof <sup>159</sup>, P.A. Ekman <sup>97</sup>, Y. El Ghazali <sup>35b</sup>, H. El Jarrari <sup>35e,147</sup>, A. El Moussaouy <sup>35a</sup>,
V. Ellajosyula <sup>159</sup>, M. Ellert <sup>159</sup>, F. Ellinghaus <sup>169</sup>, A.A. Elliot <sup>193</sup>, N. Ellis <sup>36</sup>,
J. Elmsheuser <sup>©29</sup>, M. Elsing <sup>©36</sup>, D. Emeliyanov <sup>©133</sup>, A. Emerman <sup>©41</sup>, Y. Enari <sup>©152</sup>,
I. Ene 17a, S. Epari 13, J. Erdmann 49, A. Ereditato 19, P.A. Erland 85, M. Errenst 169,
M. Escalier 66, C. Escobar 161, E. Etzion 150, G. Evans 129a, H. Evans 167, M.O. Evans 145,
A. Ezhilov <sup>1</sup>37, S. Ezzarqtouni <sup>1</sup>35a, F. Fabbri <sup>1</sup>59, L. Fabbri <sup>1</sup>59, G. Facini <sup>1</sup>59,
V. Fadeyev <sup>135</sup>, R.M. Fakhrutdinov <sup>37</sup>, S. Falciano <sup>74a</sup>, P.J. Falke <sup>24</sup>, S. Falke <sup>36</sup>,
J. Faltova 132, Y. Fan 14a, Y. Fang 14a, 14d, G. Fanourakis 46, M. Fanti 70a, 70b,
M. Faraj \( \bigcirc \) 68a,68b, A. Farbin \( \bigcirc \) 8, A. Farilla \( \bigcirc \) 76a, T. Farooque \( \bigcirc \) 106, S.M. Farrington \( \bigcirc \) 52,
F. Fassi <sup>635e</sup>, D. Fassouliotis <sup>69</sup>, M. Faucci Giannelli <sup>675a,75b</sup>, W.J. Fawcett <sup>32</sup>, L. Fayard <sup>66</sup>,
O.L. Fedin 0^{37,a}, G. Fedotov 0^{37}, M. Feickert 0^{160}, L. Feligioni 0^{101}, A. Fell 0^{138},
D.E. Fellers 122, C. Feng 62b, M. Feng 14b, Z. Feng 113, M.J. Fenton 158, A.B. Fenyuk 77,
L. Ferencz 648, S.W. Ferguson 645, J. Pretel 54, J. Ferrando 54, A. Ferrari 515, P. Ferrari 5113,
R. Ferrari^{\bullet 72a}, D. Ferrere^{\bullet 56}, C. Ferretti^{\bullet 105}, F. Fiedler^{\bullet 99}, A. Filipčič^{\bullet 92}, E.K. Filmer^{\bullet 1},
F. Filthaut <sup>112</sup>, M.C.N. Fiolhais <sup>129a,129c,b</sup>, L. Fiorini <sup>161</sup>, F. Fischer <sup>140</sup>, W.C. Fisher <sup>106</sup>,
T. Fitschen (50,66), I. Fleck (5140), P. Fleischmann (5105), T. Flick (5169), L. Flores (5127),
M. Flores \bigcirc^{33d}, L.R. Flores Castillo \bigcirc^{64a}, F.M. Follega \bigcirc^{77a,77b}, N. Fomin \bigcirc^{16}, J.H. Foo \bigcirc^{154},
B.C. Forland<sup>67</sup>, A. Formica <sup>134</sup>, A.C. Forti <sup>100</sup>, E. Fortin <sup>101</sup>, A.W. Fortman <sup>161</sup>,
M.G. Foti <sup>17a</sup>, L. Fountas <sup>9</sup>, D. Fournier <sup>66</sup>, H. Fox <sup>90</sup>, P. Francavilla <sup>73a,73b</sup>,
S. Francescato 61, M. Franchini 23b,23a, S. Franchino 53a, D. Francis 54, L. Franco 512,
L. Franconi <sup>19</sup>, M. Franklin <sup>61</sup>, G. Frattari <sup>26</sup>, A.C. Freegard <sup>93</sup>, P.M. Freeman <sup>20</sup>,
W.S. Freund <sup>681b</sup>, N. Fritzsche <sup>50</sup>, A. Froch <sup>54</sup>, D. Froidevaux <sup>636</sup>, J.A. Frost <sup>6125</sup>, Y. Fu <sup>62a</sup>,
M. Fujimoto <sup>117</sup>, E. Fullana Torregrosa <sup>161</sup>, J. Fuster <sup>161</sup>, A. Gabrielli <sup>23b,23a</sup>,
A. Gabrielli <sup>36</sup>, P. Gadow <sup>48</sup>, G. Gagliardi <sup>57b,57a</sup>, L.G. Gagnon <sup>17a</sup>, G.E. Gallardo <sup>125</sup>,
E.J. Gallas • 125, B.J. Gallop • 133, R. Gamboa Goni • 93, K.K. Gan • 118, S. Ganguly • 152,
J. Gao 62a, Y. Gao 52, F.M. Garay Walls 136a, 136b, B. Garcia 29, ad, C. García 161,
```

```
J.E. García Navarro <sup>161</sup>, J.A. García Pascual <sup>14a</sup>, M. Garcia-Sciveres <sup>17a</sup>, R.W. Gardner <sup>39</sup>,
D. Garg • 79, R.B. Garg • 142, S. Gargiulo • 54, C.A. Garner 154, V. Garonne • 29,
S.J. Gasiorowski \mathbb{D}^{137}, P. Gaspar \mathbb{D}^{81b}, G. Gaudio \mathbb{D}^{72a}, V. Gautam \mathbb{D}^{13}, P. Gauzzi \mathbb{D}^{74a,74b},
I.L. Gavrilenko <sup>37</sup>, A. Gavrilyuk <sup>37</sup>, C. Gay <sup>162</sup>, G. Gaycken <sup>48</sup>, E.N. Gazis <sup>10</sup>,
A.A. Geanta 6<sup>27b</sup>, C.M. Gee 6<sup>135</sup>, J. Geisen 6<sup>97</sup>, M. Geisen 6<sup>99</sup>, C. Gemme 6<sup>57b</sup>,
M.H. Genest 0^{60}, S. Gentile 0^{74a,74b}, S. George 0^{94}, W.F. George 0^{20}, T. Geralis 0^{46},
L.O. Gerlach<sup>55</sup>, P. Gessinger-Befurt <sup>6</sup> <sup>36</sup>, M. Ghasemi Bostanabad <sup>6</sup> <sup>163</sup>, M. Ghneimat <sup>6</sup> <sup>140</sup>,
A. Ghosal 6 140, A. Ghosh 6 158, A. Ghosh 7, B. Giacobbe 6 23b, S. Giagu 7 4a,74b,
N. Giangiacomi <sup>154</sup>, P. Giannetti <sup>73a</sup>, A. Giannini <sup>62a</sup>, S.M. Gibson <sup>94</sup>, M. Gignac <sup>135</sup>,
D.T. Gil 646, A.K. Gilbert 644, B.J. Gilbert 641, D. Gillberg 634, G. Gilles 6113,
N.E.K. Gillwald 648, L. Ginabat 6126, D.M. Gingrich 62,aa, M.P. Giordani 668a,68c,
P.F. Giraud ^{\bullet 134}, G. Giugliarelli ^{\bullet 68a,68c}, D. Giugni ^{\bullet 70a}, F. Giuli ^{\bullet 36}, I. Gkialas ^{\bullet 9,i},
L.K. Gladilin 37, C. Glasman 98, G.R. Gledhill 122, M. Glisic 22, I. Gnesi 43b,e, Y. Go 29,ad,
M. Goblirsch-Kolb<sup>26</sup>, D. Godin<sup>107</sup>, S. Goldfarb<sup>104</sup>, T. Golling<sup>56</sup>, M.G.D. Gololo<sup>33</sup>
D. Golubkov <sup>637</sup>, J.P. Gombas <sup>6106</sup>, A. Gomes <sup>6129a,129b</sup>, G. Gomes Da Silva <sup>6140</sup>,
A.J. Gomez Delegido <sup>161</sup>, R. Goncalves Gama <sup>55</sup>, R. Gonçalo <sup>129a,129c</sup>, G. Gonella <sup>122</sup>,
L. Gonella <sup>620</sup>, A. Gongadze <sup>38</sup>, F. Gonnella <sup>20</sup>, J.L. Gonski <sup>41</sup>, S. González de la Hoz <sup>6161</sup>,
S. Gonzalez Fernandez <sup>13</sup>, R. Gonzalez Lopez <sup>91</sup>, C. Gonzalez Renteria <sup>17a</sup>,
R. Gonzalez Suarez <sup>159</sup>, S. Gonzalez-Sevilla <sup>56</sup>, G.R. Gonzalvo Rodriguez <sup>161</sup>,
R.Y. González Andana <sup>52</sup>, L. Goossens <sup>53</sup>, N.A. Gorasia <sup>52</sup>, P.A. Gorbounov <sup>53</sup>,
B. Gorini^{036}, E. Gorini^{069a,69b}, A. Gorišek^{092}, A.T. Goshaw^{051}, M.I. Gostkin^{038},
C.A. Gottardo 636, M. Gouighri 535, V. Goumarre 48, A.G. Goussiou 5137, N. Govender 536,
C. Goy <sup>6</sup><sup>4</sup>, I. Grabowska-Bold <sup>6</sup><sup>84a</sup>, K. Graham <sup>6</sup><sup>34</sup>, E. Gramstad <sup>6</sup><sup>124</sup>, S. Grancagnolo <sup>6</sup><sup>18</sup>,
M. Grandi <sup>145</sup>, V. Gratchev<sup>37,*</sup>, P.M. Gravila <sup>27f</sup>, F.G. Gravili <sup>69a,69b</sup>, H.M. Gray <sup>17a</sup>,
M. Greco 69a,69b, C. Grefe 24, I.M. Gregor 48, P. Grenier 142, C. Grieco 13,
A.A. Grillo <sup>135</sup>, K. Grimm <sup>31,m</sup>, S. Grinstein <sup>13,t</sup>, J.-F. Grivaz <sup>66</sup>, E. Gross <sup>167</sup>,
J. Grosse-Knetter <sup>655</sup>, C. Grud <sup>105</sup>, A. Grummer <sup>6111</sup>, J.C. Grundy <sup>6125</sup>, L. Guan <sup>6105</sup>,
W. Guan <sup>168</sup>, C. Gubbels <sup>162</sup>, J.G.R. Guerrero Rojas <sup>161</sup>, G. Guerrieri <sup>168a,68b</sup>,
F. Guescini <sup>109</sup>, R. Gugel <sup>99</sup>, J.A.M. Guhit <sup>105</sup>, A. Guida <sup>48</sup>, T. Guillemin <sup>4</sup>,
E. Guilloton 6 165,133, S. Guindon 6 36, F. Guo 6 14a,14d, J. Guo 6 62c, L. Guo 6 66, Y. Guo 10 105,
R. Gupta<sup>6</sup><sup>48</sup>, S. Gurbuz<sup>6</sup><sup>24</sup>, S.S. Gurdasani<sup>6</sup><sup>54</sup>, G. Gustavino<sup>6</sup><sup>36</sup>, M. Guth<sup>56</sup>,
P. Gutierrez D<sup>119</sup>, L.F. Gutierrez Zagazeta D<sup>127</sup>, C. Gutschow D<sup>95</sup>, C. Guyot D<sup>134</sup>,
C. Gwenlan <sup>125</sup>, C.B. Gwilliam <sup>91</sup>, E.S. Haaland <sup>124</sup>, A. Haas <sup>116</sup>, M. Habedank <sup>48</sup>,
C. Haber • 17a, H.K. Hadavand • A. Hadef • 99, S. Hadzic • 109, M. Haleem • 164, J. Haley • 120,
J.J. Hall<sup>138</sup>, G.D. Hallewell<sup>101</sup>, L. Halser<sup>19</sup>, K. Hamano<sup>163</sup>, H. Hamdaoui<sup>163</sup>e,
M. Hamer ^{624}, G.N. Hamity ^{652}, J. Han ^{662b}, K. Han ^{62a}, L. Han ^{614c}, L. Han ^{62a},
S. \operatorname{Han}^{\bullet 17a}, Y.F. \operatorname{Han}^{\bullet 154}, K. \operatorname{Hanagaki}^{\bullet 82}, M. \operatorname{Hance}^{\bullet 135}, D.A. \operatorname{Hangal}^{\bullet 41,y}, M.D. \operatorname{Hank}^{\bullet 39},
R. Hankache <sup>100</sup>, J.B. Hansen <sup>42</sup>, J.D. Hansen <sup>42</sup>, P.H. Hansen <sup>42</sup>, K. Hara <sup>156</sup>,
D. Harada <sup>656</sup>, T. Harenberg <sup>6169</sup>, S. Harkusha <sup>637</sup>, Y.T. Harris <sup>6125</sup>, N.M. Harrison <sup>6118</sup>,
P.F. Harrison<sup>165</sup>, N.M. Hartman<sup>142</sup>, N.M. Hartmann<sup>108</sup>, Y. Hasegawa<sup>139</sup>, A. Hasib<sup>152</sup>,
S. Haug <sup>19</sup>, R. Hauser <sup>10</sup>, M. Havranek <sup>13</sup>, C.M. Hawkes <sup>20</sup>, R.J. Hawkings <sup>36</sup>,
S. Hayashida 110, D. Hayden 106, C. Hayes 105, R.L. Hayes 162, C.P. Hays 125,
 \text{J.M. Hays} \, {\color{red}}^{\color{red} 93}, \, \text{H.S. Hayward} \, {\color{red}}^{\color{red} 91}, \, \text{F. He} \, {\color{red}}^{\color{red} 62a}, \, \text{Y. He} \, {\color{red}}^{\color{red} 153}, \, \text{Y. He} \, {\color{red}}^{\color{red} 126}, \, \text{M.P. Heath} \, {\color{red}}^{\color{red} 52}, \, \text{M.P. Heath} \, {\color{red}}^{\color{red} 52}, \, \text{M.P. Heath} \, {\color{red}}^{\color{red} 52}, \, \text{M.P.} \, {\color{red}}^{\color{red} 52}, \, {\color{red}}^{\color{red} 52}, \, {\color{red}}^{\color{red} 52}, \, {\color{red}}^{\color{red} 52}, \, {\color{red} 52}, \, {\color{red}}^{\color{red} 52}, \, {\color{red} 52}, \, {\color{red
```

```
V. Hedberg <sup>697</sup>, A.L. Heggelund <sup>6124</sup>, N.D. Hehir <sup>693</sup>, C. Heidegger <sup>654</sup>, K.K. Heidegger <sup>654</sup>,
W.D. Heidorn <sup>6</sup>80, J. Heilman <sup>6</sup>34, S. Heim <sup>6</sup>48, T. Heim <sup>6</sup>17a, J.G. Heinlein <sup>6</sup>127,
J.J. Heinrich <sup>122</sup>, L. Heinrich <sup>109</sup>, J. Hejbal <sup>130</sup>, L. Helary <sup>48</sup>, A. Held <sup>168</sup>,
S. Hellesund <sup>124</sup>, C.M. Helling <sup>162</sup>, S. Hellman <sup>47a,47b</sup>, C. Helsens <sup>36</sup>, R.C.W. Henderson <sup>90</sup>,
L. Henkelmann <sup>©32</sup>, A.M. Henriques Correia <sup>36</sup>, H. Herde <sup>©142</sup>, Y. Hernández Jiménez <sup>©144</sup>,
H. Herr<sup>99</sup>, M.G. Herrmann <sup>108</sup>, T. Herrmann <sup>50</sup>, G. Herten <sup>54</sup>, R. Hertenberger <sup>108</sup>,
L. Hervas 636, N.P. Hessey 6155a, H. Hibi 83, E. Higón-Rodriguez 6161, S.J. Hillier 620,
I. Hinchliffe 17a, F. Hinterkeuser 24, M. Hirose 123, S. Hirose 156, D. Hirschbuehl 169,
T.G. Hitchings <sup>100</sup>, B. Hiti <sup>92</sup>, J. Hobbs <sup>144</sup>, R. Hobincu <sup>27e</sup>, N. Hod <sup>167</sup>,
M.C. Hodgkinson <sup>138</sup>, B.H. Hodkinson <sup>32</sup>, A. Hoecker <sup>36</sup>, J. Hofer <sup>48</sup>, D. Hohn <sup>54</sup>,
T. Holm • 24, M. Holzbock • 109, L.B.A.H. Hommels • 32, B.P. Honan • 100, J. Hong • 62c,
T.M. Hong 128, Y. Hong 55, J.C. Honig 54, A. Hönle 109, B.H. Hooberman 160,
W.H. Hopkins • , Y. Horii • 110, S. Hou • 147, A.S. Howard • , J. Howarth • 59, J. Hoya • 89,
M. Hrabovsky <sup>121</sup>, A. Hrynevich <sup>37</sup>, T. Hryn'ova <sup>4</sup>, P.J. Hsu <sup>65</sup>, S.-C. Hsu <sup>137</sup>, Q. Hu <sup>41,y</sup>,
Y.F. Hu<sup>1</sup><sup>14a,14d,ac</sup>, D.P. Huang<sup>1</sup><sup>95</sup>, S. Huang<sup>1</sup><sup>64b</sup>, X. Huang<sup>1</sup><sup>14c</sup>, Y. Huang<sup>1</sup><sup>62a</sup>,
Y. Huang ^{\bullet} 14a, Z. Huang ^{\bullet} 100, Z. Hubacek ^{\bullet} 131, M. Huebner ^{\bullet} 24, F. Huegging ^{\bullet} 24,
T.B. Huffman <sup>125</sup>, M. Huhtinen <sup>36</sup>, S.K. Huiberts <sup>16</sup>, R. Hulsken <sup>103</sup>, N. Huseynov <sup>12,a</sup>,
J. Huston 106, J. Huth 161, R. Hyneman 1142, S. Hyrych 128a, G. Iacobucci 156,
G. Iakovidis <sup>©29</sup>, I. Ibragimov <sup>©140</sup>, L. Iconomidou-Fayard <sup>©66</sup>, P. Iengo <sup>©71a,71b</sup>, R. Iguchi <sup>©152</sup>,
T. Iizawa^{656}, Y. Ikegami^{682}, A. Ilg^{619}, N. Ilic^{6154}, H. Imam^{635a},
T. Ingebretsen Carlson 647a,47b, G. Introzzi 72a,72b, M. Iodice 76a, V. Ippolito 74a,74b,
M. Ishino 152, W. Islam 168, C. Issever 18,48, S. Istin 21a,ae, H. Ito 166,
J.M. Iturbe Ponce 64a, R. Iuppa 77a,77b, A. Ivina 167, J.M. Izen 45, V. Izzo 71a,
P. Jacka 130,131, P. Jackson 1, R.M. Jacobs 48, B.P. Jaeger 141, C.S. Jagfeld 108,
G. Jäkel<sup>169</sup>, K. Jakobs<sup>54</sup>, T. Jakoubek<sup>167</sup>, J. Jamieson<sup>59</sup>, K.W. Janas<sup>84a</sup>,
G. Jarlskog <sup>97</sup>, A.E. Jaspan <sup>91</sup>, T. Javůrek <sup>36</sup>, M. Javurkova <sup>102</sup>, F. Jeanneau <sup>134</sup>,
L. Jeanty 122, J. Jejelava 148a, P. Jenni 54, C.E. Jessiman 34, S. Jézéquel 4, J. Jia 144,
X. Jia 61, X. Jia 14a, 14d, Z. Jia 14c, Y. Jiang 2a, S. Jiggins 52, J. Jimenez Pena 199,
S. Jin 6 14c, A. Jinaru 6 27b, O. Jinnouchi 6 153, H. Jivan 6 33g, P. Johansson 6 138, K.A. Johns 7,
C.A. Johnson 67, D.M. Jones 32, E. Jones 165, P. Jones 32, R.W.L. Jones 99, T.J. Jones 91,
J. Jovicevic <sup>15</sup>, X. Ju <sup>17a</sup>, J.J. Junggeburth <sup>36</sup>, A. Juste Rozas <sup>13,t</sup>, S. Kabana <sup>136e</sup>,
A. Kaczmarska 685, M. Kado 674a,746, H. Kagan 6118, M. Kagan 6142, A. Kahn 41, A. Kahn 6127,
C. Kahra <sup>699</sup>, T. Kaji <sup>166</sup>, E. Kajomovitz <sup>6149</sup>, N. Kakati <sup>167</sup>, C.W. Kalderon <sup>29</sup>,
A. Kamenshchikov^{\tiny \mbox{$\mathbb{D}$}^{154}}, N.J. Kang^{\tiny \mbox{$\mathbb{D}$}^{135}}, Y. Kano^{\tiny \mbox{$\mathbb{D}$}^{110}}, D. Kar^{\tiny \mbox{$\mathbb{D}$}^{33g}}, K. Karava^{\tiny \mbox{$\mathbb{D}$}^{125}},
M.J. Kareem <sup>155b</sup>, E. Karentzos <sup>54</sup>, I. Karkanias <sup>151</sup>, S.N. Karpov <sup>38</sup>, Z.M. Karpova <sup>38</sup>,
V. Kartvelishvili <sup>690</sup>, A.N. Karyukhin <sup>637</sup>, E. Kasimi <sup>6151</sup>, C. Kato <sup>62d</sup>, J. Katzy <sup>48</sup>,
S. Kaur<sup>©34</sup>, K. Kawade<sup>©139</sup>, K. Kawagoe<sup>©88</sup>, T. Kawaguchi<sup>©110</sup>, T. Kawamoto<sup>©134</sup>,
G. Kawamura<sup>55</sup>, E.F. Kay<sup>163</sup>, F.I. Kaya<sup>157</sup>, S. Kazakos<sup>13</sup>, V.F. Kazanin<sup>37</sup>, Y. Ke<sup>144</sup>,
J.M. Keaveney <sup>633a</sup>, R. Keeler <sup>6163</sup>, G.V. Kehris <sup>61</sup>, J.S. Keller <sup>34</sup>, A.S. Kelly <sup>95</sup>,
D. Kelsey <sup>145</sup>, J.J. Kempster <sup>20</sup>, J. Kendrick <sup>20</sup>, K.E. Kennedy <sup>41</sup>, O. Kepka <sup>130</sup>,
B.P. Kerridge <sup>165</sup>, S. Kersten <sup>169</sup>, B.P. Kerševan <sup>92</sup>, L. Keszeghova <sup>28a</sup>,
S. Ketabchi Haghighat <sup>154</sup>, M. Khandoga <sup>126</sup>, A. Khanov <sup>120</sup>, A.G. Kharlamov <sup>37</sup>,
T. Kharlamova^{\odot}<sup>37</sup>, E.E. Khoda^{\odot}<sup>137</sup>, T.J. Khoo^{\odot}<sup>18</sup>, G. Khoriauli^{\odot}<sup>164</sup>, J. Khubua^{\odot}<sup>148b</sup>,
```

```
Y.A.R. Khwaira 66, M. Kiehn 536, A. Kilgallon 5122, D.W. Kim 547a,47b, E. Kim 5153,
Y.K. Kim <sup>©</sup> <sup>39</sup>, N. Kimura <sup>©</sup> <sup>95</sup>, A. Kirchhoff <sup>©</sup> <sup>55</sup>, D. Kirchmeier <sup>©</sup> <sup>50</sup>, C. Kirfel <sup>©</sup> <sup>24</sup>, J. Kirk <sup>©</sup> <sup>133</sup>,
A.E. Kiryunin <sup>109</sup>, T. Kishimoto <sup>152</sup>, D.P. Kisliuk <sup>154</sup>, C. Kitsaki <sup>100</sup>, O. Kivernyk <sup>1024</sup>,
M. Klassen 63a, C. Klein 34, L. Klein 164, M.H. Klein 155, M. Klein 1991, U. Klein 1991,
P. Klimek <sup>136</sup>, A. Klimentov <sup>29</sup>, F. Klimpel <sup>109</sup>, T. Klingl <sup>24</sup>, T. Klioutchnikova <sup>36</sup>,
F.F. Klitzner <sup>108</sup>, P. Kluit <sup>113</sup>, S. Kluth <sup>109</sup>, E. Kneringer <sup>18</sup>, T.M. Knight <sup>154</sup>,
A. Knue • 54, D. Kobayashi 88, R. Kobayashi 86, M. Kocian • 142, T. Kodama 152, P. Kodyš 132,
D.M. Koeck 145, P.T. Koenig 24, T. Koffas 34, N.M. Köhler 36, M. Kolb 134, I. Koletsou 4,
T. Komarek <sup>121</sup>, K. Köneke <sup>54</sup>, A.X.Y. Kong <sup>1</sup>, T. Kono <sup>117</sup>, N. Konstantinidis <sup>95</sup>,
B. Konya <sup>1</sup>
<sup>97</sup>, R. Kopeliansky <sup>167</sup>, S. Koperny <sup>184a</sup>, K. Korcyl <sup>185</sup>, K. Kordas <sup>151</sup>,
G. Koren <sup>150</sup>, A. Korn <sup>95</sup>, S. Korn <sup>55</sup>, I. Korolkov <sup>13</sup>, N. Korotkova <sup>37</sup>, B. Kortman <sup>113</sup>,
O. Kortner <sup>109</sup>, S. Kortner <sup>109</sup>, W.H. Kostecka <sup>114</sup>, V.V. Kostyukhin <sup>140</sup>,
A. Kotsokechagia 66, A. Kotwal 51, A. Koulouris 53, A. Kourkoumeli-Charalampidi 572a,72b,
C. Kourkoumelis <sup>6</sup>, E. Kourlitis <sup>6</sup>, O. Kovanda <sup>145</sup>, R. Kowalewski <sup>163</sup>, W. Kozanecki <sup>134</sup>,
A.S. Kozhin \mathbb{D}^{37}, V.A. Kramarenko \mathbb{D}^{37}, G. Kramberger \mathbb{D}^{92}, P. Kramer \mathbb{D}^{99}, M.W. Krasny \mathbb{D}^{126},
A. Krasznahorkay <sup>036</sup>, J.A. Kremer <sup>099</sup>, T. Kresse <sup>050</sup>, J. Kretzschmar <sup>091</sup>, K. Kreul <sup>018</sup>,
P. Krieger <sup>154</sup>, F. Krieter <sup>108</sup>, S. Krishnamurthy <sup>102</sup>, A. Krishnam <sup>163b</sup>, M. Krivos <sup>132</sup>,
K. Krizka <sup>17a</sup>, K. Kroeninger <sup>49</sup>, H. Kroha <sup>109</sup>, J. Kroll <sup>130</sup>, J. Kroll <sup>127</sup>,
K.S. Krowpman <sup>106</sup>, U. Kruchonak <sup>138</sup>, H. Krüger <sup>124</sup>, N. Krumnack <sup>80</sup>, M.C. Kruse <sup>151</sup>,
J.A. Krzysiak <sup>685</sup>, A. Kubota <sup>6153</sup>, O. Kuchinskaia <sup>637</sup>, S. Kuday <sup>63a</sup>, D. Kuechler <sup>648</sup>,
J.T. Kuechler <sup>648</sup>, S. Kuehn <sup>636</sup>, T. Kuhl <sup>648</sup>, V. Kukhtin <sup>638</sup>, Y. Kulchitsky <sup>637,a</sup>,
S. Kuleshov • 136d, 136b, M. Kumar • 33g, N. Kumari • 101, M. Kuna • 60, A. Kupco • 130,
T. Kupfer<sup>49</sup>, A. Kupich <sup>137</sup>, O. Kuprash <sup>154</sup>, H. Kurashige <sup>183</sup>, L.L. Kurchaninov <sup>155a</sup>,
Y.A. Kurochkin 6<sup>37</sup>, A. Kurova 6<sup>37</sup>, E.S. Kuwertz 6<sup>36</sup>, M. Kuze 6<sup>153</sup>, A.K. Kvam 6<sup>102</sup>,
J. Kvita <sup>121</sup>, T. Kwan <sup>103</sup>, K.W. Kwok <sup>164a</sup>, N.G. Kyriacou <sup>105</sup>, C. Lacasta <sup>161</sup>,
F. Lacava • <sup>74a,74b</sup>, H. Lacker • <sup>18</sup>, D. Lacour • <sup>126</sup>, N.N. Lad • <sup>95</sup>, E. Ladygin • <sup>38</sup>, B. Laforge • <sup>126</sup>,
T. Lagouri <sup>136</sup><sup>6</sup>, S. Lai <sup>55</sup>, I.K. Lakomiec <sup>84</sup><sup>8</sup>, N. Lalloue <sup>60</sup>, J.E. Lambert <sup>119</sup>,
S. Lammers ^{\odot 67}, W. Lampl^{\odot 7}, C. Lampoudis ^{\odot 151}, A.N. Lancaster ^{\odot 114}, E. Lançon ^{\odot 29},
U. Landgraf <sup>654</sup>, M.P.J. Landon <sup>693</sup>, V.S. Lang <sup>654</sup>, R.J. Langenberg <sup>6102</sup>, A.J. Lankford <sup>6158</sup>,
F. Lanni <sup>29</sup>, K. Lantzsch <sup>24</sup>, A. Lanza <sup>72a</sup>, A. Lapertosa <sup>57b,57a</sup>, J.F. Laporte <sup>134</sup>,
T. Lari <sup>1</sup>0<sup>70a</sup>, F. Lasagni Manghi <sup>1</sup>0<sup>23b</sup>, M. Lassnig <sup>1</sup>3<sup>6</sup>, V. Latonova <sup>1</sup>3<sup>10</sup>, T.S. Lau <sup>1</sup>0<sup>64a</sup>,
A. Laudrain <sup>199</sup>, A. Laurier <sup>194</sup>, S.D. Lawlor <sup>194</sup>, Z. Lawrence <sup>100</sup>, M. Lazzaroni <sup>190</sup>, A. Lazzaroni <sup>190</sup>, M. Lazzaron
B. Le<sup>100</sup>, B. Leban <sup>692</sup>, A. Lebedev <sup>680</sup>, M. LeBlanc <sup>636</sup>, T. LeCompte <sup>6</sup>,
F. Ledroit-Guillon 60, A.C.A. Lee 51, G.R. Lee 161, L. Lee 161, S.C. Lee 147, S. Lee 47a, 47b,
T.F. Lee 191, L.L. Leeuw 133c, H.P. Lefebvre 194, M. Lefebvre 163, C. Leggett 17a,
K. Lehmann • 141, G. Lehmann Miotto • 36, W.A. Leight • 102, A. Leisos • 151, M.A.L. Leite • 81c,
C.E. Leitgeb • R. Leitner • 132, K.J.C. Leney • 44, T. Lenz • 24, S. Leone • 73a,
C. Leonidopoulos <sup>52</sup>, A. Leopold <sup>143</sup>, C. Leroy <sup>107</sup>, R. Les <sup>106</sup>, C.G. Lester <sup>32</sup>,
M. Levchenko <sup>37</sup>, J. Levêque <sup>4</sup>, D. Levin <sup>105</sup>, L.J. Levinson <sup>167</sup>, M.P. Lewicki <sup>85</sup>,
D.J. Lewis <sup>©</sup> <sup>20</sup>, B. Li <sup>©</sup> <sup>14b</sup>, B. Li <sup>©</sup> <sup>62b</sup>, C. Li <sup>62a</sup>, C-Q. Li <sup>©</sup> <sup>62c</sup>, <sup>62d</sup>, H. Li <sup>©</sup> <sup>62a</sup>, H. Li <sup>©</sup> <sup>62b</sup>,
H. Li 614c, H. Li 62c, J. Li 62c, K. Li 137, L. Li 62c, M. Li 14a,14d, Q.Y. Li 62a,
S. \text{Li}_{0}^{62d,62c,d}, T. \text{Li}_{0}^{62b}, X. \text{Li}_{0}^{103}, Z. \text{Li}_{0}^{62b}, Z. \text{Li}_{0}^{125}, Z. \text{Li}_{0}^{103}, Z. \text{Li}_{0}^{91}, Z. \text{Li}_{0}^{91}, Z. \text{Li}_{0}^{91}
M. Liberatore ^{648}, B. Liberti ^{675a}, K. Lie^{64c}, J. Lieber Marin ^{681b}, K. Lin^{6106},
```

```
R.A. Linck 6, R.E. Lindley 7, J.H. Lindon 2, A. Linss 6, E. Lipeles 6, A. Lipniacka 6,
A. Lister 6162, J.D. Little 64, B. Liu 614a, B.X. Liu 6141, D. Liu 62d,62c, J.B. Liu 662a,
J.K.K. Liu 632, K. Liu 62d,62c, M. Liu 62a, M.Y. Liu 62a, P. Liu 614a, Q. Liu 62d,137,62c,
X. \text{Liu}^{62a}, Y. \text{Liu}^{48}, Y. \text{Liu}^{14c,14d}, Y.L. \text{Liu}^{10}, Y.W. \text{Liu}^{62a}, M. \text{Livan}^{72a,72b},
J. Llorente Merino <sup>141</sup>, S.L. Lloyd <sup>93</sup>, E.M. Lobodzinska <sup>48</sup>, P. Loch <sup>7</sup>, S. Loffredo <sup>75a,75b</sup>,
T. Lohse <sup>18</sup>, K. Lohwasser <sup>138</sup>, M. Lokajicek <sup>130</sup>, J.D. Long <sup>160</sup>, I. Longarini <sup>74a,74b</sup>,
L. Longo 69a,69b, R. Longo 160, I. Lopez Paz 36, A. Lopez Solis 48, J. Lorenz 1018,
N. Lorenzo Martinez • 4, A.M. Lory • 108, A. Lösle • 54, X. Lou • 47a,47b, X. Lou • 14a,14d,
A. Lounis 66, J. Love 6, P.A. Love 90, J.J. Lozano Bahilo 161, G. Lu 14a, M. Lu 79,
S. Lu<sup>127</sup>, Y.J. Lu<sup>65</sup>, H.J. Lubatti<sup>137</sup>, C. Luci<sup>174a,74b</sup>, F.L. Lucio Alves<sup>14c</sup>,
A. Lucotte 60, F. Luehring 67, I. Luise 6144, O. Lukianchuk 66, O. Lundberg 6143,
B. Lund-Jensen • 143, N.A. Luongo • 122, M.S. Lutz • 150, D. Lynn • 29, H. Lyons • 1, R. Lysak • 130,
E. Lytken <sup>197</sup>, F. Lyu <sup>14a</sup>, V. Lyubushkin <sup>38</sup>, T. Lyubushkin <sup>38</sup>, H. Ma <sup>29</sup>, L.L. Ma <sup>62b</sup>,
Y. Ma<sup>©</sup><sup>95</sup>, D.M. Mac Donell<sup>©</sup><sup>163</sup>, G. Maccarrone<sup>©</sup><sup>53</sup>, J.C. MacDonald<sup>©</sup><sup>138</sup>, R. Madar<sup>©</sup><sup>40</sup>,
W.F. Mader <sup>50</sup>, J. Maeda <sup>83</sup>, T. Maeno <sup>29</sup>, M. Maerker <sup>50</sup>, V. Magerl <sup>54</sup>, J. Magro <sup>68a,68c</sup>,
H. Maguire <sup>138</sup>, D.J. Mahon <sup>41</sup>, C. Maidantchik <sup>81b</sup>, A. Maio <sup>129a,129b,129d</sup>, K. Maj <sup>84a</sup>,
O. Majersky <sup>©</sup> <sup>28a</sup>, S. Majewski <sup>©</sup> <sup>122</sup>, N. Makovec <sup>©</sup> <sup>66</sup>, V. Maksimovic <sup>©</sup> <sup>15</sup>, B. Malaescu <sup>©</sup> <sup>126</sup>,
Pa. Malecki <sup>685</sup>, V.P. Maleev <sup>637</sup>, F. Malek <sup>60</sup>, D. Malito <sup>643b,43a</sup>, U. Mallik <sup>679</sup>, C. Malone <sup>632</sup>,
S. Maltezos<sup>10</sup>, S. Malyukov<sup>38</sup>, J. Mamuzic<sup>13</sup>, G. Mancini<sup>53</sup>, G. Manco<sup>72a,72b</sup>,
J.P. Mandalia <sup>693</sup>, I. Mandić <sup>592</sup>, L. Manhaes de Andrade Filho <sup>681a</sup>, I.M. Maniatis <sup>6151</sup>,
M. Manisha<sup>134</sup>, J. Manjarres Ramos<sup>50</sup>, D.C. Mankad<sup>167</sup>, K.H. Mankinen<sup>97</sup>,
A. Mann 10 108, A. Manousos 10 78, B. Mansoulie 13 4, S. Manzoni 10 36, A. Marantis 15 1,
G. Marchiori <sup>6</sup>, M. Marcisovsky <sup>6</sup>, L. Marcoccia <sup>6</sup>, C. Marcon <sup>6</sup>, C. Marcon
M. Marinescu (^{\circ}<sup>20</sup>, M. Marjanovic (^{\circ}<sup>119</sup>, Z. Marshall (^{\circ}<sup>17a</sup>, S. Marti-Garcia (^{\circ}<sup>161</sup>, T.A. Martin (^{\circ}<sup>165</sup>,
V.J. Martin • B. Martin dit Latour • L. Martinelli • A., M. Martinez • L. Mart
P. Martinez Agullo <sup>161</sup>, V.I. Martinez Outschoorn <sup>102</sup>, P. Martinez Suarez <sup>13</sup>,
S. Martin-Haugh <sup>133</sup>, V.S. Martoiu <sup>27b</sup>, A.C. Martyniuk <sup>95</sup>, A. Marzin <sup>36</sup>,
S.R. Maschek <sup>109</sup>, L. Masetti <sup>99</sup>, T. Mashimo <sup>152</sup>, J. Masik <sup>100</sup>, A.L. Maslennikov <sup>37</sup>,
L. Massa <sup>©23b</sup>, P. Massarotti <sup>©71a,71b</sup>, P. Mastrandrea <sup>©73a,73b</sup>, A. Mastroberardino <sup>©43b,43a</sup>,
T. Masubuchi <sup>152</sup>, T. Mathisen <sup>159</sup>, A. Matic <sup>108</sup>, N. Matsuzawa <sup>152</sup>, J. Maurer <sup>150</sup>,
B. Maček 692, D.A. Maximov 637, R. Mazini 6147, I. Maznas 6151, M. Mazza 6106,
S.M. Mazza 135, C. Mc Ginn 29, ad, J.P. Mc Gowan 10, S.P. Mc Kee 10, 5,
T.G. McCarthy 109, W.P. McCormack 17a, E.F. McDonald 1014, A.E. McDougall 113,
J.A. Mcfayden \mathbb{D}^{145}, G. Mchedlidze \mathbb{D}^{148b}, R.P. Mckenzie \mathbb{D}^{33g}, T.C. Mclachlan \mathbb{D}^{48},
D.J. Mclaughlin <sup>695</sup>, K.D. McLean <sup>6163</sup>, S.J. McMahon <sup>6133</sup>, P.C. McNamara <sup>6104</sup>,
R.A. McPherson • 163, v, J.E. Mdhluli • 33g, S. Meehan • 36, T. Megy • 40, S. Mehlhase • 108,
A. Mehta <sup>191</sup>, B. Meirose <sup>145</sup>, D. Melini <sup>149</sup>, B.R. Mellado Garcia <sup>133g</sup>, A.H. Melo <sup>155</sup>,
F. Meloni <sup>648</sup>, E.D. Mendes Gouveia <sup>6129a</sup>, A.M. Mendes Jacques Da Costa <sup>620</sup>, H.Y. Meng <sup>6154</sup>,
L. Meng <sup>6</sup> <sup>90</sup>, S. Menke <sup>6</sup> <sup>109</sup>, M. Mentink <sup>6</sup> <sup>36</sup>, E. Meoni <sup>6</sup> <sup>43b,43a</sup>, C. Merlassino <sup>6</sup> <sup>125</sup>,
L. Merola • 71a,71b, C. Meroni • 70a, G. Merz 105, O. Meshkov • 37, J.K.R. Meshreki • 140,
J. Metcalfe 6, A.S. Mete 6, C. Meyer 67, J-P. Meyer 134, M. Michetti 18,
R.P. Middleton <sup>133</sup>, L. Mijović <sup>52</sup>, G. Mikenberg <sup>167</sup>, M. Mikestikova <sup>130</sup>, M. Mikuž <sup>92</sup>,
H. Mildner 138, A. Milic 154, C.D. Milke 44, D.W. Miller 39, L.S. Miller 34, A. Milov 167,
```

```
D.A. Milstead<sup>47a,47b</sup>, T. Min<sup>14c</sup>, A.A. Minaenko<sup>53</sup>, I.A. Minashvili<sup>148b</sup>, L. Mince<sup>59</sup>,
A.I. Mincer 116, B. Mindur 84a, M. Mineev 38, Y. Minegishi 52, Y. Mino 86, L.M. Mir 13,
M. Miralles Lopez 161, M. Mironova 125, T. Mitani 166, A. Mitra 165, V.A. Mitsou 161,
O. Miu<sup>154</sup>, P.S. Miyagawa<sup>93</sup>, Y. Miyazaki<sup>88</sup>, A. Mizukami<sup>82</sup>, J.U. Mjörnmark<sup>97</sup>,
T. Mkrtchyan 63a, M. Mlynarikova 114, M.P. Mlynarski 84a, T. Moa 47a,47b, S. Mobius 55,
K. Mochizuki <sup>1010</sup>, P. Moder <sup>1048</sup>, P. Mogg <sup>108</sup>, A.F. Mohammed <sup>1014a,14d</sup>, S. Mohapatra <sup>1041</sup>,
G. Mokgatitswane 33g, B. Mondal 140, S. Mondal 131, K. Mönig 48, E. Monnier 111,
L. Monsonis Romero<sup>161</sup>, J. Montejo Berlingen<sup>©36</sup>, M. Montella<sup>©118</sup>, F. Monticelli<sup>©89</sup>,
N. Morange 66, A.L. Moreira De Carvalho 129a, M. Moreno Llácer 161,
C. Moreno Martinez 13, P. Morettini 57, S. Morgenstern 165, M. Morii 61,
M. Morinaga • 152, V. Morisbak • 124, A.K. Morley • 36, F. Morodei • 74a,74b, L. Morvaj • 36,
P. Moschovakos <sup>36</sup>, B. Moser <sup>36</sup>, M. Mosidze <sup>148b</sup>, T. Moskalets <sup>54</sup>, P. Moskvitina <sup>112</sup>,
J. Moss 631,n, E.J.W. Moyse 6102, S. Muanza 6101, J. Mueller 6128, D. Muenstermann 690,
R. Müller <sup>19</sup>, G.A. Mullier <sup>97</sup>, J.J. Mullin <sup>127</sup>, D.P. Mungo <sup>970a,70b</sup>, J.L. Munoz Martinez <sup>13</sup>,
D. Munoz Perez <sup>161</sup>, F.J. Munoz Sanchez <sup>100</sup>, M. Murin <sup>100</sup>, W.J. Murray <sup>165,133</sup>,
A. Murrone <sup>6</sup>70a,70b, J.M. Muse <sup>6</sup>119, M. Muškinja <sup>6</sup>17a, C. Mwewa <sup>6</sup>29, A.G. Myagkov <sup>6</sup>37,a,
A.J. Myers • 8, A.A. Myers • 67, M. Myska • 131, B.P. Nachman • 17a,
O. Nackenhorst • 49, A. Nag • 50, K. Nagai • 125, K. Nagan • 82, J.L. Nagle • 29, ad, E. Nagy • 101,
A.M. Nairz 636, Y. Nakahama 682, K. Nakamura 682, H. Nanjo 6123, R. Narayan 644,
E.A. Narayanan 111, I. Naryshkin 37, M. Naseri 34, C. Nass 24, G. Navarro 22a,
J. Navarro-Gonzalez <sup>161</sup>, R. Nayak <sup>150</sup>, P.Y. Nechaeva <sup>37</sup>, F. Nechansky <sup>48</sup>, T.J. Neep <sup>20</sup>,
A. Negri\mathbb{D}^{72a,72b}, M. Negrini\mathbb{D}^{23b}, C. Nellist\mathbb{D}^{112}, C. Nelson\mathbb{D}^{103}, K. Nelson\mathbb{D}^{105},
S. Nemecek <sup>130</sup>, M. Nessi <sup>36,g</sup>, M.S. Neubauer <sup>160</sup>, F. Neuhaus <sup>99</sup>, J. Neundorf <sup>48</sup>,
R. Newhouse 6 162, P.R. Newman 6 20, C.W. Ng 6 128, Y.S. Ng 18, Y.W.Y. Ng 6 158, B. Ngair 6 35e,
H.D.N. Nguyen ^{\bullet 107}, R.B. Nickerson ^{\bullet 125}, R. Nicolaidou ^{\bullet 134}, J. Nielsen ^{\bullet 135}, M. Niemeyer ^{\bullet 55},
N. Nikiforou <sup>6</sup> N. Nikolaenko <sup>6</sup> N. Nikolaenko <sup>6</sup> N. Nikolic-Audit <sup>6</sup> N. Nikolopoulos <sup>6</sup> P. Nilsson <sup>6</sup> N. Nikolopoulos <sup></sup>
H.R. Nindhito <sup>656</sup>, A. Nisati <sup>674a</sup>, N. Nishu <sup>62</sup>, R. Nisius <sup>6109</sup>, J-E. Nitschke <sup>50</sup>,
E.K. Nkadimeng <sup>133g</sup>, S.J. Noacco Rosende <sup>89</sup>, T. Nobe <sup>152</sup>, D.L. Noel <sup>32</sup>, Y. Noguchi <sup>86</sup>,
T. Nommensen 6146, M.A. Nomura 9, M.B. Norfolk 138, R.R.B. Norisam 95, B.J. Norman 34,
J. Novak <sup>92</sup>, T. Novak <sup>48</sup>, O. Novgorodova <sup>50</sup>, L. Novotny <sup>131</sup>, R. Novotny <sup>111</sup>,
L. Nozka<sup>121</sup>, K. Ntekas<sup>158</sup>, E. Nurse<sup>95</sup>, F.G. Oakham<sup>34,aa</sup>, J. Ocariz<sup>126</sup>, A. Ochi<sup>83</sup>,
I. Ochoa 129a, S. Oerdek 159, A. Ogrodnik 84a, A. Oh 100, C.C. Ohm 143, H. Oide 153,
R. Oishi 6 152, M.L. Ojeda 6 48, Y. Okazaki 6 86, M.W. O'Keefe 91, Y. Okumura 6 152, A. Olariu 276,
L.F. Oleiro Seabra <sup>129a</sup>, S.A. Olivares Pino <sup>136e</sup>, D. Oliveira Damazio <sup>29</sup>,
D. Oliveira Goncalves <sup>181</sup>a, J.L. Oliver <sup>18</sup>b, M.J.R. Olsson <sup>18</sup>b, A. Olszewski <sup>85</sup>,
J. Olszowska 685,*, Ö.O. Öncel 54, D.C. O'Neil 141, A.P. O'Neil 1919, A. Onofre 129a, 129e,
P.U.E. Onyisi 11, M.J. Oreglia 539, G.E. Orellana 589, D. Orestano 76a,76b, N. Orlando 13,
R.S. Orr <sup>154</sup>, V. O'Shea <sup>59</sup>, R. Ospanov <sup>62a</sup>, G. Otero y Garzon <sup>30</sup>, H. Otono <sup>88</sup>,
P.S. Ott 63a, G.J. Ottino 17a, M. Ouchrif 33d, J. Ouellette 29,ad, F. Ould-Saada 124,
M. Owen <sup>59</sup>, R.E. Owen <sup>133</sup>, K.Y. Oyulmaz <sup>21a</sup>, V.E. Ozcan <sup>21a</sup>, N. Ozturk <sup>8</sup>,
S. Ozturk <sup>1</sup>21d, J. Pacalt <sup>1</sup>21, H.A. Pacey <sup>32</sup>, K. Pachal <sup>51</sup>, A. Pacheco Pages <sup>13</sup>,
C. Padilla Aranda <sup>13</sup>, G. Padovano <sup>74a,74b</sup>, S. Pagan Griso <sup>17a</sup>, G. Palacino <sup>67</sup>,
A. Palazzo^{\bullet 69a,69b}, S. Palazzo^{\bullet 52}, S. Palestini^{\bullet 36}, M. Palka^{\bullet 84b}, J. Pan^{\bullet 170}, T. Pan^{\bullet 64a},
```

```
D.K. Panchal 11, C.E. Pandini 113, J.G. Panduro Vazquez 194, H. Pang 14b, P. Pani 144,
G. Panizzo 68a,68c, L. Paolozzi 56, C. Papadatos 107, S. Parajuli 44, A. Paramonov 66,
C. Paraskevopoulos <sup>10</sup>, D. Paredes Hernandez <sup>64b</sup>, T.H. Park <sup>154</sup>, M.A. Parker <sup>32</sup>,
F. Parodi • 57b,57a, E.W. Parrish • 114, V.A. Parrish • 52, J.A. Parsons • 41, U. Parzefall • 54,
B. Pascual Dias<sup>107</sup>, L. Pascual Dominguez<sup>150</sup>, V.R. Pascuzzi<sup>170</sup>, F. Pasquali<sup>13</sup>,
E. Pasqualucci <sup>6</sup><sup>74a</sup>, S. Passaggio <sup>57b</sup>, F. Pastore <sup>694</sup>, P. Pasuwan <sup>647a,47b</sup>, J.R. Pater <sup>6100</sup>,
J. Patton<sup>91</sup>, T. Pauly • <sup>36</sup>, J. Pearkes • <sup>142</sup>, M. Pedersen • <sup>124</sup>, R. Pedro • <sup>129a</sup>,
S.V. Peleganchuk • 37, O. Penc • 36, C. Peng • 64b, H. Peng • 62a, K.E. Penski • 108, M. Penzin • 37,
B.S. Peralva 681d,81d, A.P. Pereira Peixoto 660, L. Pereira Sanchez 647a,47b,
D.V. Perepelitsa<sup>29,ad</sup>, E. Perez Codina<sup>155a</sup>, M. Perganti<sup>10</sup>, L. Perini<sup>70a,70b,*</sup>
H. Pernegger <sup>636</sup>, S. Perrella <sup>636</sup>, A. Perrevoort <sup>6112</sup>, O. Perrin <sup>640</sup>, K. Peters <sup>648</sup>,
R.F.Y. Peters <sup>100</sup>, B.A. Petersen <sup>36</sup>, T.C. Petersen <sup>42</sup>, E. Petit <sup>101</sup>, V. Petousis <sup>131</sup>,
C. Petridou <sup>151</sup>, A. Petrukhin <sup>140</sup>, M. Pettee <sup>17a</sup>, N.E. Pettersson <sup>36</sup>, A. Petukhov <sup>37</sup>,
K. Petukhova <sup>132</sup>, A. Peyaud <sup>134</sup>, R. Pezoa <sup>136</sup>, L. Pezzotti <sup>36</sup>, G. Pezzullo <sup>170</sup>,
T. Pham <sup>104</sup>, P.W. Phillips <sup>133</sup>, M.W. Phipps <sup>160</sup>, G. Piacquadio <sup>144</sup>, E. Pianori <sup>17a</sup>,
F. Piazza ^{\circ} 70a,70b, R. Piegaia ^{\circ} 30, D. Pietreanu ^{\circ} 27b, A.D. Pilkington ^{\circ} 100,
M. Pinamonti 68a,68c, J.L. Pinfold 2, B.C. Pinheiro Pereira 129a, C. Pitman Donaldson,
D.A. Pizzi <sup>634</sup>, L. Pizzimento <sup>75a,75b</sup>, A. Pizzini <sup>6113</sup>, M.-A. Pleier <sup>629</sup>, V. Plesanovs <sup>54</sup>,
V. Pleskot <sup>132</sup>, E. Plotnikova R. Poddar <sup>4</sup>, R. Poettgen <sup>97</sup>, L. Poggioli <sup>126</sup>,
I. Pogrebnyak 6 106, D. Pohl 24, I. Pokharel 55, S. Polacek 132, G. Polesello 72a,
A. Poley 141,155a, R. Polifka 131, A. Polini 23b, C.S. Pollard 125, Z.B. Pollock 118,
V. Polychronakos <sup>©</sup><sup>29</sup>, D. Ponomarenko <sup>©</sup><sup>37</sup>, L. Pontecorvo <sup>©</sup><sup>36</sup>, S. Popa <sup>©</sup><sup>27a</sup>,
G.A. Popeneciu<sup>©27d</sup>, D.M. Portillo Quintero<sup>©155a</sup>, S. Pospisil<sup>©131</sup>, P. Postolache<sup>©27c</sup>,
K. Potamianos 125, I.N. Potrap 38, C.J. Potter 32, H. Potti 17, T. Poulsen 48,
J. Poveda 161, G. Pownall 48, M.E. Pozo Astigarraga 1636, A. Prades Ibanez 1611,
M.M. Prapa • 46, D. Price • 100, M. Primavera • 69a, M.A. Principe Martin • 98, M.L. Proffitt • 137,
N. Proklova <sup>37</sup>, K. Prokofiev <sup>64c</sup>, G. Proto <sup>75a,75b</sup>, S. Protopopescu <sup>29</sup>, J. Proudfoot <sup>6</sup>,
M. Przybycien ^{\bullet 84a}, J.E. Puddefoot ^{\bullet 138}, D. Pudzha ^{\bullet 37}, P. Puzo^{66}, D. Pyatiizbyantseva ^{\bullet 37},
J. Qian 10, Y. Qin 10, T. Qiu 10, A. Quadt 10, M. Queitsch-Maitland 10,
G. Rabanal Bolanos <sup>61</sup>, D. Rafanoharana <sup>54</sup>, F. Ragusa <sup>70a,70b</sup>, J.L. Rainbolt <sup>39</sup>,
J.A. Raine<sup>56</sup>, S. Rajagopalan<sup>29</sup>, E. Ramakoti<sup>37</sup>, K. Ran<sup>48,14d</sup>, V. Raskina<sup>126</sup>,
D.F. Rassloff 63a, S. Rave 99, B. Ravina 55, I. Ravinovich 167, M. Raymond 36,
A.L. Read 124, N.P. Readioff 138, D.M. Rebuzzi 72a,72b, G. Redlinger 29, K. Reeves 45,
J.A. Reidelsturz <sup>169</sup>, D. Reikher <sup>150</sup>, A. Reiss <sup>99</sup>, A. Rej <sup>140</sup>, C. Rembser <sup>36</sup>, A. Renardi <sup>48</sup>,
M. Renda<sup>©27b</sup>, M.B. Rendel<sup>109</sup>, A.G. Rennie<sup>©59</sup>, S. Resconi<sup>©70a</sup>, M. Ressegotti<sup>©57b,57a</sup>,
E.D. Resseguie <sup>17a</sup>, S. Rettie <sup>95</sup>, B. Reynolds <sup>118</sup>, E. Reynolds <sup>17a</sup>, M. Rezaei Estabragh <sup>169</sup>,
O.L. Rezanova \mathbb{D}^{37}, P. Reznicek \mathbb{D}^{132}, E. Ricci \mathbb{D}^{77a,77b}, R. Richter \mathbb{D}^{109}, S. Richter \mathbb{D}^{47a,47b},
E. Richter-Was 6846, M. Ridel 126, P. Rieck 116, P. Riedler 36, M. Rijssenbeek 144,
A. Rimoldi (10, 72a, 72b), M. Rimoldi (10, 48), L. Rinaldi (10, 23b, 23a), T.T. Rinn (10, 29), M.P. Rinnagel (10, 10),
G. Ripellino 143, I. Riu 15, P. Rivadeneira 148, J.C. Rivera Vergara 16, F. Rizatdinova 15,
E. Rizvi <sup>693</sup>, C. Rizzi <sup>656</sup>, B.A. Roberts <sup>6165</sup>, B.R. Roberts <sup>617a</sup>, S.H. Roberts on <sup>6103,v</sup>,
M. Robin 648, D. Robinson 632, C.M. Robles Gajardo 36f, M. Robles Manzano 699,
A. Robson • A. Rocchi • 75a,75b, C. Roda • 73a,73b, S. Rodriguez Bosca • 63a,
```

```
Y. Rodriguez Garcia <sup>22a</sup>, A. Rodriguez Rodriguez <sup>54</sup>, A.M. Rodríguez Vera <sup>15b</sup>, S. Roe<sup>36</sup>,
J.T. Roemer <sup>158</sup>, A.R. Roepe-Gier <sup>119</sup>, J. Roggel <sup>169</sup>, O. Røhne <sup>124</sup>, R.A. Rojas <sup>163</sup>,
B. Roland <sup>54</sup>, C.P.A. Roland <sup>67</sup>, J. Roloff <sup>29</sup>, A. Romaniouk <sup>37</sup>, E. Romano <sup>72a,72b</sup>,
M. Romano <sup>©23b</sup>, A.C. Romero Hernandez <sup>©160</sup>, N. Rompotis <sup>©91</sup>, L. Roos <sup>©126</sup>, S. Rosati <sup>©74a</sup>,
B.J. Rosser <sup>39</sup>, E. Rossi <sup>4</sup>, E. Rossi <sup>71a,71b</sup>, L.P. Rossi <sup>57b</sup>, L. Rossini <sup>48</sup>, R. Rosten <sup>118</sup>,
M. Rotaru <sup>©</sup> <sup>27b</sup>, B. Rottler <sup>©</sup> <sup>54</sup>, D. Rousseau <sup>©</sup> <sup>66</sup>, D. Rousso <sup>©</sup> <sup>32</sup>, G. Rovelli <sup>©</sup> <sup>72a,72b</sup>, A. Roy <sup>©</sup> <sup>160</sup>,
A. Rozanov 101, Y. Rozen 149, X. Ruan 33g, A. Rubio Jimenez 161, A.J. Ruby 191,
V.H. Ruelas Rivera 18, T.A. Ruggeri 1, F. Rühr 15, A. Ruiz-Martinez 16, A. Rummler 16, A. Rummle
Z. Rurikova<sup>54</sup>, N.A. Rusakovich<sup>38</sup>, H.L. Russell<sup>163</sup>, J.P. Rutherfoord<sup>7</sup>,
E.M. Rüttinger <sup>138</sup>, K. Rybacki <sup>90</sup>, M. Rybar <sup>132</sup>, E.B. Rye <sup>124</sup>, A. Ryzhov <sup>37</sup>,
J.A. Sabater Iglesias <sup>56</sup>, P. Sabatini <sup>161</sup>, L. Sabetta <sup>74a,74b</sup>, H.F-W. Sadrozinski <sup>135</sup>,
F. Safai Tehrani <sup>6</sup><sup>74a</sup>, B. Safarzadeh Samani <sup>6</sup><sup>145</sup>, M. Safdari <sup>6</sup><sup>142</sup>, S. Saha <sup>6</sup><sup>103</sup>,
M. Sahinsoy 109, M. Saimpert 134, M. Saito 152, T. Saito 152, D. Salamani 36,
G. Salamanna <sup>6</sup><sup>76a,76b</sup>, A. Salnikov <sup>6</sup><sup>142</sup>, J. Salt <sup>6</sup><sup>161</sup>, A. Salvador Salas <sup>6</sup><sup>13</sup>,
D. Salvatore <sup>6</sup> <sup>43b,43a</sup>, F. Salvatore <sup>6</sup> <sup>145</sup>, A. Salzburger <sup>6</sup> <sup>36</sup>, D. Sammel <sup>54</sup>, D. Sampsonidis <sup>6</sup> <sup>151</sup>,
D. Sampsonidou 62d,62c, J. Sánchez 161, A. Sanchez Pineda 4, V. Sanchez Sebastian 161,
H. Sandaker <sup>124</sup>, C.O. Sander <sup>48</sup>, J.A. Sandesara <sup>102</sup>, M. Sandhoff <sup>169</sup>, C. Sandoval <sup>22b</sup>,
D.P.C. Sankey 133, A. Sansoni 53, L. Santi 74a,74b, C. Santoni 40, H. Santos 129a,129b,
S.N. Santpur <sup>17a</sup>, A. Santra <sup>167</sup>, K.A. Saoucha <sup>138</sup>, J.G. Saraiva <sup>129a,129d</sup>, J. Sardain <sup>7</sup>,
O. Sasaki 62, K. Sato 156, C. Sauer 35, F. Sauerburger 54, E. Sauvan 4, P. Savard 154, aa,
R. Sawada <sup>152</sup>, C. Sawyer <sup>133</sup>, L. Sawyer <sup>96</sup>, I. Sayago Galvan <sup>161</sup>, C. Sbarra <sup>23b</sup>,
A. Sbrizzi ^{\circ}<sup>23b,23a</sup>, T. Scanlon ^{\circ}<sup>95</sup>, J. Schaarschmidt ^{\circ}<sup>137</sup>, P. Schacht ^{\circ}<sup>109</sup>, D. Schaefer ^{\circ}<sup>39</sup>,
U. Schäfer <sup>199</sup>, A.C. Schaffer <sup>106</sup>, D. Schaile <sup>108</sup>, R.D. Schamberger <sup>144</sup>, E. Schanet <sup>108</sup>,
C. Scharf<sup>18</sup>, V.A. Schegelsky<sup>37</sup>, D. Scheirich<sup>132</sup>, F. Schenck<sup>18</sup>, M. Schernau<sup>158</sup>,
C. Scheulen <sup>55</sup>, C. Schiavi <sup>57b,57a</sup>, Z.M. Schillaci <sup>26</sup>, E.J. Schioppa <sup>69a,69b</sup>,
M. Schioppa 643b,43a, B. Schlag 699, K.E. Schleicher 54, S. Schlenker 536, K. Schmieden 699,
C. Schmitt <sup>199</sup>, S. Schmitt <sup>1948</sup>, L. Schoeffel <sup>134</sup>, A. Schoening <sup>1963b</sup>, P.G. Scholer <sup>1954</sup>,
E. Schopf <sup>125</sup>, M. Schott <sup>99</sup>, J. Schovancova <sup>36</sup>, S. Schramm <sup>56</sup>, F. Schroeder <sup>169</sup>,
H-C. Schultz-Coulon 63a, M. Schumacher 54, B.A. Schumm 515, Ph. Schune 134,
A. Schwartzman <sup>142</sup>, T.A. Schwarz <sup>105</sup>, Ph. Schwemling <sup>134</sup>, R. Schwienhorst <sup>166</sup>,
A. Sciandra <sup>135</sup>, G. Sciolla <sup>26</sup>, F. Scuri <sup>73a</sup>, F. Scutti <sup>104</sup>, C.D. Sebastiani <sup>91</sup>,
K. Sedlaczek 649, P. Seema 18, S.C. Seidel 111, A. Seiden 135, B.D. Seidlitz 41, T. Seiss 39,
C. Seitz<sup>648</sup>, J.M. Seixas<sup>81b</sup>, G. Sekhniaidze<sup>71a</sup>, S.J. Sekula<sup>44</sup>, L. Selem<sup>4</sup>,
N. Semprini-Cesari (D<sup>23b,23a</sup>, S. Sen (D<sup>51</sup>, D. Sengupta (D<sup>56</sup>, V. Senthilkumar (D<sup>161</sup>, L. Serin (D<sup>66</sup>),
L. Serkin 68a,68b, M. Sessa 76a,76b, H. Severini 119, S. Sevova 142, F. Sforza 57b,57a,
A. Sfyrla <sup>56</sup>, E. Shabalina <sup>55</sup>, R. Shaheen <sup>143</sup>, J.D. Shahinian <sup>127</sup>, N.W. Shaikh <sup>47a,47b</sup>,
D. Shaked Renous ^{167}, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ^{162}, A.S. Sharma
P. Sharma <sup>679</sup>, S. Sharma <sup>48</sup>, P.B. Shatalov <sup>637</sup>, K. Shaw <sup>6145</sup>, S.M. Shaw <sup>6100</sup>, Q. Shen <sup>62c</sup>,
P. Sherwood <sup>95</sup>, L. Shi <sup>95</sup>, C.O. Shimmin <sup>170</sup>, Y. Shimogama <sup>166</sup>, J.D. Shinner <sup>94</sup>,
I.P.J. Shipsey <sup>125</sup>, S. Shirabe <sup>60</sup>, M. Shiyakova <sup>38</sup>, J. Shlomi <sup>167</sup>, M.J. Shochet <sup>39</sup>,
J. Shojaii 6 104, D.R. Shope 6 143, S. Shrestha 6 118, E.M. Shrif 6 33g, M.J. Shroff 6 163,
P. Sicho <sup>130</sup>, A.M. Sickles <sup>160</sup>, E. Sideras Haddad <sup>33g</sup>, O. Sidiropoulou <sup>36</sup>, A. Sidoti <sup>23b</sup>,
```

F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{84a}, F. Sili ⁸⁹, J.M. Silva ²⁰, M.V. Silva Oliveira ³⁶,

```
S.B. Silverstein • <sup>47a</sup>, S. Simion <sup>66</sup>, R. Simoniello • <sup>36</sup>, E.L. Simpson • <sup>59</sup>, N.D. Simpson <sup>97</sup>,
S. Simsek <sup>©21d</sup>, S. Sindhu <sup>©55</sup>, P. Sinervo <sup>©154</sup>, V. Sinetckii <sup>©37</sup>, S. Singh <sup>©141</sup>, S. Singh <sup>©154</sup>,
S. Sinha • 48, S. Sinha • 33g, M. Sioli • 23b,23a, I. Siral • 122, S.Yu. Sivoklokov • 37,*,
J. Sjölin • 47a,47b, A. Skaf • 55, E. Skorda • 97, P. Skubic • 119, M. Slawinska • 85, V. Smakhtin 167,
B.H. Smart <sup>133</sup>, J. Smiesko <sup>132</sup>, S.Yu. Smirnov <sup>37</sup>, Y. Smirnov <sup>37</sup>, L.N. Smirnov <sup>37</sup>, a,
O. Smirnova 697, A.C. Smith 641, E.A. Smith 539, H.A. Smith 5125, J.L. Smith 591, R. Smith 142,
M. Smizanska <sup>690</sup>, K. Smolek <sup>6131</sup>, A. Smykiewicz <sup>685</sup>, A.A. Snesarev <sup>637</sup>, H.L. Snoek <sup>6113</sup>,
S. Snyder <sup>©29</sup>, R. Sobie <sup>©163</sup>, v. A. Soffer <sup>©150</sup>, C.A. Solans Sanchez <sup>©36</sup>, E.Yu. Soldatov <sup>©37</sup>,
U. Soldevila <sup>161</sup>, A.A. Solodkov <sup>37</sup>, S. Solomon <sup>54</sup>, A. Soloshenko <sup>38</sup>, K. Solovieva <sup>54</sup>,
O.V. Solovyanov <sup>137</sup>, V. Solovyev <sup>37</sup>, P. Sommer <sup>36</sup>, A. Sonay <sup>13</sup>, W.Y. Song <sup>155b</sup>,
A. Sopczak <sup>131</sup>, A.L. Sopio <sup>95</sup>, F. Sopkova <sup>28b</sup>, V. Sothilingam <sup>63a</sup>, S. Sottocornola <sup>72a,72b</sup>,
R. Soualah 115c, Z. Soumaimi 35e, D. South 48, S. Spagnolo 69a,69b, M. Spalla 109,
F. Spanò <sup>94</sup>, D. Sperlich <sup>54</sup>, G. Spigo <sup>36</sup>, M. Spina <sup>145</sup>, S. Spinali <sup>90</sup>, D.P. Spiteri <sup>59</sup>,
M. Spousta<sup>132</sup>, E.J. Staats<sup>34</sup>, A. Stabile<sup>70a,70b</sup>, R. Stamen<sup>63a</sup>, M. Stamenkovic<sup>113</sup>,
A. Stampekis •20, M. Standke •24, E. Stanecka •85, B. Stanislaus •17a, M.M. Stanitzki •48,
M. Stankaityte <sup>125</sup>, B. Stapf <sup>48</sup>, E.A. Starchenko <sup>37</sup>, G.H. Stark <sup>135</sup>, J. Stark <sup>101</sup>,
D.M. Starko<sup>155b</sup>, P. Staroba<sup>130</sup>, P. Starovoitov<sup>63a</sup>, S. Stärz<sup>130</sup>, R. Staszewski<sup>85</sup>,
G. Stavropoulos <sup>646</sup>, J. Steentoft <sup>6159</sup>, P. Steinberg <sup>629</sup>, A.L. Steinhebel <sup>6122</sup>, B. Stelzer <sup>6141,155a</sup>,
H.J. Stelzer <sup>128</sup>, O. Stelzer-Chilton <sup>155a</sup>, H. Stenzel <sup>58</sup>, T.J. Stevenson <sup>145</sup>, G.A. Stewart <sup>36</sup>,
M.C. Stockton <sup>©</sup> <sup>36</sup>, G. Stoicea <sup>©</sup> <sup>27b</sup>, M. Stolarski <sup>©</sup> <sup>129a</sup>, S. Stonjek <sup>©</sup> <sup>109</sup>, A. Straessner <sup>©</sup> <sup>50</sup>,
J. Strandberg <sup>143</sup>, S. Strandberg <sup>47a,47b</sup>, M. Strauss <sup>119</sup>, T. Strebler <sup>101</sup>, P. Strizenec <sup>28b</sup>,
R. Ströhmer <sup>164</sup>, D.M. Strom <sup>122</sup>, L.R. Strom <sup>48</sup>, R. Stroynowski <sup>44</sup>, A. Strubig <sup>47a,47b</sup>,
S.A. Stucci <sup>29</sup>, B. Stugu <sup>16</sup>, J. Stupak <sup>119</sup>, N.A. Styles <sup>48</sup>, D. Su <sup>142</sup>, S. Su <sup>62a</sup>,
W. Su 62d,137,62c, X. Su 62a,66, K. Sugizaki 152, V.V. Sulin 37, M.J. Sullivan 91,
D.M.S. Sultan ^{\circ}<sup>77a,77b</sup>, L. Sultanaliyeva ^{\circ}<sup>37</sup>, S. Sultansoy ^{\circ}<sup>3b</sup>, T. Sumida ^{\circ}<sup>86</sup>, S. Sun ^{\circ}<sup>105</sup>,
S. Sun <sup>168</sup>, O. Sunneborn Gudnadottir <sup>159</sup>, M.R. Sutton <sup>145</sup>, M. Svatos <sup>130</sup>,
M. Swiatlowski <sup>155a</sup>, T. Swirski <sup>164</sup>, I. Sykora <sup>28a</sup>, M. Sykora <sup>132</sup>, T. Sykora <sup>132</sup>, D. Ta <sup>99</sup>,
K. Tackmann <sup>648,u</sup>, A. Taffard <sup>5158</sup>, R. Tafirout <sup>5155a</sup>, J.S. Tafoya Vargas <sup>66</sup>,
R.H.M. Taibah <sup>126</sup>, R. Takashima <sup>87</sup>, K. Takeda <sup>83</sup>, E.P. Takeva <sup>52</sup>, Y. Takubo <sup>82</sup>,
M. Talby 6101, A.A. Talyshev 637, K.C. Tam 644, N.M. Tamir 150, A. Tanaka 6152,
J. Tanaka • 152, R. Tanaka • 66, M. Tanasini • 576,57a, J. Tang 62c, Z. Tao • 162, S. Tapia Araya • 80,
S. Tapprogge <sup>99</sup>, A. Tarek Abouelfadl Mohamed <sup>106</sup>, S. Tarem <sup>149</sup>, K. Tariq <sup>62b</sup>,
G. Tarna <sup>6</sup>27b, G.F. Tartarelli <sup>6</sup>70a, P. Tas <sup>6</sup>132, M. Tasevsky <sup>6</sup>130, E. Tassi <sup>6</sup>43b,43a,
A.C. Tate • 160, G. Tateno • 152, Y. Tayalati • 35e, G.N. Taylor • 104, W. Taylor • 155b, H. Teagle 17,
A.S. Tee 168, R. Teixeira De Lima 142, P. Teixeira-Dias 194, J.J. Teoh 154, K. Terashi 152,
J. Terron <sup>698</sup>, S. Terzo <sup>613</sup>, M. Testa <sup>53</sup>, R.J. Teuscher <sup>6154</sup>, A. Thaler <sup>678</sup>, O. Theiner <sup>656</sup>,
N. Themistokleous <sup>652</sup>, T. Theveneaux-Pelzer <sup>618</sup>, O. Thielmann <sup>6169</sup>, D.W. Thomas <sup>94</sup>,
J.P. Thomas <sup>©</sup> <sup>20</sup>, E.A. Thompson <sup>©</sup> <sup>48</sup>, P.D. Thompson <sup>©</sup> <sup>20</sup>, E. Thomson <sup>©</sup> <sup>127</sup>, E.J. Thorpe <sup>©</sup> <sup>93</sup>,
Y. Tian <sup>65</sup>, V. Tikhomirov <sup>63</sup>, Yu.A. Tikhonov <sup>63</sup>, S. Timoshenko<sup>37</sup>, E.X.L. Ting <sup>61</sup>,
P. Tipton 170, S. Tisserant 101, S.H. Tlou 33g, A. Tnourji 40, K. Todome 23b,23a,
S. Todorova-Nova 6132, S. Todt<sup>50</sup>, M. Togawa 82, J. Tojo 88, S. Tokár 228a, K. Tokushuku 82,
R. Tombs • 32, M. Tomoto • 82,110, L. Tompkins • 142, P. Tornambe • 102, E. Torrence • 122,
H. Torres <sup>50</sup>, E. Torró Pastor <sup>161</sup>, M. Toscani <sup>30</sup>, C. Tosciri <sup>39</sup>, D.R. Tovey <sup>138</sup>, A. Traeet <sup>16</sup>,
```

```
I.S. Trandafir <sup>©</sup> <sup>27b</sup>, T. Trefzger <sup>©</sup> <sup>164</sup>, A. Tricoli <sup>©</sup> <sup>29</sup>, I.M. Trigger <sup>©</sup> <sup>155a</sup>, S. Trincaz-Duvoid <sup>©</sup> <sup>126</sup>,
D.A. Trischuk <sup>162</sup>, B. Trocmé <sup>60</sup>, A. Trofymov <sup>66</sup>, C. Troncon <sup>70a</sup>, L. Truong <sup>33c</sup>,
M. Trzebinski 685, A. Trzupek 85, F. Tsai 144, M. Tsai 1515, A. Tsiamis 151,
P.V. Tsiareshka<sup>37</sup>, S. Tsigaridas o<sup>155a</sup>, A. Tsirigotis o<sup>151,s</sup>, V. Tsiskaridze o<sup>144</sup>,
E.G. Tskhadadze<sup>148a</sup>, M. Tsopoulou<sup>©</sup><sup>151</sup>, Y. Tsujikawa<sup>©</sup><sup>86</sup>, I.I. Tsukerman<sup>©</sup><sup>37</sup>, V. Tsulaia<sup>©</sup><sup>17a</sup>,
S. Tsuno 62, O. Tsur<sup>149</sup>, D. Tsybychev 144, Y. Tu 64b, A. Tudorache 27b, V. Tudorache 27b,
A.N. Tuna 636, S. Turchikhin 638, I. Turk Cakir 53a, R. Turra 570a, T. Turtuvshin 538,
P.M. Tuts • 41, S. Tzamarias • 151, P. Tzanis • 10, E. Tzovara • 99, K. Uchida 152, F. Ukegawa • 156,
P.A. Ulloa Poblete <sup>136c</sup>, G. Unal <sup>36</sup>, M. Unal <sup>11</sup>, A. Undrus <sup>29</sup>, G. Unel <sup>158</sup>, K. Uno <sup>152</sup>,
J. Urban<sup>©28b</sup>, P. Urquijo<sup>©104</sup>, G. Usai<sup>©8</sup>, R. Ushioda<sup>©153</sup>, M. Usman<sup>©107</sup>, Z. Uysal<sup>©21b</sup>,
V. Vacek 131, B. Vachon 103, K.O.H. Vadla 124, T. Vafeiadis 136, C. Valderanis 108,
E. Valdes Santurio 647a,47b, M. Valente 6155a, S. Valentinetti 623b,23a, A. Valero 6161,
A. Vallier 1010, J.A. Valls Ferrer 1616, T.R. Van Daalen 137, P. Van Gemmeren 166,
M. Van Rijnbach 124,36, S. Van Stroud 95, I. Van Vulpen 113, M. Vanadia 75a,75b,
W. Vandelli <sup>10</sup> M. Vandenbroucke <sup>134</sup>, E.R. Vandewall <sup>120</sup>, D. Vannicola <sup>150</sup>,
L. Vannoli 6576,57a, R. Vari 674a, E.W. Varnes 67, C. Varni 617a, T. Varol 6147, D. Varouchas 666,
L. Varriale <sup>161</sup>, K.E. Varvell <sup>146</sup>, M.E. Vasile <sup>27b</sup>, L. Vaslin 40, G.A. Vasquez <sup>163</sup>,
F. Vazeille <sup>640</sup>, T. Vazquez Schroeder <sup>636</sup>, J. Veatch <sup>631</sup>, V. Vecchio <sup>6100</sup>, M.J. Veen <sup>6113</sup>,
I. Veliscek <sup>125</sup>, L.M. Veloce <sup>154</sup>, F. Veloso <sup>129a,129c</sup>, S. Veneziano <sup>74a</sup>, A. Ventura <sup>69a,69b</sup>,
A. Verbytskyi <sup>109</sup>, M. Verducci <sup>73a,73b</sup>, C. Vergis <sup>24</sup>, M. Verissimo De Araujo <sup>81b</sup>,
W. Verkerke<sup>113</sup>, J.C. Vermeulen<sup>113</sup>, C. Vernieri<sup>142</sup>, P.J. Verschuuren<sup>94</sup>, M. Vessella<sup>102</sup>,
M.L. Vesterbacka <sup>116</sup>, M.C. Vetterli <sup>141,aa</sup>, A. Vgenopoulos <sup>151</sup>, N. Viaux Maira <sup>136f</sup>,
T. Vickey <sup>138</sup>, O.E. Vickey Boeriu <sup>138</sup>, G.H.A. Viehhauser <sup>125</sup>, L. Vigani <sup>63b</sup>,
M. Villa © 23b, 23a, M. Villaplana Perez © 161, E.M. Villhauer 52, E. Vilucchi © 53, M.G. Vincter © 34,
G.S. Virdee <sup>©20</sup>, A. Vishwakarma <sup>©52</sup>, C. Vittori <sup>©23b,23a</sup>, I. Vivarelli <sup>©145</sup>, V. Vladimirov <sup>165</sup>,
E. Voevodina <sup>109</sup>, F. Vogel <sup>108</sup>, P. Vokac <sup>131</sup>, J. Von Ahnen <sup>148</sup>, E. Von Toerne <sup>124</sup>,
B. Vormwald <sup>636</sup>, V. Vorobel <sup>132</sup>, K. Vorobev <sup>37</sup>, M. Vos <sup>161</sup>, J.H. Vossebeld <sup>91</sup>,
M. Vozak 113, L. Vozdecky 193, N. Vranjes 115, M. Vranjes Milosavljevic 115, M. Vreeswijk 113,
R. Vuillermet <sup>36</sup>, O. Vujinovic <sup>99</sup>, I. Vukotic <sup>39</sup>, S. Wada <sup>156</sup>, C. Wagner, C. Wag
W. Wagner <sup>169</sup>, S. Wahdan <sup>169</sup>, H. Wahlberg <sup>189</sup>, R. Wakasa <sup>156</sup>, M. Wakida <sup>110</sup>,
V.M. Walbrecht <sup>109</sup>, J. Walder <sup>133</sup>, R. Walker <sup>108</sup>, W. Walkowiak <sup>140</sup>, A.M. Wang <sup>161</sup>,
A.Z. Wang 6168, C. Wang 62a, C. Wang 62c, H. Wang 17a, J. Wang 64a, P. Wang 44,
R.-J. Wang <sup>69</sup>, R. Wang <sup>61</sup>, R. Wang <sup>6</sup>, S.M. Wang <sup>147</sup>, S. Wang <sup>62b</sup>, T. Wang <sup>62a</sup>,
W.T. Wang <sup>160</sup>, W.X. Wang <sup>162</sup>, X. Wang <sup>14c</sup>, X. Wang <sup>160</sup>, X. Wang <sup>160</sup>, X. Wang <sup>162</sup>, Y. Wang <sup>162</sup>,
Y. Wang 14c, Z. Wang 15th, Z. Wang 16th, Z. Wang 16th, Z. Wang 16th, A. Warburton 16th,
R.J. Ward <sup>620</sup>, N. Warrack <sup>59</sup>, A.T. Watson <sup>620</sup>, M.F. Watson <sup>620</sup>, G. Watts <sup>6137</sup>,
B.M. Waugh <sup>695</sup>, A.F. Webb <sup>611</sup>, C. Weber <sup>629</sup>, M.S. Weber <sup>619</sup>, S.A. Weber <sup>634</sup>,
S.M. Weber 63a, C. Wei62a, Y. Wei 6125, A.R. Weidberg 6125, J. Weingarten 49,
M. Weirich <sup>699</sup>, C. Weiser <sup>64</sup>, C.J. Wells <sup>48</sup>, T. Wenaus <sup>629</sup>, B. Wendland <sup>49</sup>, T. Wengler <sup>636</sup>,
N.S. Wenke<sup>109</sup>, N. Wermes<sup>1024</sup>, M. Wessels<sup>1063a</sup>, K. Whalen<sup>122</sup>, A.M. Wharton<sup>1090</sup>,
A.S. White 61, A. White 8, M.J. White 11, D. Whiteson 6158, L. Wickremasinghe 6123,
W. Wiedenmann <sup>168</sup>, C. Wiel <sup>50</sup>, M. Wielers <sup>133</sup>, N. Wieseotte <sup>99</sup>, C. Wiglesworth <sup>42</sup>,
L.A.M. Wiik-Fuchs <sup>54</sup>, D.J. Wilbern H.G. Wilkens <sup>536</sup>, D.M. Williams <sup>41</sup>,
```

- H.H. Williams¹²⁷, S. Williams³², S. Willocq¹⁰², P.J. Windischhofer¹²⁵, F. Winklmeier¹²², B.T. Winter ⁵⁴, M. Wittgen ¹⁴², M. Wobisch ⁹⁶, A. Wolf ⁹⁹, R. Wölker ¹²⁵, J. Wollrath ¹⁵⁸, M.W. Wolter ⁶⁸⁵, H. Wolters ^{6129a,129c}, V.W.S. Wong ⁶¹⁶², A.F. Wongel ⁶⁴⁸, S.D. Worm ⁶⁴⁸, B.K. Wosiek ⁶⁸⁵, K.W. Woźniak ⁸⁵, K. Wraight ⁵⁹, J. Wu ^{14a,14d}, M. Wu ^{64a}, S.L. Wu ¹⁶⁸, X. Wu⁵⁶, Y. Wu^{62a}, Z. Wu^{6134,62a}, J. Wuerzinger⁶¹²⁵, T.R. Wyatt⁶¹⁰⁰, B.M. Wynne⁵⁵, S. Xella 6⁴², L. Xia 1^{4c}, M. Xia 4^b, J. Xiang 6^{64c}, X. Xiao 1¹⁰⁵, M. Xie 6^{62a}, X. Xie 6^{62a}, J. Xiong $^{\bullet 17a}$, I. Xiotidis 145 , D. Xu $^{\bullet 14a}$, H. Xu 62a , H. Xu $^{\bullet 62a}$, L. Xu $^{\bullet 62a}$, R. Xu $^{\bullet 127}$, T. Xu¹⁰105, W. Xu¹⁰105, Y. Xu¹⁰146, Z. Xu¹⁰626, Z. Xu¹⁰142, B. Yabsley¹⁰146, S. Yacoob¹³3a, N. Yamaguchi ⁶⁸⁸, Y. Yamaguchi ⁶¹⁵³, H. Yamauchi ⁶¹⁵⁶, T. Yamazaki ^{617a}, Y. Yamazaki ⁶⁸³, J. Yan^{62c}, S. Yan¹⁰¹²⁵, Z. Yan¹⁰²⁵, H.J. Yang^{1062c,62d}, H.T. Yang^{1017a}, S. Yang^{1062a}, T. $Yang^{\bullet 64c}$, X. $Yang^{\bullet 62a}$, X. $Yang^{\bullet 14a}$, Y. $Yang^{\bullet 44}$, Z. $Yang^{\bullet 62a,105}$, W-M. $Yao^{\bullet 17a}$, Y.C. Yap 648, H. Ye 14c, J. Ye 44, S. Ye 29, X. Ye 62a, Y. Yeh 95, I. Yeletskikh 38, M.R. Yexley ¹⁰⁹⁰, P. Yin ¹⁰⁴¹, K. Yorita ¹⁰⁴⁶, C.J.S. Young ¹⁰⁵⁴, C. Young ¹⁰⁴², M. Yuan ¹⁰⁵⁰, R. Yuan 62b, L. Yue 55, X. Yue 53a, M. Zaazoua 53e, B. Zabinski 58, E. Zaid 52, T. Zakareishvili ^{148b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{136d}, J. Zang ¹⁵², D. Zanzi 54, O. Zaplatilek 131, S.V. Zeißner 49, C. Zeitnitz 169, J.C. Zeng 160, D.T. Zenger Jr • O. Zenin • 7, T. Ženiš • 28a, S. Zenz • 93, S. Zerradi • 35a, D. Zerwas • 66, B. Zhang 14c, D.F. Zhang 138, G. Zhang 14b, J. Zhang 6, K. Zhang 14a, L. Zhang 14c, P. Zhang 14a, 14d, R. Zhang 168, S. Zhang 105, T. Zhang 152, X. Zhang 162c, X. Zhang 162b, Z. Zhang 17a, Z. Zhang 66, H. Zhao 137, P. Zhao 51, T. Zhao 62b, Y. Zhao 135, Z. Zhao 62a, A. Zhemchugov 38, Z. Zheng 142, D. Zhong 160, B. Zhou 15, C. Zhou 168, H. Zhou⁶⁷, N. Zhou^{62c}, Y. Zhou⁷, C.G. Zhu^{62b}, C. Zhu^{614a,14d}, H.L. Zhu^{62a}, H. Zhu^{614a}, J. Zhu 10 105, Y. Zhu 16 62c, Y. Zhu 16 62a, X. Zhuang 14a, K. Zhukov 137, V. Zhulanov 137, N.I. Zimine ¹³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴⁰, L. Živković ¹⁵, A. Zoccoli ^{23b,23a},
 - ¹ Department of Physics, University of Adelaide, Adelaide; Australia
 - ² Department of Physics, University of Alberta, Edmonton AB; Canada

K. Zoch ⁶⁵⁶, T.G. Zorbas ⁶¹³⁸, O. Zormpa ⁶⁴⁶, W. Zou ⁶⁴¹, L. Zwalinski ⁶³⁶

- ^{3 (a)} Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye
- ⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France
- ⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France
- ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America
- ⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America
- ⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America
- ⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece
- 10 Physics Department, National Technical University of Athens, Zografou; Greece
- ¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America
- ¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
- ¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain
- ¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing; (d) University of Chinese Academy of Science (UCAS), Beijing; China
- ¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia
- ¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway
- ^{17 (a)} Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America

- ¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany
- ¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland
- ²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
- ²¹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul; (d) Istinye University, Sariyer, Istanbul; Türkiye
- ^{22 (a)} Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá;
 (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
- ²³ (a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy
- ²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
- ²⁵ Department of Physics, Boston University, Boston MA; United States of America
- ²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
- ^{27 (a)} Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
- ^{28 (a)} Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ³¹ California State University, CA; United States of America
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- (a) Department of Physics, University of Cape Town, Cape Town;
 (b) iThemba Labs, Western Cape;
 (c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;
 (d) National Institute of Physics, University of the Philippines Diliman (Philippines);
 (e) University of
 - South Africa, Department of Physics, Pretoria; ^(f) University of Zululand, KwaDlangezwa; ^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- ³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
- ^{35 (a)} Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; ^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- 36 CERN, Geneva; Switzerland
- ³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
- ³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- 40 LPC, Universit\'e Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴³ (a) Dipartimento di Fisica, Università della Calabria, Rende; (b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- ⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁷ (a) Department of Physics, Stockholm University; (b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany

- ⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁵¹ Department of Physics, Duke University, Durham NC; United States of America
- ⁵² SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
- ⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁷ (a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
- ⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁹ SUPA School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- 60 LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶² (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶³ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ (a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;
 (b) Department of Physics, University of Hong Kong, Hong Kong;
 (c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁸ (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁶⁹ (a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷⁰ (a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- $^{71\ (a)} INFN\ Sezione\ di\ Napoli;\ ^{(b)} Dipartimento\ di\ Fisica,\ Universit\`{a}\ di\ Napoli,\ Napoli;\ Italy$
- ⁷² (a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷³ (a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁴ (a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁵ (a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma: Italy
- ^{76 (a)} INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁷ (a) INFN-TIFPA; (b) Università degli Studi di Trento, Trento; Italy
- ⁷⁸ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁷⁹ University of Iowa, Iowa City IA; United States of America
- ⁸⁰ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- 81 (a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;
 (b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (c) Instituto de Física,
 Universidade de São Paulo, São Paulo; (d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- 82 KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸³ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁴ (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁵ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland

- ⁸⁶ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁷ Kyoto University of Education, Kyoto; Japan
- ⁸⁸ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- ⁸⁹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁹⁰ Physics Department, Lancaster University, Lancaster; United Kingdom
- ⁹¹ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- ⁹² Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹³ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- ⁹⁴ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- ⁹⁵ Department of Physics and Astronomy, University College London, London; United Kingdom
- ⁹⁶ Louisiana Tech University, Ruston LA; United States of America
- ⁹⁷ Fysiska institutionen, Lunds universitet, Lund; Sweden
- 98 Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- 99 Institut für Physik, Universität Mainz, Mainz; Germany
- ¹⁰⁰ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- 101 CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰² Department of Physics, University of Massachusetts, Amherst MA; United States of America
- ¹⁰³ Department of Physics, McGill University, Montreal QC; Canada
- ¹⁰⁴ School of Physics, University of Melbourne, Victoria; Australia
- ¹⁰⁵ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- 106 Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ¹⁰⁷ Group of Particle Physics, University of Montreal, Montreal QC; Canada
- ¹⁰⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- 109 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- ¹¹⁰ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- ¹¹¹ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- ¹¹² Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- ¹¹³ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- $^{114}\ Department\ of\ Physics,\ Northern\ Illinois\ University,\ De Kalb\ IL;\ United\ States\ of\ America$
- ¹¹⁵ (a) New York University Abu Dhabi, Abu Dhabi; (b) United Arab Emirates University, Al Ain; (c) University of Sharjah, Sharjah; United Arab Emirates
- ¹¹⁶ Department of Physics, New York University, New York NY; United States of America
- 117 Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- ¹¹⁸ Ohio State University, Columbus OH; United States of America
- ¹¹⁹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- ¹²⁰ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- ¹²¹ Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- ¹²² Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- ¹²³ Graduate School of Science, Osaka University, Osaka; Japan
- ¹²⁴ Department of Physics, University of Oslo, Oslo; Norway
- ¹²⁵ Department of Physics, Oxford University, Oxford; United Kingdom
- ¹²⁶ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- ¹²⁷ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- ¹²⁸ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America

- ¹²⁹ (a) Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- ¹³⁰ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹³¹ Czech Technical University in Prague, Prague; Czech Republic
- ¹³² Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- 134 IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³⁵ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- ¹³⁶ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁷ Department of Physics, University of Washington, Seattle WA; United States of America
- ¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
- ¹³⁹ Department of Physics, Shinshu University, Nagano; Japan
- ¹⁴⁰ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴² SLAC National Accelerator Laboratory, Stanford CA; United States of America
- ¹⁴³ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
- 145 Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
- ¹⁴⁶ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁸ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (c) University of Georgia, Tbilisi; Georgia
- ¹⁴⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
- ¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- 153 Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁵ (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- ¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
- ¹⁵⁸ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- ¹⁵⁹ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁶⁰ Department of Physics, University of Illinois, Urbana IL; United States of America
- ¹⁶¹ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Valencia; Spain
- ¹⁶² Department of Physics, University of British Columbia, Vancouver BC; Canada

- ¹⁶³ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
- ¹⁶⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
- ¹⁶⁵ Department of Physics, University of Warwick, Coventry; United Kingdom
- ¹⁶⁶ Waseda University, Tokyo; Japan
- ¹⁶⁷ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
- ¹⁶⁸ Department of Physics, University of Wisconsin, Madison WI; United States of America
- ¹⁶⁹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
- ¹⁷⁰ Department of Physics, Yale University, New Haven CT; United States of America
 - ^a Also Affiliated with an institute covered by a cooperation agreement with CERN
 - ^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America
 - ^c Also at Bruno Kessler Foundation, Trento; Italy
 - ^d Also at Center for High Energy Physics, Peking University; China
 - ^e Also at Centro Studi e Ricerche Enrico Fermi; Italy
 - f Also at CERN, Geneva; Switzerland
 - g Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
 - ^h Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain
 - ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece
 - j Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
 - ^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America
 - ^l Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel
- ^m Also at Department of Physics, California State University, East Bay; United States of America
- ⁿ Also at Department of Physics, California State University, Sacramento; United States of America
- ° Also at Department of Physics, King's College London, London; United Kingdom
- ^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland
- ^q Also at Department of Physics, University of Thessaly; Greece
- ^r Also at Department of Physics, Westmont College, Santa Barbara; United States of America
- ^s Also at Hellenic Open University, Patras; Greece
- ^t Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain
- u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany
- v Also at Institute of Particle Physics (IPP); Canada
- ^w Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
- ^x Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia
- ^y Also at Lawrence Livermore National Laboratory, Livermore; United States of America
- ² Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China
- ^{aa} Also at TRIUMF, Vancouver BC; Canada
- ^{ab} Also at Università di Napoli Parthenope, Napoli; Italy
- ^{ac} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China
- ^{ad} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America
- ae Also at Yeditepe University, Physics Department, Istanbul; Türkiye
- ^{af} Also at Physics Department, An-Najah National University, Nablus; Palestine
- $^*\ Deceased$