

RECEIVED: June 14, 2022 REVISED: October 14, 2022 Accepted: November 27, 2022 Published: July 3, 2023

Search for new phenomena in final states with photons, jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for new phenomena has been performed in final states with at least one isolated high-momentum photon, jets and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=13\,\mathrm{TeV}$. The data, collected by the ATLAS experiment at the CERN LHC, correspond to an integrated luminosity of 139 fb⁻¹. The experimental results are interpreted in a supersymmetric model in which pair-produced gluinos decay into neutralinos, which in turn decay into a gravitino, at least one photon, and jets. No significant deviations from the predictions of the Standard Model are observed. Upper limits are set on the visible cross section due to physics beyond the Standard Model, and lower limits are set on the masses of the gluinos and neutralinos, all at 95% confidence level. Visible cross sections greater than 0.022 fb are excluded and pair-produced gluinos with masses up to 2200 GeV are excluded for most of the NLSP masses investigated.

Keywords: Beyond Standard Model, Hadron-Hadron Scattering

ARXIV EPRINT: 2206.06012

\mathbf{C}	ontents	
1	Introduction	1
2	ATLAS detector	3
3	Samples of simulated processes	4
4	Reconstruction of candidates and observables	6
5	Event selection	7
6	Background estimation	8
7	Systematic uncertainties and yields	11
8	Results	13
9	Conclusions	17
\mathbf{T}	ne ATLAS collaboration	23

1 Introduction

In this paper, proton–proton collisions at the LHC are used to search for new phenomena in experimental signatures with photons, jets and a large amount of missing transverse momentum in the final state. These signatures are motivated by a gauge-mediated supersymmetry breaking (GMSB) model [1–3], and its more generalized form, general gauge mediation (GGM) [4, 5], where supersymmetry (SUSY) breaking takes place in a hidden sector and communicates with the visible sector through Standard Model (SM) gauge boson interactions. The results are interpreted in the context of a set of simplified GGM models that include the production of gluinos (\tilde{g}) – supersymmetric partners of strongly coupled SM particles — and various assumptions for the couplings of the new particles to the SM bosons.

In this scenario, the lightest supersymmetric particle (LSP) is the ultralight gravitino (\tilde{G}) , which passes through the detector undetected and induces a non-zero missing transverse momentum $(E_{\rm T}^{\rm miss})$ in the events in which it is produced. In certain circumstances it is a viable dark-matter candidate [6–8]. The models considered in this analysis conserve R-parity [9], so supersymmetric particles are produced in pairs and each decay must contain an odd number of supersymmetric decay products. Each decay therefore results in a decay chain leading to the LSP, usually proceeding via the emission of jets through the next-to-lightest supersymmetric particle (NLSP), which is often the lightest neutralino $(\tilde{\chi}_1^0)$.




Figure 1. Examples of production diagrams for gluinos and their subsequent decay to a final state with photons, jets and missing transverse momentum (from the gravitinos) for the (a) γ/Z and (b) γ/h models.

In the simplified GGM models considered, the decoupled mass scales for supersymmetric partners of the SM particles allow the NLSP neutralino to have large higgsino or bino components. This kind of NLSP decays into a gravitino and a photon or a gravitino and either a Z boson or a Higgs boson (h, assumed to have a mass of 125 GeV with SM-like couplings). Thus, GGM models with a neutralino NLSP predict final states with two of these bosons (photon, Z, or h) and two LSPs, and hence large $E_{\rm T}^{\rm miss}$. The final state targeted by this search corresponds to a signature including many jets from the decay chain and $E_{\rm T}^{\rm miss}$ from the undetected particles, in combination with a high transverse momentum ($p_{\rm T}$) photon appearing in the decay because of the bino component of the NLSP allowed by GGM.

Examples of production modes in proton–proton collisions for the topologies (from now on called γ/Z and γ/h) targeted in this paper are shown in figure 1, where all decays modes for the Z and h bosons are considered.

An event selection strategy is designed to maximize the sensitivity for final states with photons, jets and $E_{\rm T}^{\rm miss}$, with the aim of avoiding the imposition of any model-tailored selection requirements.

Previous studies of similar signatures with smaller datasets (36.1 fb⁻¹), collected between 2015 and 2016 at $\sqrt{s} = 13$ TeV, were presented in refs. [10, 11]. This analysis extends the reach for gluino masses by several hundred GeV by using new criteria for reconstructed objects, new optimized signal regions and background estimation strategies, and the much larger full Run-2 dataset, with an integrated luminosity of 139 fb⁻¹ recorded during 2015–2018. The results complement searches [12–14] performed by the CMS Collaboration in pp collisions at $\sqrt{s} = 13$ TeV.

2 ATLAS detector

The ATLAS detector [15] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer [16, 17] installed before Run 2. It is followed by the silicon microstrip tracker, which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimized for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. A set of precision chambers covers the region $|\eta| < 2.7$ with three layers of monitored drift tubes, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Interesting events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [18]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger further reduces in order to record events to disk at about 1 kHz.

An extensive software suite [19] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam pipe. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2}$.

3 Samples of simulated processes

Samples of the targeted SUSY signals and SM backgrounds were simulated at $\sqrt{s} = 13 \text{ TeV}$ using dedicated Monte Carlo (MC) generators. For the interpretation of the results, a grid of signal samples was simulated with a set of benchmark parameter values covering the region in which the signal can be observed. In these particular regions of the GGM model space, the lightest neutralino is a mixture of bino and higgsino fields; the neutral wino field has a much larger mass than the bino/higgsino, so the corresponding wino content of the lightest neutralino is negligible. The gluino is the only relevant coloured particle, since all squark (supersymmetric partners of the SM quarks) soft masses are decoupled at a value of 5 TeV. The full model parameters include the U(1), SU(2) and SU(3) gauge partner mass parameters $(M_1, M_2 \text{ and } M_3, \text{ respectively})$, the higgsino mass parameter μ , the gravitino mass $m_{\tilde{G}}$, and the ratio tan β of the two SUSY Higgs-doublet vacuum expectation values. Due to the Weinberg mixing angle in the SM, the bino component of the lightest neutralino couples to both the photon and the Z boson in the case of positive values of μ , and to the photon and the Higgs boson in the case of negative μ values [20, 21]. For all GGM models considered, the phenomenology relevant to this search is only weakly dependent on the value of $\tan \beta$, chosen to be 1.5. The mass parameter M_2 is decoupled at a value of 3 TeV and M_3 matches the gluino mass since no radiative corrections are taken into account. The lifetime τ of the NLSP is set so that $c\tau$ is less than 0.1 mm, ensuring that the neutralino decays promptly, where for most of the mass space it is achieved with a minimal gravitino mass of $m_{\tilde{G}} = 10^{-9}$ GeV. All trilinear coupling terms are set to zero and the slepton masses are set to 5 TeV. The Higgs sector is in the decoupling regime at 2 TeV (except for the lightest neutral Higgs boson). Setting $M_1 \sim |\mu| \sim m_{\tilde{\chi}_1^0}$, the branching ratios of the lightest neutralino to $\gamma + \tilde{G}$ and $Z/h + \tilde{G}$ are approximately constant at 50%, maximizing the production of the final states of interest for this search.

The generated signal samples cover the \tilde{g} – $\tilde{\chi}_{1}^{0}$ mass plane in the range 1400–2600 GeV for $m_{\tilde{g}}$ and 150–2600 GeV for $m_{\tilde{\chi}_{1}^{0}}$, for each of the targeted models.² The full mass spectrum, the gluino and neutralino branching ratios, and their decay widths were calculated using SUSPECT v2.43 [22], SDECAY v1.5 [23] and HDECAY v3.4 [24], run as part of the SUSYHIT package v1.5a [25]. All signal samples were then generated at leading order (LO) with up to two additional partons with MADGRAPH 5 interfaced to PYTHIA 8. Signal cross sections are calculated at next-to-leading order (NLO) in the strong coupling constant, adding the resummation of soft gluon emission at next-to-leading-logarithm accuracy [26–30]. The nominal cross section and its uncertainty are taken from an envelope of cross-section predictions using different parton distribution function (PDF) sets and factorization and renormalization scales, as described in ref. [31].

Most of the backgrounds affecting this search were estimated using control samples selected from data, defined such that one of the background processes becomes dominant, but otherwise kinematically similar to the signal region (SR). The extrapolations from these control regions (CRs) to the SRs are based on samples of simulated events. Samples

²The $m_{\tilde{g}}$ range for the γ/h model starts at 1200 GeV to match the mass range used in the previous publication [10].

Process	Generators	PDF sets	Order
GGM signals	MadGraph 5 / Pythia 8	NNPDF2.3Lo	LO
$tar{t}\gamma$	${ m MG5_aMC@NLO/Pythia8}$	NNPDF2.3Lo	NLO
$W/Z\gamma$	Sherpa 2.2.2	NNPDF3.0nnlo	0.1j@NLO+2.3j@LO
$\gamma + \mathrm{jets}$	Sherpa 2.2.2	NNPDF3.0nnlo	1,2j@NLO + 3,4j@LO
$\gamma\gamma/W\gamma\gamma/Z\gamma\gamma$	Sherpa $2.2.4$	NNPDF3.0nnlo	0,1,2,3j@LO

Table 1. Details of the MC samples considered in this analysis as GGM signal and SM backgrounds.

of $t\bar{t}\gamma$ events were generated with MG5_aMC@NLO [32] at NLO (with $m_{\rm top}=172.5~{\rm GeV}$), interfaced to the Pythia 8 parton shower model [33]. The NNPDF3.0NNLO [34] set of PDFs was used, with parameter values set to the A14 tune [35]. The rest of the SM backgrounds were simulated with the Sherpa 2.2 [36] generator. Matrix elements at LO or NLO accuracy in QCD were calculated with the COMIX [37] and OPENLOOPS 1 [38– 40] libraries. They were matched and merged with the SHERPA parton shower based on Catani-Seymour dipole factorization [37, 41] using the MEPS@NLO prescription [42-45]. These background samples were generated using the NNPDF3.0NNLO set, along with the dedicated set of tuned parton-shower parameters developed by the Sherpa authors. For the production of $V\gamma$ ($W\gamma$ and $Z\gamma$) and prompt single-photon (γ + jets) final states, Sherpa 2.2.2 was used. Matrix elements at NLO for up to one (two) additional parton emission(s) and at LO accuracy for up to three (four) additional parton emissions were calculated for $V\gamma$ (γ + jets) samples. Diphoton and $V\gamma\gamma$ ($W\gamma\gamma$ and $Z\gamma\gamma$) events were simulated with Sherpa 2.2.4. In this set-up, matrix elements at LO accuracy in QCD for up to three additional parton emissions were matched and merged with the SHERPA parton shower.

In order to avoid any double counting of events when considering both the $V\gamma$ and $V\gamma\gamma$ samples, duplicated processes were removed, focusing on $V\gamma$ events with a photon from QED final-state radiation.

The SM background samples were passed through a full ATLAS detector simulation [46] based on GEANT4 [47]. The SUSY signal samples were passed through ATLFAST-II [48], a fast simulation of the ATLAS detector response based on a parametrization of the performance of the ATLAS EM and hadronic calorimeters [49] and on GEANT4 elsewhere. MC events are reconstructed with the same algorithms used for data. An event-by-event reweighting is applied to all MC samples to realistically model the LHC conditions during data collection. This reweighting matches the simulated distribution of the number of inelastic pp collisions per bunch crossing (pile-up) to the one observed in data. The effect of pile-up was modelled by overlaying each hard-scattering event with simulated inelastic pp collisions generated by Pythia 8.186 [50] using the NNPDF2.3LO set of PDFs [51] and the A3 tune [52]. The simulations are further corrected with efficiency scale factors and a smearing of the energy scale of photons, leptons and jets, to better describe the data.

Table 1 presents a summary of the signal and background samples used in the analysis.

4 Reconstruction of candidates and observables

This analysis is performed using the full Run-2 dataset of LHC pp collisions at \sqrt{s} = 13 TeV collected by the ATLAS detector between 2015 and 2018, corresponding to an integrated luminosity of 139 fb⁻¹ after the application of beam, detector and data quality requirements [53].

The data sample selected by a single-photon trigger with a transverse momentum ($p_{\rm T}$) threshold of 140 GeV consists of events with at least one photon satisfying the 'loose' identification criteria [54]. This trigger is the lowest-threshold unprescaled trigger (considering the complete data-taking period) and is fully efficient for photons with $p_{\rm T} > 145$ GeV accepted by the signal selection requirements described in ref. [55].

The vertex with the highest sum of the squared transverse momenta of its associated tracks that is reconstructed from at least two good-quality tracks with $p_{\rm T}>0.5$ GeV is defined as the primary vertex [56]. After the trigger selection, events are removed from the data sample if they contain jets likely to be produced by beam-induced backgrounds, cosmic rays, or detector noise. Photon, lepton, and jet candidates are selected with baseline requirements as described below. Those used to define the different control, validation and signal regions are required to fulfil extra requirements, and are called 'signal-region candidates' in the following.

In the offline selection, photon candidates are required to satisfy the 'tight' identification criteria for the lateral and longitudinal shower shape [55], have $p_{\rm T} > 25$ GeV and $|\eta| < 2.37$, and are removed if they are within the electromagnetic calorimeter (ECAL) barrel–endcap transition region defined by $1.37 < |\eta| < 1.52$. An extra requirement of $p_{\rm T} > 50$ GeV is imposed on signal-region photons.³

To reduce the background from jets that can be misidentified as photons, both track and calorimetric isolation requirements are applied to signal-region photon candidates. The calorimetric isolation energy, $E_{\rm T}^{\rm iso}$, is computed as the sum of the topological cluster transverse energies [57] calibrated at the electromagnetic (EM) scale within a cone of size $\Delta R = 0.4$ around the cluster barycentre. This $E_{\rm T}^{\rm iso}$ is required to be less than 2.45 GeV + $0.022p_{\rm T}$, where $p_{\rm T}$ is that of the photon. The track isolation variable, $p_{\rm T}^{\rm iso}$, is obtained as the scalar sum of the transverse momenta of good-quality tracks inside a cone of size $\Delta R = 0.2$ around the candidate, and is required to be less than $0.05p_{\rm T}$.

Electron candidates are required to have $p_{\rm T}>10$ GeV and $|\eta|<2.47$, and to originate from the primary vertex in both the r-z and $r-\phi$ planes. A 'loose' set of identification criteria are imposed [55] and these are based on the characteristics of the EM shower development, the quality of the associated reconstructed track, and the angular proximity of the track to the calorimeter energy deposition. Signal-region electrons must satisfy 'loose' isolation criteria, have $p_{\rm T}>25$ GeV and not be within the ECAL barrel–endcap transition region.

Muons are reconstructed by combining compatible track information from the MS and the ID. Muon candidates are required to have $p_T > 10$ GeV and $|\eta| < 2.7$, to satisfy the

 $^{^3}$ In the final selection the leading photon is always required to have $p_T > 145$ GeV to be in the maximal efficiency region.

'medium' quality criteria [58] and to originate from the primary vertex in both the r-z and $r-\phi$ planes. Signal-region muons must have $p_{\rm T}>25$ GeV and satisfy a 'loose' isolation requirement.

Jets are reconstructed using the anti- k_t algorithm [59, 60] with a radius parameter R=0.4 and are seeded by the energy in topological clusters of calorimeter cells [57]. The expected average energy contribution from pile-up interactions is subtracted using a factor that depends on the jet area. Track-based selection requirements are applied to reject jets with $p_T < 120$ GeV and $|\eta| < 2.4$ that originate from pile-up interactions [61]. Except for the E_T^{miss} computation (defined in the following), where a requirement of $|\eta| < 4.5$ is applied, jets are kept only if they are in the central region of the detector and have $p_T > 20$ GeV. Signal-region jets must have $p_T > 30$ GeV and $|\eta| < 2.5$.

Although jets containing b-hadrons, called b-jets from now on, are not explicitly used in the analysis selection, they are used in the definition of control regions from which the $W\gamma$ and $t\bar{t}\gamma$ MC normalization is extracted, as is described in section 5. These b-jets are selected with the same $p_{\rm T}$ requirement of jets within the ID acceptance ($|\eta| < 2.5$) and identified by the MV2 algorithm, which uses the long lifetime, high decay multiplicity, hard fragmentation and large mass of b-hadrons to distinguish them from light-flavour jets (jets originated from light quarks and gluons) [62]. The b-tagging algorithm has a nominal efficiency of 77% for b-jets in simulated $t\bar{t}$ events and the corresponding probability of misidentifying light-flavour jets is below 1%.

Due to possible final-state object misidentification, a single object can be reconstructed as more than one object and thus effectively counted multiple times. A procedure to remove these overlaps is applied to preselected objects before the corresponding isolation requirements are imposed. The basic strategy and the order of removal is described in refs. [63, 64].

The missing transverse momentum is computed with an object-based algorithm considering objects passing baseline requirements. Calorimeter energy deposits are matched to high- $p_{\rm T}$ objects in the following order: electrons, photons, jets and muons. Primary-vertex tracks not associated with any such objects are included in the so-called soft term [65] contribution to $E_{\rm T}^{\rm miss}$. The $E_{\rm T}^{\rm miss}$ is computed from the negative vector sum of the transverse momenta of calibrated reconstructed physical objects and the soft term.

5 Event selection

The analysis is designed to compare the event yields observed in three signal regions for strong production (named as SRL, SRM and SRH) with the predictions of the rates of SM processes. The SRL region targets the phase space with large mass differences between the gluino and the neutralino, resulting in events characterized by high jet multiplicity and hadronic activity but moderate missing transverse momentum. The SRH region is optimized for the compressed scenarios, near the diagonal in the gluino–neutralino mass plane, giving events with high $E_{\rm T}^{\rm miss}$, higher- $p_{\rm T}$ photons, and lower jet multiplicity and hadronic activity than SRL. Finally, the SRM region is defined for the intermediate phase space between SRL and SRH.

	SRL	SRM	SRH
$N_{ m photons}$	≥ 1	≥ 1	≥ 1
$p_{\mathrm{T}}^{\mathrm{leading}\text{-}\gamma}$	$> 145~{\rm GeV}$	$>300~{\rm GeV}$	$>400~{\rm GeV}$
$N_{ m leptons}$	0	0	0
$N_{ m jets}$	≥ 5	≥ 5	≥ 3
$\Delta\phi({ m jet},E_{ m T}^{ m miss})$	> 0.4	> 0.4	> 0.4
$\Delta\phi(\gamma, E_{\mathrm{T}}^{\mathrm{miss}})$	> 0.4	> 0.4	> 0.4
$E_{ m T}^{ m miss}$	$> 250~{ m GeV}$	$>300~{\rm GeV}$	$>600~{\rm GeV}$
$H_{ m T}$	$>2000~{\rm GeV}$	$> 1600~{\rm GeV}$	$> 1600~{\rm GeV}$
$R_{ m T}^4$	< 0.90	< 0.90	_

Table 2. Selection for SRL, SRM and SRH regions.

Given the high mass of the gluinos produced in the GGM model-space explored, the total visible transverse momentum is expected to be large. This results in a large value for the variable $H_{\rm T}$, defined as the scalar sum of the transverse momenta of all individual signal jets and the leading photon in the final state. The selection of signal events includes a requirement on $H_{\rm T}$ as well as on $E_{\rm T}^{\rm miss}$. In SRL, SRM and SRH, events must contain at least one isolated photon with $E_{\rm T}$ above 145 GeV, 300 GeV or 400 GeV, respectively, and zero leptons in order to remove SM $V\gamma$ events where the vector boson decays leptonically. In addition, more than four jets are required in SRL and SRM, while more than two jets are required in SRH.

In events characterized by large reconstructed $E_{\rm T}^{\rm miss}$ without a significant contribution from non-interacting particles or arising from instrumental sources and poorly reconstructed physics objects, the $E_{\rm T}^{\rm miss}$ vector tends to be aligned with either the photon or one of the two leading jets. A selection based on the angular separation between these objects and the $E_{\rm T}^{\rm miss}$ vector, i.e. $\Delta\phi({\rm jet},E_{\rm T}^{\rm miss})$ and $\Delta\phi(\gamma,E_{\rm T}^{\rm miss})$, removes most events from these background processes.

SUSY signals considered in this analysis are characterized by high- $p_{\rm T}$ multijet events in a wide region of the parameter space. The sub-leading jets have comparatively larger $p_{\rm T}$ than those in SM background events. Consequently, for signal processes with high- $p_{\rm T}$ jets, $R_{\rm T}^4$ (defined as the ratio of the scalar sum of the $p_{\rm T}$ of the four highest- $p_{\rm T}$ signal-region jets to the scalar sum of the $p_{\rm T}$ of all signal-region jets in the event) takes values less than one, while for SM backgrounds with fewer and softer jets, $R_{\rm T}^4$ is typically closer to unity [11, 66]. No $R_{\rm T}^4$ selection is applied for SRH because fewer jets are required in this region.

The event selection for all the signal regions is summarized in table 2.

6 Background estimation

Several SM processes can give final states with real photons and $E_{\rm T}^{\rm miss}$ from the presence of neutrinos. Other SM processes can emulate the targeted topologies if a jet or an electron is misidentified as a photon. The estimation of these backgrounds in the different SRs is therefore essential.

The dominant SM background contributions to the SRs are expected to be from $W\gamma$ and $t\bar{t}\gamma$ production, followed by prompt photon production with instrumental (fake) $E_{\rm T}^{\rm miss}$. These three contributions are determined using MC simulations constrained by the number of data events observed in dedicated control regions through the estimation of normalization factors. The smaller backgrounds, from $W\gamma\gamma$, $Z\gamma$, $Z\gamma\gamma$ and $\gamma\gamma$, are estimated directly from MC simulation. The backgrounds with misidentified jets or electrons are determined with data-driven techniques as described in the following.

Control regions labeled CRW, CRT, and CRQ are used to obtain the MC normalization for the $W\gamma$, $t\bar{t}\gamma$, and QCD γ + jets events, respectively. The selection criteria for the CRs associated with the SRs are presented in table 3. CRs were designed to be orthogonal but still kinematically similar to SRs, and enhanced in the background process of interest, with negligible signal contamination. Looser $E_{\rm T}^{\rm miss}$ requirements are applied in the CRs to increase the yields. No $R_{\rm T}^4$ requirement is applied for the same reason. An upper bound is placed on $E_{\rm T}^{\rm miss}$ in CRW and CRT to reduce the signal contamination.

The selection for CRQ is based on SRL but applies a lower $E_{\rm T}^{\rm miss}$ requirement (> 100 GeV), a similar $H_{\rm T}$ selection and an inverted $\Delta\phi({\rm jet}, E_{\rm T}^{\rm miss})$ selection to increase the fraction of γ + jets in the control sample.

The CRW sample is defined by requiring a photon, a lepton and 100 GeV $< E_{\rm T}^{\rm miss} <$ 200 GeV. A b-jet veto requirement is applied to reduce the contamination from $t\bar{t}\gamma$.

The CRT sample is defined by requiring a photon, a lepton, jets and 50 GeV $< E_{\rm T}^{\rm miss} <$ 200 GeV. At least two *b*-tagged jets are required in order to increase the sample's purity in $t\bar{t}\gamma$ events.

A further set of event selections define validation regions (VRs) used to check the results of the background estimation procedure. They were designed to be kinematically between the signal regions and the control regions, but with one or more criteria inverted or modified to reduce possible signal contamination. The VRL regions were designed to be enriched in $W\gamma$ and $t\bar{t}\gamma$ backgrounds. No b-jets requirement is applied, so contributions from both backgrounds are expected. The four regions (VRL1-4) cover different parts of the parameter space between the control regions and signal regions by varying the $E_{\rm T}^{\rm miss}$ and $H_{\rm T}$ requirements. A signal-region-like VRQ is designed to be orthogonal to the SR only because of a reduced requirement on $E_{\mathrm{T}}^{\mathrm{miss}}$. The VRM regions are built to validate the extrapolation of the γ + jets background from the CR to the SR. Two sets of VRMs were specifically designed to select either events with low jet multiplicity and a high- $p_{\rm T}$ leading photon (VRM1H and VRM2H) or events with high jet multiplicity and a less energetic photon (VRM1L and VRM2L), in order to validate the background estimation in regions closer to SRH or SRL respectively. By selecting different ranges in $E_{\rm T}^{\rm miss}$, VRM2L is included in VRM1L, and VRM2H is included in VRM1H. A summary of the different selection criteria is shown in table 3.

Jets can be misidentified as photons (called 'fake photons') if they contain mostly π^0 mesons (or any other neutral hadrons) carrying most of the jet energy and decaying into a pair of collimated photons, resulting in an electromagnetic object resembling a single, highly energetic photon. This background arises primarily from QCD multijets, W+jets and semileptonic $t\bar{t}$ events. The 'tight' identification criteria applied to photon candidates

Regions	N_{photons}	$p_{\mathrm{T}}^{\mathrm{leading-}\gamma}$ [GeV]	$N_{ m leptons}$	$N_{ m jets}$	$N_{b ext{-jets}}$	$\Delta \phi(\mathrm{jet}, E_{\mathrm{T}}^{\mathrm{miss}})$	$\Delta\phi(\gamma, E_{\mathrm{T}}^{\mathrm{miss}})$	$E_{\mathrm{T}}^{\mathrm{miss}}$ [GeV]	$H_{\rm T}$ [GeV]	R_{T}^{4}
CRQ	≥ 1	> 145	0	≥ 3		< 0.4	> 0.4	> 100	> 1600	
CRW	≥ 1	> 145	≥ 1	≥ 1	0	> 0.4	_	[100, 200]	> 400	_
CRT	≥ 1	> 145	≥ 1	≥ 2	≥ 2	> 0.4	_	[50, 200]	> 400	_
VRL1	≥ 1	> 145	≥ 1	≥ 2		> 0.4	_	[50, 200]	> 800	
VRL2	≥ 1	> 145	≥ 1	≥ 2	_	> 0.4	_	[50, 200]	> 1300	_
VRL3	≥ 1	> 145	≥ 1	≥ 2	_	> 0.4	_	> 200	[600, 1600]	_
VRL4	≥ 1	> 145	≥ 1	≥ 2	_	< 0.4	_	> 200	> 1100	_
VRQ	≥ 1	> 145	0	≥ 3		> 0.4	> 0.4	[100, 200]	> 1600	
VRM1L	≥ 1	> 145	0	≥ 5	_	> 0.4	> 0.4	[100, 200]	> 1600	< 0.90
VRM2L	≥ 1	> 145	0	≥ 5	_	> 0.4	> 0.4	[150, 200]	> 1600	< 0.90
VRM1H	≥ 1	> 300	0	≥ 3	_	> 0.4	> 0.4	[100, 200]	> 1600	_
VRM2H	≥ 1	> 300	0	≥ 3	_	> 0.4	> 0.4	[150, 200]	> 1600	_
VRE	≥ 1	> 145	_	≥ 1	≥ 1	> 0.4	< 0.4	> 200	[100, 1600]	_

Table 3. Selection criteria for the control regions and the validation regions used to validate the $\gamma + \text{jets}$, $W\gamma$, $t\bar{t}\gamma$ and $e \to \gamma$ fakes backgrounds.

reduce this background. After applying this selection, the data sample is expected to contain real photons with moderate jet contamination. As this misidentification rate is not expected to be modelled accurately in MC simulation, a data-driven sideband counting method [64] is used. The so-called ABCD method makes use of the different isolation profiles expected for real photons and misidentified jets [67]. Two variables are considered simultaneously in order to include both tracking and calorimetric isolation of the photon candidate, as defined in section 4. The 'tight' offline identification is by design tighter than the photon trigger used to collect the data, so it is expected that some photon candidates from misidentified jets will fail the 'tight' selection but satisfy an intermediate selection. These photon-like jets, hereinafter called non-tight photons, are defined as those passing the loose identification and satisfying the 'tight' selection requirements, except at least one of four selections associated with energy deposits in the EM calorimeter [64], chosen to be largely uncorrelated with the isolation variables. In this manner, the use of non-tight photons enhances the 'jets faking photons' contribution, as needed by the ABCD method. In the identification-isolation plane, the method defines a signal region A consisting of isolated photon candidates that satisfy the 'tight' identification, and three control regions, namely B, C and D, with photon candidates being non-isolated and 'tight', isolated and non-tight, and non-isolated and non-tight, respectively.

A possible residual correlation between the photon identification and the isolation is estimated using MC simulations, and so is the contamination of the background regions by real photons. These effects are included as part of the computation of the contribution of misidentified jets in all the regions used in the analysis. The systematic uncertainties of the method are evaluated by varying the definition of the non-tight objects, and considering the differences introduced by the residual correlation between the regions.

Significant contamination in the signal regions from SM processes such as W/Z + jets and $t\bar{t}$ events is expected in cases where one high- $p_{\rm T}$ electron is misidentified as a photon. This background is estimated by weighting the number of electron events observed in an electron control sample by the electron-to-photon fake rate. These electron control samples come from the same control, validation and signal regions as in the analysis,

but the photon kinematic selections are applied to electrons, and then a high- $p_{\rm T}$ isolated electron is required and signal photons are vetoed. To estimate the electron-to-photon fake rate, a method based on a sample of $Z(\to ee)$ data events is used [63, 64]. Since the Z boson cannot decay directly into an electron and a photon, the electron–photon events appearing under the Z peak most likely correspond to misidentified electrons. However, the same applies to other particles decaying into pairs of electrons. Therefore, a background subtraction technique is applied, and this also takes into account the contamination from random combinatorics background. The electron-to-photon fake factor is then estimated as the ratio of the number of electron-photon pairs to the number of electron-electron pairs found under the Z peak when fitting the invariant mass distribution. This fit uses a double-sided Crystal Ball (DSCB) function (a Gaussian core with asymmetric non-Gaussian power-law tails) to model the Z peak, and a Gaussian distribution to model the small nonresonant backgrounds to $Z(\to ee)$ production. Only the pairs within a defined invariant mass window are selected to compute the electron-to-photon fake factor. This window is defined as $\pm 3\sigma$ around the centre of the peak in the DSCB function, where σ is the width of the peak. Only events with $E_{\mathrm{T}}^{\mathrm{miss}} < 40$ GeV are selected, to avoid electrons from the W decays.

A dedicated validation region (VRE) is designed with the event selection described in table 3, to validate the accuracy of the corresponding electron-to-photon background predictions based on the calculated fake factors. The set of requirements mostly selects $W(e\nu)$ + jets events, where a boosted W boson (including those coming from top quarks) decays into a neutrino (giving high $E_{\rm T}^{\rm miss}$) and an almost collinear high- $p_{\rm T}$ electron (misidentified as a photon).

Likelihood fits [68] are performed assuming i) a background-only hypothesis to estimate the total background in the SRs and VRs; ii) a model-dependent signal plus background hypothesis where the fit is performed in the CRs and SRs simultaneously; and iii) a model-independent signal plus background hypothesis, where both the CRs and SRs are used in the same manner as for the model-dependent signal fit with the number of signal events in the SRs added as a parameter to the fit. This approach constrains the expected background to the yields observed in the data using the CRs and to reduce the systematic uncertainties. Figure 2 shows the contributions of the backgrounds in all the different control and validation regions. They are obtained with a 'background-only maximum-likelihood fit', constraining the normalizations of the dominant backgrounds and including those estimated using data-driven techniques. The lower panel shows the differences, in standard deviations, between the observed and expected yields [69]. Good agreement is found between data and SM background predictions in all the validation regions.

7 Systematic uncertainties and yields

All background processes estimated either by making use of MC simulations or by datadriven methods, as well as MC signal predictions, are affected by systematic uncertainties which mainly originate from two kinds of sources: experimental and theoretical ones. These systematic uncertainties can impact the expected event yields in both the control and signal regions.




Figure 2. The observed and expected (post-fit) yields in the control and validation regions. The lower panel shows the difference, in standard deviations, between the observed and expected yields, considering both the systematic and statistical uncertainties of the background expectation.

The uncertainty in the combined 2015–2018 integrated luminosity is 1.7% [70], obtained using the LUCID-2 detector [71] for the primary luminosity measurements. The uncertainty on the pile-up reweighting is also considered.

The systematic uncertainties due to the photon identification and isolation efficiencies are estimated following the prescriptions in ref. [55]. They are evaluated by varying the correction factors for the photon selection efficiencies in MC simulation by the corresponding uncertainties. The photon energy scale is determined using samples of $Z \to ee$ events, varying the scale corrections and resolutions upwards and downwards by one standard deviation.

For electrons [55] and muons [72], similarly to photons, the uncertainties from the identification efficiency, energy scale and resolution were determined from $Z \to \ell^+ \ell^-$ and $W^{\pm} \to \ell^{\pm} \nu$ control samples.

For jets, the energy scale and resolution uncertainties are derived following the procedure described in ref. [73], where a simplified scheme with 38 parameters is used. A set of b-tagging uncertainties are also considered, taking an envelope around the nominal jet weight for the selection of different flavour jets [62].

For $E_{\rm T}^{\rm miss}$, the uncertainties associated with all underlying objects from which it is constructed are propagated through the calculation, and additional uncertainties accounting for the scale and resolution of the soft term [65] are considered. For the fake-photon backgrounds (jet $\to \gamma$ fakes and $e \to \gamma$ fakes), there are two different kinds of uncertainties affecting their estimations: the systematic uncertainty from the method used to estimate the fake factors and the statistical uncertainty of the control sample.

	SRL [%]	SRM [%]	SRH [%]
Total (stat. + syst.) uncertainty	28	25	17
Statistical uncertainty	20	15	12
Jet energy scale and resolution	18	19	4.1
b-tagging calibration	3.2	4.3	3.6
Fake photons from jets	2.1	2.5	2.3
MC theory	3.6	3.1	10
Fake photons from e	1.4	1.9	< 1
Electron/photon energy resolution and scale	5.5	1.1	4.1
Muon reconstruction and identification	2.6	1.8	< 1
Photon identification and isolation	2.6	2.1	1.1
Pile-up reweighting	< 1	1.2	1.0
$E_{\mathrm{T}}^{\mathrm{miss}}$ soft-term scale and resolution	< 1	< 1	< 1
Luminosity	< 1	< 1	< 1

Table 4. Summary of the different systematic uncertainties in the SM background expectation (in %) for the different SRs after the background-only fit applied to the CRs. The individual uncertainties can be correlated and do not necessarily add in quadrature to equal the total (stat. + syst.) uncertainty.

For each of the main simulated background samples, a theoretical uncertainty is assessed by considering different sources of systematic uncertainty. Each sample contains several internal weights representing the effect of varying different parameters of the theory. The systematic variations considered for each sample are variations of the renormalization and factorization scales $\mu_{\rm r}$ and $\mu_{\rm f}$ at generator level, and variations of the PDFs [74] and the strong coupling constant ($\alpha_{\rm s}$). For $\mu_{\rm r}$ and $\mu_{\rm f}$, three independent nuisance parameters are used, two constructed to keep each of the scales constant while varying the other one, and one as a coherent variation of both scales. The PDF uncertainty is taken from an envelope of the nominal PDF (NNPDF3.0) and the variations. Finally, uncertainties associated with $\alpha_{\rm s}$ determination and truncation are considered. The PDF and $\alpha_{\rm s}$ -related uncertainties are added in quadrature. The total theoretical systematic uncertainty in the signal regions is between 15% and 30% depending on the MC sample.

The relative impact of each systematic uncertainty on the SM background expectation after the background-only fit applied to the CRs is presented in table 4. One of the largest experimental systematic uncertainties is related to the jet energy scale and resolution (except for SRH where it is smaller because of the lower jet multiplicity and hadronic activity). Theoretical systematic uncertainties are close to 3% for SRL and SRM, and are the largest for SRH, reaching the 10% level.

8 Results

The background-only fit is based on the SRs and CRs listed in tables 2 and 3 and takes into account all the systematic uncertainties discussed in section 7, treated as Gaussian-

	SRL	SRM	SRH
Observed events	2	0	5
Expected SM events	2.67 ± 0.75	2.55 ± 0.64	2.55 ± 0.44
$tar{t}\gamma$	0.70 ± 0.18	0.87 ± 0.18	0.22 ± 0.05
$W\gamma$	0.55 ± 0.37	0.70 ± 0.42	1.08 ± 0.21
$\gamma + \mathrm{jets}$	0.49 ± 0.29	0.17 ± 0.10	0.07 ± 0.01
$Z(o u u)\gamma$	0.31 ± 0.11	0.35 ± 0.12	0.94 ± 0.28
$\gamma\gamma/W\gamma\gamma/Z\gamma\gamma$	0.23 ± 0.11	0.25 ± 0.10	0.08 ± 0.01
Fake photons from e	0.22 ± 0.08	0.04 ± 0.03	0.06 ± 0.04
Fake photons from jets	0.15 ± 0.09	0.14 ± 0.09	0.09 ± 0.07
$Z(o\ell\ell)\gamma$	0.03 ± 0.03	0.03 ± 0.01	_

Table 5. Observed events and background estimates (post-fit) in the SRL, SRM and SRH signal regions. The uncertainties in the SM background are both systematic and statistical.

distributed nuisance parameters. When fitting the CRs and SRs simultaneously, common normalization factors for each of the $W\gamma$, $t\bar{t}\gamma$ and QCD γ +jets events are implemented in order to correctly take into account the other background contributions. Each experimental uncertainty is treated as fully correlated across the CRs and the corresponding SR, and the physics processes considered. The theoretical systematic uncertainties are treated as correlated across the different regions but uncorrelated across the background samples.

The $E_{\rm T}^{\rm miss}$ distributions observed in the signal regions SRL, SRM and SRH are shown in figure 3, compared to the background predictions. The predicted distributions for selected signals with gluino and neutralino masses near the expected sensitivity of the analysis are also shown for comparison. In each plot, all the SR selection requirements are applied except for the one on $E_{\rm T}^{\rm miss}$.

The number of data events in each SR and the expected contributions from the different SM backgrounds after the background-only fit applied to the CRs are shown in table 5. Since no significant excess above the SM background is observed in the SRs, these are used to set limits on the number of new-physics events (model-independent limits), and on the GGM signal model parameters described in section 1.

The background-only fit applied to the CRs in previous sections to estimate the background can be extended to include the SRs and perform hypothesis tests, using a profile log-likelihood ratio (LLR) approach [75], to assess the compatibility of the observed number of events with the SM, to set limits on the visible cross sections, and to set exclusion limits on specific SUSY models.

The model-independent limits on the number of events from non-SM processes in each SR are listed in table 6, together with the discovery p-value (p_0), defined as the probability of observing at least the observed event yield when assuming that no signal is present, and the corresponding Gaussian significance Z. Also shown is the 95% confidence level (CL) upper limit on the visible cross section $\sigma \times A \times \epsilon$, obtained by normalizing the upper limit on the number of signal events to the integrated luminosity, where σ is the production cross section for a beyond-the-SM (BSM) signal, A is the acceptance (fraction of events with




Figure 3. Observed (points with error bars) and expected background (solid histograms) distributions for $E_{\rm T}^{\rm miss}$ in the signal region (a) SRL, (b) SRM and (c) SRH after the background-only fit applied to the CRs. The predicted signal distributions for the two models with a gluino mass of 2000 GeV and neutralino mass of 250 GeV (SRL), 1050 GeV (SRM) or 1950 GeV (SRH) are also shown for comparison. The uncertainties in the SM background are only statistical.

objects passing all the kinematic selections at particle level) and ϵ is the efficiency (fraction of those events that would be observed after the detector reconstruction). For SRL and SRM, p_0 is capped at 0.5 because the predictions exceed the data. For SRH, the discovery p-value is 0.09, so these observations are compatible with the SM-only hypothesis. The number of observed events and the background expectation in each SR is used to set a 95%

Signal Region	$\langle \epsilon \sigma \rangle_{\rm obs}^{95} [{\rm fb}]$	$\langle \epsilon \sigma \rangle_{\rm exp}^{95} [{\rm fb}]$	$S_{ m obs}^{95}$	$S_{ m exp}^{95}$	$p_0(Z)$
SRL	0.034	$0.034^{+0.016}_{-0.009}$	4.7	$4.7^{+2.2}_{-1.2}$	$0.50 \ (0.00)$
SRM	0.022	$0.033^{+0.013}_{-0.008}$	3	$4.6_{-1.1}^{+1.8}$	$0.50 \ (0.00)$
SRH	0.054	$0.035^{+0.014}_{-0.010}$	7.6	$4.8^{+1.9}_{-1.4}$	0.09(1.32)

Table 6. Summary of the model-independent limits results, with the 95% CL upper limits on the visible cross section ($\langle \epsilon \sigma \rangle_{\text{obs}}^{95}$) and on the number of signal events (S_{obs}^{95}). The values of $\langle \epsilon \sigma \rangle_{\text{exp}}^{95}$ and S_{exp}^{95} are the expected 95% CL upper limits on the visible cross section and the number of signal events, given the expected number (and $\pm 1\sigma$ excursions of the expectation) of background events. Finally, the *p*-value (p_0) and the corresponding Gaussian significance Z for the three signal regions are shown.

CL upper limit on the number of events from any BSM physics scenario [76]. The most stringent observed limit is from SRM, where visible cross sections greater than 0.022 fb are excluded.

The exclusion limit for a specific SUSY signal model is based on the profile LLR test statistic, and it is obtained from a simultaneous fit to the contributions from SM processes and the targeted model in a given signal region and its associated background control regions, which are all by design statistically independent. These one-sided limits are set at the 95% CL using the CL_s prescription [76]. The observed exclusion limit is calculated with signal yields corresponding to the nominal cross section $\pm 1\sigma$ of the SUSY theoretical uncertainty. The combined exclusion limits are shown in figure 4, for each of the two signal models considered. These are obtained with pseudo-data experiments, and using the signal region with the best expected sensitivity at each point. The black dashed line corresponds to the expected limits at 95% CL, with the light (yellow) bands indicating the $\pm 1\sigma$ exclusions due to experimental and background-theory uncertainties. The observed limits are indicated by medium (red) curves, the solid contour represents the nominal limit, and the dotted lines are obtained by varying the signal cross section by the theoretical scale and PDF uncertainties. The discontinuity in the transition from high to moderate NLSP masses is due to the number of events observed in SRH (SRM) being higher (lower) than the expected value.

For the γ/Z signal model, the lower limits on the gluino mass in this paper are between 200 and 400 GeV higher than those obtained in the previous search [11]. For the γ/h signal model, the previous search [10] was performed in Run-1 data with a slightly different massplane coverage and set a lower limit around 1.2 TeV for the gluino mass. In the present study, the lower limits on the gluino mass in this model are almost 1 TeV higher. For both models, the most stringent lower limit on the gluino mass is set at 2.4 TeV for a neutralino mass of 1.3–1.4 TeV. Furthermore, an overall lower limit on the gluino mass of 2.2 TeV is obtained for all neutralino masses except those below 150 GeV, which are regions where the analysis is expected to have low signal acceptance, due to trigger constrains and large $E_{\rm T}^{\rm miss}$ requirements in the SR.




Figure 4. Observed and expected exclusion limits in the gluino–neutralino mass plane at 95% CL for the full Run-2 dataset corresponding to an integrated luminosity of 139 fb⁻¹, for the (a) γ/Z and (b) γ/h signal models. They are obtained by combining limits from the signal region with the best expected sensitivity at each point. The dashed (black) line corresponds to the expected limits at 95% CL, with the light (yellow) band indicating the $\pm 1\sigma$ excursions due to experimental and background-theory uncertainties. The observed limits are indicated by medium (red) curves: the solid contour represents the nominal limit, and the dotted lines are obtained by varying the signal cross section by the theoretical scale and PDF uncertainties.

9 Conclusions

Based on proton–proton collision data at $\sqrt{s}=13$ TeV corresponding to an integrated luminosity of 139 fb⁻¹ recorded by the ATLAS detector at the LHC in Run 2, a search has been performed for the experimental signature of at least one isolated photon with high transverse momentum, jets and a large amount of missing transverse momentum. Three signal regions are defined, one with a prediction of 2.67 ± 0.75 background events and 2 events observed, another with 2.55 ± 0.64 background events predicted and no events observed, and the third with 2.55 ± 0.44 background events predicted and 5 events observed. These results are compatible with no significant excess of events over the SM background expectation. Model-dependent 95% CL upper limits are set on possible contributions from new physics in a GGM scenario with a NLSP neutralino that is a mixture of higgsino and bino. Pair-produced gluinos with masses up to 2200 GeV are excluded for most of the NLSP masses investigated, giving the most stringent limits obtained by ATLAS. Model-independent 95% CL upper limits are set on the visible cross section for contributions from new physics for each of the defined signal regions. The most stringent observed limit is from SRM, where visible cross sections greater than 0.022 fb are excluded.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France: SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [77].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License (CC-BY 4.0), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] M. Dine and W. Fischler, A phenomenological model of particle physics based on supersymmetry, Phys. Lett. B 110 (1982) 227 [INSPIRE].
- [2] L. Alvarez-Gaume, M. Claudson and M.B. Wise, Low-energy supersymmetry, Nucl. Phys. B 207 (1982) 96 [INSPIRE].
- [3] C.R. Nappi and B.A. Ovrut, Supersymmetric extension of the $SU(3) \times SU(2) \times U(1)$ model, Phys. Lett. B 113 (1982) 175 [INSPIRE].
- [4] C. Cheung, A.L. Fitzpatrick and D. Shih, (Extra)ordinary gauge mediation, JHEP 07 (2008) 054 [arXiv:0710.3585] [INSPIRE].

- [5] P. Meade, N. Seiberg and D. Shih, General gauge mediation, Prog. Theor. Phys. Suppl. 177 (2009) 143 [arXiv:0801.3278] [INSPIRE].
- [6] J.R. Ellis et al., Supersymmetric relics from the Big Bang, Nucl. Phys. B 238 (1984) 453 [INSPIRE].
- [7] M. Viel et al., Constraining warm dark matter candidates including sterile neutrinos and light gravitinos with WMAP and the Lyman-alpha forest, Phys. Rev. D 71 (2005) 063534 [astro-ph/0501562] [INSPIRE].
- [8] A. Kamada, M. Shirasaki and N. Yoshida, Weighing the light gravitino mass with weak lensing surveys, JHEP 06 (2014) 162 [arXiv:1311.4323] [INSPIRE].
- [9] G.R. Farrar and P. Fayet, Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry, Phys. Lett. B 76 (1978) 575 [INSPIRE].
- [10] ATLAS collaboration, Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector, Phys. Rev. D 92 (2015) 072001 [arXiv:1507.05493] [INSPIRE].
- [11] ATLAS collaboration, Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector, Phys. Rev. D 97 (2018) 092006 [arXiv:1802.03158] [INSPIRE].
- [12] CMS collaboration, Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV, JHEP **06** (2019) 143 [arXiv:1903.07070] [INSPIRE].
- [13] CMS collaboration, Search for supersymmetry in events with a photon, jets, b-jets, and missing transverse momentum in proton-proton collisions at 13 TeV, Eur. Phys. J. C 79 (2019) 444 [arXiv:1901.06726] [INSPIRE].
- [14] CMS collaboration, Combined search for supersymmetry with photons in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Lett. B 801 (2020) 135183 [arXiv:1907.00857] [INSPIRE].
- [15] ATLAS collaboration, The ATLAS Experiment at the CERN Large Hadron Collider, 2008 JINST 3 S08003 [INSPIRE].
- [16] ATLAS collaboration, ATLAS Insertable B-Layer Technical Design Report, CERN-LHCC-2010-013 (2010).
- [17] ATLAS IBL collaboration, Production and Integration of the ATLAS Insertable B-Layer, 2018 JINST 13 T05008 [arXiv:1803.00844] [INSPIRE].
- [18] ATLAS collaboration, Performance of the ATLAS Trigger System in 2015, Eur. Phys. J. C 77 (2017) 317 [arXiv:1611.09661] [INSPIRE].
- [19] ATLAS collaboration, The ATLAS collaboration software and firmware, ATL-SOFT-PUB-2021-001, CERN, Geneva (2021).
- [20] S.P. Martin, A Supersymmetry primer, Adv. Ser. Direct. High Energy Phys. 18 (1998) 1 [hep-ph/9709356] [INSPIRE].
- [21] J.T. Ruderman and D. Shih, General Neutralino NLSPs at the Early LHC, JHEP 08 (2012) 159 [arXiv:1103.6083] [INSPIRE].
- [22] A. Djouadi, J.-L. Kneur and G. Moultaka, SuSpect: A Fortran code for the supersymmetric and Higgs particle spectrum in the MSSM, Comput. Phys. Commun. 176 (2007) 426 [hep-ph/0211331] [INSPIRE].

- [23] M. Muhlleitner, A. Djouadi and Y. Mambrini, SDECAY: A Fortran code for the decays of the supersymmetric particles in the MSSM, Comput. Phys. Commun. 168 (2005) 46 [hep-ph/0311167] [INSPIRE].
- [24] A. Djouadi, J. Kalinowski and M. Spira, *HDECAY: A Program for Higgs boson decays in the standard model and its supersymmetric extension*, *Comput. Phys. Commun.* **108** (1998) 56 [hep-ph/9704448] [INSPIRE].
- [25] A. Djouadi, M.M. Muhlleitner and M. Spira, Decays of supersymmetric particles: The Program SUSY-HIT (SUspect-SdecaY-Hdecay-InTerface), Acta Phys. Polon. B 38 (2007) 635 [hep-ph/0609292] [INSPIRE].
- [26] W. Beenakker, R. Höpker, M. Spira and P.M. Zerwas, Squark and gluino production at hadron colliders, Nucl. Phys. B 492 (1997) 51 [hep-ph/9610490] [INSPIRE].
- [27] A. Kulesza and L. Motyka, Threshold resummation for squark-antisquark and gluino-pair production at the LHC, Phys. Rev. Lett. 102 (2009) 111802 [arXiv:0807.2405] [INSPIRE].
- [28] A. Kulesza and L. Motyka, Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC, Phys. Rev. D 80 (2009) 095004 [arXiv:0905.4749] [INSPIRE].
- [29] W. Beenakker et al., Soft-gluon resummation for squark and gluino hadroproduction, JHEP 12 (2009) 041 [arXiv:0909.4418] [INSPIRE].
- [30] W. Beenakker et al., Squark and gluino hadroproduction, Int. J. Mod. Phys. A 26 (2011) 2637 [arXiv:1105.1110] [INSPIRE].
- [31] C. Borschensky et al., Squark and gluino production cross sections in pp collisions at $\sqrt{s} = 13$, 14, 33 and 100 TeV, Eur. Phys. J. C 74 (2014) 3174 [arXiv:1407.5066] [INSPIRE].
- [32] J. Alwall et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, JHEP 07 (2014) 079 [arXiv:1405.0301] [INSPIRE].
- [33] T. Sjöstrand et al., An introduction to PYTHIA 8.2, Comput. Phys. Commun. 191 (2015) 159 [arXiv:1410.3012] [INSPIRE].
- [34] NNPDF collaboration, Parton distributions for the LHC Run II, JHEP **04** (2015) 040 [arXiv:1410.8849] [INSPIRE].
- [35] ATLAS collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, CERN, Geneva (2014).
- [36] E. Bothmann, Event Generation with Sherpa 2.2, SciPost Phys. 7 (2019) 034 [arXiv:1905.09127] [INSPIRE].
- [37] T. Gleisberg and S. Höche, Comix, a new matrix element generator, JHEP 12 (2008) 039 [arXiv:0808.3674] [INSPIRE].
- [38] F. Buccioni et al., OpenLoops 2, Eur. Phys. J. C 79 (2019) 866 [arXiv:1907.13071] [INSPIRE].
- [39] F. Cascioli, P. Maierhöfer and S. Pozzorini, Scattering Amplitudes with Open Loops, Phys. Rev. Lett. 108 (2012) 111601 [arXiv:1111.5206] [INSPIRE].
- [40] A. Denner, S. Dittmaier and L. Hofer, Collier: a fortran-based Complex One-Loop LIbrary in Extended Regularizations, Comput. Phys. Commun. 212 (2017) 220 [arXiv:1604.06792] [INSPIRE].
- [41] S. Schumann and F. Krauss, A parton shower algorithm based on Catani-Seymour dipole factorisation, JHEP 03 (2008) 038 [arXiv:0709.1027] [INSPIRE].

- [42] S. Höche, F. Krauss, M. Schönherr and F. Siegert, A critical appraisal of NLO+PS matching methods, JHEP 09 (2012) 049 [arXiv:1111.1220] [INSPIRE].
- [43] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers:* the NLO case, JHEP **04** (2013) 027 [arXiv:1207.5030] [INSPIRE].
- [44] S. Catani, F. Krauss, R. Kuhn and B.R. Webber, *QCD matrix elements + parton showers*, *JHEP* 11 (2001) 063 [hep-ph/0109231] [INSPIRE].
- [45] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053 [arXiv:0903.1219] [INSPIRE].
- [46] ATLAS collaboration, The ATLAS Simulation Infrastructure, Eur. Phys. J. C 70 (2010) 823 [arXiv:1005.4568] [INSPIRE].
- [47] GEANT4 collaboration, GEANT4 a simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250 [INSPIRE].
- [48] ATLAS collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, CERN, Geneva (2010).
- [49] ATLAS collaboration, Performance of the Fast ATLAS Tracking Simulation (FATRAS) and the ATLAS Fast Calorimeter Simulation (FastCaloSim) with single particles, ATL-SOFT-PUB-2014-001, CERN, Geneva (2014).
- [50] T. Sjöstrand, S. Mrenna and P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852 [arXiv:0710.3820] [INSPIRE].
- [51] R.D. Ball et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244 [arXiv:1207.1303] [INSPIRE].
- [52] ATLAS collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model, ATL-PHYS-PUB-2016-017, CERN, Geneva (2016).
- [53] ATLAS collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, 2020 JINST 15 P04003 [arXiv:1911.04632] [INSPIRE].
- [54] ATLAS collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, Eur. Phys. J. C 80 (2020) 47 [arXiv:1909.00761] [INSPIRE].
- [55] ATLAS collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data, 2019 JINST 14 P12006 [arXiv:1908.00005] [INSPIRE].
- [56] ATLAS collaboration, Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-026, CERN, Geneva (2015).
- [57] ATLAS collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, Eur. Phys. J. C 77 (2017) 490 [arXiv:1603.02934] [INSPIRE].
- [58] ATLAS collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 81 (2021) 578 [arXiv:2012.00578] [INSPIRE].
- [59] M. Cacciari, G.P. Salam and G. Soyez, The anti- k_t jet clustering algorithm, JHEP **04** (2008) 063 [arXiv:0802.1189] [INSPIRE].
- [60] M. Cacciari, G.P. Salam and G. Soyez, FastJet user manual, Eur. Phys. J. C 72 (2012) 1896 [arXiv:1111.6097] [INSPIRE].

- [61] ATLAS collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C **76** (2016) 581 [arXiv:1510.03823] [INSPIRE].
- [62] ATLAS collaboration, ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV, Eur. Phys. J. C **79** (2019) 970 [arXiv:1907.05120] [INSPIRE].
- [63] ATLAS collaboration, Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at the LHC using the ATLAS detector, Eur. Phys. J. C 76 (2016) 517 [arXiv:1606.09150] [INSPIRE].
- [64] ATLAS collaboration, Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, JHEP **02** (2021) 226 [arXiv:2011.05259] [INSPIRE].
- [65] ATLAS collaboration, E_T^{miss} performance in the ATLAS detector using 2015-2016 LHC p-p collisions, ATLAS-CONF-2018-023, CERN, Geneva (2018).
- [66] M. Guchait and D. Sengupta, Event-shape selection cuts for supersymmetry searches at the LHC with 7 TeV energy, Phys. Rev. D 84 (2011) 055010 [arXiv:1102.4785] [INSPIRE].
- [67] ATLAS collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Rev. D 83 (2011) 052005 [arXiv:1012.4389] [INSPIRE].
- [68] M. Baak et al., HistFitter software framework for statistical data analysis, Eur. Phys. J. C 75 (2015) 153 [arXiv:1410.1280] [INSPIRE].
- [69] G. Choudalakis and D. Casadei, Plotting the Differences Between Data and Expectation, Eur. Phys. J. Plus 127 (2012) 25 [arXiv:1111.2062] [INSPIRE].
- [70] ATLAS collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, CERN, Geneva (2019).
- [71] G. Avoni et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, 2018 JINST 13 P07017 [INSPIRE].
- [72] ATLAS collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **76** (2016) 292 [arXiv:1603.05598] [INSPIRE].
- [73] ATLAS collaboration, Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D **96** (2017) 072002 [arXiv:1703.09665] [INSPIRE].
- [74] J. Butterworth et al., PDF4LHC recommendations for LHC Run II, J. Phys. G 43 (2016) 023001 [arXiv:1510.03865] [INSPIRE].
- [75] G. Cowan, K. Cranmer, E. Gross and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554 [Erratum ibid. 73 (2013) 2501] [arXiv:1007.1727] [INSPIRE].
- [76] A.L. Read, Presentation of search results: the CL_s technique, J. Phys. G 28 (2002) 2693 [INSPIRE].
- [77] ATLAS collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2021-003 (2021).

The ATLAS collaboration

```
G. Aad <sup>99</sup>, B. Abbott <sup>117</sup>, D.C. Abbott <sup>100</sup>, A. Abed Abud <sup>34</sup>, K. Abeling <sup>53</sup>,
D.K. Abhayasinghe <sup>692</sup>, S.H. Abidi <sup>627</sup>, A. Aboulhorma <sup>633e</sup>, H. Abramowicz <sup>6149</sup>,
H. Abreu 148, Y. Abulaiti 5, A.C. Abusleme Hoffman 134a, B.S. Acharya 66a,66b,p,
B. Achkar <sup>©</sup> <sup>53</sup>, L. Adam <sup>©</sup> <sup>97</sup>, C. Adam Bourdarios <sup>©</sup> <sup>4</sup>, L. Adamczyk <sup>©</sup> <sup>82a</sup>, L. Adamek <sup>©</sup> <sup>153</sup>,
S.V. Addepalli <sup>6</sup><sup>24</sup>, J. Adelman <sup>6</sup><sup>112</sup>, A. Adiguzel <sup>6</sup><sup>11c,aa</sup>, S. Adorni <sup>6</sup><sup>54</sup>, T. Adye <sup>6</sup><sup>131</sup>,
A.A. Affolder <sup>133</sup>, Y. Afik <sup>34</sup>, C. Agapopoulou <sup>64</sup>, M.N. Agaras <sup>12</sup>, J. Agarwala <sup>70a,70b</sup>,
A. Aggarwal <sup>110</sup>, C. Agheorghiesei <sup>25c</sup>, J.A. Aguilar-Saavedra <sup>127f,127a,z</sup>, A. Ahmad <sup>34</sup>,
F. Ahmadov • 36,x, W.S. Ahmed • 101, X. Ai • 46, G. Aielli • 73a,73b, I. Aizenberg • 166,
S. Akatsuka 64, M. Akbiyik 69, T.P.A. Åkesson 65, A.V. Akimov 63, K. Al Khoury 63,
G.L. Alberghi <sup>©</sup><sup>21b</sup>, J. Albert <sup>©</sup><sup>162</sup>, P. Albicocco <sup>©</sup><sup>51</sup>, M.J. Alconada Verzini <sup>©</sup><sup>87</sup>,
S. Alderweireldt <sup>50</sup>, M. Aleksa <sup>34</sup>, I.N. Aleksandrov <sup>36</sup>, C. Alexa <sup>25b</sup>, T. Alexopoulos <sup>9</sup>,
A. Alfonsi 111, F. Alfonsi 1216, M. Alhroob 117, B. Ali 129, S. Ali 146, M. Aliev 135,
G. Alimonti 68a, C. Allaire 534, B.M.M. Allbrooke 5144, P.P. Allport 19, A. Aloisio 69a,69b,
F. Alonso 687, C. Alpigiani 6136, E. Alunno Camelia 73a, 73b, M. Alvarez Estevez 696,
M.G. Alviggi 69a,69b, Y. Amaral Coutinho 79b, A. Ambler 101, L. Ambroz 123, C. Amelung 4,
D. Amidei <sup>103</sup>, S.P. Amor Dos Santos <sup>127a</sup>, S. Amoroso <sup>46</sup>, K.R. Amos <sup>160</sup>, C.S. Amrouche <sup>54</sup>,
V. Ananiev<sup>122</sup>, C. Anastopoulos<sup>137</sup>, N. Andari<sup>132</sup>, T. Andeen<sup>130</sup>, J.K. Anders<sup>138</sup>,
S.Y. Andrean 645a,45b, A. Andreazza 668a,68b, S. Angelidakis 68, A. Angerami 639,
A.V. Anisenkov <sup>35</sup>, A. Annovi <sup>71a</sup>, C. Antel <sup>54</sup>, M.T. Anthony <sup>137</sup>, E. Antipov <sup>118</sup>,
M. Antonelli <sup>51</sup>, D.J.A. Antrim <sup>16a</sup>, F. Anulli <sup>72a</sup>, M. Aoki <sup>80</sup>, J.A. Aparisi Pozo <sup>160</sup>,
M.A. Aparo <sup>144</sup>, L. Aperio Bella <sup>46</sup>, N. Aranzabal <sup>34</sup>, V. Araujo Ferraz <sup>79a</sup>,
C. Arcangeletti <sup>51</sup>, A.T.H. Arce <sup>49</sup>, E. Arena <sup>89</sup>, J-F. Arguin <sup>10</sup>, S. Argyropoulos <sup>52</sup>,
J.-H. Arling <sup>646</sup>, A.J. Armbruster <sup>634</sup>, A. Armstrong <sup>6157</sup>, O. Arnaez <sup>6153</sup>, H. Arnold <sup>634</sup>,
Z.P. Arrubarrena Tame<sup>106</sup>, G. Artoni<sup>123</sup>, H. Asada<sup>108</sup>, K. Asai<sup>115</sup>, S. Asai<sup>151</sup>,
N.A. Asbah <sup>659</sup>, E.M. Asimakopoulou <sup>6158</sup>, L. Asquith <sup>6144</sup>, J. Assahsah <sup>633d</sup>,
K. Assamagan <sup>127</sup>, R. Astalos <sup>126a</sup>, R.J. Atkin <sup>131a</sup>, M. Atkinson <sup>159</sup>, N.B. Atlay <sup>17</sup>,
H. Atmani<sup>60b</sup>, P.A. Atmasiddha<sup>103</sup>, K. Augsten<sup>129</sup>, S. Auricchio<sup>129</sup>, V.A. Austrup<sup>168</sup>,
G. Avner ^{\bullet 148}, G. Avolio ^{\bullet 34}, M.K. Ayoub ^{\bullet 13c}, G. Azuelos ^{\bullet 105,af}, D. Babal ^{\bullet 26a},
H. Bachacou <sup>132</sup>, K. Bachas <sup>150</sup>, A. Bachiu <sup>32</sup>, F. Backman <sup>45a,45b</sup>, A. Badea <sup>59</sup>,
P. Bagnaia <sup>6</sup>72a,72b, H. Bahrasemani <sup>140</sup>, A.J. Bailey <sup>6</sup>160, V.R. Bailey <sup>6</sup>159, J.T. Baines <sup>6</sup>131,
C. Bakalis <sup>69</sup>, O.K. Baker <sup>6169</sup>, P.J. Bakker <sup>6111</sup>, E. Bakos <sup>614</sup>, D. Bakshi Gupta <sup>67</sup>,
S. Balaji \mathbb{D}^{145}, R. Balasubramanian \mathbb{D}^{111}, E.M. Baldin \mathbb{D}^{35}, P. Balek \mathbb{D}^{130}, E. Ballabene \mathbb{D}^{68a,68b},
F. Balli 132, W.K. Balunas 123, J. Balz 197, E. Banas 183, M. Bandieramonte 126,
A. Bandyopadhyay <sup>©22</sup>, S. Bansal <sup>©22</sup>, L. Barak <sup>©149</sup>, E.L. Barberio <sup>©102</sup>, D. Barberis <sup>©55b,55a</sup>,
M. Barbero <sup>99</sup>, G. Barbour <sup>93</sup>, K.N. Barends <sup>931a</sup>, T. Barillari <sup>9107</sup>, M-S. Barisits <sup>934</sup>,
J. Barkeloo <sup>120</sup>, T. Barklow <sup>141</sup>, B.M. Barnett <sup>131</sup>, R.M. Barnett <sup>16a</sup>, A. Baroncelli <sup>60a</sup>,
G. Barone <sup>27</sup>, A.J. Barr <sup>123</sup>, L. Barranco Navarro <sup>45a,45b</sup>, F. Barreiro <sup>96</sup>,
J. Barreiro Guimarães da Costa <sup>613a</sup>, U. Barron <sup>6149</sup>, S. Barsov <sup>635</sup>, F. Bartels <sup>61a</sup>,
R. Bartoldus <sup>141</sup>, G. Bartolini <sup>99</sup>, A.E. Barton <sup>88</sup>, P. Bartos <sup>26a</sup>, A. Basalaev <sup>46</sup>,
A. Basan • 97, M. Baselga • 46, I. Bashta • 74a,74b, A. Bassalat • 64,ab, M.J. Basso • 153,
C.R. Basson ^{\bullet 98}, R.L. Bates ^{\bullet 57}, S. Batlamous ^{33e}, J.R. Batley ^{\bullet 30}, B. Batool ^{\bullet 139},
```

```
M. Battaglia \mathbb{D}^{133}, M. Bauce \mathbb{D}^{72a,72b}, F. Bauer \mathbb{D}^{132,*}, P. Bauer \mathbb{D}^{22}, H.S. Bawa<sup>29</sup>, A. Bayirli \mathbb{D}^{11c},
J.B. Beacham <sup>649</sup>, T. Beau <sup>124</sup>, P.H. Beauchemin <sup>156</sup>, F. Becherer <sup>52</sup>, P. Bechtle <sup>22</sup>,
H.P. Beck ^{\bullet 18,q}, K. Becker ^{\bullet 164}, C. Becot ^{\bullet 46}, A.J. Beddall ^{\bullet 11a}, V.A. Bednyakov ^{\bullet 36},
C.P. Bee 143, T.A. Beermann 34, M. Begalli 79b, M. Begel 27, A. Behera 143, J.K. Behr 46,
C. Beirao Da Cruz E Silva <sup>634</sup>, J.F. Beirer <sup>653,34</sup>, F. Beisiegel <sup>622</sup>, M. Belfkir <sup>64</sup>, G. Bella <sup>6149</sup>,
L. Bellagamba<sup>©21b</sup>, A. Bellerive<sup>©32</sup>, P. Bellos<sup>©19</sup>, K. Beloborodov<sup>©35</sup>, K. Belotskiy<sup>©35</sup>,
N.L. Belyaev ^{\odot} 35, D. Benchekroun ^{\odot} 33a, Y. Benhammou ^{\odot} 149, D.P. Benjamin ^{\odot} 27, M. Benoit ^{\odot} 27,
J.R. Bensinger <sup>©24</sup>, S. Bentvelsen <sup>©111</sup>, L. Beresford <sup>©34</sup>, M. Beretta <sup>©51</sup>, D. Berge <sup>©17</sup>,
E. Bergeaas Kuutmann <sup>158</sup>, N. Berger <sup>4</sup>, B. Bergmann <sup>129</sup>, L.J. Bergsten <sup>24</sup>,
J. Beringer <sup>16a</sup>, S. Berlendis <sup>6</sup>, G. Bernardi <sup>124</sup>, C. Bernius <sup>141</sup>, F.U. Bernlochner <sup>22</sup>,
T. Berry 192, P. Berta 130, A. Berthold 48, I.A. Bertram 88, O. Bessidskaia Bylund 168,
S. Bethke 10, A. Betti 10, A.J. Bevan 10, S. Bhatta 10, Bhattacharya 10, B
P. Bhattarai <sup>©</sup> <sup>24</sup>, V.S. Bhopatkar <sup>©</sup> <sup>5</sup>, R. Bi<sup>126</sup>, R.M. Bianchi <sup>©</sup> <sup>126</sup>, O. Biebel <sup>©</sup> <sup>106</sup>, R. Bielski <sup>©</sup> <sup>120</sup>,
N.V. Biesuz <sup>6</sup><sup>71a,71b</sup>, M. Biglietti <sup>74a</sup>, T.R.V. Billoud <sup>129</sup>, M. Bindi <sup>53</sup>, A. Bingul <sup>11d</sup>,
C. Bini • 72a,72b, S. Biondi • 21b,21a, A. Biondini • 89, C.J. Birch-sykes • 98, G.A. Bird • 19,131,
M. Birman • 166, T. Bisanz • 34, D. Biswas • 167,k, A. Bitadze • 98, C. Bittrich • 48, K. Bjørke • 122,
I. Bloch 6, C. Blocker 24, A. Blue 57, U. Blumenschein 591, J. Blumenthal 597,
G.J. Bobbink <sup>111</sup>, V.S. Bobrovnikov <sup>35</sup>, M. Boehler <sup>52</sup>, D. Bogavac <sup>12</sup>,
A.G. Bogdanchikov <sup>©35</sup>, C. Bohm <sup>©45a</sup>, V. Boisvert <sup>©92</sup>, P. Bokan <sup>©46</sup>, T. Bold <sup>©82a</sup>,
M. Bomben • 124, M. Bona • 14, M. Boonekamp • 132, C.D. Booth • 12, A.G. Borbély • 15,
H.M. Borecka-Bielska <sup>105</sup>, L.S. Borgna <sup>93</sup>, G. Borissov <sup>88</sup>, D. Bortoletto <sup>123</sup>,
D. Boscherini <sup>21b</sup>, M. Bosman <sup>12</sup>, J.D. Bossio Sola <sup>34</sup>, K. Bouaouda <sup>33a</sup>, J. Boudreau <sup>126</sup>,
E.V. Bouhova-Thacker <sup>688</sup>, D. Boumediene <sup>538</sup>, R. Bouquet <sup>5124</sup>, A. Boveia <sup>5116</sup>, J. Boyd <sup>34</sup>,
D. Boye <sup>627</sup>, I.R. Boyko <sup>636</sup>, A.J. Bozson <sup>692</sup>, J. Bracinik <sup>619</sup>, N. Brahimi <sup>60d,60c</sup>,
G. Brandt <sup>6</sup>168, O. Brandt <sup>6</sup>30, F. Braren <sup>6</sup>46, B. Brau <sup>6</sup>100, J.E. Brau <sup>6</sup>120,
W.D. Breaden Madden<sup>57</sup>, K. Brendlinger <sup>646</sup>, R. Brener <sup>6166</sup>, L. Brenner <sup>634</sup>, R. Brenner <sup>6158</sup>,
S. Bressler <sup>166</sup>, B. Brickwedde <sup>97</sup>, D.L. Briglin <sup>19</sup>, D. Britton <sup>57</sup>, D. Britzger <sup>107</sup>,
I. Brock <sup>©</sup> <sup>22</sup>, R. Brock <sup>©</sup> <sup>104</sup>, G. Brooijmans <sup>©</sup> <sup>39</sup>, W.K. Brooks <sup>©</sup> <sup>134f</sup>, E. Brost <sup>©</sup> <sup>27</sup>,
P.A. Bruckman de Renstrom 83, B. Brüers 646, D. Bruncko 626, A. Bruni 21b, G. Bruni 21b,
M. Bruschi <sup>141</sup>, N. Bruscino <sup>72a,72b</sup>, L. Bryngemark <sup>141</sup>, T. Buanes <sup>15</sup>, Q. Buat <sup>143</sup>,
P. Buchholz <sup>139</sup>, A.G. Buckley <sup>57</sup>, I.A. Budagov <sup>36,*</sup>, M.K. Bugge <sup>122</sup>, O. Bulekov <sup>35</sup>,
B.A. Bullard <sup>659</sup>, S. Burdin <sup>89</sup>, C.D. Burgard <sup>46</sup>, A.M. Burger <sup>6118</sup>, B. Burghgrave <sup>7</sup>,
J.T.P. Burr <sup>646</sup>, C.D. Burton <sup>610</sup>, J.C. Burzynski <sup>6140</sup>, E.L. Busch <sup>639</sup>, V. Büscher <sup>697</sup>,
P.J. Bussey <sup>57</sup>, J.M. Butler <sup>23</sup>, C.M. Buttar <sup>57</sup>, J.M. Butterworth <sup>93</sup>, W. Buttinger <sup>131</sup>,
C.J. Buxo Vazquez<sup>104</sup>, A.R. Buzykaev<sup>©35</sup>, G. Cabras<sup>©21b</sup>, S. Cabrera Urbán<sup>©160</sup>,
D. Caforio 656, H. Cai 6126, V.M.M. Cairo 6141, O. Cakir 63a, N. Calace 634, P. Calafiura 616a,
G. Calderini <sup>124</sup>, P. Calfayan <sup>65</sup>, G. Callea <sup>57</sup>, L.P. Caloba <sup>79b</sup>, D. Calvet <sup>38</sup>, S. Calvet <sup>38</sup>,
T.P. Calvet <sup>699</sup>, M. Calvetti <sup>71a,71b</sup>, R. Camacho Toro <sup>124</sup>, S. Camarda <sup>34</sup>,
D. Camarero Munoz <sup>696</sup>, P. Camarri <sup>73a,73b</sup>, M.T. Camerlingo <sup>74a,74b</sup>, D. Cameron <sup>122</sup>,
C. Camincher <sup>162</sup>, M. Campanelli <sup>93</sup>, A. Camplani <sup>40</sup>, V. Canale <sup>69a,69b</sup>, A. Canesse <sup>101</sup>,
M. Cano Bret 677, J. Cantero 118, Y. Cao 159, F. Capocasa 24, M. Capua 416,41a,
A. Carbone 68a,68b, R. Cardarelli 73a, J.C.J. Cardenas 7, F. Cardillo 160, T. Carli 34,
G. Carlino 69a, B.T. Carlson 126, E.M. Carlson 162,154a, L. Carminati 68a,68b,
```

```
M. Carnesale (572a,72b), R.M.D. Carney (5141), S. Caron (5110), E. Carquin (5134f), S. Carrá (546),
G. Carratta <sup>©</sup> <sup>21b,21a</sup>, J.W.S. Carter <sup>©</sup> <sup>153</sup>, T.M. Carter <sup>©</sup> <sup>50</sup>, D. Casadei <sup>©</sup> <sup>31c</sup>, M.P. Casado <sup>©</sup> <sup>12,h</sup>,
A.F. Casha<sup>153</sup>, E.G. Castiglia <sup>169</sup>, F.L. Castillo <sup>161a</sup>, L. Castillo Garcia <sup>12</sup>,
V. Castillo Gimenez <sup>160</sup>, N.F. Castro <sup>127a,127e</sup>, A. Catinaccio <sup>34</sup>, J.R. Catmore <sup>122</sup>,
A. Cattai<sup>34</sup>, V. Cavaliere<sup>©27</sup>, N. Cavalli<sup>©21b,21a</sup>, V. Cavasinni<sup>©71a,71b</sup>, E. Celebi<sup>©11b</sup>,
F. Celli <sup>123</sup>, M.S. Centonze <sup>67a,67b</sup>, K. Cerny <sup>119</sup>, A.S. Cerqueira <sup>79a</sup>, A. Cerri <sup>144</sup>,
L. Cerrito ^{\circ}73a,73b, F. Cerutti ^{\circ}16a, A. Cervelli ^{\circ}21b, S.A. Cetin ^{\circ}11b, Z. Chadi ^{\circ}33a,
D. Chakraborty <sup>112</sup>, M. Chala <sup>127f</sup>, J. Chan <sup>167</sup>, W.S. Chan <sup>111</sup>, W.Y. Chan <sup>89</sup>,
J.D. Chapman <sup>©30</sup>, B. Chargeishvili <sup>©147b</sup>, D.G. Charlton <sup>©19</sup>, T.P. Charman <sup>©91</sup>,
M. Chatterjee <sup>18</sup>, S. Chekanov <sup>5</sup>, S.V. Chekulaev <sup>154a</sup>, G.A. Chelkov <sup>36,a</sup>, A. Chen <sup>103</sup>,
B. Chen ^{6149}, B. Chen ^{6162}, C. Chen ^{60a}, C.H. Chen ^{678}, H. Chen ^{613c}, H. Chen ^{627},
J. Chen ^{60c}, J. Chen ^{624}, S. Chen ^{6125}, S.J. Chen ^{613c}, X. Chen ^{60c}, X. Chen ^{613b,ae},
Y. Chen 60a, Y-H. Chen 646, C.L. Cheng 6167, H.C. Cheng 62a, A. Cheplakov 636,
E. Cheremushkina <sup>6</sup>46, E. Cherepanova <sup>6</sup>36, R. Cherkaoui El Moursli <sup>6</sup>33e, E. Cheu <sup>6</sup>6,
K. Cheung 63, L. Chevalier 122, V. Chiarella 51, G. Chiarelli 71a, G. Chiodini 67a,
A.S. Chisholm^{\odot 19}, A. Chitan^{\odot 25b}, Y.H. Chiu^{\odot 162}, M.V. Chizhov^{\odot 36,r}, K. Choi^{\odot 10},
A.R. Chomont <sup>6</sup>72a,72b, Y. Chou <sup>6</sup>100, E.Y.S. Chow <sup>6</sup>111, T. Chowdhury <sup>6</sup>31f,
L.D. Christopher <sup>131</sup>f, M.C. Chu <sup>62a</sup>, X. Chu <sup>13a,13d</sup>, J. Chudoba <sup>128</sup>, J.J. Chwastowski <sup>83</sup>,
D. Cieri • 107, K.M. Ciesla • 83, V. Cindro • 90, I.A. Cioară • 25b, A. Ciocio • 16a,
F. Cirotto 69a,69b, Z.H. Citron 166l, M. Citterio 68a, D.A. Ciubotaru<sup>25b</sup>, B.M. Ciungu 153,
A. Clark <sup>54</sup>, P.J. Clark <sup>50</sup>, J.M. Clavijo Columbie <sup>46</sup>, S.E. Clawson <sup>98</sup>, C. Clement <sup>45a,45b</sup>,
L. Clissa 21b,21a, Y. Coadou 99, M. Cobal 66a,66c, A. Coccaro 55b, J. Cochran,
R.F. Coelho Barrue <sup>127a</sup>, R. Coelho Lopes De Sa <sup>100</sup>, S. Coelli <sup>68a</sup>, H. Cohen <sup>149</sup>,
A.E.C. Coimbra <sup>34</sup>, B. Cole <sup>39</sup>, J. Collot <sup>58</sup>, P. Conde Muiño <sup>127a,127h</sup>, S.H. Connell <sup>31c</sup>,
I.A. Connelly <sup>57</sup>, E.I. Conroy <sup>123</sup>, F. Conventi <sup>69a,ag</sup>, H.G. Cooke <sup>19</sup>,
A.M. Cooper-Sarkar <sup>123</sup>, F. Cormier <sup>161</sup>, L.D. Corpe <sup>34</sup>, M. Corradi <sup>72a,72b</sup>,
E.E. Corrigan 695, F. Corriveau 6101, M.J. Costa 6160, F. Costanza 64, D. Costanzo 6137,
B.M. Cote 6 116, G. Cowan 92, J.W. Cowley 6 30, K. Cranmer 1 14, S. Crépé-Renaudin 5 8,
F. Crescioli <sup>124</sup>, M. Cristinziani <sup>139</sup>, M. Cristoforetti <sup>575a,75b,c</sup>, V. Croft <sup>156</sup>,
G. Crosetti <sup>1</sup>0<sup>41b,41a</sup>, A. Cueto <sup>1</sup>3<sup>4</sup>, T. Cuhadar Donszelmann <sup>1</sup>5<sup>7</sup>, H. Cui <sup>1</sup>3<sup>a,13d</sup>,
A.R. Cukierman<sup>141</sup>, W.R. Cunningham<sup>57</sup>, F. Curcio<sup>41b,41a</sup>, P. Czodrowski<sup>34</sup>,
M.M. Czurylo 61b, M.J. Da Cunha Sargedas De Sousa 660a, J.V. Da Fonseca Pinto 79b,
C. Da Via 698, W. Dabrowski 82a, T. Dado 47, S. Dahbi 31f, T. Dai 10103,
C. Dallapiccola <sup>100</sup>, M. Dam <sup>40</sup>, G. D'amen <sup>27</sup>, V. D'Amico <sup>74a,74b</sup>, J. Damp <sup>97</sup>,
J.R. Dandoy <sup>125</sup>, M.F. Daneri <sup>28</sup>, M. Danninger <sup>140</sup>, V. Dao <sup>34</sup>, G. Darbo <sup>55b</sup>,
S. Darmora <sup>5</sup>, A. Dattagupta <sup>120</sup>, S. D'Auria <sup>68a,68b</sup>, C. David <sup>154b</sup>, T. Davidek <sup>130</sup>,
D.R. Davis • 49, B. Davis-Purcell • 32, I. Dawson • 91, K. De • 7, R. De Asmundis • 69a,
M. De Beurs <sup>111</sup>, S. De Castro <sup>21b,21a</sup>, N. De Groot <sup>110</sup>, P. de Jong <sup>111</sup>, H. De la Torre <sup>104</sup>,
A. De Maria \mathbb{D}^{13c}, D. De Pedis \mathbb{D}^{72a}, A. De Salvo \mathbb{D}^{72a}, U. De Sanctis \mathbb{D}^{73a,73b},
M. De Santis <sup>6</sup>73a,73b, A. De Santo <sup>6</sup>144, J.B. De Vivie De Regie <sup>6</sup>58, D.V. Dedovich <sup>36</sup>,
J. Degens 0<sup>111</sup>, A.M. Deiana 0<sup>42</sup>, J. Del Peso 0<sup>96</sup>, Y. Delabat Diaz 0<sup>46</sup>, F. Deliot 0<sup>132</sup>,
C.M. Delitzsch 6, M. Della Pietra 6, D. Della Volpe 54, A. Dell'Acqua 34,
L. Dell'Asta 686, M. Delmastro 4, P.A. Delsart 58, S. Demers 169, M. Demichev 36,
```

```
S.P. Denisov \mathbb{D}^{35}, L. D'Eramo \mathbb{D}^{112}, D. Derendarz \mathbb{D}^{83}, J.E. Derkaoui \mathbb{D}^{33d}, F. Derue \mathbb{D}^{124},
P. Dervan <sup>689</sup>, K. Desch <sup>622</sup>, K. Dette <sup>6153</sup>, C. Deutsch <sup>622</sup>, P.O. Deviveiros <sup>634</sup>,
F.A. Di Bello^{6}72a,72b, A. Di Ciaccio^{6}73a,73b, L. Di Ciaccio^{6}4, A. Di Domenico^{6}72a,72b,
C. Di Donato 69a,69b, A. Di Girolamo 534, G. Di Gregorio 71a,71b, A. Di Luca 75a,75b,
B. Di Micco <sup>674a,74b</sup>, R. Di Nardo <sup>674a,74b</sup>, C. Diaconu <sup>699</sup>, F.A. Dias <sup>6111</sup>, T. Dias Do Vale <sup>6127a</sup>,
M.A. Diaz ^{\bullet} 134a,134b, F.G. Diaz Capriles ^{\bullet} 22, J. Dickinson ^{\bullet} 16a, M. Didenko ^{\bullet} 160,
E.B. Diehl <sup>103</sup>, J. Dietrich <sup>17</sup>, S. Díez Cornell <sup>46</sup>, C. Diez Pardos <sup>139</sup>, A. Dimitrievska <sup>16a</sup>,
W. Ding b<sup>13b</sup>, J. Dingfelder b<sup>22</sup>, I-M. Dinu b<sup>25b</sup>, S.J. Dittmeier b<sup>61b</sup>, F. Dittus b<sup>34</sup>,
F. Djama<sup>199</sup>, T. Djobava<sup>147b</sup>, J.I. Djuvsland<sup>15</sup>, M.A.B. Do Vale<sup>135</sup>, D. Dodsworth<sup>24</sup>,
C. Doglioni <sup>695</sup>, J. Dolejsi <sup>6130</sup>, Z. Dolezal <sup>6130</sup>, M. Donadelli <sup>679c</sup>, B. Dong <sup>60c</sup>, J. Donini <sup>638</sup>,
A. D'Onofrio 13c, M. D'Onofrio 89, J. Dopke 131, A. Doria 69a, M.T. Dova 87,
A.T. Doyle 57, E. Drechsler 140, E. Dreyer 140, T. Dreyer 53, A.S. Drobac 156, D. Du 60a,
T.A. du Pree 111, F. Dubinin 35, M. Dubovsky 26a, A. Dubreuil 54, E. Duchovni 166,
G. Duckeck <sup>106</sup>, O.A. Ducu <sup>34,25b</sup>, D. Duda <sup>107</sup>, A. Dudarev <sup>34</sup>, M. D'uffizi <sup>98</sup>,
L. Duflot 64, M. Dührssen 34, C. Dülsen 168, A.E. Dumitriu 25b, M. Dunford 61a,
S. Dungs <sup>647</sup>, K. Dunne <sup>645a,45b</sup>, A. Duperrin <sup>699</sup>, H. Duran Yildiz <sup>63a</sup>, M. Düren <sup>656</sup>,
A. Durglishvili <sup>147b</sup>, B. Dutta <sup>46</sup>, B.L. Dwyer <sup>112</sup>, G.I. Dyckes <sup>16a</sup>, M. Dyndal <sup>82a</sup>,
S. Dysch 698, B.S. Dziedzic 83, B. Eckerova 626a, M.G. Eggleston 49,
E. Egidio Purcino De Souza<sup>©</sup><sup>79b</sup>, L.F. Ehrke<sup>©</sup><sup>54</sup>, T. Eifert<sup>©</sup><sup>7</sup>, G. Eigen<sup>©</sup><sup>15</sup>, K. Einsweiler<sup>©</sup><sup>16a</sup>,
T. Ekelof <sup>158</sup>, Y. El Ghazali <sup>33b</sup>, H. El Jarrari <sup>33e</sup>, A. El Moussaouy <sup>33a</sup>, V. Ellajosyula <sup>158</sup>,
M. Ellert <sup>158</sup>, F. Ellinghaus <sup>168</sup>, A.A. Elliot <sup>91</sup>, N. Ellis <sup>34</sup>, J. Elmsheuser <sup>27</sup>, M. Elsing <sup>34</sup>,
D. Emeliyanov ^{\bullet 131}, A. Emerman ^{\bullet 39}, Y. Enari ^{\bullet 151}, J. Erdmann ^{\bullet 47}, A. Ereditato ^{\bullet 18},
P.A. Erland <sup>683</sup>, M. Errenst <sup>6168</sup>, M. Escalier <sup>64</sup>, C. Escobar <sup>6160</sup>, O. Estrada Pastor <sup>6160</sup>,
E. Etzion 149, G. Evans 127a, H. Evans 65, M.O. Evans 144, A. Ezhilov 35, F. Fabbri 57,
L. Fabbri ^{0}2^{1b,21a}, G. Facini ^{0}1^{64}, V. Fadeyev ^{0}1^{33}, R.M. Fakhrutdinov ^{0}3^{5}, S. Falciano ^{0}7^{2a},
P.J. Falke <sup>22</sup>, S. Falke <sup>34</sup>, J. Faltova <sup>130</sup>, Y. Fan <sup>13a</sup>, Y. Fang <sup>13a</sup>, G. Fanourakis <sup>44</sup>,
M. Fanti 68a,68b, M. Faraj 60c, A. Farbin 67, A. Farilla 674a, E.M. Farina 670a,70b,
T. Faroque 104, S.M. Farrington 50, P. Farthouat 34, F. Fassi 33e, D. Fassouliotis 8,
M. Faucci Giannelli <sup>673a,73b</sup>, W.J. Fawcett <sup>630</sup>, L. Fayard <sup>64</sup>, O.L. Fedin <sup>635,a</sup>, M. Feickert <sup>6159</sup>,
L. Feligioni <sup>99</sup>, A. Fell <sup>137</sup>, C. Feng <sup>60b</sup>, M. Feng <sup>13b</sup>, M.J. Fenton <sup>157</sup>, A.B. Fenyuk <sup>35</sup>,
S.W. Ferguson <sup>643</sup>, J. Ferrando <sup>646</sup>, A. Ferrari <sup>6158</sup>, P. Ferrari <sup>6111</sup>, R. Ferrari <sup>670a</sup>,
D. Ferrere <sup>654</sup>, C. Ferretti <sup>6103</sup>, F. Fiedler <sup>697</sup>, A. Filipčič <sup>690</sup>, F. Filthaut <sup>6110</sup>,
M.C.N. Fiolhais <sup>127a,127c,b</sup>, L. Fiorini <sup>160</sup>, F. Fischer <sup>139</sup>, W.C. Fisher <sup>1014</sup>, T. Fitschen <sup>19</sup>,
I. Fleck 139, P. Fleischmann 1013, T. Flick 1616, B.M. Flier 1016, L. Flores 125, M. Flores 131d,
L.R. Flores Castillo 62a, F.M. Follega 75a,75b, N. Fomin 15, J.H. Foo 15, B.C. Forland 5,
A. Formica <sup>132</sup>, F.A. Förster <sup>12</sup>, A.C. Forti <sup>98</sup>, E. Fortin <sup>99</sup>, M.G. Foti <sup>123</sup>, L. Fountas <sup>8</sup>,
D. Fournier <sup>64</sup>, H. Fox <sup>88</sup>, P. Francavilla <sup>71a,71b</sup>, S. Francescato <sup>59</sup>, M. Franchini <sup>21b,21a</sup>,
S. Franchino 61a, D. Francis 4, L. Franco 4, L. Franconi 18, M. Franklin 59,
G. Frattari <sup>©</sup><sup>72a,72b</sup>, A.C. Freegard <sup>©</sup><sup>91</sup>, P.M. Freeman<sup>19</sup>, W.S. Freund <sup>©</sup><sup>79b</sup>, E.M. Freundlich <sup>©</sup><sup>47</sup>,
D. Froidevaux <sup>134</sup>, J.A. Frost <sup>123</sup>, Y. Fu <sup>160</sup> M. Fujimoto <sup>115</sup>, E. Fullana Torregrosa <sup>160</sup>, *,
J. Fuster 160, A. Gabrielli 21b,21a, A. Gabrielli 34, P. Gadow 46, G. Gagliardi 55b,55a,
L.G. Gagnon <sup>16a</sup>, G.E. Gallardo <sup>123</sup>, E.J. Gallas <sup>123</sup>, B.J. Gallop <sup>131</sup>, R. Gamboa Goni <sup>191</sup>,
K.K. Gan_{\bullet}^{\bullet 116}, S. Ganguly_{\bullet}^{\bullet 151}, J. Gao_{\bullet}^{\bullet 60a}, Y. Gao_{\bullet}^{\bullet 50}, Y.S. Gao_{\bullet}^{\bullet 29,n},
```

```
F.M. Garay Walls <sup>134a</sup>, C. García <sup>160</sup>, J.E. García Navarro <sup>160</sup>, J.A. García Pascual <sup>13a</sup>,
M. Garcia-Sciveres <sup>16a</sup>, R.W. Gardner <sup>37</sup>, D. Garg <sup>77</sup>, R.B. Garg <sup>141</sup>, S. Gargiulo <sup>52</sup>,
C.A. Garner<sup>153</sup>, V. Garonne<sup>122</sup>, S.J. Gasiorowski<sup>136</sup>, P. Gaspar<sup>136</sup>, G. Gaudio<sup>136</sup>,
P. Gauzzi \mathbb{D}^{72a,72b}, I.L. Gavrilenko \mathbb{D}^{35}, A. Gavrilyuk \mathbb{D}^{35}, C. Gay \mathbb{D}^{161}, G. Gaycken \mathbb{D}^{46},
E.N. Gazis <sup>69</sup>, A.A. Geanta <sup>625b</sup>, C.M. Gee <sup>6133</sup>, C.N.P. Gee <sup>6131</sup>, J. Geisen <sup>695</sup>, M. Geisen <sup>697</sup>,
C. Gemme <sup>55b</sup>, M.H. Genest <sup>58</sup>, S. Gentile <sup>72a,72b</sup>, S. George <sup>92</sup>, W.F. George <sup>19</sup>,
T. Geralis <sup>64</sup>, L.O. Gerlach<sup>53</sup>, P. Gessinger-Befurt <sup>63</sup>, M. Ghasemi Bostanabad <sup>616</sup>,
M. Ghneimat <sup>139</sup>, A. Ghosh <sup>157</sup>, A. Ghosh <sup>17</sup>, B. Giacobbe <sup>21b</sup>, S. Giagu <sup>72a,72b</sup>,
N. Giangiacomi <sup>153</sup>, P. Giannetti <sup>71a</sup>, A. Giannini <sup>69a,69b</sup>, S.M. Gibson <sup>92</sup>, M. Gignac <sup>133</sup>,
D.T. Gil •82b, B.J. Gilbert •39, D. Gillberg •32, G. Gilles •111, N.E.K. Gillwald •46,
D.M. Gingrich 2, af, M.P. Giordani 66a, 66c, P.F. Giraud 132, G. Giugliarelli 66a, 66c,
D. Giugni 68a, F. Giuli 73a,73b, I. Gkialas 8,i, P. Gkountoumis 9, L.K. Gladilin 53,
C. Glasman <sup>696</sup>, G.R. Gledhill <sup>6120</sup>, M. Glisic <sup>120</sup>, I. Gnesi <sup>641b,e</sup>, M. Goblirsch-Kolb <sup>624</sup>,
D. Godin<sup>105</sup>, S. Goldfarb<sup>102</sup>, T. Golling<sup>105</sup>, D. Golubkov<sup>1035</sup>, J.P. Gombas<sup>104</sup>,
A. Gomes \mathbb{D}^{127a,127b}, R. Goncalves Gama \mathbb{D}^{53}, R. Gonçalo \mathbb{D}^{127a,127c}, G. Gonella \mathbb{D}^{120},
L. Gonella 19, A. Gongadze 36, F. Gonnella 19, J.L. Gonski 39, S. González de la Hoz 160,
S. Gonzalez Fernandez <sup>12</sup>, R. Gonzalez Lopez <sup>89</sup>, C. Gonzalez Renteria <sup>16a</sup>,
R. Gonzalez Suarez <sup>158</sup>, S. Gonzalez-Sevilla <sup>54</sup>, G.R. Gonzalvo Rodriguez <sup>160</sup>,
R.Y. González Andana <sup>134a</sup>, L. Goossens <sup>34</sup>, N.A. Gorasia <sup>19</sup>, P.A. Gorbounov <sup>35</sup>,
B. Gorini 634, E. Gorini 667a,67b, A. Gorišek 690, A.T. Goshaw 649, M.I. Gostkin 636,
C.A. Gottardo <sup>110</sup>, M. Gouighri <sup>33b</sup>, V. Goumarre <sup>46</sup>, A.G. Goussiou <sup>136</sup>, N. Govender <sup>31c</sup>,
C. Goy 64, I. Grabowska-Bold 82a, K. Graham 32, E. Gramstad 122, S. Grancagnolo 17,
M. Grandi <sup>144</sup>, V. Gratchev<sup>35,*</sup>, P.M. Gravila <sup>25f</sup>, F.G. Gravili <sup>67a,67b</sup>, H.M. Grav <sup>16a</sup>,
C. Grefe <sup>©22</sup>, I.M. Gregor <sup>©46</sup>, P. Grenier <sup>©141</sup>, K. Grevtsov <sup>©46</sup>, C. Grieco <sup>©12</sup>, N.A. Grieser <sup>117</sup>,
A.A. Grillo <sup>133</sup>, K. Grimm <sup>29,m</sup>, S. Grinstein <sup>12,t</sup>, J.-F. Grivaz <sup>64</sup>, S. Groh <sup>97</sup>,
E. Gross • 166, J. Grosse-Knetter • 53, C. Grud 103, A. Grummer • 109, J.C. Grundy • 123,
L. Guan<sup>10103</sup>, W. Guan<sup>10167</sup>, C. Gubbels<sup>10161</sup>, J. Guenther<sup>1034</sup>, J.G.R. Guerrero Rojas<sup>10160</sup>,
F. Guescini \mathbb{D}^{107}, R. Gugel \mathbb{D}^{97}, A. Guida \mathbb{D}^{46}, T. Guillemin \mathbb{D}^4, S. Guindon \mathbb{D}^{34}, J. Guo \mathbb{D}^{60c},
L. Guo 64, Y. Guo 103, R. Gupta 46, S. Gurbuz 22, G. Gustavino 117, M. Guth 54,
P. Gutierrez D<sup>117</sup>, L.F. Gutierrez Zagazeta D<sup>125</sup>, C. Gutschow D<sup>93</sup>, C. Guyot D<sup>132</sup>,
C. Gwenlan 6 123, C.B. Gwilliam 89, E.S. Haaland 6 122, A. Haas 6 114, M. Habedank 6 46,
C. Haber 616a, H.K. Hadavand 7, A. Hadef 97, S. Hadzic 1107, M. Haleem 113, J. Haley 118,
J.J. Hall<sup>137</sup>, G. Halladjian<sup>104</sup>, G.D. Hallewell<sup>99</sup>, L. Halser<sup>18</sup>, K. Hamano<sup>162</sup>,
H. Hamdaoui^{\bullet 33e}, M. Hamer^{\bullet 22}, G.N. Hamity^{\bullet 50}, K. Han^{\bullet 60a}, L. Han^{\bullet 13c}, L. Han^{\bullet 60a},
S. Han 616a, Y.F. Han 153, K. Hanagaki 80, M. Hance 133, M.D. Hank 37, R. Hankache 98,
E. Hansen • J.B. Hansen • J.D. Hansen • M.C. Hansen • P.H. Hansen • P.H.
K. Hara <sup>155</sup>, T. Harenberg <sup>168</sup>, S. Harkusha <sup>53</sup>, Y.T. Harris <sup>123</sup>, P.F. Harrison <sup>164</sup>,
N.M. Hartman <sup>141</sup>, N.M. Hartmann <sup>106</sup>, Y. Hasegawa <sup>138</sup>, A. Hasib <sup>50</sup>, S. Hassani <sup>132</sup>,
S. Haug <sup>18</sup>, R. Hauser <sup>104</sup>, M. Havranek <sup>129</sup>, C.M. Hawkes <sup>19</sup>, R.J. Hawkings <sup>134</sup>,
S. Hayashida <sup>108</sup>, D. Hayden <sup>104</sup>, C. Hayes <sup>103</sup>, R.L. Hayes <sup>161</sup>, C.P. Hays <sup>123</sup>,
J.M. Hays <sup>69</sup>, H.S. Hayward <sup>89</sup>, S.J. Haywood <sup>131</sup>, F. He <sup>60</sup>, Y. He <sup>152</sup>, Y. He <sup>124</sup>,
M.P. Heath <sup>50</sup>, V. Hedberg <sup>95</sup>, A.L. Heggelund <sup>122</sup>, N.D. Hehir <sup>91</sup>, C. Heidegger <sup>52</sup>,
K.K. Heidegger <sup>©</sup> <sup>52</sup>, W.D. Heidorn <sup>©</sup> <sup>78</sup>, J. Heilman <sup>©</sup> <sup>32</sup>, S. Heim <sup>©</sup> <sup>46</sup>, T. Heim <sup>©</sup> <sup>16a</sup>,
```

```
B. Heinemann 0^{46,ac}, J.G. Heinlein 0^{125}, J.J. Heinrich 0^{120}, L. Heinrich 0^{34}, J. Hejbal 0^{128},
L. Helary 646, A. Held 114, S. Hellesund 122, C.M. Helling 133, S. Hellman 45a,45b,
C. Helsens <sup>634</sup>, R.C.W. Henderson <sup>88</sup>, L. Henkelmann <sup>630</sup>, A.M. Henriques Correia <sup>34</sup>,
H. Herde <sup>141</sup>, Y. Hernández Jiménez <sup>143</sup>, H. Herr<sup>97</sup>, M.G. Herrmann <sup>106</sup>, T. Herrmann <sup>148</sup>,
G. Herten <sup>6</sup> <sup>52</sup>, R. Hertenberger <sup>6</sup> <sup>106</sup>, L. Hervas <sup>6</sup> <sup>34</sup>, N.P. Hessey <sup>6</sup> <sup>154a</sup>, H. Hibi <sup>81</sup>,
S. Higashino <sup>680</sup>, E. Higón-Rodriguez <sup>6160</sup>, K.H. Hiller <sup>46</sup>, S.J. Hillier <sup>619</sup>, M. Hils <sup>48</sup>,
I. Hinchliffe 616a, F. Hinterkeuser 622, M. Hirose 6121, S. Hirose 6155, D. Hirschbuehl 6168,
B. Hiti 690, O. Hladik 128, J. Hobbs 6143, R. Hobincu 625e, N. Hod 6166, M.C. Hodgkinson 6137,
B.H. Hodkinson <sup>30</sup>, A. Hoecker <sup>34</sup>, J. Hofer <sup>46</sup>, D. Hohn <sup>52</sup>, T. Holm <sup>22</sup>, T.R. Holmes <sup>37</sup>,
M. Holzbock <sup>107</sup>, L.B.A.H. Hommels <sup>130</sup>, B.P. Honan <sup>198</sup>, J. Hong <sup>1060c</sup>, T.M. Hong <sup>126</sup>,
Y. Hong <sup>53</sup>, J.C. Honig <sup>52</sup>, A. Hönle <sup>107</sup>, B.H. Hooberman <sup>159</sup>, W.H. Hopkins <sup>5</sup>,
Y. Horii <sup>108</sup>, L.A. Horyn <sup>137</sup>, S. Hou <sup>146</sup>, J. Howarth <sup>157</sup>, J. Hoya <sup>187</sup>, M. Hrabovsky <sup>119</sup>,
A. Hrynevich <sup>35</sup>, T. Hryn'ova <sup>4</sup>, P.J. Hsu <sup>63</sup>, S.-C. Hsu <sup>136</sup>, Q. Hu <sup>39</sup>, S. Hu <sup>60c</sup>,
Y.F. Hu<sup>1</sup><sup>13a,13d,ah</sup>, D.P. Huang<sup>1</sup><sup>93</sup>, X. Huang<sup>1</sup><sup>13c</sup>, Y. Huang<sup>1</sup><sup>60a</sup>, Y. Huang<sup>1</sup><sup>13a</sup>,
Z. Hubacek <sup>129</sup>, F. Hubaut <sup>99</sup>, M. Huebner <sup>22</sup>, F. Huegging <sup>22</sup>, T.B. Huffman <sup>123</sup>,
M. Huhtinen 0^{34}, S.K. Huiberts 0^{15}, R. Hulsken 0^{58}, N. Huseynov 0^{36,x}, J. Huston 0^{104},
J. Huth 659, R. Hyneman 6141, S. Hyrych 626a, G. Iacobucci 654, G. Iakovidis 27,
I. Ibragimov 139, L. Iconomidou-Fayard 64, P. Iengo 34, R. Iguchi 151, T. Iizawa 554,
Y. Ikegami <sup>6</sup>80, A. Ilg <sup>6</sup>18, N. Ilic <sup>6</sup>153, H. Imam <sup>6</sup>33a, T. Ingebretsen Carlson <sup>6</sup>45a,45b,
G. Introzzi • <sup>70a,70b</sup>, M. Iodice • <sup>74a</sup>, V. Ippolito • <sup>72a,72b</sup>, M. Ishino • <sup>151</sup>, W. Islam • <sup>167</sup>,
C. Issever 17,46, S. Istin 11c,ai, J.M. Iturbe Ponce 162a, R. Iuppa 75a,75b, A. Ivina 166,
J.M. Izen<sup>643</sup>, V. Izzo<sup>669a</sup>, P. Jacka<sup>6128</sup>, P. Jackson<sup>61</sup>, R.M. Jacobs<sup>646</sup>, B.P. Jaeger<sup>140</sup>,
C.S. Jagfeld <sup>106</sup>, G. Jäkel <sup>168</sup>, K. Jakobs <sup>152</sup>, T. Jakoubek <sup>166</sup>, J. Jamieson <sup>157</sup>,
K.W. Janas <sup>682a</sup>, G. Jarlskog <sup>95</sup>, A.E. Jaspan <sup>89</sup>, N. Javadov <sup>36,x</sup>, T. Javůrek <sup>34</sup>,
M. Javurkova ^{0100}, F. Jeanneau ^{0132}, L. Jeanty ^{0120}, J. Jejelava ^{0147a,y}, P. Jenni ^{052,f},
S. Jézéquel <sup>64</sup>, J. Jia <sup>6143</sup>, Z. Jia <sup>613c</sup>, Y. Jiang <sup>60a</sup>, S. Jiggins <sup>650</sup>, J. Jimenez Pena <sup>6107</sup>,
S. Jin 6 13c, A. Jinaru 6 25b, O. Jinnouchi 6 152, H. Jivan 6 31f, P. Johansson 6 137, K.A. Johns 6,
C.A. Johnson 65, D.M. Jones 530, E. Jones 164, R.W.L. Jones 88, T.J. Jones 89,
J. Jovicevic <sup>14</sup>, X. Ju <sup>16a</sup>, J.J. Junggeburth <sup>34</sup>, A. Juste Rozas <sup>12,t</sup>, S. Kabana <sup>134e</sup>,
A. Kaczmarska 683, M. Kado 672a,72b, H. Kagan 6116, M. Kagan 1141, A. Kahn 49, A. Kahn 125,
C. Kahra <sup>1</sup>
<sup>97</sup>, T. Kaji <sup>165</sup>, E. Kajomovitz <sup>148</sup>, C.W. Kalderon <sup>27</sup>, A. Kamenshchikov <sup>35</sup>,
M. Kaneda 151, N.J. Kang 133, S. Kang 78, Y. Kano 108, D. Kar 131, K. Karava 123,
M.J. Kareem <sup>154b</sup>, I. Karkanias <sup>150</sup>, S.N. Karpov <sup>36</sup>, Z.M. Karpova <sup>36</sup>, V. Kartvelishvili <sup>88</sup>,
A.N. Karyukhin <sup>35</sup>, E. Kasimi <sup>150</sup>, C. Kato <sup>60d</sup>, J. Katzy <sup>646</sup>, K. Kawade <sup>138</sup>,
K. Kawagoe 6, T. Kawaguchi 10, T. Kawamoto 13, G. Kawamura, E.F. Kay 16,
F.I. Kaya • 156, S. Kazakos • 12, V.F. Kazanin • 35, Y. Ke • 143, J.M. Keaveney • 31a,
R. Keeler • 162, J.S. Keller • 32, D. Kelsey • 144, J.J. Kempster • 19, J. Kendrick • 19,
K.E. Kennedy <sup>39</sup>, O. Kepka <sup>128</sup>, S. Kersten <sup>168</sup>, B.P. Kerševan <sup>90</sup>,
S. Ketabchi Haghighat <sup>153</sup>, M. Khandoga <sup>124</sup>, A. Khanov <sup>118</sup>, A.G. Kharlamov <sup>35</sup>,
T. Kharlamova <sup>35</sup>, E.E. Khoda <sup>136</sup>, T.J. Khoo <sup>17</sup>, G. Khoriauli <sup>163</sup>, J. Khubua <sup>147b</sup>,
S. Kido • 81, M. Kiehn • 34, A. Kilgallon • 120, E. Kim • 152, Y.K. Kim • 37, N. Kimura • 93,
A. Kirchhoff<sup>©</sup><sup>53</sup>, D. Kirchmeier <sup>©</sup><sup>48</sup>, C. Kirfel <sup>©</sup><sup>22</sup>, J. Kirk <sup>©</sup><sup>131</sup>, A.E. Kiryunin <sup>©</sup><sup>107</sup>,
T. Kishimoto <sup>151</sup>, D.P. Kisliuk<sup>153</sup>, C. Kitsaki <sup>9</sup>, O. Kivernyk <sup>22</sup>,
```

```
T. Klapdor-Kleingrothaus <sup>52</sup>, M. Klassen <sup>61a</sup>, C. Klein <sup>32</sup>, L. Klein <sup>163</sup>, M.H. Klein <sup>103</sup>,
M. Klein <sup>689</sup>, U. Klein <sup>689</sup>, P. Klimek <sup>634</sup>, A. Klimentov <sup>627</sup>, F. Klimpel <sup>6107</sup>, T. Klingl <sup>622</sup>,
T. Klioutchnikova ^{\circ} <sup>34</sup>, F.F. Klitzner ^{\circ} <sup>106</sup>, P. Kluit ^{\circ} <sup>111</sup>, S. Kluth ^{\circ} <sup>107</sup>, E. Kneringer ^{\circ} <sup>76</sup>,
T.M. Knight <sup>153</sup>, A. Knue <sup>52</sup>, D. Kobayashi <sup>86</sup>, R. Kobayashi <sup>84</sup>, M. Kobel <sup>48</sup>,
M. Kocian • 141, T. Kodama 151, P. Kodyš • 130, D.M. Koeck • 144, P.T. Koenig • 22, T. Koffas • 32,
N.M. Köhler <sup>634</sup>, M. Kolb <sup>6132</sup>, I. Koletsou <sup>64</sup>, T. Komarek <sup>6119</sup>, K. Köneke <sup>52</sup>,
A.X.Y. Kong <sup>1</sup>, T. Kono <sup>115</sup>, V. Konstantinides <sup>93</sup>, N. Konstantinidis <sup>93</sup>, B. Konya <sup>95</sup>,
R. Kopeliansky 65, S. Koperny 82a, K. Korcyl 83, K. Kordas 150, G. Koren 149, A. Korn 93,
S. Korn<sup>©53</sup>, I. Korolkov<sup>©12</sup>, E.V. Korolkova<sup>137</sup>, N. Korotkova<sup>©35</sup>, B. Kortman<sup>©111</sup>,
O. Kortner <sup>10</sup> O. Kortner <sup>10</sup> V. W. H. Kostecka <sup>11</sup> V.V. Kostyukhin <sup>139,35</sup>,
A. Kotsokechagia 64, A. Kotwal 49, A. Koulouris 534, A. Kourkoumeli-Charalampidi 70a,70b,
C. Kourkoumelis • 8, E. Kourlitis • 7, O. Kovanda • 144, R. Kowalewski • 162, W. Kozanecki • 132,
A.S. Kozhin <sup>6</sup><sup>35</sup>, V.A. Kramarenko <sup>6</sup><sup>35</sup>, G. Kramberger <sup>6</sup><sup>90</sup>, P. Kramer <sup>6</sup><sup>97</sup>,
D. Krasnopevtsev 60a, M.W. Krasny 6124, A. Krasznahorkay 634, J.A. Kremer 697,
J. Kretzschmar<sup>689</sup>, K. Kreul<sup>617</sup>, P. Krieger<sup>6153</sup>, F. Krieter<sup>6106</sup>, S. Krishnamurthy<sup>6100</sup>,
A. Krishnan 61b, M. Krivos 130, K. Krizka 16a, K. Kroeninger 47, H. Kroha 17a,
J. Kroll<sup>128</sup>, J. Kroll<sup>125</sup>, K.S. Krowpman<sup>104</sup>, U. Kruchonak<sup>136</sup>, H. Krüger<sup>122</sup>,
N. Krumnack<sup>78</sup>, M.C. Kruse<sup>649</sup>, J.A. Krzysiak<sup>683</sup>, A. Kubota<sup>6152</sup>, O. Kuchinskaia<sup>635</sup>,
S. Kuday <sup>6</sup> <sup>3a</sup>, D. Kuechler <sup>6</sup> <sup>46</sup>, J.T. Kuechler <sup>6</sup> <sup>46</sup>, S. Kuehn <sup>6</sup> <sup>34</sup>, T. Kuhl <sup>6</sup> <sup>46</sup>, V. Kukhtin <sup>6</sup> <sup>36</sup>,
Y. Kulchitsky 0^{35,a}, S. Kuleshov 0^{134d}, M. Kumar 0^{31f}, N. Kumari 0^{99}, M. Kuna 0^{58},
A. Kupco<sup>128</sup>, T. Kupfer<sup>47</sup>, O. Kuprash<sup>52</sup>, H. Kurashige<sup>81</sup>, L.L. Kurchaninov<sup>154a</sup>,
Y.A. Kurochkin <sup>35</sup>, A. Kurova <sup>35</sup>, M.G. Kurth <sup>13a,13d</sup>, E.S. Kuwertz <sup>34</sup>, M. Kuze <sup>152</sup>,
A.K. Kvam <sup>136</sup>, J. Kvita <sup>119</sup>, T. Kwan <sup>1010</sup>, K.W. Kwok <sup>162a</sup>, C. Lacasta <sup>160</sup>,
F. Lacava • <sup>72a,72b</sup>, H. Lacker • <sup>17</sup>, D. Lacour • <sup>124</sup>, N.N. Lad • <sup>93</sup>, E. Ladygin • <sup>36</sup>, R. Lafaye • <sup>4</sup>,
B. Laforge • 124, T. Lagouri • 134e, S. Lai • 53, I.K. Lakomiec • 82a, N. Lalloue • 58,
J.E. Lambert <sup>117</sup>, S. Lammers <sup>65</sup>, W. Lampl <sup>6</sup>, C. Lampoudis <sup>150</sup>, E. Lançon <sup>27</sup>,
U. Landgraf<sup>©52</sup>, M.P.J. Landon<sup>©91</sup>, V.S. Lang<sup>©52</sup>, J.C. Lange<sup>©53</sup>, R.J. Langenberg<sup>©100</sup>,
A.J. Lankford <sup>157</sup>, F. Lanni <sup>27</sup>, K. Lantzsch <sup>22</sup>, A. Lanza <sup>70a</sup>, A. Lapertosa <sup>55b,55a</sup>,
J.F. Laporte <sup>132</sup>, T. Lari <sup>68a</sup>, F. Lasagni Manghi <sup>21b</sup>, M. Lassnig <sup>34</sup>, V. Latonova <sup>128</sup>,
T.S. Lau<sup>62a</sup>, A. Laudrain<sup>97</sup>, A. Laurier<sup>32</sup>, M. Lavorgna<sup>69a,69b</sup>, S.D. Lawlor<sup>92</sup>,
Z. Lawrence ^{\odot 98}, M. Lazzaroni ^{\odot 68a,68b}, B. Le^{98}, B. Leban ^{\odot 90}, A. Lebedev ^{\odot 78}, M. LeBlanc ^{\odot 34},
T. LeCompte<sup>5</sup>, F. Ledroit-Guillon<sup>58</sup>, A.C.A. Lee<sup>93</sup>, G.R. Lee<sup>51</sup>, L. Lee<sup>59</sup>, S.C. Lee<sup>146</sup>,
S. Lee^{078}, L.L. Leeuw^{031c}, B. Lefebvre^{0154a}, H.P. Lefebvre^{092}, M. Lefebvre^{0162},
C. Leggett <sup>16a</sup>, K. Lehmann <sup>140</sup>, N. Lehmann <sup>18</sup>, G. Lehmann Miotto <sup>34</sup>, W.A. Leight <sup>46</sup>,
A. Leisos • 150, 8, M.A.L. Leite • 79c, C.E. Leitgeb • 46, R. Leitner • 130, K.J.C. Leney • 42,
T. Lenz 622, S. Leone 671a, C. Leonidopoulos 50, A. Leopold 124, C. Leroy 1015, R. Les 1014,
C.G. Lester <sup>30</sup>, M. Levchenko <sup>35</sup>, J. Levêque <sup>4</sup>, D. Levin <sup>103</sup>, L.J. Levinson <sup>166</sup>,
D.J. Lewis <sup>19</sup>, B. Li <sup>13b</sup>, B. Li <sup>60b</sup>, C. Li <sup>60a</sup>, C-Q. Li <sup>60c</sup>, 60d, H. Li <sup>60a</sup>, H. Li <sup>60b</sup>, H. Li <sup>60b</sup>
J. Li 60c, K. Li 136, L. Li 60c, M. Li 13a, 13d, Q.Y. Li 60c, S. Li 60d, 60c, T. Li 60t,
X. Li • 46, Y. Li • 46, Z. Li • 60b, Z. Li • 123, Z. Li • 1011, Z. Li • 89, Z. Liang • 13a, M. Liberatore • 46,
B. Liberti • <sup>73a</sup>, K. Lie • <sup>62c</sup>, J. Lieber Marin • <sup>79b</sup>, K. Lin • <sup>104</sup>, R.A. Linck • <sup>65</sup>, R.E. Lindley • <sup>6</sup>,
J.H. Lindon <sup>©</sup><sup>2</sup>, A. Linss <sup>©</sup><sup>46</sup>, E. Lipeles <sup>©</sup><sup>125</sup>, A. Lipniacka <sup>©</sup><sup>15</sup>, T.M. Liss <sup>©</sup><sup>159,ad</sup>, A. Lister <sup>©</sup><sup>161</sup>,
 \text{J.D. Little}^{\tiny{\textcircled{1}}7}, \, \text{B. Liu}^{\tiny{\textcircled{1}}3a}, \, \text{B.X. Liu}^{\tiny{\textcircled{1}}40}, \, \text{J.B. Liu}^{\tiny{\textcircled{1}}60a}, \, \text{J.K.K. Liu}^{\tiny{\textcircled{1}}87}, \, \text{K. Liu}^{\tiny{\textcircled{1}}60d,60c}, \\
```

```
M. Liu 60a, M.Y. Liu 60a, P. Liu 13a, X. Liu 60a, Y. Liu 64a, Y. Liu 61ac, 13d, Y.L. Liu 61a,
Y.W. Liu 60a, M. Livan 70a,70b, J. Llorente Merino 140, S.L. Lloyd 91, E.M. Lobodzinska 46,
P. Loch 6, S. Loffredo 73a,73b, T. Lohse 17, K. Lohwasser 137, M. Lokajicek 128,
J.D. Long <sup>159</sup>, I. Longarini <sup>72a,72b</sup>, L. Longo <sup>34</sup>, R. Longo <sup>159</sup>, I. Lopez Paz <sup>12</sup>,
A. Lopez Solis 646, J. Lorenz 6106, N. Lorenzo Martinez 64, A.M. Lory 6106, A. Lösle 652,
X. Lou^{045a,45b}, X. Lou^{013a,13d}, A. Lounis^{064}, J. Love^{05}, P.A. Love^{088},
J.J. Lozano Bahilo 6160, G. Lu 613a,13d, M. Lu 660a, S. Lu 6125, Y.J. Lu 663, H.J. Lubatti 6136,
C. Luci (572a,72b), F.L. Lucio Alves (513c), A. Lucotte (58, F. Luehring (56, I. Luise (5143))
L. Luminari<sup>72a</sup>, O. Lundberg <sup>142</sup>, B. Lund-Jensen <sup>142</sup>, N.A. Luongo <sup>120</sup>, M.S. Lutz <sup>149</sup>,
D. Lynn •27, H. Lyons 9, R. Lysak •128, E. Lytken •95, F. Lyu •13a, V. Lyubushkin •36,
T. Lyubushkina 636, H. Ma 627, L.L. Ma 660b, Y. Ma 693, D.M. Mac Donell 6162,
G. Maccarrone <sup>51</sup>, C.M. Macdonald <sup>137</sup>, J.C. MacDonald <sup>137</sup>, R. Madar <sup>38</sup>, W.F. Mader <sup>48</sup>,
M. Madugoda Ralalage Don <sup>118</sup>, N. Madysa <sup>48</sup>, J. Maeda <sup>81</sup>, T. Maeno <sup>27</sup>, M. Maerker <sup>48</sup>,
V. Magerl • 52, J. Magro • 66a,66c, D.J. Mahon • 39, C. Maidantchik • 79b, A. Maio • 127a,127b,127d,
K. Maj<sup>®82a</sup>, O. Majersky<sup>®26a</sup>, S. Majewski<sup>®120</sup>, N. Makovec<sup>®64</sup>, V. Maksimovic<sup>®14</sup>,
B. Malaescu 6 124, Pa. Malecki 6 83, V.P. Maleev 6 35, F. Malek 6 58, D. Malito 6 41 b, 41 a,
U. Mallik <sup>677</sup>, C. Malone <sup>30</sup>, S. Maltezos, S. Malyukov, J. Mamuzic <sup>6160</sup>, G. Mancini <sup>51</sup>,
J.P. Mandalia <sup>1</sup> J.P. Mandić <sup>1</sup> J.P. Manhaes de Andrade Filho <sup>1</sup> J.P. Maniatis <sup>1</sup> J.P. Mandalia <sup>1</sup>
M. Manisha 132, J. Manjarres Ramos 48, K.H. Mankinen 595, A. Mann 1016, A. Manousos 576,
B. Mansoulie <sup>132</sup>, I. Manthos <sup>150</sup>, S. Manzoni <sup>111</sup>, A. Marantis <sup>150</sup>, G. Marchiori <sup>124</sup>,
M. Marcisovsky <sup>128</sup>, L. Marcoccia <sup>73a,73b</sup>, C. Marcon <sup>95</sup>, M. Marjanovic <sup>177</sup>,
Z. Marshall <sup>16a</sup>, S. Marti-Garcia <sup>160</sup>, T.A. Martin <sup>164</sup>, V.J. Martin <sup>150</sup>,
B. Martin dit Latour <sup>15</sup>, L. Martinelli <sup>72a,72b</sup>, M. Martinez <sup>12,t</sup>, P. Martinez Agullo <sup>160</sup>,
V.I. Martinez Outschoorn <sup>100</sup>, S. Martin-Haugh <sup>131</sup>, V.S. Martoiu <sup>25b</sup>, A.C. Martyniuk <sup>93</sup>,
A. Marzin • 34, S.R. Maschek • 107, L. Masetti • 97, T. Mashimo • 151, J. Masik • 98,
A.L. Maslennikov <sup>35</sup>, L. Massa <sup>21b</sup>, P. Massarotti <sup>69a,69b</sup>, P. Mastrandrea <sup>71a,71b</sup>,
A. Mastroberardino <sup>6</sup>41b,41a, T. Masubuchi <sup>6</sup>151, D. Matakias<sup>27</sup>, T. Mathisen <sup>6</sup>158, A. Matic <sup>10</sup>6,
N. Matsuzawa<sup>151</sup>, J. Maurer ^{\odot 25b}, B. Maček ^{\odot 90}, D.A. Maximov ^{\odot 35}, R. Mazini ^{\odot 146},
I. Maznas 150, S.M. Mazza 133, C. Mc Ginn 27, J.P. Mc Gowan 101, S.P. Mc Kee 1013,
T.G. McCarthy 10, 107, W.P. McCormack 16, E.F. McDonald 10, A.E. McDougall 111,
J.A. Mcfayden <sup>144</sup>, G. Mchedlidze <sup>147b</sup>, M.A. McKay <sup>42</sup>, K.D. McLean <sup>162</sup>,
S.J. McMahon 131, P.C. McNamara 102, R.A. McPherson 162, J.E. Mdhluli 131f,
Z.A. Meadows 6 100, S. Meehan 6 34, T. Megy 6 38, S. Mehlhase 6 106, A. Mehta 8 9,
B. Meirose<sup>©43</sup>, D. Melini<sup>©148</sup>, B.R. Mellado Garcia<sup>©31f</sup>, A.H. Melo<sup>©53</sup>, F. Meloni<sup>©46</sup>,
A. Melzer <sup>©22</sup>, E.D. Mendes Gouveia <sup>©127a</sup>, A.M. Mendes Jacques Da Costa <sup>©19</sup>, H.Y. Meng <sup>©153</sup>,
L. Meng • 34, S. Menke • 107, M. Mentink • 34, E. Meoni • 41b, 41a, C. Merlassino • 123,
P. Mermod 54,*, L. Merola 69a,69b, C. Meroni 68a, G. Merz 103, O. Meshkov 53,
J.K.R. Meshreki <sup>139</sup>, J. Metcalfe <sup>5</sup>, A.S. Mete <sup>5</sup>, C. Meyer <sup>65</sup>, J-P. Meyer <sup>132</sup>,
M. Michetti <sup>17</sup>, R.P. Middleton <sup>131</sup>, L. Mijović <sup>50</sup>, G. Mikenberg <sup>166</sup>, M. Mikestikova <sup>128</sup>,
M. Mikuž • 90, H. Mildner • 137, A. Milic • 153, C.D. Milke • 42, D.W. Miller • 37, L.S. Miller • 32,
A. Milov 6166, D.A. Milstead 45a, 45b, T. Min 13c, A.A. Minaenko 635, I.A. Minashvili 6147b,
L. Mince 57, A.I. Mincer 114, B. Mindur 82a, M. Mineev 36, Y. Minegishi 151, Y. Mino 84,
L.M. Mir^{\bullet 12}, M. Miralles Lopez^{\bullet 160}, M. Mironova^{\bullet 123}, T. Mitani^{\bullet 165}, V.A. Mitsou^{\bullet 160},
```

```
M. Mittal<sup>60c</sup>, O. Miu<sup>153</sup>, P.S. Miyagawa<sup>91</sup>, Y. Miyazaki<sup>86</sup>, A. Mizukami<sup>80</sup>,
J.U. Mjörnmark <sup>195</sup>, T. Mkrtchyan <sup>1961a</sup>, M. Mlynarikova <sup>112</sup>, T. Moa <sup>1945a,45b</sup>, S. Mobius <sup>153</sup>,
K. Mochizuki <sup>105</sup>, P. Moder <sup>146</sup>, P. Mogg <sup>106</sup>, A.F. Mohammed <sup>13a,13d</sup>, S. Mohapatra <sup>39</sup>,
G. Mokgatitswane <sup>31f</sup>, B. Mondal <sup>139</sup>, S. Mondal <sup>129</sup>, K. Mönig <sup>46</sup>, E. Monnier <sup>99</sup>,
L. Monsonis Romero<sup>160</sup>, A. Montalbano<sup>140</sup>, J. Montejo Berlingen<sup>34</sup>, M. Montella<sup>116</sup>,
F. Monticelli <sup>687</sup>, N. Morange <sup>64</sup>, A.L. Moreira De Carvalho <sup>6127a</sup>, M. Moreno Llácer <sup>6160</sup>,
C. Moreno Martinez 12, P. Morettini 55b, S. Morgenstern 164, D. Mori 140, M. Morii 59,
M. Morinaga 6 151, V. Morisbak 6 122, A.K. Morley 6 34, A.P. Morris 6 93, L. Morvaj 6 34,
P. Moschovakos <sup>34</sup>, B. Moser <sup>111</sup>, M. Mosidze <sup>147b</sup>, T. Moskalets <sup>52</sup>, P. Moskvitina <sup>110</sup>,
J. Moss • 29,0, E.J.W. Moyse • 100, S. Muanza • 99, J. Mueller • 126, D. Muenstermann • 88,
R. Müller 18, G.A. Mullier 95, J.J. Mullin 25, D.P. Mungo 68a,68b, J.L. Munoz Martinez 12,
F.J. Munoz Sanchez <sup>698</sup>, M. Murin <sup>698</sup>, P. Murin <sup>626b</sup>, W.J. Murray <sup>6164,131</sup>,
A. Murrone 68a,68b, J.M. Muse 6117, M. Muškinja 616a, C. Mwewa 627, A.G. Myagkov 635,a,
A.J. Myers <sup>07</sup>, A.A. Myers <sup>126</sup>, G. Myers <sup>065</sup>, M. Myska <sup>0129</sup>, B.P. Nachman <sup>016a</sup>,
O. Nackenhorst ^{\bullet 47}, A.Nag Nag ^{\bullet 48}, K. Nagai ^{\bullet 123}, K. Nagano ^{\bullet 80}, J.L. Nagle ^{\bullet 27}, E. Nagv ^{\bullet 99},
A.M. Nairz 634, Y. Nakahama 6108, K. Nakamura 680, H. Nanjo 6121, F. Napolitano 661a,
R. Narayan • 42, E.A. Narayanan • 109, I. Naryshkin • 35, M. Naseri • 22, C. Nass • 22,
T. Naumann <sup>646</sup>, G. Navarro <sup>620a</sup>, J. Navarro-Gonzalez <sup>6160</sup>, R. Navak <sup>6149</sup>, P.Y. Nechaeva <sup>635</sup>,
F. Nechansky <sup>6</sup>46, T.J. Neep <sup>6</sup>19, A. Negri <sup>6</sup>70a, M. Negrini <sup>6</sup>21b, C. Nellist <sup>6</sup>110,
C. Nelson • 101, K. Nelson • 103, S. Nemecek • 128, M. Nessi • 34, g, M.S. Neubauer • 159,
F. Neuhaus <sup>97</sup>, J. Neundorf <sup>46</sup>, R. Newhouse <sup>161</sup>, P.R. Newman <sup>19</sup>, C.W. Ng <sup>126</sup>, Y.S. Ng <sup>17</sup>,
Y.W.Y. Ng<sup>©157</sup>, B. Ngair<sup>©33e</sup>, H.D.N. Nguyen<sup>©105</sup>, R.B. Nickerson<sup>©123</sup>, R. Nicolaidou<sup>©132</sup>,
D.S. Nielsen <sup>6</sup>40, J. Nielsen <sup>6</sup>133, M. Niemeyer <sup>6</sup>53, N. Nikiforou <sup>6</sup>10, V. Nikolaenko <sup>6</sup>35,a,
I. Nikolic-Audit <sup>124</sup>, K. Nikolopoulos <sup>19</sup>, P. Nilsson <sup>27</sup>, H.R. Nindhito <sup>54</sup>, A. Nisati <sup>72a</sup>,
N. Nishu<sup>2</sup>, R. Nisius<sup>107</sup>, T. Nitta<sup>165</sup>, T. Nobe<sup>151</sup>, D.L. Noel<sup>30</sup>, Y. Noguchi<sup>84</sup>,
I. Nomidis 124, M.A. Nomura 7, M.B. Norfolk 137, R.R.B. Norisam 93, J. Novak 90,
T. Novak 646, O. Novgorodova 648, L. Novotny 6129, R. Novotny 6109, L. Nozka 6119,
K. Ntekas • 157, E. Nurse 3, F.G. Oakham • 32, af, J. Ocariz 124, A. Ochi 81, I. Ochoa 127a,
J.P. Ochoa-Ricoux 134a, S. Oda 86, S. Odaka 80, S. Oerdek 158, A. Ogrodnik 82a, A. Oh 98,
C.C. Ohm 6142, H. Oide 6152, R. Oishi 6151, M.L. Ojeda 646, Y. Okazaki 684, M.W. O'Keefe 89,
Y. Okumura <sup>151</sup>, A. Olariu<sup>25b</sup>, L.F. Oleiro Seabra <sup>127a</sup>, S.A. Olivares Pino <sup>134e</sup>,
D. Oliveira Damazio <sup>27</sup>, D. Oliveira Goncalves <sup>79a</sup>, J.L. Oliver <sup>157</sup>, M.J.R. Olsson <sup>157</sup>,
A. Olszewski 683, J. Olszowska 683,*, Ö.O. Öncel 22, D.C. O'Neil 140, A.P. O'Neil 123,
A. Onofre 127a,127e, P.U.E. Onyisi 10, R.G. Oreamuno Madriz 112, M.J. Oreglia 137,
G.E. Orellana <sup>687</sup>, D. Orestano <sup>674a,74b</sup>, N. Orlando <sup>612</sup>, R.S. Orr <sup>6153</sup>, V. O'Shea <sup>657</sup>,
R. Ospanov 60a, G. Otero y Garzon 228, H. Otono 86, P.S. Ott 61a, G.J. Ottino 16a,
M. Ouchrif 33d, J. Ouellette 27, F. Ould-Saada 122, A. Ouraou 132, Q. Ouyang 13a,
M. Owen <sup>57</sup>, R.E. Owen <sup>131</sup>, K.Y. Oyulmaz <sup>11c</sup>, V.E. Ozcan <sup>11c</sup>, N. Ozturk <sup>7</sup>,
S. Ozturk <sup>11c</sup>, J. Pacalt <sup>119</sup>, H.A. Pacey <sup>30</sup>, K. Pachal <sup>49</sup>, A. Pacheco Pages <sup>12</sup>,
C. Padilla Aranda<sup>12</sup>, S. Pagan Griso<sup>16a</sup>, G. Palacino<sup>65</sup>, S. Palazzo<sup>50</sup>, S. Palestini<sup>34</sup>,
M. Palka 6826, P. Palni 682a, D.K. Panchal 610, C.E. Pandini 54, J.G. Panduro Vazquez 692,
P. Pani • 46, G. Panizzo • 66a,66c, L. Paolozzi • 54, C. Papadatos • 105, S. Parajuli • 42,
A. Paramonov <sup>5</sup>, C. Paraskevopoulos <sup>9</sup>, D. Paredes Hernandez <sup>62b</sup>, S.R. Paredes Saenz <sup>123</sup>,
```

```
B. Parida 6, T.H. Park 6, A.J. Parker 6, M.A. Parker 6, F. Parodi 5, 55, 55a,
E.W. Parrish 112, J.A. Parsons 39, U. Parzefall 52, L. Pascual Dominguez 149,
V.R. Pascuzzi <sup>16a</sup>, F. Pasquali <sup>111</sup>, E. Pasqualucci <sup>72a</sup>, S. Passaggio <sup>55b</sup>, F. Pastore <sup>92</sup>,
P. Pasuwan • 45a, 45b, J.R. Pater • 98, A. Pathak • 167, J. Patton 89, T. Pauly • 34, J. Pearkes • 141,
M. Pedersen <sup>122</sup>, L. Pedraza Diaz <sup>110</sup>, R. Pedro <sup>127a</sup>, T. Peiffer <sup>53</sup>, S.V. Peleganchuk <sup>35</sup>,
O. Penc<sup>128</sup>, C. Peng<sup>62b</sup>, H. Peng<sup>60a</sup>, M. Penzin<sup>35</sup>, B.S. Peralva<sup>79a</sup>,
A.P. Pereira Peixoto 127a, L. Pereira Sanchez 145a, 45b, D.V. Perepelitsa 127,
E. Perez Codina <sup>154a</sup>, M. Perganti <sup>9</sup>, L. Perini <sup>68a,68b,*</sup>, H. Pernegger <sup>34</sup>, S. Perrella <sup>34</sup>,
A. Perrevoort <sup>111</sup>, K. Peters <sup>46</sup>, R.F.Y. Peters <sup>98</sup>, B.A. Petersen <sup>34</sup>, T.C. Petersen <sup>40</sup>,
E. Petit <sup>1</sup> <sup>99</sup>, V. Petousis <sup>129</sup>, C. Petridou <sup>150</sup>, P. Petroff <sup>64</sup>, F. Petrucci <sup>74a,74b</sup>,
A. Petrukhin <sup>139</sup>, M. Pettee <sup>169</sup>, N.E. Pettersson <sup>34</sup>, K. Petukhova <sup>130</sup>, A. Peyaud <sup>132</sup>,
R. Pezoa^{\bullet 134f}, L. Pezzotti^{\bullet 34}, G. Pezzullo^{\bullet 169}, T. Pham^{\bullet 102}, P.W. Phillips^{\bullet 131},
M.W. Phipps ^{\bullet 159}, G. Piacquadio ^{\bullet 143}, E. Pianori ^{\bullet 16a}, F. Piazza ^{\bullet 68a,68b}, A. Picazio ^{\bullet 100},
R. Piegaia <sup>628</sup>, D. Pietreanu <sup>25b</sup>, J.E. Pilcher <sup>37</sup>, A.D. Pilkington <sup>98</sup>, M. Pinamonti <sup>66a,66c</sup>,
J.L. Pinfold 2, C. Pitman Donaldson 3, D.A. Pizzi 32, L. Pizzimento 73a, A. Pizzini 111,
M.-A. Pleier <sup>6</sup><sup>27</sup>, V. Plesanovs<sup>52</sup>, V. Pleskot <sup>6</sup><sup>130</sup>, E. Plotnikova<sup>36</sup>, P. Podberezko <sup>6</sup><sup>35</sup>,
R. Poettgen <sup>695</sup>, R. Poggi <sup>54</sup>, L. Poggioli <sup>124</sup>, I. Pogrebnyak <sup>104</sup>, D. Pohl <sup>22</sup>, I. Pokharel <sup>53</sup>,
G. Polesello <sup>6</sup>70a, A. Poley <sup>6</sup>140,154a, A. Policicchio <sup>6</sup>72a,72b, R. Polifka <sup>6</sup>130, A. Polini <sup>6</sup>21b,
C.S. Pollard <sup>123</sup>, Z.B. Pollock <sup>116</sup>, V. Polychronakos <sup>27</sup>, D. Ponomarenko <sup>35</sup>,
L. Pontecorvo <sup>1</sup>34, S. Popa <sup>2</sup>5a, G.A. Popeneciu <sup>2</sup>5d, L. Portales <sup>4</sup>,
D.M. Portillo Quintero <sup>154a</sup>, S. Pospisil <sup>129</sup>, P. Postolache <sup>125c</sup>, K. Potamianos <sup>123</sup>,
I.N. Potrap 636, C.J. Potter 530, H. Potti 17, T. Poulsen 546, J. Poveda 160, T.D. Powell 137,
G. Pownall<sup>646</sup>, M.E. Pozo Astigarraga<sup>634</sup>, A. Prades Ibanez<sup>6160</sup>, P. Pralavorio<sup>699</sup>,
M.M. Prapa <sup>64</sup>, S. Prell <sup>78</sup>, D. Price <sup>98</sup>, M. Primavera <sup>67</sup>, M.A. Principe Martin <sup>99</sup>,
M.L. Proffitt <sup>136</sup>, N. Proklova <sup>35</sup>, K. Prokofiev <sup>62c</sup>, S. Protopopescu <sup>27</sup>, J. Proudfoot <sup>5</sup>,
M. Przybycien ^{682a}, D. Pudzha ^{635}, P. Puzo ^{64}, D. Pyatiizbyantseva ^{635}, J. Qian ^{6103},
Y. Qin 698, T. Qiu 691, A. Quadt 653, M. Queitsch-Maitland 534, G. Rabanal Bolanos 559,
F. Ragusa^{68a,68b}, J.A. Raine^{54}, S. Rajagopalan^{627}, K. Ran^{613a,13d}, D.F. Rassloff^{61a},
D.M. Rauch 646, S. Rave 697, B. Ravina 657, I. Ravinovich 6166, M. Raymond 34,
A.L. Read <sup>122</sup>, N.P. Readioff <sup>137</sup>, D.M. Rebuzzi <sup>70a,70b</sup>, G. Redlinger <sup>27</sup>, K. Reeves <sup>43</sup>,
D. Reikher • 149, A. Reiss 97, A. Rej • 139, C. Rembser • 34, A. Renardi • 46, M. Renda • 25b,
M.B. Rendel<sup>107</sup>, A.G. Rennie <sup>57</sup>, S. Resconi <sup>68a</sup>, M. Ressegotti <sup>55b,55a</sup>, E.D. Resseguie <sup>16a</sup>,
S. Rettie <sup>93</sup>, B. Reynolds <sup>116</sup>, E. Reynolds <sup>19</sup>, M. Rezaei Estabragh <sup>168</sup>, O.L. Rezanova <sup>35</sup>,
P. Reznicek <sup>130</sup>, E. Ricci <sup>75a,75b</sup>, R. Richter <sup>107</sup>, S. Richter <sup>46</sup>, E. Richter-Was <sup>82b</sup>,
M. Ridel 124, P. Rieck 10, P. Riedler 13, O. Rifki 146, M. Rijssenbeek 143,
A. Rimoldi <sup>6</sup>70a,70b, M. Rimoldi <sup>6</sup>46, L. Rinaldi <sup>6</sup>21b,21a, T.T. Rinn <sup>6</sup>159, M.P. Rinnagel <sup>6</sup>106,
G. Ripellino 142, I. Riu 12, P. Rivadeneira 146, J.C. Rivera Vergara 1612, F. Rizatdinova 1818,
E. Rizvi<sup>1</sup> O. Rizzi<sup>1</sup> B.A. Roberts<sup>1</sup> B.R. Roberts<sup>1</sup> B.R. Roberts<sup>1</sup> S.H. Robertson<sup>1</sup>
M. Robin 646, D. Robinson 530, C.M. Robles Gajardo 34f, M. Robles Manzano 597,
A. Robson 6, A. Rocchi 73a,73b, C. Roda 71a,71b, S. Rodriguez Bosca 61a,
A. Rodriguez Rodriguez <sup>©52</sup>, A.M. Rodríguez Vera <sup>©154b</sup>, S. Roe<sup>34</sup>, A.R. Roepe-Gier <sup>©117</sup>,
J. Roggel 6 168, O. Røhne 122, R.A. Rojas 162, B. Roland 52, C.P.A. Roland 65, J. Roloff 27,
A. Romaniouk <sup>35</sup>, M. Romano <sup>21b</sup>, A.C. Romero Hernandez <sup>159</sup>, N. Rompotis <sup>89</sup>,
```

M. Ronzani ¹¹⁴, L. Roos ¹²⁴, S. Rosati ^{72a}, B.J. Rosser ¹²⁵, E. Rossi ¹⁵³, E. Rossi ⁴, E. Rossi 69a,69b, L.P. Rossi 55b, L. Rossini 46, R. Rosten 116, M. Rotaru 25b, B. Rottler 52, D. Rousseau 64, D. Rousso 30, G. Rovelli 70a, A. Roy 11, A. Rozanov 99, Y. Rozen 148, X. Ruan • 31f, A.J. Ruby • 89, T.A. Ruggeri • 1, F. Rühr • 52, A. Ruiz-Martinez • 160, A. Rummler ⁶³⁴, Z. Rurikova ⁶⁵², N.A. Rusakovich ⁶³⁶, H.L. Russell ⁶³⁴, L. Rustige ⁶³⁸, J.P. Rutherfoord 6, E.M. Rüttinger 137, M. Rybar 130, E.B. Rye 122, A. Ryzhov 135, J.A. Sabater Iglesias ⁶⁴⁶, P. Sabatini ⁶¹⁶⁰, L. Sabetta ^{672a,72b}, H.F-W. Sadrozinski ⁶¹³³, F. Safai Tehrani ⁶7^{2a}, B. Safarzadeh Samani ⁶1⁴⁴, M. Safdari ⁶1⁴¹, S. Saha ⁶1⁰¹, M. Sahinsoy 107, A. Sahu 168, M. Saimpert 132, M. Saito 151, T. Saito 151, D. Salamani 1534, G. Salamanna ^{174a,74b}, A. Salnikov ¹⁴¹, J. Salt ¹⁶⁰, A. Salvador Salas ¹², D. Sampsonidou 60d,60c, J. Sánchez 6160, A. Sanchez Pineda 64, V. Sanchez Sebastian 6160, H. Sandaker ¹²², C.O. Sander ⁴⁶, I.G. Sanderswood ⁸⁸, J.A. Sandesara ¹⁰⁰, M. Sandhoff ¹⁶⁸, C. Sandoval ^{20b}, D.P.C. Sankey ¹³¹, M. Sannino ^{55b,55a}, A. Sansoni ⁵¹, C. Santoni ⁶³⁸, H. Santos ^{6127a,127b}, S.N. Santpur ^{616a}, A. Santra ⁶¹⁶⁶, K.A. Saoucha ⁶¹³⁷, J.G. Saraiva (127a,127d), J. Sardain (1999), O. Sasaki (1800), K. Sato (1155), C. Sauer (1156), F. Sauerburger ⁵², E. Sauvan ⁴, P. Savard ^{153,af}, R. Sawada ¹⁵¹, C. Sawyer ¹³¹, L. Sawyer ¹⁹⁴, I. Sayago Galvan ¹⁶⁰, C. Sbarra ^{1921b}, A. Sbrizzi ^{1921b,21a}, T. Scanlon ¹⁹³, J. Schaarschmidt ¹³⁶, P. Schacht ¹⁰⁷, D. Schaefer ³⁷, U. Schäfer ⁹⁷, A.C. Schaffer ⁶⁴, D. Schaile ¹⁰⁶, R.D. Schamberger ¹⁴³, E. Schanet ¹⁰⁶, C. Scharf ¹⁷, N. Scharmberg ¹⁹⁸, V.A. Schegelsky ³⁵, D. Scheirich ¹³⁰, F. Schenck ¹⁷, M. Schernau ¹⁵⁷, C. Schiavi ^{55b,55a}, L.K. Schildgen ^{©22}, Z.M. Schillaci ^{©24}, E.J. Schioppa ^{©67a,67b}, M. Schioppa ^{©41b,41a}, B. Schlag ¹ ⁹⁷, K.E. Schleicher ¹ ⁵², S. Schlenker ¹ ³⁴, K. Schmieden ¹ ⁹⁷, C. Schmitt ¹ ⁹⁷, S. Schmitt ⁶46, L. Schoeffel ⁶132, A. Schoening ⁶1b, P.G. Scholer ⁵2, E. Schopf ⁶123, M. Schott ¹⁰⁹⁷, J. Schovancova ¹³⁴, S. Schramm ¹⁵⁴, F. Schroeder ¹⁶⁸, H-C. Schultz-Coulon ^{161a}, M. Schumacher ⁶⁵², B.A. Schumm ⁶¹³³, Ph. Schune ⁶¹³², A. Schwartzman ⁶¹⁴¹, T.A. Schwarz ¹⁰ ¹⁰³, Ph. Schwemling ¹³², R. Schwienhorst ¹⁰⁴, A. Sciandra ¹³³, G. Sciolla ¹³⁴, F. Scuri ¹⁰^{71a}, F. Scutti ¹⁰², C.D. Sebastiani ¹⁰⁸⁹, K. Sedlaczek ¹⁴, P. Seema ¹⁷, S.C. Seidel ¹⁰, A. Seiden 133, B.D. Seidlitz 27, T. Seiss 37, C. Seitz 46, J.M. Seixas 79b, G. Sekhniaidze 69a, S.J. Sekula 42, L. Selem 4, N. Semprini-Cesari 21b,21a, S. Sen 49, C. Serfon^{©27}, L. Serin^{©64}, L. Serkin^{©66a,66b}, M. Sessa^{©74a,74b}, H. Severini^{©117}, S. Sevova^{©141}, F. Sforza 655b,55a, A. Sfyrla 54, E. Shabalina 55, R. Shaheen 5142, J.D. Shahinian 5125, N.W. Shaikh $^{\circ}45a, 45b$, D. Shaked Renous $^{\circ}166$, L.Y. Shan $^{\circ}13a$, M. Shapiro $^{\circ}16a$, A. Sharma $^{\circ}34$, A.S. Sharma ¹0¹, S. Sharma ¹0⁴⁶, P.B. Shatalov ¹0³⁵, K. Shaw ¹1⁴⁴, S.M. Shaw ¹0⁹⁸, P. Sherwood ¹⁹³, L. Shi ¹⁹³, C.O. Shimmin ¹⁶⁹, Y. Shimogama ¹⁶⁵, J.D. Shinner ¹⁹², I.P.J. Shipsey ¹²³, S. Shirabe ⁵⁴, M. Shiyakova ³⁶, J. Shlomi ¹⁶⁶, M.J. Shochet ³⁷, J. Shojaii 6102, D.R. Shope 6142, S. Shrestha 6116, E.M. Shrif 631f, M.J. Shroff 6162, E. Shulga 6, P. Sicho 128, A.M. Sickles 15, E. Sideras Haddad 31, O. Sidiropoulou 34, A. Sidoti ^{21b}, F. Siegert ⁴⁸, Dj. Sijacki ¹⁴, J.M. Silva ¹⁹, M.V. Silva Oliveira ³⁴, S.B. Silverstein 645a, S. Simion 4, R. Simoniello 534, N.D. Simpson 55, S. Simsek 511b, P. Sinervo 153, V. Sinetckii 53, S. Singh 140, S. Singh 153, S. Sinha 54, S. Sinha 53, S. Sinha 54,

E. Skorda¹⁹⁵, P. Skubic¹¹⁷, M. Slawinska⁸³, K. Sliwa¹⁵⁶, V. Smakhtin¹⁶⁶, B.H. Smart¹³¹,

M. Sioli [©] ^{21b,21a}, I. Siral [©] ¹²⁰, S.Yu. Sivoklokov [©] ^{35,*}, J. Sjölin [©] ^{45a,45b}, A. Skaf [©] ⁵³,

```
J. Smiesko <sup>130</sup>, S.Yu. Smirnov <sup>35</sup>, Y. Smirnov <sup>35</sup>, L.N. Smirnova <sup>35</sup>, O. Smirnova <sup>95</sup>,
E.A. Smith 637, H.A. Smith 6123, M. Smizanska 688, K. Smolek 6129, A. Smykiewicz 683,
A.A. Snesarev <sup>35</sup>, H.L. Snoek <sup>111</sup>, S. Snyder <sup>27</sup>, R. Sobie <sup>162,w</sup>, A. Soffer <sup>149</sup>, F. Sohns <sup>53</sup>,
C.A. Solans Sanchez <sup>34</sup>, E.Yu. Soldatov <sup>35</sup>, U. Soldevila <sup>160</sup>, A.A. Solodkov <sup>35</sup>,
S. Solomon<sup>52</sup>, A. Soloshenko<sup>36</sup>, O.V. Solovyanov<sup>35</sup>, V. Solovyev<sup>35</sup>, P. Sommer<sup>137</sup>,
H. Son 6 156, A. Sonay 12, W.Y. Song 1546, A. Sopczak 129, A.L. Sopio 193, F. Sopkova 266,
S. Sottocornola <sup>6</sup>70a,70b, R. Soualah <sup>6</sup>66a,66c, Z. Soumaimi <sup>6</sup>33e, D. South <sup>6</sup>46,
S. Spagnolo 67a,67b, M. Spalla 107, M. Spangenberg 164, F. Spanò 192, D. Sperlich 52,
T.M. Spieker • 61a, G. Spigo • 34, M. Spina • 144, D.P. Spiteri • 57, M. Spousta • 130,
A. Stabile 68a,68b, R. Stamen 61a, M. Stamenkovic 111, A. Stampekis 19, M. Standke 22,
E. Stanecka 683, B. Stanislaus 634, M.M. Stanitzki 646, M. Stankaityte 6123, B. Stapf 646,
E.A. Starchenko <sup>35</sup>, G.H. Stark <sup>133</sup>, J. Stark <sup>99</sup>, D.M. Starko <sup>154b</sup>, P. Staroba <sup>128</sup>,
P. Starovoitov 6<sup>61a</sup>, S. Stärz 1<sup>101</sup>, R. Staszewski 8<sup>83</sup>, G. Stavropoulos 4<sup>4</sup>, P. Steinberg 2<sup>7</sup>,
A.L. Steinhebel <sup>120</sup>, B. Stelzer <sup>140,154a</sup>, H.J. Stelzer <sup>126</sup>, O. Stelzer-Chilton <sup>154a</sup>,
H. Stenzel <sup>56</sup>, T.J. Stevenson <sup>144</sup>, G.A. Stewart <sup>34</sup>, M.C. Stockton <sup>34</sup>, G. Stoicea <sup>25b</sup>,
M. Stolarski 127a, S. Stonjek 177, A. Straessner 148, J. Strandberg 142, S. Strandberg 145a, 45b,
M. Strauss <sup>117</sup>, T. Strebler <sup>99</sup>, P. Strizenec <sup>26b</sup>, R. Ströhmer <sup>163</sup>, D.M. Strom <sup>120</sup>,
L.R. Strom 646, R. Stroynowski 42, A. Strubig 45a,45b, S.A. Stucci 27, B. Stugu 15,
J. Stupak 117, N.A. Styles 46, D. Su 141, S. Su 60a, W. Su 60d, 136,60c, X. Su 60a,
K. Sugizaki <sup>151</sup>, V.V. Sulin <sup>35</sup>, M.J. Sullivan <sup>89</sup>, D.M.S. Sultan <sup>54</sup>, L. Sultanaliyeva <sup>35</sup>,
S. Sultansoy 63c, T. Sumida 684, S. Sun 6103, S. Sun 6167, X. Sun 698,
O. Sunneborn Gudnadottir <sup>158</sup>, C.J.E. Suster <sup>145</sup>, M.R. Sutton <sup>144</sup>, M. Svatos <sup>128</sup>,
M. Swiatlowski <sup>154a</sup>, T. Swirski <sup>163</sup>, I. Sykora <sup>26a</sup>, M. Sykora <sup>130</sup>, T. Sykora <sup>130</sup>, D. Ta <sup>97</sup>,
K. Tackmann 646,u, A. Taffard 157, R. Tafirout 154a, R.H.M. Taibah 124, R. Takashima 585,
K. Takeda <sup>68</sup>, T. Takeshita <sup>138</sup>, E.P. Takeva <sup>50</sup>, Y. Takubo <sup>80</sup>, M. Talby <sup>99</sup>,
A.A. Talyshev • 35, K.C. Tam • 62b, N.M. Tamir 49, A. Tanaka • 151, J. Tanaka • 151,
R. Tanaka<sup>66</sup>, J. Tang<sup>60</sup>, Z. Tao<sup>61</sup>, S. Tapia Araya<sup>78</sup>, S. Tapprogge<sup>97</sup>,
A. Tarek Abouelfadl Mohamed 104, S. Tarem 148, K. Tariq 160, G. Tarna 125,
G.F. Tartarelli 68a, P. Tas 130, M. Tasevsky 128, E. Tassi 41b,41a, G. Tateno 151,
Y. Tayalati <sup>33e</sup>, G.N. Taylor <sup>102</sup>, W. Taylor <sup>154b</sup>, H. Teagle <sup>89</sup>, A.S. Tee <sup>167</sup>,
R. Teixeira De Lima <sup>141</sup>, P. Teixeira-Dias <sup>92</sup>, H. Ten Kate<sup>34</sup>, J.J. Teoh <sup>111</sup>, K. Terashi <sup>151</sup>,
J. Terron 6, S. Terzo 12, M. Testa 5, R.J. Teuscher 15, W. N. Themistokleous 50,
T. Theveneaux-Pelzer 17, O. Thielmann 168, D.W. Thomas 19, J.P. Thomas 19,
E.A. Thompson 646, P.D. Thompson 19, E. Thomson 125, E.J. Thorpe 91, Y. Tian 53,
V. Tikhomirov ^{\odot 35,a}, Yu.A. Tikhonov ^{\odot 35}, S. Timoshenko ^{35}, P. Tipton ^{\odot 169}, S. Tisserant ^{\odot 99},
S.H. Tlou<sup>131</sup>, A. Tnourji<sup>38</sup>, K. Todome<sup>121</sup>, S. Todorova-Nova<sup>130</sup>, S. Todt<sup>48</sup>,
M. Togawa 680, J. Tojo 686, S. Tokár 626a, K. Tokushuku 680, E. Tolley 6116, R. Tombs 630,
M. Tomoto (50,108), L. Tompkins (5141), P. Tornambe (5100), E. Torrence (5120), H. Torres (548),
E. Torró Pastor <sup>160</sup>, M. Toscani <sup>28</sup>, C. Tosciri <sup>37</sup>, J. Toth <sup>99</sup>, D.R. Tovey <sup>137</sup>, A. Traeet, A. Traeet,
C.J. Treado 114, T. Trefzger 163, A. Tricoli 27, I.M. Trigger 154a, S. Trincaz-Duvoid 124,
D.A. Trischuk <sup>161</sup>, B. Trocmé <sup>58</sup>, A. Trofymov <sup>64</sup>, C. Troncon <sup>68a</sup>, F. Trovato <sup>144</sup>,
L. Truong <sup>©31c</sup>, M. Trzebinski <sup>©83</sup>, A. Trzupek <sup>©83</sup>, F. Tsai <sup>©143</sup>, A. Tsiamis <sup>©150</sup>,
P.V. Tsiareshka<sup>35,a</sup>, A. Tsirigotis <sup>150,s</sup>, V. Tsiskaridze <sup>143</sup>, E.G. Tskhadadze<sup>147a</sup>,
```

M. Tsopoulou ⁶ ¹⁵⁰, Y. Tsujikawa ⁶ ⁸⁴, I.I. Tsukerman ⁶ ³⁵, V. Tsulaia ⁶ ^{16a}, S. Tsuno ⁶ ⁸⁰, O. Tsur¹⁴⁸, D. Tsybychev¹⁴³, Y. Tu^{62b}, A. Tudorache^{25b}, V. Tudorache^{25b}, A.N. Tuna 634, S. Turchikhin 636, I. Turk Cakir 63a, R.J. Turner, R. Turra 668a, P.M. Tuts ¹³⁹, S. Tzamarias ¹⁵⁰, P. Tzanis ⁹, E. Tzovara ⁹⁷, K. Uchida ¹⁵¹, F. Ukegawa ¹⁵⁵, P.A. Ulloa Poblete ^{134d}, G. Unal ³⁴, M. Unal ¹⁰, A. Undrus ²⁷, G. Unel ¹⁵⁷, F.C. Ungaro ¹⁰², K. Uno ¹⁵¹, J. Urban ²⁶⁶, P. Urquijo ¹⁰², G. Usai ⁷, R. Ushioda ¹⁵², M. Usman 6 105, Z. Uysal 111d, V. Vacek 129, B. Vachon 101, K.O.H. Vadla 122, T. Vafeiadis • 34, C. Valderanis • 106, E. Valdes Santurio • 45a, 45b, M. Valente • 154a, S. Valentinetti ¹0^{21b,21a}, A. Valero ¹60, R.A. Vallance ¹9, A. Vallier ¹99, J.A. Valls Ferrer ¹60, T.R. Van Daalen 136, P. Van Gemmeren 5, S. Van Stroud 93, I. Van Vulpen 111, M. Vanadia 673a,73b, W. Vandelli 634, M. Vandenbroucke 6132, E.R. Vandewall 6118, D. Vannicola ¹⁴⁹, L. Vannoli ^{55b,55a}, R. Vari ^{72a}, E.W. Varnes ⁶, C. Varni ^{16a}, T. Varol¹⁴⁶, D. Varouchas⁶⁴, K.E. Varvell¹⁴⁵, M.E. Vasile^{25b}, L. Vaslin³⁸, G.A. Vasquez ¹⁶², F. Vazeille ³⁸, D. Vazquez Furelos ¹², T. Vazquez Schroeder ³⁴, J. Veatch 653, V. Vecchio 698, M.J. Veen 6111, I. Veliscek 6123, L.M. Veloce 6153, F. Veloso 127a, 127c, S. Veneziano 72a, A. Ventura 67a, A. Verbytskyi 107, M. Verducci $\mathbb{D}^{71a,71b}$, C. Vergis \mathbb{D}^{22} , M. Verissimo De Araujo \mathbb{D}^{79b} , W. Verkerke \mathbb{D}^{111} , A.T. Vermeulen ¹¹¹, J.C. Vermeulen ¹¹¹, C. Vernieri ¹⁴¹, P.J. Verschuuren ⁹², M. Vessella ¹⁰⁰, M.L. Vesterbacka ¹¹⁴, M.C. Vetterli ^{140,af}, A. Vgenopoulos ¹⁵⁰, N. Viaux Maira 134f, T. Vickey 137, O.E. Vickey Boeriu 137, G.H.A. Viehhauser 123, L. Vigani 61b, M. Villa 21b,21a, M. Villaplana Perez 160, E.M. Villhauer, E. Vilucchi 51, M.G. Vincter 32, G.S. Virdee 19, A. Vishwakarma 55, C. Vittori 216,21a, I. Vivarelli 144, V. Vladimirov¹⁶⁴, E. Voevodina¹⁰¹⁰⁷, M. Vogel¹⁰¹⁶⁸, P. Vokac¹¹²⁹, J. Von Ahnen¹⁰⁴⁶, E. Von Toerne [©] ²², V. Vorobel [©] ¹³⁰, K. Vorobev [©] ³⁵, M. Vos [©] ¹⁶⁰, J.H. Vossebeld [©] ⁸⁹, M. Vozak ¹⁹⁸, L. Vozdecky ¹⁹¹, N. Vranjes ¹⁴, M. Vranjes Milosavljevic ¹⁴, V. Vrba ^{129,*}, M. Vreeswijk ¹¹¹, R. Vuillermet ³⁴, O. Vujinovic ⁹⁷, I. Vukotic ³⁷, S. Wada ¹⁵⁵, C. Wagner¹⁰⁰, W. Wagner¹⁰⁸, S. Wahdan¹⁶⁸, H. Wahlberg¹⁸⁷, R. Wakasa¹⁵⁵, M. Wakida • 108, V.M. Walbrecht • 107, J. Walder • 131, R. Walker • 106, S.D. Walker • 2, W. Walkowiak ¹³⁹, A.M. Wang ⁵⁹, A.Z. Wang ¹⁶⁷, C. Wang ^{60a}, C. Wang ^{60c}, H. Wang 616a, J. Wang 62a, P. Wang 642, R.-J. Wang 697, R. Wang 59, R. Wang 6112, S.M. Wang ¹⁴⁶, S. Wang ^{60b}, T. Wang ^{60a}, W.T. Wang ⁶⁷⁷, W.X. Wang ^{60a}, X. Wang ^{13c}, X. Wang $^{\bullet 159}$, X. Wang $^{\bullet 60c}$, Y. Wang $^{\bullet 60a}$, Z. Wang $^{\bullet 103}$, C. Wanotayaroj $^{\bullet 34}$, A. Warburton ¹⁰¹, C.P. Ward ³⁰, R.J. Ward ¹⁹, N. Warrack ⁵⁷, A.T. Watson ¹⁹, M.F. Watson ¹⁹, G. Watts ¹³⁶, B.M. Waugh ⁹³, A.F. Webb ¹⁰, C. Weber ²⁷, M.S. Weber ¹⁸, S.A. Weber ³², S.M. Weber ^{61a}, C. Wei ^{60a}, Y. Wei ¹²³, A.R. Weidberg ¹²³, J. Weingarten ⁶⁴⁷, M. Weirich ⁶⁹⁷, C. Weiser ⁵², T. Wenaus ⁶²⁷, B. Wendland ⁶⁴⁷, T. Wengler \mathbb{O}^{34} , S. Wenig \mathbb{O}^{34} , N. Wermes \mathbb{O}^{22} , M. Wessels \mathbb{O}^{61a} , K. Whalen \mathbb{O}^{120} , A.M. Wharton 688, A.S. White 59, A. White 7, M.J. White 11, D. Whiteson 6157, L. Wickremasinghe ¹²¹, W. Wiedenmann ¹⁶⁷, C. Wiel ⁴⁸, M. Wielers ¹³¹, N. Wieseotte ⁹⁷, C. Wiglesworth ⁶⁴⁰, L.A.M. Wiik-Fuchs ⁵², D.J. Wilbern ¹¹⁷, H.G. Wilkens ³⁴, L.J. Wilkins ⁶⁹², D.M. Williams ⁶³⁹, H.H. Williams ¹²⁵, S. Williams ⁶³⁰, S. Willocq ⁶¹⁰⁰, P.J. Windischhofer ¹²³, I. Wingerter-Seez ⁴, F. Winklmeier ¹²⁰, B.T. Winter ⁵², M. Wittgen¹⁴¹, M. Wobisch⁹⁴, A. Wolf⁹⁷, R. Wölker¹²³, J. Wollrath¹⁵⁷, M.W. Wolter⁸³,

- H. Wolters 127a, 127c, V.W.S. Wong 161, A.F. Wongel 46, S.D. Worm 46, B.K. Wosiek 83,
- K.W. Woźniak ⁶⁸³, K. Wraight ⁶⁵⁷, J. Wu ^{613a,13d}, S.L. Wu ⁶¹⁶⁷, X. Wu ⁶⁵⁴, Y. Wu ^{660a},
- Z. Wu 132,60a, J. Wuerzinger 123, T.R. Wyatt 198, B.M. Wynne 150, S. Xella 140, L. Xia 13c,
- M. Xia^{13b} , J. $Xiang^{62c}$, X. $Xiao^{6103}$, M. Xie^{60a} , X. Xie^{60a} , I. $Xiotidis^{144}$, D. Xu^{613a} ,
- H. Xu^{60a}, H. Xu^{60a}, L. Xu^{60a}, R. Xu⁶¹²⁵, T. Xu^{60a}, W. Xu⁶¹⁰³, Y. Xu^{613b}, Z. Xu^{60b},
- Z. Xu¹⁴¹, B. Yabsley¹⁴⁵, S. Yacoob^{131a}, N. Yamaguchi⁸⁶, Y. Yamaguchi¹⁵²,
- M. Yamatani¹⁵¹, H. Yamauchi ¹⁵⁵, T. Yamazaki ^{16a}, Y. Yamazaki ¹⁵¹, J. Yan^{60c}, S. Yan ¹²³,
- Z. Yan 6²³, H.J. Yang 6^{60c,60d}, H.T. Yang 6^{16a}, S. Yang 6^{60a}, T. Yang 6^{62c}, X. Yang 6^{60a},
- X. Yang 13a, Y. Yang 151, Z. Yang 60a, 103, W-M. Yao 16a, Y.C. Yap 46, H. Ye 13c,
- J. Ye 6⁴², S. Ye 6²⁷, I. Yeletskikh 6³⁶, M.R. Yexley 6⁸⁸, P. Yin 6³⁹, K. Yorita 6¹⁶⁵,
- K. Yoshihara 678, C.J.S. Young 52, C. Young 141, R. Yuan 660b, X. Yue 661a,
- M. Zaazoua ^{133e}, B. Zabinski ¹⁸³, G. Zacharis ¹⁹, E. Zaid ⁵⁰, T. Zakareishvili ^{147b},
- N. Zakharchuk ^{©32}, S. Zambito ^{©34}, D. Zanzi ^{©52}, S.V. Zeißner ^{©47}, C. Zeitnitz ^{©168},
- J.C. Zeng ¹⁵⁹, D.T. Zenger Jr ²⁴, O. Zenin ³⁵, T. Ženiš ^{26a}, S. Zenz ⁹¹, S. Zerradi ^{33a},
- D. Zerwas 64, B. Zhang 13c, D.F. Zhang 137, G. Zhang 13b, J. Zhang 55, K. Zhang 13a,13d,
- L. Zhang 13c, M. Zhang 159, R. Zhang 167, S. Zhang 103, X. Zhang 160c, X. Zhang 160b,
- Z. Zhang 64, P. Zhao 49, Y. Zhao 133, Z. Zhao 60a, A. Zhemchugov 636, Z. Zheng 141,
- D. Zhong ¹⁵⁹, B. Zhou ¹⁰³, C. Zhou ¹⁶⁷, H. Zhou ⁶, N. Zhou ^{60c}, Y. Zhou ⁶, C.G. Zhu ^{60b},
- C. Zhu 6 13a, 13d, H.L. Zhu 6 60a, H. Zhu 6 13a, J. Zhu 6 103, Y. Zhu 6 60a, X. Zhuang 6 13a,
- K. Zhukov ³⁵, V. Zhulanov ³⁵, D. Zieminska ⁶⁵, N.I. Zimine ³⁶, S. Zimmermann ⁵²,*,
- J. Zinsser 61b, M. Ziolkowski 139, L. Živković 14, A. Zoccoli 21b,21a, K. Zoch 54,
- T.G. Zorbas $^{\odot 137}$, O. Zormpa $^{\odot 44}$, W. Zou $^{\odot 39}$, L. Zwalinski $^{\odot 34}$

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

^{3 (a)} Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Application and Research Center for Advanced Studies, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁶ Department of Physics, University of Arizona, Tucson AZ; United States of America

Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁸ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

⁹ Physics Department, National Technical University of Athens, Zografou; Greece

¹⁰ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹¹ (a) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul; (b) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; (c) Department of Physics, Bogazici University, Istanbul; (d) Department of Physics Engineering, Gaziantep University, Gaziantep; Türkiye

¹² Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹³ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing; (d) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁴ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁵ Department for Physics and Technology, University of Bergen, Bergen; Norway

^{16 (a)} Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America

¹⁷ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

- ¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland
- ¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
- ²⁰ (a) Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá;
 - (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
- ²¹ (a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b)INFN Sezione di Bologna; Italy
- ²² Physikalisches Institut, Universität Bonn, Bonn; Germany
- ²³ Department of Physics, Boston University, Boston MA; United States of America
- ²⁴ Department of Physics, Brandeis University, Waltham MA; United States of America
- ^{25 (a)} Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; Romania
- ²⁶ (a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁷ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ²⁸ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ²⁹ California State University, CA; United States of America
- ³⁰ Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- ³¹ (a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape;
 - (c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;
- (d) National Institute of Physics, University of the Philippines Diliman (Philippines); (e) University of South Africa, Department of Physics, Pretoria; (f) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- 32 Department of Physics, Carleton University, Ottawa ON; Canada
- ^{33 (a)} Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; ^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- 34 CERN, Geneva; Switzerland
- 35 Affiliated with an institute covered by a cooperation agreement with CERN
- 36 Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁷ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- ³⁸ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ³⁹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴⁰ Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴¹ (a) Dipartimento di Fisica, Università della Calabria, Rende; (b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴² Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴³ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- ⁴⁴ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁵ (a) Department of Physics, Stockholm University; (b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁶ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁷ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
- ⁴⁸ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁴⁹ Department of Physics, Duke University, Durham NC; United States of America
- ⁵⁰ SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom

- ⁵¹ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵² Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵³ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁴ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁵ (a) Dipartimento di Fisica, Università di Genova, Genova; (b) INFN Sezione di Genova; Italy
- ⁵⁶ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁷ SUPA School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- ⁵⁸ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶⁰ (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶¹ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶² (a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;
 (b) Department of Physics, University of Hong Kong, Hong Kong;
 (c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶³ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁴ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁵ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁶ (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁶⁷ (a) INFN Sezione di Lecce; (b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁶⁸ (a) INFN Sezione di Milano; (b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁶⁹ (a) INFN Sezione di Napoli; (b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷⁰ (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷¹ (a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷² (a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷³ (a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma: Italy
- ⁷⁴ (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁵ (a) INFN-TIFPA; (b) Università degli Studi di Trento, Trento; Italy
- ⁷⁶ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁷⁷ University of Iowa, Iowa City IA; United States of America
- ⁷⁸ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- ⁷⁹ (a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (c) Instituto de Física, Universidade de São Paulo, São Paulo; Brazil
- $^{80}\ KEK,\ High\ Energy\ Accelerator\ Research\ Organization,\ Tsukuba;\ Japan$
- 81 Graduate School of Science, Kobe University, Kobe; Japan
- ⁸² (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸³ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁴ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁵ Kyoto University of Education, Kyoto; Japan
- ⁸⁶ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan

- ⁸⁷ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁸⁸ Physics Department, Lancaster University, Lancaster; United Kingdom
- ⁸⁹ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- ⁹⁰ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹¹ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- ⁹² Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- ⁹³ Department of Physics and Astronomy, University College London, London; United Kingdom
- ⁹⁴ Louisiana Tech University, Ruston LA; United States of America
- ⁹⁵ Fysiska institutionen, Lunds universitet, Lund; Sweden
- ⁹⁶ Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- 97 Institut für Physik, Universität Mainz, Mainz; Germany
- ⁹⁸ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- 99 CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰⁰ Department of Physics, University of Massachusetts, Amherst MA; United States of America
- ¹⁰¹ Department of Physics, McGill University, Montreal QC; Canada
- ¹⁰² School of Physics, University of Melbourne, Victoria; Australia
- ¹⁰³ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- ¹⁰⁴ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ¹⁰⁵ Group of Particle Physics, University of Montreal, Montreal QC; Canada
- ¹⁰⁶ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- 107 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- $^{108}\ Graduate\ School\ of\ Science\ and\ Kobayashi-Maskawa\ Institute,\ Nagoya\ University,\ Nagoya;\ Japan$
- 109 Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- ¹¹⁰ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- ¹¹¹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- ¹¹² Department of Physics, Northern Illinois University, DeKalb IL; United States of America
- ¹¹³ (a) New York University Abu Dhabi, Abu Dhabi; (b) United Arab Emirates University, Al Ain; (c) University of Sharjah. Sharjah: United Arab Emirates
- ¹¹⁴ Department of Physics, New York University, New York NY; United States of America
- ¹¹⁵ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- ¹¹⁶ Ohio State University, Columbus OH; United States of America
- ¹¹⁷ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- ¹¹⁸ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- ¹¹⁹ Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- ¹²⁰ Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- 121 Graduate School of Science, Osaka University, Osaka; Japan
- ¹²² Department of Physics, University of Oslo, Oslo; Norway
- ¹²³ Department of Physics, Oxford University, Oxford; United Kingdom
- ¹²⁴ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- ¹²⁵ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- ¹²⁶ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
- 127 (a) Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braqa; (f) Departamento de Física Teórica y del

- Cosmos, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica; ^(h) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- ¹²⁸ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹²⁹ Czech Technical University in Prague, Prague; Czech Republic
- ¹³⁰ Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- ¹³¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- ¹³² IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³³ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- ¹³⁴ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁵ Universidade Federal de São João del Rei (UFSJ), São João del Rei; Brazil
- ¹³⁶ Department of Physics, University of Washington, Seattle WA; United States of America
- ¹³⁷ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
- ¹³⁸ Department of Physics, Shinshu University, Nagano; Japan
- ¹³⁹ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴⁰ Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴¹ SLAC National Accelerator Laboratory, Stanford CA; United States of America
- ¹⁴² Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴³ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
- ¹⁴⁴ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
- ¹⁴⁵ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁶ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁷ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (c) University of Georgia, Tbilisi; Georgia
- $^{148}\ Department\ of\ Physics,\ Technion,\ Israel\ Institute\ of\ Technology,\ Haifa;\ Israel$
- ¹⁴⁹ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵⁰ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵¹ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- ¹⁵² Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵³ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁴ (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
- ¹⁵⁷ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- ¹⁵⁸ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁵⁹ Department of Physics, University of Illinois, Urbana IL; United States of America
- ¹⁶⁰ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Valencia; Spain
- ¹⁶¹ Department of Physics, University of British Columbia, Vancouver BC; Canada
- ¹⁶² Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
- ¹⁶³ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany

- ¹⁶⁴ Department of Physics, University of Warwick, Coventry; United Kingdom
- ¹⁶⁵ Waseda University, Tokyo; Japan
- ¹⁶⁶ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
- ¹⁶⁷ Department of Physics, University of Wisconsin, Madison WI; United States of America
- ¹⁶⁸ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
- ¹⁶⁹ Department of Physics, Yale University, New Haven CT; United States of America
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN
- ^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America
- ^c Also at Bruno Kessler Foundation, Trento; Italy
- ^d Also at Center for High Energy Physics, Peking University; China
- ^e Also at Centro Studi e Ricerche Enrico Fermi; Italy
- f Also at CERN, Geneva; Switzerland
- g Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ^h Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain
- ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece
- j Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America
- ^l Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel
- ^m Also at Department of Physics, California State University, East Bay; United States of America
- ⁿ Also at Department of Physics, California State University, Fresno; United States of America
- ^o Also at Department of Physics, California State University, Sacramento; United States of America
- ^p Also at Department of Physics, King's College London, London; United Kingdom
- ^q Also at Department of Physics, University of Fribourg, Fribourg; Switzerland
- ^r Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria
- ^s Also at Hellenic Open University, Patras; Greece
- ^t Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain
- ^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany
- ^v Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary
- w Also at Institute of Particle Physics (IPP); Canada
- ^x Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
- ^y Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia
- ^z Also at Instituto de Fisica Teorica, IFT-UAM/CSIC, Madrid; Spain
- ^{aa} Also at Istanbul University, Dept. of Physics, Istanbul; Türkiye
- ^{ab} Also at Physics Department, An-Najah National University, Nablus; Palestine
- ^{ac} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ad Also at The City College of New York, New York NY; United States of America
- ae Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China
- ^{af} Also at TRIUMF, Vancouver BC; Canada
- ^{ag} Also at Università di Napoli Parthenope, Napoli; Italy
- ^{ah} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China
- ^{ai} Also at Yeditepe University, Physics Department, Istanbul; Türkiye
- * Deceased