

RECEIVED: November 9, 2022

REVISED: April 24, 2023

ACCEPTED: May 30, 2023

PUBLISHED: July 20, 2023

Search for boosted diphoton resonances in the 10 to 70 GeV mass range using 138 fb $^{-1}$ of 13 TeV pp collisions with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for diphoton resonances in the mass range between 10 and 70 GeV with the ATLAS experiment at the Large Hadron Collider (LHC) is presented. The analysis is based on pp collision data corresponding to an integrated luminosity of $138\,\mathrm{fb^{-1}}$ at a centre-of-mass energy of $13\,\mathrm{TeV}$ recorded from 2015 to 2018. Previous searches for diphoton resonances at the LHC have explored masses down to 65 GeV, finding no evidence of new particles. This search exploits the particular kinematics of events with pairs of closely spaced photons reconstructed in the detector, allowing examination of invariant masses down to $10\,\mathrm{GeV}$. The presented strategy covers a region previously unexplored at hadron colliders because of the experimental challenges of recording low-energy photons and estimating the backgrounds. No significant excess is observed and the reported limits provide the strongest bound on promptly decaying axion-like particles coupling to gluons and photons for masses between 10 and 70 GeV.

Keywords: Hadron-Hadron Scattering, Beyond Standard Model

ARXIV EPRINT: 2211.04172

C	ontents		
1	Introduction	1	
2	ATLAS detector		
3	Data and simulated event samples	3	
4	Object and event selection		
5	Signal modelling		
6	Background estimates 6.1 Background template modelling 6.2 Gaussian processes to mitigate statistical fluctuations in background templates 6.3 Impact of smoothing on the background modelling uncertainty	6 6 8 10	
7	Statistical analysis	12	
8	Results	13	
9	Phenomenological interpretation		
10	Conclusion	17	
\mathbf{T}	ne ATLAS collaboration	2 3	

1 Introduction

One of the primary goals of the Large Hadron Collider (LHC) experiments is to investigate any 'beyond the Standard Model' (BSM) scenarios where deviations from Standard Model (SM) behaviour appear in the high-energy regime of observables accessible in hadron collisions. This work focuses on diphoton final states, looking for new phenomena in the form of narrow resonances X in the mass range between 10 and 70 GeV, below that targeted in previous diphoton searches at the LHC [1–4], and extending the experimental coverage of the LHC to BSM scenarios where i) all the heavy states are beyond the reach of the LHC, ii) a scalar which is a singlet of the SM gauge group is naturally lighter than the EW scale, iii) the singlet scalar is abundantly produced in proton-proton (pp) collisions and iv) the singlet scalar decays promptly into a pair of SM particles, generically with a narrow width.

The natural targets of this search are pseudo Nambu-Goldstone bosons (pNGBs) associated with spontaneously broken approximate global symmetries at the TeV scale or above, often referred to as axion-like particles (ALPs). A light ALP coupled to gluons would be

abundantly produced in pp collisions, and even though it would decay mostly into dijets, its suppressed coupling to photons presents experimental advantages that make the diphoton final state more desirable to look for at the LHC. Light ALPs with these phenomenological features are predicted by a wide variety of BSM scenarios, such as 'heavy' QCD axion models [5–17], the R-axion in SUSY-breaking models [18–20] and Composite Higgs models [21–23]. Light ALPs can also be the mediator of dark-matter freeze out [24] and trigger baryogenesis [25]. In all of these models, the mass of the ALP is a free parameter without any particularly strong theory expectation, and for this reason the experimental coverage should span all possible masses.

This search uses the diphoton invariant mass distribution as the discriminating variable. It therefore closely follows the strategy used in previous diphoton searches [2, 26], but it also exhibits some clear differences. Selecting photons with transverse energies close to the trigger thresholds sculpts the diphoton invariant mass distribution at its lower edge, limiting the lowest accessible mass and requiring an accurate description of the background shape to avoid drastically limiting the final sensitivity. This challenge is overcome here by selecting events with pairs of closely spaced photons and large diphoton transverse momentum, typically arising from recoil against a jet. Concretely, requiring photon pairs with transverse momentum $p_{\rm T}^{\gamma\gamma}$ larger than 50 GeV flattens the background shape, making it easier to describe with simple analytic functions.

A model composed of analytic functions is used to describe the signal and background components and fit the diphoton invariant mass spectrum to search for narrow resonances. The impact of the uncertainty arising from the analytic function chosen to describe the background shape, estimated by fitting the analytic model to a representative sample of simulated background events, is mitigated by applying a smoothing procedure using Gaussian Processes to the simulated background sample. In the scenario in which no significant signal excess is observed, limits are placed on the production cross-section times branching ratio, $\sigma_{\text{fid}} \cdot \mathcal{B}(X \to \gamma \gamma)$, as a function of the resonance mass m_X . Additionally, the observed limits are recast in the ALP parameter space in terms of the mass of an ALP, m_a , and its decay constant, f_a .

2 ATLAS detector

The ATLAS experiment [27–29] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle. It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer (MS). The ID covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam pipe. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2}$.

argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A hadron sampling calorimeter composed of steel and scintillator tiles covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. For $|\eta| < 2.5$, the EM calorimeter is divided into three longitudinal layers, which are finely segmented in η and ϕ , particularly in the η direction in the first layer. This segmentation allows the measurement of the lateral and longitudinal shower profile, and the calculation of shower shapes [30] used for electron and photon identification. The longitudinal segmentation of the EM calorimeter is also exploited to calibrate the energy response of photon candidates [30]. The MS surrounds the calorimeters and is equipped with three large air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. A twolevel trigger system is used to select events to be recorded [31]. The first-level trigger is implemented in hardware and uses a subset of the detector information. It selects events of interest within the event rate limitation of 100 kHz. This is followed by a softwarebased trigger which runs algorithms similar to those in the offline reconstruction software, reducing the event rate to approximately 1 kHz. An extensive software suite [32] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

The search is performed using the $\sqrt{s}=13$ TeV pp collision dataset with a bunch spacing of 25 ns collected from 2015 to 2018 by the ATLAS detector, referred to as the full Run 2 dataset in the following. Only events with stable beam conditions and all ATLAS subsystems operational are considered [33], corresponding to an integrated luminosity of 138 fb⁻¹ [34]. The data were recorded using a diphoton trigger [35] that required two electromagnetic energy clusters satisfying identification criteria based on the expected shape of the two electromagnetic showers and with transverse energies $E_{\rm T}$ above a certain threshold that varied across the data-taking period to cope with the increase in instantaneous luminosity over the years. In 2015 and the first portion of 2016, the $E_{\rm T}$ threshold was 20 GeV, while in the remainder of 2016 an $E_{\rm T}$ threshold of 22 GeV was imposed. During 2017 and 2018, the $E_{\rm T}$ threshold was lowered to 20 GeV and combined with an additional requirement on the calorimetric isolation transverse energy. Data collected with alternative and prescaled diphoton triggers with looser identification criteria for the EM shower shapes, corresponding to an integrated luminosity of 6.3 fb⁻¹, are used for background estimation purposes.

Monte Carlo (MC) simulated events are used to optimize the analysis selections and to characterize the signal and background shapes.

Signal event samples were generated for a hypothetical resonance produced in gluongluon fusion in association with up to two additional jets for resonance masses between 10 and 80 GeV. The decay width Γ_a was set to 4 MeV, negligible compared to the experimental resolution, to describe a hypothetical resonance in the narrow-width approximation (NWA). The samples were generated using the effective-field-theory approach [36] implemented in Madgraph5_aMC@NLO [37] with the NNPDF2.3LO PDF set [38], and using the A14 set [39] of tuned parameters and Pythia 8.240 [40] to simulate parton showering, hadronization and the decay of the resonance into a pair of photons.

Background events with two prompt photons and associated jets were simulated using the Sherpa 2.2.4 [41, 42] event generator. Matrix elements were calculated in perturbative QCD (pQCD) at next-to-leading order (NLO) for up to one additional parton, and at LO for two or three partons, and merged with the Sherpa parton-shower simulation using the MEPS@NLO prescription [43–46]. The NNPDF3.0NNLO PDF set was used in conjunction with a dedicated parton-shower tune in the Sherpa generator. Interference effects between the resonant signal and all background processes are expected to be small for narrow-width signals and are neglected in this analysis.

The effects of multiple pp interactions in the same bunch crossing as the hard scatter and in neighbouring ones (defined as pile-up) are included using simulated events generated with Pythia 8. Simulated events were weighted to reproduce the distribution of the average number of interactions per bunch crossing observed in data.

All simulated signal events were processed using a full simulation of the ATLAS detector [47] based on Geant4 [48]. The background $\gamma\gamma$ events were processed using a fast simulation of the ATLAS detector [49], where the full simulation of the calorimeter is replaced with a parameterization of the calorimeter response. All simulated events were reconstructed with the same reconstruction algorithms as those used for data.

4 Object and event selection

Photon candidates are reconstructed from topological clusters of energy deposited in the EM calorimeter, as well as from charged-particle tracks and conversion vertices reconstructed in the inner detector, and they are calibrated as described in ref. [30]. The event selection requires at least two photon candidates with transverse energies larger than 22 GeV and $|\eta| < 2.37$, excluding the barrel-to-endcap transition regions of the calorimeter, $1.37 < |\eta| < 1.52$. The transverse energy requirement is chosen to mitigate the effect of the trigger efficiency turn-on from the trigger thresholds discussed in section 3. The properties of the EM clusters associated with the two highest- $E_{\rm T}$ photons and additional information from the tracking systems are used to identify the diphoton production vertex [50], which is used to correct the photon direction, resulting in improved $m_{\gamma\gamma}$ resolution.

To reduce the background from jets, photon candidates are required to satisfy tight identification criteria based on the shape of EM showers in the LAr calorimeter and energy leakage into the hadronic calorimeter [30]. Events with one or both photon candidates passing a looser identification are kept for background estimations. The tight identification is optimized in ranges of photon $E_{\rm T}$ and $|\eta|$, and has an identification efficiency that increases with $E_{\rm T}$ from 70% at 22 GeV to 90% above 50 GeV.

To further improve the rejection of jets misidentified as photons, the candidates are required to be isolated using information from both the calorimeter and tracking subsystems. The calorimeter isolation transverse energy $E_{\rm T}^{\rm iso, calo}$ is required to be smaller than

 $0.065E_{\rm T}^{\gamma}$, where $E_{\rm T}^{\rm iso,calo}$ is defined as the sum of the transverse energies of positive-energy topological clusters [51] within a cone of size $\Delta R = 0.2$ around the photon candidate, excluding the photon transverse energy $E_{\rm T}^{\gamma}$ and correcting for pile-up and underlying-event contributions [52–54]. The track isolation transverse energy $E_{\rm T}^{\rm iso,trk}$ is required to be less than $0.05E_{\rm T}^{\gamma}$, where $E_{\rm T}^{\rm iso,trk}$ is defined as the scalar sum of the transverse momenta of tracks with $p_{\rm T}>1$ GeV in a $\Delta R=0.2$ cone around the photon candidate, and which satisfy some loose track-quality criteria, are not associated with a photon conversion, and originate from the diphoton production vertex. The combined isolation efficiency for pairs of photons fulfilling the identification requirement in simulated signal samples increases with $m_{\gamma\gamma}$ from 80% at 10 GeV to 90% at 90 GeV.

The diphoton invariant mass is computed using the transverse energies of the leading and subleading photon candidates and their angular separation in both azimuth ϕ and pseudorapidity η , determined from their positions in the calorimeter and the diphoton production vertex.


An additional kinematic selection is placed on the transverse momentum of the diphoton system, $p_{\rm T}^{\gamma\gamma}$, requiring events to have a diphoton pair with $p_{\rm T}^{\gamma\gamma} > 50$ GeV. This requirement is motivated by the fact that the analysis targets diphoton pairs with low masses, down to about half the trigger energy thresholds, and such pairs are typically highly boosted with respect to the ATLAS detector rest frame. The $p_{\rm T}^{\gamma\gamma}$ requirement is chosen in order to reach the best compromise between the statistical uncertainty in the lowest part of the spectrum and sculpting effects on the background shape from the trigger efficiency turn-on, the modelling of which would result in large systematic uncertainties.

In total, 1166636 data events with $m_{\gamma\gamma} < 80$ GeV are selected.

Following the detector-level selection, the measurement of the signal production cross-section is performed in a fiducial volume defined from the simulated samples by requiring two photons at particle level with $E_{\rm T}>22$ GeV, $|\eta|<2.37$ and $p_{\rm T}^{\gamma\gamma}>50$ GeV. The particle isolation, defined as the scalar sum of the $p_{\rm T}$ of all the stable particles (except muons and neutrinos) found within a $\Delta R=0.2$ cone around the photon direction, is required to be less than $0.05E_{\rm T}^{\gamma}$. This isolation requirement is chosen to reproduce the detector-level selection.

5 Signal modelling

The shape of a possible signal in the diphoton invariant mass distribution is modelled by a double-sided Crystal Ball (DSCB) function, composed of a Gaussian core with power-law tails [1, 55], whose parameter values evolve linearly with respect to the mass m_X . The parameters of the DSCB function are extracted from fits to the MADGRAPH simulated signal samples. The width of the Gaussian core is entirely determined by the resolution of the detector and ranges from 0.2 to 1.2 GeV, as shown in figure 1a. Good agreement between the signal parameterization and the simulated signal samples is found, with differences below 1% of the fitted signal yield. An example of the simulated resonance overlaid with the signal model parameterization is shown in figure 1b.






Figure 1. (a) Width of the Gaussian core of the DSCB function as a function of m_X (solid markers) overlaid with the linear parameterization (dashed line). The detector resolution is 2.0% at 10 GeV and 1.4% at 80 GeV. (b) Simulated diphoton invariant mass distribution of a narrow-width signal resonance with $m_X = 30$ GeV (solid markers) overlaid with the DSCB function obtained from a single fit (solid line) and from the signal model parameterization (dashed line).

6 Background estimates

The dominant background components consist of continuum $\gamma\gamma$ production, and of photon-jet $(\gamma j \text{ and } j\gamma)^2$ and jet pair (jj) events where one or more jets are misidentified as photons. Other backgrounds arising from electrons faking photons in Z boson decays are found to be negligible in the mass range of this search and are not considered. The analysis makes use of a data-driven background estimate in which the continuum background shape is parameterized by an analytic function. The chosen analytic functional form is described in section 6.1. The uncertainty arising from the choice of background model is based on signal-plus-background fits to background-only template histograms with a binning of 100 MeV, following the methodology described in ref. [56] and further described in section 6.1. The background modelling uncertainty is found to be dominated by the limited size of available simulated event samples. In order to reduce the impact of the background modelling uncertainty on the analysis, the background templates are smoothed using a Gaussian Processes fit. This technique is described further in section 6.2, and its impact on the analysis is detailed in section 6.3.

6.1 Background template modelling

The background-only template has two components. The $\gamma\gamma$ component is built from the simulated $\gamma\gamma$ samples described in section 3, and the γj and jj components are built from control samples obtained from data, in which one or both photons must fail the tight identification requirements while passing a looser set of identification cuts. The two components are combined according to their relative fractions. The relative contribution of each of

²The order denotes which of the two, either the photon or the jet, has a larger transverse momentum. In the following, the term γj refers to both contributions.




Figure 2. Diphoton invariant mass distributions of the data after event selection and their decomposition into contributions from diphoton $(\gamma\gamma)$, photon+jet $(\gamma j \text{ and } j\gamma)$ and dijet (jj) events as determined using the two-dimensional sideband method. The total uncertainties, including statistical and systematic components added in quadrature, are shown as error bands.

these processes is shown in figure 2 and is estimated using the two-dimensional sideband method described in ref. [57]. The purity of the diphoton sample, defined as the fraction of $\gamma\gamma$ events, increases with $m_{\gamma\gamma}$ from 50% at 10 GeV to 70% at 80 GeV with an overall uncertainty of 3% dominated by its statistical component arising from the limited size of the data sample collected with the prescaled triggers described in section 4. No significant difference in the diphoton purity is observed between the various LHC data-taking periods of Run 2.

The goal of this analysis is to reach the lowest invariant mass possible, including the 'turn-on' region for masses below 20 GeV. The resulting background shape needs to be described by a more complex analytic form than in previous diphoton resonance searches [2, 26] and is constructed as the combination of two pieces: one capable of describing the turn-on shape and a second used to describe the smoothly decreasing part. The two-parts analytic function described below was found to adequately model the background shape across the full invariant mass range of the search.

The turn-on region (TO) is described by the following function:

$$h_{\text{TO}}(m_{\gamma\gamma}; f_0, \tau_{\text{TO}}) = 1 - (1 - f_0) e^{-\frac{m_{\gamma\gamma}}{\tau_{\text{TO}}}},$$

where f_0 corresponds to the value of the function at $m_{\gamma\gamma} = 0$ and τ_{TO} is the length scale of the turn-on.

The smoothly falling region beyond 30 GeV is described by a power-law function multiplied by an 'activation' function to increase its flexibility in the high mass region (above 50 GeV). For this activation term, an exponential function times a 'Fermi-Dirac-like' func-

tion is chosen, and the total function is:

$$h_{\mathrm{High}}(m_{\gamma\gamma}; c_{1}, a_{0}, c_{0}, \delta_{\mathrm{tail}}, \tau_{\mathrm{tail}}, \delta_{\mathrm{thresh}}, \tau_{\mathrm{thresh}}) = \underbrace{\left(1 - \left(\frac{m_{\gamma\gamma}}{c_{1}}\right)^{a_{0}}\right)^{c_{0}}}_{\mathrm{Power-law}} \underbrace{\left(1 + \frac{\mathrm{e}^{\frac{m_{\gamma\gamma} - \delta_{\mathrm{tail}}}{\tau_{\mathrm{tail}}}}}{1 + \mathrm{e}^{-\frac{m_{\gamma\gamma} - \delta_{\mathrm{thresh}}}{\tau_{\mathrm{thresh}}}}\right)}_{\mathrm{Activation function}}$$

where c_1 , a_0 and c_0 are the parameters of the power-law term, and δ_{tail} , τ_{tail} , δ_{thresh} and τ_{thresh} describe the activation function. The power-law part is qualitatively described by its endpoints, being 1 at $m_{\gamma\gamma} = 0$, and 0 at $m_{\gamma\gamma} = c_1$, and a fixed value of $c_1 = 115$ GeV can be set with no impact on the flexibility of the complete model. The activation function only plays a role above δ_{thresh} , below which its value is practically 1.

The complete functional form is obtained by adding the two components and has ten parameters in total:

$$f(m_{\gamma\gamma}; \boldsymbol{\theta}_{\text{TO}}, \boldsymbol{\theta}_{\text{High}}, f_{\text{TO}}) = h_{\text{TO}}(\boldsymbol{\theta}_{\text{TO}}) \cdot f_{\text{TO}} + (1 - f_{\text{TO}}) \cdot h_{\text{High}}(\boldsymbol{\theta}_{\text{High}}),$$
 (6.1)

where f_{TO} is the parameter that describes the relative contribution of the turn-on component and θ_i are the sets of parameters belonging to h_{High} and h_{TO} . To reduce the potentially large correlations between the ten parameters, a subset of them are fixed to ensure the convergence of the fit. The choice of free parameters is based on the results of stability tests using generated pseudo-datasets from the best fit to the background template. The chosen configuration has the largest number of floating parameters, with only three fixed parameters (c_1 , δ_{thresh} , τ_{thresh}) while the remaining seven parameters are free to vary.

Variations of the nominal background template are built to validate the flexibility of the chosen functional form and subsequently to estimate background modelling systematic uncertainties in section 6.3. They are constructed by i) modifying the fractions of the background components, referred to as variations of the $\gamma\gamma$ fraction $(f_{\gamma\gamma})$; ii) varying the identification criteria used to define the γj and jj control regions, referred to as variations of the control region; and iii) altering the templates by varying the $p_{\rm T}^{\gamma\gamma}$ cut by 10%, referred to as $p_{\rm T}^{\gamma\gamma}$ variations. These variations change the steepness of the turn-on by up to 20%, and the slope in the high mass region by $\pm 5\%$, with respect to the nominal background template.

6.2 Gaussian processes to mitigate statistical fluctuations in background templates

The bias arising from the choice of background model is evaluated from signal-plus-background fits to background-only templates: any fitted signal yield $N_{\rm SS}$ is referred to as a 'spurious signal' and it is considered as a systematic uncertainty in the modelling of the background shape. The functional form of eq. (6.1) provides an acceptable maximal spurious signal that is below 30% of the statistical uncertainty in the mass range between 10 and 75 GeV, and therefore it is chosen as the background model.

The estimation of this systematic uncertainty requires the shape of the background template to be as close as possible to the shape of the data distribution, but with an event count large enough for the statistical fluctuations of the template to be negligible. When evaluating the uncertainty, if the background model perfectly describes the representative background sample, then the number of signal events fitted by the signal-plus-background model will be zero. However, the representative background-only sample for this analysis is constructed using a limited number of simulated diphoton events, and the presence of statistical fluctuations in the sample introduces large statistical fluctuations in the number of fitted signal events, regardless of the quality of the background model. This issue was addressed previously [26] by using simulated datasets with much larger event counts than in data, which leads to smaller statistical fluctuations in the background shape but is computationally expensive. In order to meet the aforementioned requirements, an alternative approach to easing statistical effects on the background modelling uncertainty by using Gaussian Processes is followed instead.

A Gaussian Process (GP) is a flexible Bayesian machine-learning technique which may be used to obtain a non-parametric fit to an input dataset [58]. The analysis uses the scikit-learn GP implementation [59] to fit a GP to the representative background sample histogram; the posterior mean of the GP fit is used as a smoothed background template. The combined signal and background model fit is then performed on the smoothed template instead of the original representative background sample. The degree of smoothing applied is controlled through the choice of kernel and its hyperparameters. A radial basis function (RBF) kernel [58] with an additional constant noise component is utilized here. The RBF kernel includes a length-scale hyperparameter that encodes the correlation between the event counts for different bins in invariant mass. The contents of bins which are less than the length scale apart in invariant mass are highly correlated, while the contents of those which are much further apart than the length scale are essentially uncorrelated. Physically, the length scale encodes a minimum feature size expected in the background shape, which in this analysis corresponds to the 1-2 GeV width of the trigger efficiency turn-on region and thus is also greater than the 100 MeV bin width of the original background histogram. The kernel hyperparameter values are determined in the fit to the representative background sample. Notably, because GPs are non-parametric in nature, the GP smoothing technique is not expected to significantly bias the shape of the resulting smoothed template towards a specific choice of analytic background model.

GPs may introduce mis-modelling at the edges of the diphoton invariant mass distribution, since edge points are only constrained by their correlation with other data points on one side. To mitigate these edge effects, the GP fit is performed using an extended invariant mass range of 7–80 GeV, while the combined signal and background model fit is performed using the nominal analysis invariant mass range of 9–77 GeV.

Figure 3 shows an example of a pseudo-dataset generated from the nominal background modelling function, as well as the GP-smoothed pseudo-dataset. The smoothed pseudo-dataset is observed to reproduce the nominal background modelling function shape with relatively high accuracy, and without the bin-scale statistical fluctuations of the original pseudo-dataset. The smoothed pseudo-dataset shows some oscillatory behaviour beyond the turn-on region; these features are an artefact of the steep slope in the turn-on region pulling the fitted length scale to a smaller value than would otherwise be needed to model the remaining mass range. Similarly, some mis-modelling of the smoothed




Figure 3. The upper panel shows a single pseudo-dataset (solid markers) generated from the nominal background modelling function described in eq. (6.1) (blue dashed line). The GP-smoothed pseudo-dataset is shown with the red solid line. The bottom panel shows the difference between the unsmoothed and smoothed pseudo-datasets with respect to the nominal background shape. The horizontal axis of the plot utilizes a wider diphoton invariant mass range than the one used in the analysis in order to mitigate the impact of edge effects from the GP smoothing technique. The lower right panel shows the profile of the difference between the unsmoothed (black) and smoothed (red) pseudo-datasets with respect to the nominal background shape.

pseudo-dataset is observed in the turn-on region because of the length scale being pulled to a larger value by the higher mass region. The magnitude of the fluctuations in the smoothed pseudo-dataset is significantly smaller than that of statistical fluctuations in the unsmoothed pseudo-dataset.

6.3 Impact of smoothing on the background modelling uncertainty

In order to verify that the GP smoothing technique does not introduce any significant bias into the background histogram shape, its effect is checked on an ensemble of pseudo-datasets generated from a known background shape. Ensembles are generated using both the nominal background modelling function (provided in eq. (6.1)) and a set of analytic forms capable of describing the turn-on feature in the background shape. This set is composed of functional forms built similarly to the nominal functional form in which either the turn-on component or the smoothly falling component is replaced by other analytic forms, such as different Fermi-Dirac-like functions for the turn-on or sums of exponential functions for the smoothly falling component. The parameters of the analytic forms are determined by fitting them to the original simulated background sample, and each histogram in the ensemble is generated with the same effective event count as in the original simulated background sample.




Figure 4. (a) Number of spurious-signal events $N_{\rm SS}$ relative to its uncertainty δS as a function of the resonance mass m_X for smoothed variations of the nominal template obtained from different control region definitions, diphoton purity variations and different kinematic selections. The light green line encloses the local maxima of the distribution. The dark green envelope includes the bias observed from the GP fit. The light blue envelope shows the relative background modelling uncertainty obtained from a parameterization of the unsmoothed template. (b) Absolute number of spurious-signal events $|N_{\rm SS}|$ as a function of m_X evaluated for smoothed variations of the nominal template obtained from different control region definitions, diphoton purity variations and different kinematic selections. The light green line encloses the local maxima of the distribution. The dark green line includes the bias observed from the GP fit.

The background modelling uncertainty is then evaluated for each pseudo-dataset, with and without smoothing. The aforementioned functional forms are used to probe for potential smoothing bias in both the cases where the analytic background model did or did not properly describe the pseudo-dataset. The bias that arises from the GP smoothing technique is defined as the difference between the observed spurious signals in the smoothed template and the unsmoothed template. The uncertainty associated with the GP smoothing technique is observed to be roughly 20% of the background modelling uncertainty for masses below 20 GeV, stabilizing at 5% for larger masses. This bias is added in quadrature to the background modelling uncertainty.

The final background modelling uncertainty is computed as the envelope of the maximal fitted signal yields over all the background template variations defined previously in this section after smoothing. Figure 4a shows the number of spurious-signal events $N_{\rm SS}$, taken as the background modelling uncertainty, relative to its statistical uncertainty δS for the unsmoothed and smoothed templates. Applying the GP smoothing procedure to the background template leads to a reduction of at least 50% in this background modelling uncertainty relative to the unsmoothed case. The uncertainty arising from the GP smoothing technique is found to be small compared to the decrease in background modelling uncertainty due to the reduction of statistical noise. The magnitude of the smoothing uncertainty, as well as the remaining background modelling uncertainty, is presented as a function of the diphoton invariant mass in figure 4b.

7 Statistical analysis

The data are interpreted by following the statistical procedure described in ref. [60]. A binned likelihood function is built from the observed diphoton invariant mass distribution and the analytic functions discussed in sections 5 and 6, describing the signal and background components in the 9 to 77 GeV mass range. The search is performed in the 10 to 70 GeV mass range to avoid edge effects, based on the different diphoton invariant mass resolutions at these values, as illustrated in figure 1a.

The parameter of interest to be extracted from the likelihood fit is the fiducial production cross-section times branching ratio $\sigma_{\text{fid}} \cdot \mathcal{B}(X \to \gamma \gamma)$. Since the measurement is performed in a fiducial volume (defined in section 4) to allow easier reinterpretation of the results, the fiducial cross-section includes a correction factor C_X to account for the signal detection efficiency:

$$\sigma_{\rm fid} \cdot \mathcal{B}(X \to \gamma \gamma) = \frac{N_{\rm S}}{C_X \mathcal{L}}, \text{ with } C_X = \frac{N_{\rm MC}^{\rm det}}{N_{\rm MC}^{\rm fid}},$$

where $N_{\rm S}$ is the number of signal events fitted in data, \mathcal{L} is the integrated luminosity, $N_{\rm MC}^{\rm det}$ is the number of reconstructed and selected signal events in the simulation and $N_{\rm MC}^{\rm fid}$ is the number of simulated signal events present within the fiducial volume. The C_X values are computed from the simulated signal samples described in section 3 and range from 0.2 to 0.5 as a function of m_X .

The theoretical uncertainties affecting the measurement of $\sigma_{\rm fid} \cdot \mathcal{B}(X \to \gamma \gamma)$ arise from variations of the renormalization and factorization scales affecting the signal efficiencies evaluated in simulated samples. The experimental uncertainties directly impacting the signal yield include those involved in the luminosity determination, the modelling of pile-up interactions in simulation, the trigger efficiency, and photon identification and isolation. An additional systematic uncertainty in the trigger is included to account for the capability of the trigger system to identify two closely spaced electromagnetic showers. Events containing a $Z \to ll\gamma$ decay, recorded only with electron triggers, in which the photon is close to one of the two electrons are used to evaluate the photon trigger efficiency in data and simulated radiative Z samples [35]. The observed difference is added in quadrature to the nominal trigger systematic uncertainty. Uncertainties in the signal shape parameterization from the modelling and the determination of the photon energy resolution and scale are also accounted for, with mild impact on the signal yield.

The systematic uncertainties are implemented in the likelihood function as nuisance parameters constrained by Gaussian penalty terms, except for the background modelling systematic uncertainty, which is implemented as an additional signal component. All sources of systematic uncertainties are summarized in table 1.

The compatibility of the observed data and the background-only hypothesis for a given signal hypothesis m_X is tested by estimating a local p-value based on a profile-likelihood-ratio test statistic, detailed in ref. [60]. The global significance of a given event excess is computed using background-only generated pseudo-datasets to account for the look-elsewhere effect [61].

Source	Uncertainty		
On $\sigma_{\text{fid}} \cdot \mathcal{B}(X \to \gamma \gamma)$ [%]			
Pile-up modelling	± 3.5 (at 10 GeV) to ± 2 (beyond 15 GeV), mass dependent		
Photon energy resolution	± 2.5 to ± 2.7 , mass dependent		
Scale and PDFs uncertainties	± 2.5 to ± 0.5 , mass dependent		
Trigger on closely spaced photons	± 2 (at 10 GeV) to <0.1 (beyond 35 GeV), mass dependent		
Photon identification	± 2.0		
Isolation efficiency	± 2.0		
Luminosity (2015–2018)	± 1.7		
Trigger	± 1.0		
Signal shape modelling	<1		
Photon energy scale	negligible		
Background modelling			
Spurious signal (relative to δS)	30-65 events $(10%-30%)$, mass dependent		

Table 1. Summary of the main sources of systematic uncertainty. Their impact on the fiducial production cross-section of a hypothetical resonant signal is shown, except for the background modelling uncertainty, which is expressed both as a number of events and relative to the expected statistical uncertainty δS of a fitted signal. Unless written otherwise, numbers are mass independent.

In the absence of a signal, the expected and observed 95% confidence level (CL) exclusion limits on the cross-section times branching ratio are evaluated using the modified frequentist approach $\mathrm{CL_s}$ [62, 63] with the asymptotic approximation to the test-statistic distribution.

8 Results

The diphoton invariant mass distribution of events passing the analysis selection is shown in figure 5, along with the background-only fit performed in the 9 to 77 GeV mass range.

The result of the p-value scan as a function of the hypothesized resonance mass m_X is shown in figure 6. The most significant deviation from the background-only hypothesis is observed for a mass of 19.4 GeV, corresponding to a local significance of 3.1σ . The global significance of such an excess is 1.5σ , computed using the methodology described in section 7. Therefore, no significant deviations from the SM are observed.

The observed and expected upper limits on $\sigma_{\text{fid}} \cdot \mathcal{B}(X \to \gamma \gamma)$ as a function of the resonance mass are shown in figure 7. The expected upper limit is nearly constant across almost the whole invariant mass range of the search because of the competing effects of the increase of signal efficiencies and widening of the signal widths with increasing mass.

9 Phenomenological interpretation

In this section the observed limits on the fiducial cross-section for a hypothetical resonance X are recast in the parameter space of an ALP a. The KSVZ-ALP model, inspired by the simplest QCD-axion model [64–66], is chosen as a benchmark because it allows for couplings between the ALP field and gauge bosons, including a non-zero coupling to gluons




Figure 5. (a) Distribution of the diphoton invariant mass for all events passing the analysis selections in the full Run 2 dataset with the background-only fit superimposed. The functional form is decomposed into the different pieces described in detail in section 6.1. (b) Vertically enlarged version of figure 5a. The normalized residuals between the data and the fit are shown in the bottom panel.




Figure 6. Scan of the observed *p*-value as a function of the diphoton invariant mass for the background-only hypothesis for the full Run 2 dataset.

and photons. It is described by the following effective Lagrangian:

$$\frac{a}{4\pi f_a} \left[\alpha_3 c_3 G^a \tilde{G}^a + \alpha_2 c_2 W^i \tilde{W}^i + \alpha_1 c_1 B \tilde{B} \right] + \frac{1}{2} m_a^2 a^2 \,, \tag{9.1}$$

where a and m_a are the ALP field and its mass, and f_a corresponds to the decay constant that governs its coupling with the SM fields. The QCD and EW field strengths are denoted by G, W and B with $\tilde{F}^{\mu\nu} = (1/2) \epsilon^{\mu\nu\rho\sigma} F_{\rho\sigma}$ for all field strengths. The coupling constants α_3 , α_2 and $\alpha_1 = (5/3) \alpha_Y$ (where α_Y stands for the weak SM hypercharge Y coupling constant) set the strength of the strong and EW interactions in the SM. The coefficients




Figure 7. Expected and observed upper limits on the fiducial production cross-section times branching ratio to photon pairs for a scalar resonance in the NWA as a function of the resonance mass m_X , for the full Run 2 dataset.

 c_i encode the anomalies of the global symmetry non-linearly realized by the ALP with the SM gauge group. These anomalies are generated by integrating out heavy fermions which are charged under the SM gauge group at the scale f_a . This Lagrangian is equivalent to the one used to generate the simulated signal samples described in section 3.

The ALP a under consideration, being the pNGB of an approximate global symmetry, remains naturally light well below the scale of new physics. Considering m_a , the mass of the ALP, to be much smaller than m_Z , the relevant two-body decays of a are to photons and to jets, with widths which can be found, e.g., in ref. [67]. In the 10 to 70 GeV mass range and for the choice of anomalies $c_1 = c_2 = c_3 = 10$, the branching ratio $\mathcal{B}(a \to \gamma \gamma)$ varies from $0.6 \cdot 10^{-3}$ to $1.6 \cdot 10^{-3}$. Choosing to set the magnitude of the c_i parameters to be the same is motivated by gauge coupling unification in a Grand Unified Theory scenario. While the specific value of 10 is arbitrary, the rescaling of the results to a different anomaly parameter choice would be trivial. The ALP Lagrangian in eq. (9.1) is implemented in Feynrules [68], and the production cross-section at the LHC for the process $gg \rightarrow ag$ is computed at leading order with MADGRAPH [69], where the gluon is explicitly required to boost the ALP. A constant K-factor K=2 is applied to this cross-section to account for NLO corrections, which were computed for a similar signal topology in ref. [70]. ALPs that couple to gluons decay promptly over the entire mass range of interest for this study (recent studies of displaced ALP decays can be found in refs. [70, 71]). Because of the large hierarchy between f_a and m_a , and the loop suppression of the coupling, the ALP total width is dominated by its coupling to gluons and is always small compared to its mass. As a consequence, the narrow-width approximation always applies and finite-width effects can be safely neglected.




Figure 8. Parameter space of the ALP for $c_1 = c_2 = c_3 = 10$ (eq. (9.1)). The observed and expected lower bounds on the ALP decay constant derived from this analysis are shown in black solid and dashed lines respectively. BABAR bounds on $B \to Ka$ derived in ref. [72] are shown in purple; in green the LHC bounds on boosted dijet resonances [73] and in blue the LHC searches for diphoton resonances taken from ref. [67]. The red bounds are derived from Tevatron [74] and LHC [57, 75, 76] diphoton cross-section measurements, following the method described in ref. [67]. Weaker constraints covering lower invariant masses are obtained from LHCb diphoton measurements [77] and from LEP searches for $Z \to \gamma a(jj)$ [78], in cyan and yellow respectively. On the right, the y-axis shows the ALP-photon coupling $g_{a\gamma\gamma} \equiv \alpha_{\rm em} E/\pi f_a$ ($E = c_2 + \frac{5}{3}c_1$), a standard QCD axion notation.

The recasting is done by comparing the theoretical signal yield obtained from the ALP model of eq. (9.1), after applying the particle-level selection described in section 4, with the bounds on the fiducial cross-section in figure 7. The signal cross-section times branching ratio can be written as $1/f_a^2$ times a weakly varying function of the ALP mass. The upper limit on the cross-section then results in a lower limit on f_a , which is shown in figure 8 for a specific choice of the c_i coefficients.

Figure 8 shows how the sensitivity of the search presented here covers a large portion of the unexplored ALP parameter space where the heavy colour states generating the ALP coupling to gauge bosons are in the multi-TeV range and therefore unaccessible at the LHC. Any production mechanism other than gluon-gluon fusion suffers from a smaller production cross-section, and the decoupling of the heavy states inducing the ALP coupling to SM states would require further study.

Constraints from $\Upsilon \to \gamma a(jj)$ [79], constraints from Z boson width measurements [80], and ALP production in light-by-light scattering in heavy-ion collisions [81, 82] are too weak to appear in the plot.

10 Conclusion

A search for new narrow-width boosted resonances is performed in the diphoton invariant mass spectrum ranging from 10 to 70 GeV, using 138 fb⁻¹ of pp collision data collected at a centre-of-mass energy of 13 TeV with the ATLAS detector at the Large Hadron Collider. The data are consistent with the SM background expectation. Limits are set on the fiducial cross-section times branching ratio in a fiducial region defined to mimic the detector-level selection. The observed limits on $\sigma_{\rm fid} \cdot \mathcal{B}(X \to \gamma \gamma)$ range from 4 to 17 fb, with variations mainly due to statistical fluctuations of the data. The dominant uncertainties arise from the limited number of pp collisions collected and the background modelling uncertainty. The impact of the latter is reduced by smoothing the simulated background-only sample with Gaussian Processes in order to reduce the statistical fluctuations in the sample. Furthermore, the observed limits are recast in the parameter space of an axion-like particle, covering a longstanding gap in diphoton resonance searches.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana,

Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [83].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License (CC-BY 4.0), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] ATLAS collaboration, Search for scalar diphoton resonances in the mass range 65–600 GeV with the ATLAS detector in pp collision data at $\sqrt{s} = 8$ TeV, Phys. Rev. Lett. 113 (2014) 171801 [arXiv:1407.6583] [INSPIRE].
- [2] ATLAS collaboration, Search for resonances decaying into photon pairs in $139 \, fb^{-1}$ of pp collisions at $\sqrt{s} = 13 \, TeV$ with the ATLAS detector, Phys. Lett. B **822** (2021) 136651 [arXiv:2102.13405] [INSPIRE].
- [3] CMS collaboration, Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s} = 8$ TeV, Phys. Lett. B 750 (2015) 494 [arXiv:1506.02301] [INSPIRE].
- [4] CMS collaboration, Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. D 98 (2018) 092001 [arXiv:1809.00327] [INSPIRE].
- [5] B. Holdom and M.E. Peskin, Raising the axion mass, Nucl. Phys. B 208 (1982) 397[INSPIRE].
- [6] K. Choi, C.W. Kim and W.K. Sze, Mass renormalization by instantons and the strong CP problem, Phys. Rev. Lett. 61 (1988) 794 [INSPIRE].
- [7] B. Holdom, Strong QCD at high-energies and a heavy axion, Phys. Lett. B 154 (1985) 316 [Erratum ibid. 156 (1985) 452] [INSPIRE].
- [8] M. Dine and N. Seiberg, String theory and the strong CP problem, Nucl. Phys. B 273 (1986) 109 [INSPIRE].
- [9] J.M. Flynn and L. Randall, A computation of the small instanton contribution to the axion potential, Nucl. Phys. B **293** (1987) 731 [INSPIRE].
- [10] V.A. Rubakov, Grand unification and heavy axion, JETP Lett. 65 (1997) 621 [hep-ph/9703409] [INSPIRE].
- [11] K. Choi and H.D. Kim, Small instanton contribution to the axion potential in supersymmetric models, Phys. Rev. D 59 (1999) 072001 [hep-ph/9809286] [INSPIRE].
- [12] Z. Berezhiani, L. Gianfagna and M. Giannotti, Strong CP problem and mirror world: the Weinberg-Wilczek axion revisited, Phys. Lett. B 500 (2001) 286 [hep-ph/0009290] [INSPIRE].

- [13] A. Hook, Anomalous solutions to the strong CP problem, Phys. Rev. Lett. 114 (2015) 141801 [arXiv:1411.3325] [INSPIRE].
- [14] H. Fukuda, K. Harigaya, M. Ibe and T.T. Yanagida, Model of visible QCD axion, Phys. Rev. D 92 (2015) 015021 [arXiv:1504.06084] [INSPIRE].
- [15] S. Dimopoulos, A. Hook, J. Huang and G. Marques-Tavares, A collider observable QCD axion, JHEP 11 (2016) 052 [arXiv:1606.03097] [INSPIRE].
- [16] P. Agrawal and K. Howe, Factoring the strong CP problem, JHEP 12 (2018) 029 [arXiv:1710.04213] [INSPIRE].
- [17] M.K. Gaillard et al., Color unified dynamical axion, Eur. Phys. J. C 78 (2018) 972 [arXiv:1805.06465] [INSPIRE].
- [18] A.E. Nelson and N. Seiberg, *R symmetry breaking versus supersymmetry breaking*, *Nucl. Phys. B* **416** (1994) 46 [hep-ph/9309299] [INSPIRE].
- [19] H.-S. Goh and M. Ibe, *R-axion detection at LHC*, *JHEP* **03** (2009) 049 [arXiv:0810.5773] [INSPIRE].
- [20] B. Bellazzini et al., *R-axion at colliders*, *Phys. Rev. Lett.* **119** (2017) 141804 [arXiv:1702.02152] [INSPIRE].
- [21] G. Ferretti and D. Karateev, Fermionic UV completions of composite Higgs models, JHEP 03 (2014) 077 [arXiv:1312.5330] [INSPIRE].
- [22] A. Belyaev et al., Singlets in composite Higgs models in light of the LHC 750 GeV diphoton excess, Phys. Rev. D 94 (2016) 015004 [arXiv:1512.07242] [INSPIRE].
- [23] G. Ferretti, Gauge theories of partial compositeness: scenarios for run-II of the LHC, JHEP 06 (2016) 107 [arXiv:1604.06467] [INSPIRE].
- [24] J. Mardon, Y. Nomura and J. Thaler, Cosmic signals from the hidden sector, Phys. Rev. D 80 (2009) 035013 [arXiv:0905.3749] [INSPIRE].
- [25] K.S. Jeong, T.H. Jung and C.S. Shin, Axionic electroweak baryogenesis, Phys. Lett. B 790 (2019) 326 [arXiv:1806.02591] [INSPIRE].
- [26] ATLAS collaboration, Search for resonances in the 65 to 110 GeV diphoton invariant mass range using $80 \, fb^{-1}$ of pp collisions collected at $\sqrt{s} = 13 \, \text{TeV}$ with the ATLAS detector, ATLAS-CONF-2018-025, CERN, Geneva, Switzerland (2018).
- [27] ATLAS collaboration, The ATLAS experiment at the CERN Large Hadron Collider, 2008 JINST 3 S08003 [INSPIRE].
- [28] ATLAS collaboration, ATLAS Insertable B-Layer technical design report, ATLAS-TDR-2010-19, CERN, Geneva, Switzerland (2010).
- [29] ATLAS IBL collaboration, Production and integration of the ATLAS Insertable B-Layer, 2018 JINST 13 T05008 [arXiv:1803.00844] [INSPIRE].
- [30] ATLAS collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data, 2019 JINST 14 P12006 [arXiv:1908.00005] [INSPIRE].
- [31] ATLAS collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317 [arXiv:1611.09661] [INSPIRE].

- [32] ATLAS collaboration, *The ATLAS collaboration software and firmware*, ATL-SOFT-PUB-2021-001, CERN, Geneva, Switzerland (2021).
- [33] ATLAS collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, 2020 JINST 15 P04003 [arXiv:1911.04632] [INSPIRE].
- [34] ATLAS collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, CERN, Geneva, Switzerland (2019).
- [35] ATLAS collaboration, Performance of electron and photon triggers in ATLAS during LHC run 2, Eur. Phys. J. C 80 (2020) 47 [arXiv:1909.00761] [INSPIRE].
- [36] P. Artoisenet et al., A framework for Higgs characterisation, JHEP 11 (2013) 043 [arXiv:1306.6464] [INSPIRE].
- [37] J. Alwall et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, JHEP 07 (2014) 079 [arXiv:1405.0301] [INSPIRE].
- [38] NNPDF collaboration, Parton distributions for the LHC run II, JHEP **04** (2015) 040 [arXiv:1410.8849] [INSPIRE].
- [39] ATLAS collaboration, ATLAS PYTHIA 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, CERN, Geneva, Switzerland (2014).
- [40] T. Sjöstrand, S. Mrenna and P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852 [arXiv:0710.3820] [INSPIRE].
- [41] T. Gleisberg et al., Event generation with SHERPA 1.1, JHEP **02** (2009) 007 [arXiv:0811.4622] [INSPIRE].
- [42] Sherpa collaboration, Event generation with SHERPA 2.2, SciPost Phys. 7 (2019) 034 [arXiv:1905.09127] [INSPIRE].
- [43] S. Höche, F. Krauss, M. Schönherr and F. Siegert, A critical appraisal of NLO+PS matching methods, JHEP 09 (2012) 049 [arXiv:1111.1220] [INSPIRE].
- [44] S. Höche, F. Krauss, M. Schönherr and F. Siegert, QCD matrix elements + parton showers: the NLO case, JHEP 04 (2013) 027 [arXiv:1207.5030] [INSPIRE].
- [45] S. Catani, F. Krauss, R. Kuhn and B.R. Webber, QCD matrix elements + parton showers, JHEP 11 (2001) 063 [hep-ph/0109231] [INSPIRE].
- [46] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053 [arXiv:0903.1219] [INSPIRE].
- [47] ATLAS collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823 [arXiv:1005.4568] [INSPIRE].
- [48] GEANT4 collaboration, GEANT4 a simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250 [INSPIRE].
- [49] C. ATLAS et al., The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, CERN, Geneva, Switzerland (2010).
- [50] ATLAS collaboration, Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, Phys. Rev. D 90 (2014) 112015 [arXiv:1408.7084] [INSPIRE].

- [51] ATLAS collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC run 1, Eur. Phys. J. C 77 (2017) 490 [arXiv:1603.02934] [INSPIRE].
- [52] ATLAS collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Rev. D 83 (2011) 052005 [arXiv:1012.4389] [INSPIRE].
- [53] M. Cacciari, G.P. Salam and G. Soyez, The catchment area of jets, JHEP 04 (2008) 005 [arXiv:0802.1188] [INSPIRE].
- [54] M. Cacciari, G.P. Salam and S. Sapeta, On the characterisation of the underlying event, JHEP 04 (2010) 065 [arXiv:0912.4926] [INSPIRE].
- [55] M. Oreglia, A study of the reactions $\psi' \to \gamma \gamma \psi$, Ph.D. thesis, Stanford University, Stanford, CA, U.S.A. (1980) [INSPIRE].
- [56] ATLAS collaboration, Recommendations for the modeling of smooth backgrounds, ATL-PHYS-PUB-2020-028, CERN, Geneva, Switzerland (2020).
- [57] ATLAS collaboration, Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, JHEP **01** (2013) 086 [arXiv:1211.1913] [INSPIRE].
- [58] C.E. Rasmussen and C.K.I. Williams, Gaussian processes for machine learning (adaptive computation and machine learning), The MIT Press (2005).
- [59] F. Pedregosa et al., Scikit-learn: machine learning in Python, J. Machine Learning Res. 12 (2011) 2825 [arXiv:1201.0490] [INSPIRE].
- [60] G. Cowan, K. Cranmer, E. Gross and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554 [Erratum ibid. 73 (2013) 2501] [arXiv:1007.1727] [INSPIRE].
- [61] E. Gross and O. Vitells, Trial factors for the look elsewhere effect in high energy physics, Eur. Phys. J. C 70 (2010) 525 [arXiv:1005.1891] [INSPIRE].
- [62] T. Junk, Confidence level computation for combining searches with small statistics, Nucl. Instrum. Meth. A 434 (1999) 435 [hep-ex/9902006] [INSPIRE].
- [63] A.L. Read, Presentation of search results: the CL_s technique, J. Phys. G 28 (2002) 2693 [INSPIRE].
- [64] R.D. Peccei and H.R. Quinn, CP conservation in the presence of instantons, Phys. Rev. Lett. 38 (1977) 1440 [INSPIRE].
- [65] J.E. Kim, Weak interaction singlet and strong CP invariance, Phys. Rev. Lett. 43 (1979) 103 [INSPIRE].
- [66] M.A. Shifman, A.I. Vainshtein and V.I. Zakharov, Can confinement ensure natural CP invariance of strong interactions?, Nucl. Phys. B 166 (1980) 493 [INSPIRE].
- [67] A. Mariotti, D. Redigolo, F. Sala and K. Tobioka, New LHC bound on low-mass diphoton resonances, Phys. Lett. B 783 (2018) 13 [arXiv:1710.01743] [INSPIRE].
- [68] A. Alloul et al., FeynRules 2.0 a complete toolbox for tree-level phenomenology, Comput. Phys. Commun. 185 (2014) 2250 [arXiv:1310.1921] [INSPIRE].
- [69] J. Alwall et al., MadGraph 5: going beyond, JHEP 06 (2011) 128 [arXiv:1106.0522] [INSPIRE].

- [70] Y. Gershtein, S. Knapen and D. Redigolo, *Probing naturally light singlets with a displaced vertex trigger*, *Phys. Lett. B* **823** (2021) 136758 [arXiv:2012.07864] [INSPIRE].
- [71] A. Hook, S. Kumar, Z. Liu and R. Sundrum, High quality QCD axion and the LHC, Phys. Rev. Lett. 124 (2020) 221801 [arXiv:1911.12364] [INSPIRE].
- [72] S. Chakraborty et al., Heavy QCD axion in $b \to s$ transition: enhanced limits and projections, Phys. Rev. D 104 (2021) 055036 [arXiv:2102.04474] [INSPIRE].
- [73] CMS collaboration, Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP **01** (2018) 097 [arXiv:1710.00159] [INSPIRE].
- [74] CDF collaboration, Measurement of the cross section for prompt isolated diphoton production using the full CDF run II data sample, Phys. Rev. Lett. 110 (2013) 101801 [arXiv:1212.4204] [INSPIRE].
- [75] CMS collaboration, Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at √s = 7 TeV, Eur. Phys. J. C 74 (2014) 3129 [arXiv:1405.7225] [INSPIRE].
- [76] ATLAS collaboration, Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector, JHEP 11 (2021) 169 [arXiv:2107.09330] [INSPIRE].
- [77] X. Cid Vidal et al., New axion searches at flavor factories, JHEP 01 (2019) 113 [Erratum ibid. 06 (2020) 141] [arXiv:1810.09452] [INSPIRE].
- [78] L3 collaboration, Isolated hard photon emission in hadronic Z⁰ decays, Phys. Lett. B 292 (1992) 472 [INSPIRE].
- [79] BABAR collaboration, Search for hadronic decays of a light Higgs boson in the radiative decay $\Upsilon \to \gamma A^0$, Phys. Rev. Lett. 107 (2011) 221803 [arXiv:1108.3549] [INSPIRE].
- [80] Particle Data Group collaboration, Review of particle physics, Chin. Phys. C 40 (2016) 100001 [INSPIRE].
- [81] ATLAS collaboration, Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb⁻¹ of Pb+Pb data with the ATLAS detector, JHEP **03** (2021) 243 [Erratum ibid. **11** (2021) 050] [arXiv:2008.05355] [INSPIRE].
- [82] CMS collaboration, Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Phys. Lett. B **797** (2019) 134826 [arXiv:1810.04602] [INSPIRE].
- [83] ATLAS collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2021-003, CERN, Geneva, Switzerland (2021).

The ATLAS collaboration

```
G. Aad 6<sup>101</sup>, B. Abbott 6<sup>119</sup>, D.C. Abbott 6<sup>102</sup>, K. Abeling 5<sup>55</sup>, S.H. Abidi 6<sup>29</sup>,
A. Aboulhorma <sup>6</sup> <sup>35e</sup>, H. Abramowicz <sup>6</sup> <sup>150</sup>, H. Abreu <sup>6</sup> <sup>149</sup>, Y. Abulaiti <sup>6</sup> <sup>116</sup>,
A.C. Abusleme Hoffman <sup>136a</sup>, B.S. Acharya <sup>68a,68b,o</sup>, B. Achkar <sup>55</sup>, L. Adam <sup>99</sup>,
C. Adam Bourdarios <sup>6</sup>4, L. Adamczyk <sup>6</sup>84a, L. Adamek <sup>6</sup>154, S.V. Addepalli <sup>6</sup>26,
J. Adelman <sup>114</sup>, A. Adiguzel <sup>21c</sup>, S. Adorni <sup>56</sup>, T. Adye <sup>133</sup>, A.A. Affolder <sup>135</sup>, Y. Afik <sup>36</sup>,
M.N. Agaras <sup>13</sup>, J. Agarwala <sup>72a,72b</sup>, A. Aggarwal <sup>99</sup>, C. Agheorghiesei <sup>27c</sup>,
J.A. Aguilar-Saavedra <sup>129</sup>, A. Ahmad <sup>36</sup>, F. Ahmadov <sup>38</sup>, W.S. Ahmed <sup>103</sup>, S. Ahuja <sup>94</sup>,
X. Ai <sup>648</sup>, G. Aielli <sup>675</sup>a, I. Aizenberg <sup>6167</sup>, M. Akbiyik <sup>699</sup>, T.P.A. Åkesson <sup>697</sup>,
A.V. Akimov <sup>37</sup>, K. Al Khoury <sup>41</sup>, G.L. Alberghi <sup>23b</sup>, J. Albert <sup>163</sup>, P. Albicocco <sup>53</sup>,
M.J. Alconada Verzini <sup>689</sup>, S. Alderweireldt <sup>52</sup>, M. Aleksa <sup>636</sup>, I.N. Aleksandrov <sup>38</sup>,
C. Alexa (0) 27b, T. Alexopoulos (0) 10, A. Alfonsi (0) 113, F. Alfonsi (0) 23b, M. Alhroob (0) 119, B. Ali (0) 131,
S. Ali 6 147, M. Aliev 37, G. Alimonti 6 70a, C. Allaire 36, B.M.M. Allbrooke 145,
P.P. Allport <sup>©</sup> <sup>20</sup>, A. Aloisio <sup>©</sup> <sup>71a,71b</sup>, F. Alonso <sup>©</sup> <sup>89</sup>, C. Alpigiani <sup>©</sup> <sup>137</sup>, E. Alunno Camelia <sup>75a,75b</sup>,
M. Alvarez Estevez <sup>198</sup>, M.G. Alviggi <sup>71a,71b</sup>, Y. Amaral Coutinho <sup>81b</sup>, A. Ambler <sup>103</sup>,
C. Amelung<sup>36</sup>, C.G. Ames<sup>108</sup>, D. Amidei<sup>105</sup>, S.P. Amor Dos Santos<sup>129a</sup>, S. Amoroso<sup>48</sup>,
K.R. Amos<sup>161</sup>, C.S. Amrouche<sup>56</sup>, V. Ananiev<sup>124</sup>, C. Anastopoulos<sup>138</sup>, N. Andari<sup>134</sup>,
T. Andeen <sup>11</sup>, J.K. Anders <sup>19</sup>, S.Y. Andrean <sup>47a,47b</sup>, A. Andreazza <sup>70a,70b</sup>, S. Angelidakis <sup>9</sup>,
A. Angerami ^{\bullet}41,y, A.V. Anisenkov ^{\bullet}37, A. Annovi ^{\bullet}73a, C. Antel ^{\bullet}56, M.T. Anthony ^{\bullet}138,
E. Antipov 120, M. Antonelli 53, D.J.A. Antrim 17a, F. Anulli 74a, M. Aoki 82,
J.A. Aparisi Pozo<sup>161</sup>, M.A. Aparo<sup>145</sup>, L. Aperio Bella<sup>48</sup>, C. Appelt<sup>18</sup>, N. Aranzabal<sup>36</sup>,
V. Araujo Ferraz<sup>1</sup><sup>81a</sup>, C. Arcangeletti<sup>1</sup><sup>53</sup>, A.T.H. Arce<sup>1</sup><sup>51</sup>, E. Arena<sup>1</sup><sup>91</sup>, J-F. Arguin<sup>1</sup><sup>0107</sup>,
S. Argyropoulos <sup>54</sup>, J.-H. Arling <sup>48</sup>, A.J. Armbruster <sup>56</sup>, O. Arnaez <sup>5154</sup>, H. Arnold <sup>113</sup>,
Z.P. Arrubarrena Tame<sup>108</sup>, G. Artoni <sup>6</sup>7<sup>4a,74b</sup>, H. Asada <sup>6</sup>1<sup>10</sup>, K. Asai <sup>6</sup>1<sup>17</sup>, S. Asai <sup>6</sup>1<sup>52</sup>,
N.A. Asbah 661, E.M. Asimakopoulou 6159, J. Assahsah 635d, K. Assamagan 629, R. Astalos 28a,
R.J. Atkin <sup>633a</sup>, M. Atkinson <sup>160</sup>, N.B. Atlay <sup>18</sup>, H. Atmani <sup>62b</sup>, P.A. Atmasiddha <sup>105</sup>,
K. Augsten <sup>131</sup>, S. Auricchio <sup>71a,71b</sup>, A.D. Auriol <sup>20</sup>, V.A. Austrup <sup>169</sup>, G. Avner <sup>149</sup>,
G. Avolio 636, K. Axiotis 556, M.K. Ayoub 614c, G. Azuelos 6107, ac, D. Babal 628a,
H. Bachacou 134, K. Bachas 151,q, A. Bachiu 34, F. Backman 47a,47b, A. Badea 61,
P. Bagnaia • 74a,74b, M. Bahmani • 18, A.J. Bailey • 161, V.R. Bailey • 160, J.T. Baines • 133,
C. Bakalis <sup>10</sup>, O.K. Baker <sup>170</sup>, P.J. Bakker <sup>113</sup>, E. Bakos <sup>15</sup>, D. Bakshi Gupta <sup>8</sup>,
S. Balaji 146, R. Balasubramanian 113, E.M. Baldin 137, P. Balek 132, E. Ballabene 170a, 70b,
F. Balli 134, L.M. Baltes 163a, W.K. Balunas 132, J. Balz 199, E. Banas 185,
M. Bandieramonte <sup>128</sup>, A. Bandyopadhyay <sup>24</sup>, S. Bansal <sup>24</sup>, L. Barak <sup>150</sup>,
E.L. Barberio 104, D. Barberis 576,57a, M. Barbero 101, G. Barbour, K.N. Barends 13a,
T. Barillari <sup>109</sup>, M-S. Barisits <sup>36</sup>, J. Barkeloo <sup>122</sup>, T. Barklow <sup>142</sup>, R.M. Barnett <sup>17a</sup>,
P. Baron 121, D.A. Baron Moreno 100, A. Baroncelli 162a, G. Barone 29, A.J. Barr 155,
L. Barranco Navarro (1047a,47b), F. Barreiro (1098), J. Barreiro Guimarães da Costa (1014a),
U. Barron <sup>150</sup>, M.G. Barros Teixeira <sup>129a</sup>, S. Barsov <sup>37</sup>, F. Bartels <sup>63a</sup>, R. Bartoldus <sup>142</sup>,
A.E. Barton <sup>690</sup>, P. Bartos <sup>628a</sup>, A. Basalaev <sup>648</sup>, A. Basan <sup>699</sup>, M. Baselga <sup>649</sup>,
I. Bashta 6, 76a, 76b, A. Bassalat 6, M.J. Basso 6, C.R. Basson 100, R.L. Bates 5,
S. Batlamous<sup>35e</sup>, J.R. Batley<sup>©32</sup>, B. Batool<sup>©140</sup>, M. Battaglia<sup>©135</sup>, M. Bauce<sup>©74a,74b</sup>,
```

```
P. Bauer <sup>24</sup>, A. Bayirli <sup>21a</sup>, J.B. Beacham <sup>51</sup>, T. Beau <sup>126</sup>, P.H. Beauchemin <sup>157</sup>,
F. Becherer <sup>654</sup>, P. Bechtle <sup>624</sup>, H.P. Beck <sup>619,p</sup>, K. Becker <sup>6165</sup>, C. Becot <sup>648</sup>, A.J. Beddall <sup>621d</sup>,
V.A. Bednyakov <sup>38</sup>, C.P. Bee <sup>144</sup>, L.J. Beemster <sup>15</sup>, T.A. Beermann <sup>36</sup>, M. Begalli <sup>81b,81d</sup>,
M. Begel <sup>29</sup>, A. Behera <sup>144</sup>, J.K. Behr <sup>48</sup>, C. Beirao Da Cruz E Silva <sup>36</sup>, J.F. Beirer <sup>55,36</sup>,
F. Beisiegel <sup>24</sup>, M. Belfkir <sup>115b</sup>, G. Bella <sup>150</sup>, L. Bellagamba <sup>23b</sup>, A. Bellerive <sup>34</sup>,
P. Bellos <sup>20</sup>, K. Beloborodov <sup>37</sup>, K. Belotskiy <sup>37</sup>, N.L. Belyaev <sup>37</sup>, D. Benchekroun <sup>35a</sup>,
F. Bendebba 0^{35a}, Y. Benhammou 0^{150}, D.P. Benjamin 0^{29}, M. Benoit 0^{29}, J.R. Bensinger 0^{26},
S. Bentvelsen 113, L. Beresford 36, M. Beretta 53, D. Berge 18, E. Bergeaas Kuutmann 159,
N. Berger <sup>1</sup>0<sup>4</sup>, B. Bergmann <sup>1</sup>31, J. Beringer <sup>1</sup>7a, S. Berlendis <sup>1</sup>7, G. Bernardi <sup>1</sup>5,
C. Bernius <sup>142</sup>, F.U. Bernlochner <sup>24</sup>, T. Berry <sup>94</sup>, P. Berta <sup>132</sup>, A. Berthold <sup>50</sup>,
I.A. Bertram 690, O. Bessidskaia Bylund 6169, S. Bethke 1109, A. Betti 74a,74b, A.J. Bevan 693,
M. Bhamjee ^{\odot 33c}, S. Bhatta ^{\odot 144}, D.S. Bhattacharya ^{\odot 164}, P. Bhattarai ^{\odot 26}, V.S. Bhopatkar ^{\odot 6},
R. Bi<sup>128</sup>, R. Bi<sup>29,af</sup>, R.M. Bianchi <sup>128</sup>, O. Biebel <sup>108</sup>, R. Bielski <sup>122</sup>, M. Biglietti <sup>16</sup>
T.R.V. Billoud <sup>131</sup>, M. Bindi <sup>55</sup>, A. Bingul <sup>21b</sup>, C. Bini <sup>74a,74b</sup>, S. Biondi <sup>23b,23a</sup>,
A. Biondini <sup>69</sup>, C.J. Birch-sykes <sup>610</sup>, G.A. Bird <sup>620,133</sup>, M. Birman <sup>616</sup>, T. Bisanz <sup>636</sup>,
D. Biswas 6 168,k, A. Bitadze 6 100, K. Bjørke 6 124, I. Bloch 6 48, C. Blocker 6 26, A. Blue 6 59,
U. Blumenschein <sup>©</sup> <sup>93</sup>, J. Blumenthal <sup>©</sup> <sup>99</sup>, G.J. Bobbink <sup>©</sup> <sup>113</sup>, V.S. Bobrovnikov <sup>©</sup> <sup>37</sup>,
M. Boehler <sup>54</sup>, D. Bogavac <sup>36</sup>, A.G. Bogdanchikov <sup>37</sup>, C. Bohm <sup>47a</sup>, V. Boisvert <sup>94</sup>,
P. Bokan <sup>6</sup> <sup>48</sup>, T. Bold <sup>6</sup> <sup>84a</sup>, M. Bomben <sup>6</sup>, M. Bona <sup>6</sup> <sup>93</sup>, M. Boonekamp <sup>6</sup> <sup>134</sup>, C.D. Booth <sup>6</sup> <sup>94</sup>,
A.G. Borbély <sup>59</sup>, H.M. Borecka-Bielska <sup>107</sup>, L.S. Borgna <sup>95</sup>, G. Borissov <sup>90</sup>,
D. Bortoletto 125, D. Boscherini 23b, M. Bosman 13, J.D. Bossio Sola 36, K. Bouaouda 35a,
J. Boudreau <sup>128</sup>, E.V. Bouhova-Thacker <sup>90</sup>, D. Boumediene <sup>140</sup>, R. Bouquet <sup>5</sup>,
A. Boveia 118, J. Boyd 36, D. Boye 29, I.R. Boyko 38, J. Bracinik 20, N. Brahimi 62d,62c,
G. Brandt • 169, O. Brandt • 32, F. Braren • 48, B. Brau • 102, J.E. Brau • 122,
W.D. Breaden Madden <sup>59</sup>, K. Brendlinger <sup>48</sup>, R. Brener <sup>167</sup>, L. Brenner <sup>36</sup>, R. Brenner <sup>159</sup>,
S. Bressler <sup>6</sup> <sup>167</sup>, B. Brickwedde <sup>99</sup>, D. Britton <sup>59</sup>, D. Britzger <sup>109</sup>, I. Brock <sup>24</sup>,
G. Brooijmans <sup>641</sup>, W.K. Brooks <sup>6136f</sup>, E. Brost <sup>629</sup>, P.A. Bruckman de Renstrom <sup>685</sup>,
B. Brüers^{\bullet 48}, D. Bruncko^{\bullet 28b,*}, A. Bruni^{\bullet 23b}, G. Bruni^{\bullet 23b}, M. Bruschi^{\bullet 23b},
N. Bruscino <sup>6</sup>7<sup>4a,74b</sup>, L. Bryngemark <sup>6</sup>1<sup>42</sup>, T. Buanes <sup>6</sup>1<sup>6</sup>, Q. Buat <sup>6</sup>1<sup>37</sup>, P. Buchholz <sup>6</sup>1<sup>40</sup>,
A.G. Buckley <sup>59</sup>, I.A. Budagov <sup>38,*</sup>, M.K. Bugge <sup>124</sup>, O. Bulekov <sup>37</sup>, B.A. Bullard <sup>61</sup>,
S. Burdin<sup>1</sup>, C.D. Burgard<sup>1</sup>, A.M. Burger<sup>1</sup>, B. Burghgrave<sup>1</sup>, J.T.P. Burr<sup>1</sup>,
C.D. Burton <sup>11</sup>, J.C. Burzynski <sup>141</sup>, E.L. Busch <sup>41</sup>, V. Büscher <sup>99</sup>, P.J. Bussey <sup>59</sup>,
J.M. Butler <sup>©</sup> <sup>25</sup>, C.M. Buttar <sup>©</sup> <sup>59</sup>, J.M. Butterworth <sup>©</sup> <sup>95</sup>, W. Buttinger <sup>©</sup> <sup>133</sup>,
C.J. Buxo Vazquez<sup>106</sup>, A.R. Buzykaev<sup>©37</sup>, G. Cabras<sup>©23b</sup>, S. Cabrera Urbán<sup>©161</sup>,
D. Caforio 658, H. Cai 6128, Y. Cai 614a,14d, V.M.M. Cairo 636, O. Cakir 63a, N. Calace 636,
P. Calafiura <sup>17a</sup>, G. Calderini <sup>126</sup>, P. Calfayan <sup>67</sup>, G. Callea <sup>59</sup>, L.P. Caloba <sup>81b</sup>,
D. Calvet \mathbb{D}^{40}, S. Calvet \mathbb{D}^{40}, T.P. Calvet \mathbb{D}^{101}, M. Calvetti \mathbb{D}^{73a,73b}, R. Camacho Toro \mathbb{D}^{126},
S. Camarda 636, D. Camarero Munoz 698, P. Camarri 675a,75b, M.T. Camerlingo 676a,76b,
D. Cameron 124, C. Camincher 163, M. Campanelli 95, A. Camplani 42, V. Canale 71a,71b,
A. Canesse 103, M. Cano Bret 179, J. Cantero 161, Y. Cao 160, F. Capocasa 1626,
M. Capua ^{\bullet} 43b,43a, A. Carbone ^{\bullet} 70a,70b, R. Cardarelli ^{\bullet} 75a, J.C.J. Cardenas ^{\bullet} 8, F. Cardillo ^{\bullet} 161,
T. Carli 636, G. Carlino 71a, B.T. Carlson 128, E.M. Carlson 163,155a, L. Carminati 70a,70b,
```

M. Carnesale • ^{74a,74b}, S. Caron • ¹¹², E. Carquin • ^{136f}, S. Carrá • ^{70a,70b}, G. Carratta • ^{23b,23a},

```
F. Carrio Argos <sup>133g</sup>, J.W.S. Carter <sup>154</sup>, T.M. Carter <sup>52</sup>, M.P. Casado <sup>13,h</sup>, A.F. Casha <sup>154</sup>,
E.G. Castiglia <sup>170</sup>, F.L. Castillo <sup>63a</sup>, L. Castillo Garcia <sup>13</sup>, V. Castillo Gimenez <sup>161</sup>,
N.F. Castro 129a,129e, A. Catinaccio 36, J.R. Catmore 124, V. Cavaliere 29,
N. Cavalli <sup>6</sup>23b,23a, V. Cavasinni <sup>73a,73b</sup>, E. Celebi <sup>621a</sup>, F. Celli <sup>6125</sup>, M.S. Centonze <sup>69a,69b</sup>,
K. Cerny <sup>121</sup>, A.S. Cerqueira <sup>81a</sup>, A. Cerri <sup>145</sup>, L. Cerrito <sup>75a,75b</sup>, F. Cerutti <sup>17a</sup>,
A. Cervelli \mathbb{D}^{23b}, S.A. Cetin \mathbb{D}^{21d}, Z. Chadi \mathbb{D}^{35a}, D. Chakraborty \mathbb{D}^{114}, M. Chala \mathbb{D}^{129f},
J. Chan 6 168, W.S. Chan 113, W.Y. Chan 152, J.D. Chapman 132, B. Chargeishvili 1486,
D.G. Charlton <sup>©20</sup>, T.P. Charman <sup>©93</sup>, M. Chatterjee <sup>©19</sup>, S. Chekanov <sup>©6</sup>, S.V. Chekulaev <sup>©155a</sup>,
G.A. Chelkov ^{038,a}, A. Chen ^{0105}, B. Chen ^{0150}, B. Chen ^{0163}, C. Chen ^{62a}, H. Chen ^{014c},
H. Chen 629, J. Chen 62c, J. Chen 26, S. Chen 152, S.J. Chen 14c, X. Chen 62c,
X. Chen 6 14b, ab, Y. Chen 6 2a, C.L. Cheng 1 168, H.C. Cheng 6 4a, A. Cheplakov 6 38,
E. Cheremushkina <sup>648</sup>, E. Cherepanova <sup>6113</sup>, R. Cherkaoui El Moursli <sup>635e</sup>, E. Cheu <sup>67</sup>,
K. Cheung 65, L. Chevalier 134, V. Chiarella 53, G. Chiarelli 73a, G. Chiodini 69a,
A.S. Chisholm<sup>©20</sup>, A. Chitan<sup>©27b</sup>, Y.H. Chiu<sup>©163</sup>, M.V. Chizhov<sup>©38</sup>, K. Choi<sup>©11</sup>,
A.R. Chomont <sup>0</sup><sup>74a,74b</sup>, Y. Chou <sup>0</sup><sup>102</sup>, E.Y.S. Chow <sup>0</sup><sup>113</sup>, T. Chowdhury <sup>0</sup><sup>33g</sup>,
L.D. Christopher <sup>633g</sup>, K.L. Chu<sup>64a</sup>, M.C. Chu<sup>64a</sup>, X. Chu<sup>64a</sup>, J. Chudoba <sup>6130</sup>,
J.J. Chwastowski <sup>6</sup>85, D. Cieri <sup>6</sup>109, K.M. Ciesla <sup>6</sup>84a, V. Cindro <sup>6</sup>92, A. Ciocio <sup>6</sup>17a,
F. Cirotto <sup>171</sup>a, 71b, Z.H. Citron <sup>167</sup>l, M. Citterio <sup>70</sup>a, D.A. Ciubotaru<sup>7</sup>b, B.M. Ciungu <sup>154</sup>,
A. Clark <sup>56</sup>, P.J. Clark <sup>52</sup>, J.M. Clavijo Columbie <sup>48</sup>, S.E. Clawson <sup>100</sup>, C. Clement <sup>47a,47b</sup>,
J. Clercx 648, L. Clissa 23b,23a, Y. Coadou 1011, M. Cobal 68a,68c, A. Coccaro 57b,
R.F. Coelho Barrue <sup>129a</sup>, R. Coelho Lopes De Sa <sup>102</sup>, S. Coelli <sup>70a</sup>, H. Cohen <sup>150</sup>,
A.E.C. Coimbra ^{\circ} ^{70a,70b}, B. Cole ^{\circ} ^{41}, J. Collot ^{\circ} ^{60}, P. Conde Muiño ^{\circ} ^{129a,129g},
M.P. Connell 633c, S.H. Connell 633c, I.A. Connelly 59, E.I. Conroy 6125, F. Conventi 671a,ad,
H.G. Cooke<sup>©20</sup>, A.M. Cooper-Sarkar<sup>©125</sup>, F. Cormier<sup>©162</sup>, L.D. Corpe<sup>©36</sup>, M. Corradi<sup>©74a,74b</sup>,
E.E. Corrigan <sup>97</sup>, F. Corriveau <sup>103,v</sup>, A. Cortes-Gonzalez <sup>18</sup>, M.J. Costa <sup>161</sup>, F. Costanza <sup>4</sup>,
D. Costanzo 138, B.M. Cote 118, G. Cowan 94, J.W. Cowley 32, K. Cranmer 116,
S. Crépé-Renaudin 60, F. Crescioli 126, M. Cristinziani 140, M. Cristoforetti 77a,77b,c,
V. Croft 157, G. Crosetti 43b,43a, A. Cueto 536, T. Cuhadar Donszelmann 5158, H. Cui 514a,14d,
Z. Cui <sup>07</sup>, A.R. Cukierman <sup>0142</sup>, W.R. Cunningham <sup>059</sup>, F. Curcio <sup>043b,43a</sup>, P. Czodrowski <sup>036</sup>,
M.M. Czurylo 63b, M.J. Da Cunha Sargedas De Sousa 62a, J.V. Da Fonseca Pinto 81b,
C. Da Via^{\bullet 100}, W. Dabrowski^{\bullet 84a}, T. Dado^{\bullet 49}, S. Dahbi^{\bullet 33g}, T. Dai^{\bullet 105},
C. Dallapiccola 6 102, M. Dam 6 42, G. D'amen 6 29, V. D'Amico 7 6 a, 76 b, J. Damp 6 99,
J.R. Dandoy 6 127, M.F. Daneri 6 30, M. Danninger 6 141, V. Dao 6 36, G. Darbo 6 57b,
S. Darmora 6, S.J. Das 29, af, A. Dattagupta 122, S. D'Auria 70a, 70b, C. David 155b,
T. Davidek <sup>132</sup>, D.R. Davis <sup>51</sup>, B. Davis-Purcell <sup>34</sup>, I. Dawson <sup>93</sup>, K. De <sup>8</sup>.
R. De Asmundis <sup>6</sup><sup>71a</sup>, M. De Beurs <sup>6</sup><sup>113</sup>, S. De Castro <sup>6</sup><sup>23b,23a</sup>, N. De Groot <sup>6</sup><sup>112</sup>,
P. de Jong <sup>113</sup>, H. De la Torre <sup>106</sup>, A. De Maria <sup>14c</sup>, A. De Salvo <sup>74a</sup>, U. De Sanctis <sup>75a,75b</sup>,
A. De Santo 145, J.B. De Vivie De Regie 60, D.V. Dedovich 78, J. Degens 113,
A.M. Deiana 644, F. Del Corso 23b,23a, J. Del Peso 98, F. Del Rio 63a, F. Deliot 134,
C.M. Delitzsch <sup>6</sup><sup>49</sup>, M. Della Pietra <sup>6</sup><sup>71a,71b</sup>, D. Della Volpe <sup>6</sup><sup>56</sup>, A. Dell'Acqua <sup>6</sup><sup>36</sup>,
L. Dell'Asta 0^{70a,70b}, M. Delmastro 0^4, P.A. Delsart 0^{60}, S. Demers 0^{170}, M. Demichev 0^{38},
S.P. Denisov <sup>637</sup>, L. D'Eramo <sup>6114</sup>, D. Derendarz <sup>685</sup>, F. Derue <sup>6126</sup>, P. Dervan <sup>691</sup>,
K. Desch <sup>©</sup> <sup>24</sup>, K. Dette <sup>©</sup> <sup>154</sup>, C. Deutsch <sup>©</sup> <sup>24</sup>, P.O. Deviveiros <sup>©</sup> <sup>36</sup>, F.A. Di Bello <sup>©</sup> <sup>74a,74b</sup>,
```

```
A. Di Ciaccio <sup>6</sup>7<sup>5a,75b</sup>, L. Di Ciaccio <sup>6</sup>4, A. Di Domenico <sup>6</sup>7<sup>4a,74b</sup>, C. Di Donato <sup>6</sup>7<sup>1a,71b</sup>,
A. Di Girolamo <sup>36</sup>, G. Di Gregorio <sup>73a,73b</sup>, A. Di Luca <sup>77a,77b</sup>, B. Di Micco <sup>76a,76b</sup>,
R. Di Nardo^{676a,76b}, C. Diaconu^{6101}, F.A. Dias^{6113}, T. Dias Do Vale^{6141},
M.A. Diaz 136a, 136b, F.G. Diaz Capriles 24, M. Didenko 161, E.B. Diehl 105, L. Diehl 154,
S. Díez Cornell<sup>6</sup><sup>48</sup>, C. Diez Pardos<sup>6</sup><sup>140</sup>, C. Dimitriadi<sup>6</sup><sup>24,159</sup>, A. Dimitrievska<sup>6</sup><sup>17a</sup>,
W. Ding^{\bullet 14b}, J. Dingfelder^{\bullet 24}, I-M. Dinu^{\bullet 27b}, S.J. Dittmeier^{\bullet 63b}, F. Dittus^{\bullet 36},
F. Djama 10101, T. Djobava 10148b, J.I. Djuvsland 1016, D. Dodsworth 1026, C. Doglioni 1010,97,
J. Dolejsi 132, Z. Dolezal 132, M. Donadelli 181c, B. Dong 162c, J. Donini 140,
A. D'Onofrio 14c, M. D'Onofrio 191, J. Dopke 133, A. Doria 171a, M.T. Dova 89,
A.T. Doyle 59, M.A. Draguet 125, E. Drechsler 141, E. Dreyer 167, I. Drivas-koulouris 10,
A.S. Drobac 6 157, D. Du 6 2a, T.A. du Pree 113, F. Dubinin 6 37, M. Dubovsky 6 28a,
E. Duchovni 6 167, G. Duckeck 6 108, O.A. Ducu 6 36, D. Duda 6 109, A. Dudarev 5 36,
M. D'uffizi 100, L. Duflot 166, M. Dührssen 1636, C. Dülsen 169, A.E. Dumitriu 1627,
M. Dunford 63a, S. Dungs 49, K. Dunne 47a,47b, A. Duperrin 111, H. Duran Yildiz 3a,
M. Düren^{058}, A. Durglishvili^{0148b}, B.L. Dwyer^{0114}, G.I. Dyckes^{017a}, M. Dyndal^{084a},
S. Dysch 100, B.S. Dziedzic 85, Z.O. Earnshaw 145, B. Eckerova 28a, M.G. Eggleston 15,
E. Egidio Purcino De Souza<sup>®81b</sup>, L.F. Ehrke<sup>®56</sup>, G. Eigen<sup>®16</sup>, K. Einsweiler<sup>®17a</sup>,
T. Ekelof <sup>159</sup>, P.A. Ekman <sup>97</sup>, Y. El Ghazali <sup>35b</sup>, H. El Jarrari <sup>35e,147</sup>, A. El Moussaouy <sup>35a</sup>,
V. Ellajosyula <sup>159</sup>, M. Ellert <sup>159</sup>, F. Ellinghaus <sup>169</sup>, A.A. Elliot <sup>193</sup>, N. Ellis <sup>36</sup>,
J. Elmsheuser <sup>©29</sup>, M. Elsing <sup>©36</sup>, D. Emeliyanov <sup>©133</sup>, A. Emerman <sup>©41</sup>, Y. Enari <sup>©152</sup>,
I. Ene 17a, S. Epari 13, J. Erdmann 49, A. Ereditato 19, P.A. Erland 85, M. Errenst 169,
M. Escalier 66, C. Escobar 161, E. Etzion 150, G. Evans 129a, H. Evans 167, M.O. Evans 145,
A. Ezhilov <sup>637</sup>, S. Ezzarqtouni <sup>635a</sup>, F. Fabbri <sup>59</sup>, L. Fabbri <sup>623b,23a</sup>, G. Facini <sup>695</sup>,
V. Fadeyev <sup>135</sup>, R.M. Fakhrutdinov <sup>37</sup>, S. Falciano <sup>74a</sup>, P.J. Falke <sup>24</sup>, S. Falke <sup>36</sup>,
J. Faltova 132, Y. Fan 14a, Y. Fang 14a, 14d, G. Fanourakis 46, M. Fanti 70a, 70b,
M. Faraj \( \bigcirc \) 68a,68b, A. Farbin \( \bigcirc \) 8, A. Farilla \( \bigcirc \) 76a, T. Farooque \( \bigcirc \) 106, S.M. Farrington \( \bigcirc \) 52,
F. Fassi <sup>635e</sup>, D. Fassouliotis <sup>69</sup>, M. Faucci Giannelli <sup>675a,75b</sup>, W.J. Fawcett <sup>32</sup>, L. Fayard <sup>66</sup>,
O.L. Fedin 0^{37,a}, G. Fedotov 0^{37}, M. Feickert 0^{160}, L. Feligioni 0^{101}, A. Fell 0^{138},
D.E. Fellers 122, C. Feng 62b, M. Feng 14b, M.J. Fenton 158, A.B. Fenyuk 7, L. Ferencz 48,
S.W. Ferguson <sup>645</sup>, J. Pretel <sup>54</sup>, J. Ferrando <sup>648</sup>, A. Ferrari <sup>6159</sup>, P. Ferrari <sup>6113</sup>,
R. Ferrari \mathbb{D}^{72a}, D. Ferrere \mathbb{D}^{56}, C. Ferretti \mathbb{D}^{105}, F. Fiedler \mathbb{D}^{99}, A. Filipčič \mathbb{D}^{92}, E.K. Filmer \mathbb{D}^{1},
F. Filthaut <sup>112</sup>, M.C.N. Fiolhais <sup>129a,129c,b</sup>, L. Fiorini <sup>161</sup>, F. Fischer <sup>140</sup>, W.C. Fisher <sup>106</sup>,
T. Fitschen (50,66), I. Fleck (5140), P. Fleischmann (5105), T. Flick (5169), L. Flores (5127),
M. Flores \bigcirc^{33d}, L.R. Flores Castillo \bigcirc^{64a}, F.M. Follega \bigcirc^{77a,77b}, N. Fomin \bigcirc^{16}, J.H. Foo \bigcirc^{154},
B.C. Forland<sup>67</sup>, A. Formica <sup>134</sup>, A.C. Forti <sup>100</sup>, E. Fortin <sup>101</sup>, A.W. Fortman <sup>61</sup>,
M.G. Foti^{\bullet 17a}, L. Fountas^{\bullet 9,i}, D. Fournier^{\bullet 66}, H. Fox^{\bullet 90}, P. Francavilla^{\bullet 73a,73b},
S. Francescato 61, M. Franchini 23b,23a, S. Franchino 53a, D. Francis 54, L. Franco 512,
L. Franconi <sup>19</sup>, M. Franklin <sup>61</sup>, G. Frattari <sup>26</sup>, A.C. Freegard <sup>93</sup>, P.M. Freeman <sup>20</sup>,
W.S. Freund <sup>681b</sup>, Y.Y. Frid <sup>6150</sup>, N. Fritzsche <sup>50</sup>, A. Froch <sup>54</sup>, D. Froidevaux <sup>36</sup>,
J.A. Frost <sup>125</sup>, Y. Fu <sup>62a</sup>, M. Fujimoto <sup>117</sup>, E. Fullana Torregrosa <sup>161</sup>, J. Fuster <sup>161</sup>,
A. Gabrielli <sup>©</sup> <sup>23b,23a</sup>, A. Gabrielli <sup>©</sup> <sup>36</sup>, P. Gadow <sup>©</sup> <sup>48</sup>, G. Gagliardi <sup>©</sup> <sup>57b,57a</sup>, L.G. Gagnon <sup>©</sup> <sup>17a</sup>,
G.E. Gallardo <sup>125</sup>, E.J. Gallas <sup>125</sup>, B.J. Gallop <sup>133</sup>, R. Gamboa Goni <sup>93</sup>, K.K. Gan <sup>118</sup>,
S. Ganguly <sup>152</sup>, J. Gao <sup>62a</sup>, Y. Gao <sup>55</sup>, F.M. Garay Walls <sup>136a,136b</sup>, B. Garcia <sup>29,af</sup>,
```

```
C. García D<sup>161</sup>, J.E. García Navarro D<sup>161</sup>, J.A. García Pascual D<sup>14a</sup>, M. Garcia-Sciveres D<sup>17a</sup>,
R.W. Gardner <sup>139</sup>, D. Garg <sup>179</sup>, R.B. Garg <sup>142</sup>, S. Gargiulo <sup>54</sup>, C.A. Garner <sup>154</sup>.
V. Garonne<sup>29</sup>, S.J. Gasiorowski<sup>137</sup>, P. Gaspar<sup>81b</sup>, G. Gaudio<sup>72a</sup>, V. Gautam<sup>13</sup>,
P. Gauzzi ^{\circ}<sup>74a,74b</sup>, I.L. Gavrilenko ^{\circ}<sup>37</sup>, A. Gavrilyuk ^{\circ}<sup>37</sup>, C. Gay ^{\circ}<sup>162</sup>, G. Gaycken ^{\circ}<sup>48</sup>,
E.N. Gazis <sup>10</sup>, A.A. Geanta <sup>12</sup>, C.M. Gee <sup>135</sup>, J. Geisen <sup>197</sup>, M. Geisen <sup>199</sup>, C. Gemme <sup>157</sup>
M.H. Genest ^{60}, S. Gentile ^{74a,74b}, S. George ^{94}, W.F. George ^{20}, T. Geralis ^{46},
L.O. Gerlach<sup>55</sup>, P. Gessinger-Befurt <sup>6</sup> <sup>36</sup>, M. Ghasemi Bostanabad <sup>6</sup> <sup>163</sup>, M. Ghneimat <sup>6</sup> <sup>140</sup>,
A. Ghosal <sup>140</sup>, A. Ghosh <sup>158</sup>, A. Ghosh <sup>7</sup>, B. Giacobbe <sup>23b</sup>, S. Giagu <sup>74a,74b</sup>,
N. Giangiacomi <sup>154</sup>, P. Giannetti <sup>73a</sup>, A. Giannini <sup>62a</sup>, S.M. Gibson <sup>94</sup>, M. Gignac <sup>135</sup>,
D.T. Gil 646, A.K. Gilbert 644, B.J. Gilbert 641, D. Gillberg 634, G. Gilles 6113,
N.E.K. Gillwald 648, L. Ginabat 6126, D.M. Gingrich 62, ac, M.P. Giordani 668a, 68c,
P.F. Giraud ^{\bullet 134}, G. Giugliarelli ^{\bullet 68a,68c}, D. Giugni ^{\bullet 70a}, F. Giuli ^{\bullet 36}, I. Gkialas ^{\bullet 9,i},
L.K. Gladilin 637, C. Glasman 698, G.R. Gledhill 6122, M. Glisic 122, I. Gnesi 643b,e, Y. Go 629,af,
M. Goblirsch-Kolb<sup>26</sup>, D. Godin<sup>107</sup>, S. Goldfarb<sup>104</sup>, T. Golling<sup>56</sup>, M.G.D. Gololo<sup>33</sup>
D. Golubkov <sup>637</sup>, J.P. Gombas <sup>6106</sup>, A. Gomes <sup>6129a,129b</sup>, G. Gomes Da Silva <sup>6140</sup>,
A.J. Gomez Delegido <sup>161</sup>, R. Goncalves Gama <sup>55</sup>, R. Gonçalo <sup>129a,129c</sup>, G. Gonella <sup>122</sup>,
L. Gonella <sup>620</sup>, A. Gongadze <sup>38</sup>, F. Gonnella <sup>20</sup>, J.L. Gonski <sup>41</sup>, S. González de la Hoz <sup>6161</sup>,
S. Gonzalez Fernandez <sup>13</sup>, R. Gonzalez Lopez <sup>91</sup>, C. Gonzalez Renteria <sup>17a</sup>,
R. Gonzalez Suarez <sup>159</sup>, S. Gonzalez-Sevilla <sup>56</sup>, G.R. Gonzalvo Rodriguez <sup>161</sup>,
R.Y. González Andana <sup>52</sup>, L. Goossens <sup>53</sup>, N.A. Gorasia <sup>52</sup>, P.A. Gorbounov <sup>53</sup>,
B. Gorini^{036}, E. Gorini^{069a,69b}, A. Gorišek^{092}, A.T. Goshaw^{051}, M.I. Gostkin^{038},
C.A. Gottardo 636, M. Gouighri 535, V. Goumarre 48, A.G. Goussiou 5137, N. Govender 536,
C. Goy <sup>6</sup><sup>4</sup>, I. Grabowska-Bold <sup>6</sup><sup>84a</sup>, K. Graham <sup>6</sup><sup>34</sup>, E. Gramstad <sup>6</sup><sup>124</sup>, S. Grancagnolo <sup>6</sup><sup>18</sup>,
M. Grandi <sup>145</sup>, V. Gratchev<sup>37,*</sup>, P.M. Gravila <sup>27f</sup>, F.G. Gravili <sup>69a,69b</sup>, H.M. Gray <sup>17a</sup>,
M. Greco 69a,69b, C. Grefe 24, I.M. Gregor 48, P. Grenier 142, C. Grieco 13,
A.A. Grillo <sup>135</sup>, K. Grimm <sup>31,m</sup>, S. Grinstein <sup>13,t</sup>, J.-F. Grivaz <sup>66</sup>, E. Gross <sup>167</sup>,
J. Grosse-Knetter <sup>655</sup>, C. Grud <sup>105</sup>, A. Grummer <sup>6111</sup>, J.C. Grundy <sup>6125</sup>, L. Guan <sup>6105</sup>,
W. Guan <sup>168</sup>, C. Gubbels <sup>162</sup>, J.G.R. Guerrero Rojas <sup>161</sup>, G. Guerrieri <sup>168a,68b</sup>,
F. Guescini <sup>109</sup>, R. Gugel <sup>99</sup>, J.A.M. Guhit <sup>105</sup>, A. Guida <sup>48</sup>, T. Guillemin <sup>4</sup>,
E. Guilloton 6 165,133, S. Guindon 6 36, F. Guo 6 14a,14d, J. Guo 6 62c, L. Guo 6 66, Y. Guo 10 105,
R. Gupta<sup>6</sup>48, S. Gurbuz<sup>6</sup>24, S.S. Gurdasani<sup>6</sup>54, G. Gustavino<sup>6</sup>36, M. Guth<sup>56</sup>6,
P. Gutierrez D<sup>119</sup>, L.F. Gutierrez Zagazeta D<sup>127</sup>, C. Gutschow D<sup>95</sup>, C. Guyot D<sup>134</sup>,
C. Gwenlan <sup>125</sup>, C.B. Gwilliam <sup>91</sup>, E.S. Haaland <sup>124</sup>, A. Haas <sup>116</sup>, M. Habedank <sup>48</sup>,
C. Haber • 17a, H.K. Hadavand • A. Hadef • 99, S. Hadzic • 109, M. Haleem • 164, J. Haley • 120,
J.J. Hall<sup>138</sup>, G.D. Hallewell<sup>101</sup>, L. Halser<sup>19</sup>, K. Hamano<sup>163</sup>, H. Hamdaoui<sup>163</sup>e,
M. Hamer ^{624}, G.N. Hamity ^{652}, J. Han ^{662b}, K. Han ^{62a}, L. Han ^{614c}, L. Han ^{62a},
S. \operatorname{Han}^{\bullet 17a}, Y.F. \operatorname{Han}^{\bullet 154}, K. \operatorname{Hanagaki}^{\bullet 82}, M. \operatorname{Hance}^{\bullet 135}, D.A. \operatorname{Hangal}^{\bullet 41,y}, M.D. \operatorname{Hank}^{\bullet 39},
R. Hankache <sup>100</sup>, J.B. Hansen <sup>42</sup>, J.D. Hansen <sup>42</sup>, P.H. Hansen <sup>42</sup>, K. Hara <sup>156</sup>,
D. Harada <sup>656</sup>, T. Harenberg <sup>6169</sup>, S. Harkusha <sup>637</sup>, Y.T. Harris <sup>6125</sup>, N.M. Harrison <sup>6118</sup>,
P.F. Harrison<sup>165</sup>, N.M. Hartman<sup>142</sup>, N.M. Hartmann<sup>108</sup>, Y. Hasegawa<sup>139</sup>, A. Hasib<sup>152</sup>,
S. Haug <sup>19</sup>, R. Hauser <sup>10</sup>, M. Havranek <sup>13</sup>, C.M. Hawkes <sup>13</sup>, R.J. Hawkings <sup>36</sup>,
S. Hayashida 110, D. Hayden 106, C. Hayes 105, R.L. Hayes 162, C.P. Hays 125,
 \text{J.M. Hays} \, {\color{red}}^{\color{red} 93}, \, \text{H.S. Hayward} \, {\color{red}}^{\color{red} 91}, \, \text{F. He} \, {\color{red}}^{\color{red} 62a}, \, \text{Y. He} \, {\color{red}}^{\color{red} 153}, \, \text{Y. He} \, {\color{red}}^{\color{red} 126}, \, \text{M.P. Heath} \, {\color{red}}^{\color{red} 52}, \, \text{M.P. Heath} \, {\color{red}}^{\color{red} 52}, \, \text{M.P. Heath} \, {\color{red}}^{\color{red} 52}, \, \text{M.P.} \, {\color{red}}^{\color{red} 52}, \, {\color{red}}^{\color{red} 52}, \, {\color{red}}^{\color{red} 52}, \, {\color{red} 5
```

```
V. Hedberg <sup>697</sup>, A.L. Heggelund <sup>6124</sup>, N.D. Hehir <sup>693</sup>, C. Heidegger <sup>654</sup>, K.K. Heidegger <sup>654</sup>,
W.D. Heidorn <sup>680</sup>, J. Heilman <sup>34</sup>, S. Heim <sup>648</sup>, T. Heim <sup>617a</sup>, J.G. Heinlein <sup>127</sup>,
J.J. Heinrich ^{\bullet 122}, L. Heinrich ^{\bullet 109,ai}, J. Hejbal ^{\bullet 130}, L. Helary ^{\bullet 48}, A. Held ^{\bullet 168},
S. Hellesund <sup>124</sup>, C.M. Helling <sup>162</sup>, S. Hellman <sup>47a,47b</sup>, C. Helsens <sup>36</sup>, R.C.W. Henderson <sup>90</sup>,
L. Henkelmann <sup>©32</sup>, A.M. Henriques Correia <sup>36</sup>, H. Herde <sup>©142</sup>, Y. Hernández Jiménez <sup>©144</sup>,
H. Herr<sup>99</sup>, M.G. Herrmann <sup>108</sup>, T. Herrmann <sup>50</sup>, G. Herten <sup>54</sup>, R. Hertenberger <sup>108</sup>,
L. Hervas 636, N.P. Hessey 6155a, H. Hibi 83, E. Higón-Rodriguez 6161, S.J. Hillier 620,
I. Hinchliffe 17a, F. Hinterkeuser 24, M. Hirose 123, S. Hirose 156, D. Hirschbuehl 169,
T.G. Hitchings <sup>100</sup>, B. Hiti <sup>92</sup>, J. Hobbs <sup>144</sup>, R. Hobincu <sup>27e</sup>, N. Hod <sup>167</sup>,
M.C. Hodgkinson <sup>138</sup>, B.H. Hodkinson <sup>32</sup>, A. Hoecker <sup>36</sup>, J. Hofer <sup>48</sup>, D. Hohn <sup>54</sup>,
T. Holm • 24, M. Holzbock • 109, L.B.A.H. Hommels • 32, B.P. Honan • 100, J. Hong • 62c,
T.M. Hong 128, Y. Hong 55, J.C. Honig 54, A. Hönle 109, B.H. Hooberman 160,
W.H. Hopkins • , Y. Horii • 110, S. Hou • 147, A.S. Howard • , J. Howarth • 59, J. Hoya • 89,
M. Hrabovsky <sup>121</sup>, A. Hrynevich <sup>37</sup>, T. Hryn'ova <sup>4</sup>, P.J. Hsu <sup>65</sup>, S.-C. Hsu <sup>137</sup>, Q. Hu <sup>41,y</sup>,
Y.F. Hu<sup>1</sup><sup>14a,14d,ae</sup>, D.P. Huang<sup>1</sup><sup>95</sup>, S. Huang<sup>1</sup><sup>64b</sup>, X. Huang<sup>1</sup><sup>14c</sup>, Y. Huang<sup>1</sup><sup>62a</sup>,
Y. Huang ^{\bullet} 14a, Z. Huang ^{\bullet} 100, Z. Hubacek ^{\bullet} 131, M. Huebner ^{\bullet} 24, F. Huegging ^{\bullet} 24,
T.B. Huffman <sup>125</sup>, M. Huhtinen <sup>36</sup>, S.K. Huiberts <sup>16</sup>, R. Hulsken <sup>103</sup>, N. Huseynov <sup>12,a</sup>,
J. Huston 106, J. Huth 161, R. Hyneman 1142, S. Hyrych 128a, G. Iacobucci 156,
G. Iakovidis <sup>©29</sup>, I. Ibragimov <sup>©140</sup>, L. Iconomidou-Fayard <sup>©66</sup>, P. Iengo <sup>©71a,71b</sup>, R. Iguchi <sup>©152</sup>,
T. Iizawa^{656}, Y. Ikegami^{682}, A. Ilg^{619}, N. Ilic^{6154}, H. Imam^{635a},
T. Ingebretsen Carlson 647a,47b, G. Introzzi 72a,72b, M. Iodice 76a, V. Ippolito 74a,74b,
M. Ishino 152, W. Islam 168, C. Issever 18,48, S. Istin 121a,ag, H. Ito 166,
J.M. Iturbe Ponce 64a, R. Iuppa 77a,77b, A. Ivina 167, J.M. Izen 45, V. Izzo 71a,
P. Jacka 130,131, P. Jackson 1, R.M. Jacobs 48, B.P. Jaeger 141, C.S. Jagfeld 108,
G. Jäkel<sup>169</sup>, K. Jakobs<sup>54</sup>, T. Jakoubek<sup>167</sup>, J. Jamieson<sup>59</sup>, K.W. Janas<sup>84a</sup>,
G. Jarlskog <sup>97</sup>, A.E. Jaspan <sup>91</sup>, T. Javůrek <sup>36</sup>, M. Javurkova <sup>102</sup>, F. Jeanneau <sup>134</sup>,
L. Jeanty 122, J. Jejelava 148a, P. Jenni 54, C.E. Jessiman 34, S. Jézéquel 4, J. Jia 144,
X. Jia 61, X. Jia 14a, 14d, Z. Jia 14c, Y. Jiang 2a, S. Jiggins 52, J. Jimenez Pena 199,
S. Jin 6 14c, A. Jinaru 6 27b, O. Jinnouchi 6 153, H. Jivan 6 33g, P. Johansson 6 138, K.A. Johns 7,
C.A. Johnson 67, D.M. Jones 32, E. Jones 165, P. Jones 32, R.W.L. Jones 99, T.J. Jones 91,
J. Jovicevic <sup>15</sup>, X. Ju <sup>17a</sup>, J.J. Junggeburth <sup>36</sup>, A. Juste Rozas <sup>13,t</sup>, S. Kabana <sup>136e</sup>,
A. Kaczmarska 685, M. Kado 674a,746, H. Kagan 6118, M. Kagan 6142, A. Kahn 41, A. Kahn 6127,
C. Kahra <sup>699</sup>, T. Kaji <sup>166</sup>, E. Kajomovitz <sup>6149</sup>, N. Kakati <sup>167</sup>, C.W. Kalderon <sup>29</sup>,
A. Kamenshchikov^{\tiny \mbox{$\mathbb{D}$}^{154}}, N.J. Kang^{\tiny \mbox{$\mathbb{D}$}^{135}}, Y. Kano^{\tiny \mbox{$\mathbb{D}$}^{110}}, D. Kar^{\tiny \mbox{$\mathbb{D}$}^{33g}}, K. Karava^{\tiny \mbox{$\mathbb{D}$}^{125}},
M.J. Kareem <sup>155b</sup>, E. Karentzos <sup>54</sup>, I. Karkanias <sup>151</sup>, S.N. Karpov <sup>38</sup>, Z.M. Karpova <sup>38</sup>,
V. Kartvelishvili <sup>690</sup>, A.N. Karyukhin <sup>637</sup>, E. Kasimi <sup>6151</sup>, C. Kato <sup>62d</sup>, J. Katzy <sup>48</sup>,
S. Kaur<sup>©34</sup>, K. Kawade<sup>©139</sup>, K. Kawagoe<sup>©88</sup>, T. Kawaguchi<sup>©110</sup>, T. Kawamoto<sup>©134</sup>,
G. Kawamura<sup>55</sup>, E.F. Kay<sup>163</sup>, F.I. Kaya<sup>157</sup>, S. Kazakos<sup>13</sup>, V.F. Kazanin<sup>37</sup>, Y. Ke<sup>144</sup>,
J.M. Keaveney <sup>633a</sup>, R. Keeler <sup>6163</sup>, G.V. Kehris <sup>61</sup>, J.S. Keller <sup>34</sup>, A.S. Kelly <sup>95</sup>,
D. Kelsey <sup>145</sup>, J.J. Kempster <sup>20</sup>, J. Kendrick <sup>20</sup>, K.E. Kennedy <sup>41</sup>, O. Kepka <sup>130</sup>,
B.P. Kerridge <sup>165</sup>, S. Kersten <sup>169</sup>, B.P. Kerševan <sup>92</sup>, L. Keszeghova <sup>28a</sup>,
S. Ketabchi Haghighat <sup>154</sup>, M. Khandoga <sup>126</sup>, A. Khanov <sup>120</sup>, A.G. Kharlamov <sup>37</sup>,
T. Kharlamova^{\odot}<sup>37</sup>, E.E. Khoda^{\odot}<sup>137</sup>, T.J. Khoo^{\odot}<sup>18</sup>, G. Khoriauli^{\odot}<sup>164</sup>, J. Khubua^{\odot}<sup>148b</sup>,
```

```
Y.A.R. Khwaira 66, M. Kiehn 536, A. Kilgallon 5122, D.W. Kim 547a,47b, E. Kim 5153,
Y.K. Kim <sup>©</sup> <sup>39</sup>, N. Kimura <sup>©</sup> <sup>95</sup>, A. Kirchhoff <sup>©</sup> <sup>55</sup>, D. Kirchmeier <sup>©</sup> <sup>50</sup>, C. Kirfel <sup>©</sup> <sup>24</sup>, J. Kirk <sup>©</sup> <sup>133</sup>,
A.E. Kiryunin <sup>109</sup>, T. Kishimoto <sup>152</sup>, D.P. Kisliuk <sup>154</sup>, C. Kitsaki <sup>100</sup>, O. Kivernyk <sup>1024</sup>,
M. Klassen 63a, C. Klein 34, L. Klein 164, M.H. Klein 155, M. Klein 1991, U. Klein 1991,
P. Klimek <sup>136</sup>, A. Klimentov <sup>29</sup>, F. Klimpel <sup>109</sup>, T. Klingl <sup>24</sup>, T. Klioutchnikova <sup>36</sup>,
F.F. Klitzner <sup>108</sup>, P. Kluit <sup>113</sup>, S. Kluth <sup>109</sup>, E. Kneringer <sup>18</sup>, T.M. Knight <sup>154</sup>,
A. Knue • 54, D. Kobayashi 88, R. Kobayashi 86, M. Kocian • 142, T. Kodama 152, P. Kodyš 132,
D.M. Koeck 145, P.T. Koenig 24, T. Koffas 34, N.M. Köhler 36, M. Kolb 134, I. Koletsou 4,
T. Komarek <sup>121</sup>, K. Köneke <sup>54</sup>, A.X.Y. Kong <sup>1</sup>, T. Kono <sup>117</sup>, N. Konstantinidis <sup>95</sup>,
B. Konya <sup>1</sup>
<sup>97</sup>, R. Kopeliansky <sup>167</sup>, S. Koperny <sup>184a</sup>, K. Korcyl <sup>185</sup>, K. Kordas <sup>151</sup>,
G. Koren <sup>150</sup>, A. Korn <sup>95</sup>, S. Korn <sup>55</sup>, I. Korolkov <sup>13</sup>, N. Korotkova <sup>37</sup>, B. Kortman <sup>113</sup>,
O. Kortner <sup>109</sup>, S. Kortner <sup>109</sup>, W.H. Kostecka <sup>114</sup>, V.V. Kostyukhin <sup>140</sup>,
A. Kotsokechagia 66, A. Kotwal 51, A. Koulouris 53, A. Kourkoumeli-Charalampidi 572a,72b,
C. Kourkoumelis <sup>6</sup>, E. Kourlitis <sup>6</sup>, O. Kovanda <sup>145</sup>, R. Kowalewski <sup>163</sup>, W. Kozanecki <sup>134</sup>,
A.S. Kozhin \mathbb{D}^{37}, V.A. Kramarenko \mathbb{D}^{37}, G. Kramberger \mathbb{D}^{92}, P. Kramer \mathbb{D}^{99}, M.W. Krasny \mathbb{D}^{126},
A. Krasznahorkay <sup>036</sup>, J.A. Kremer <sup>099</sup>, T. Kresse <sup>050</sup>, J. Kretzschmar <sup>091</sup>, K. Kreul <sup>018</sup>,
P. Krieger <sup>154</sup>, F. Krieter <sup>108</sup>, S. Krishnamurthy <sup>102</sup>, A. Krishnam <sup>163b</sup>, M. Krivos <sup>132</sup>,
K. Krizka <sup>17a</sup>, K. Kroeninger <sup>49</sup>, H. Kroha <sup>109</sup>, J. Kroll <sup>130</sup>, J. Kroll <sup>127</sup>,
K.S. Krowpman <sup>106</sup>, U. Kruchonak <sup>138</sup>, H. Krüger <sup>124</sup>, N. Krumnack <sup>80</sup>, M.C. Kruse <sup>151</sup>,
J.A. Krzysiak <sup>685</sup>, A. Kubota <sup>6153</sup>, O. Kuchinskaia <sup>637</sup>, S. Kuday <sup>63a</sup>, D. Kuechler <sup>648</sup>,
J.T. Kuechler <sup>648</sup>, S. Kuehn <sup>636</sup>, T. Kuhl <sup>648</sup>, V. Kukhtin <sup>638</sup>, Y. Kulchitsky <sup>637,a</sup>,
S. Kuleshov • 136d, 136b, M. Kumar • 33g, N. Kumari • 101, M. Kuna • 60, A. Kupco • 130,
T. Kupfer<sup>49</sup>, A. Kupich <sup>137</sup>, O. Kuprash <sup>154</sup>, H. Kurashige <sup>183</sup>, L.L. Kurchaninov <sup>155a</sup>,
Y.A. Kurochkin <sup>37</sup>, A. Kurova <sup>37</sup>, E.S. Kuwertz <sup>36</sup>, M. Kuze <sup>153</sup>, A.K. Kvam <sup>10</sup>,
J. Kvita <sup>121</sup>, T. Kwan <sup>103</sup>, K.W. Kwok <sup>164a</sup>, C. Lacasta <sup>161</sup>, F. Lacava <sup>174a,74b</sup>,
H. Lacker 18, D. Lacour 126, N.N. Lad 195, E. Ladygin 138, B. Laforge 126, T. Lagouri 136e,
S. Lai <sup>65</sup>, I.K. Lakomiec <sup>84a</sup>, N. Lalloue <sup>60</sup>, J.E. Lambert <sup>119</sup>, S. Lammers <sup>67</sup>,
W. Lampl<sup>©</sup><sup>7</sup>, C. Lampoudis<sup>©</sup><sup>151</sup>, A.N. Lancaster<sup>©</sup><sup>114</sup>, E. Lançon<sup>©</sup><sup>29</sup>, U. Landgraf<sup>©</sup><sup>54</sup>,
M.P.J. Landon 693, V.S. Lang 54, R.J. Langenberg 6102, A.J. Lankford 6158, F. Lanni 629,
K. Lantzsch<sup>24</sup>, A. Lanza<sup>72a</sup>, A. Lapertosa<sup>57b,57a</sup>, J.F. Laporte<sup>134</sup>, T. Lari<sup>70a</sup>,
F. Lasagni Manghi <sup>©</sup> <sup>23b</sup>, M. Lassnig <sup>©</sup> <sup>36</sup>, V. Latonova <sup>©</sup> <sup>130</sup>, T.S. Lau <sup>©</sup> <sup>64a</sup>, A. Laudrain <sup>©</sup> <sup>99</sup>,
A. Laurier • 34, S.D. Lawlor • 94, Z. Lawrence • 100, M. Lazzaroni • 70a, 70b, B. Le<sup>100</sup>, B. Leban • 92,
A. Lebedev <sup>6</sup>80, M. LeBlanc <sup>6</sup>36, T. LeCompte <sup>6</sup>6, F. Ledroit-Guillon <sup>6</sup>60, A.C.A. Lee<sup>9</sup>5,
G.R. Lee ^{16}, L. Lee ^{61}, S.C. Lee ^{147}, S. Lee ^{47a,47b}, L.L. Leeuw ^{33c}, H.P. Lefebvre ^{94},
M. Lefebvre <sup>163</sup>, C. Leggett <sup>17a</sup>, K. Lehmann <sup>141</sup>, G. Lehmann Miotto <sup>36</sup>, W.A. Leight <sup>102</sup>,
A. Leisos 6151,s, M.A.L. Leite 81c, C.E. Leitgeb 48, R. Leitner 132, K.J.C. Leney 44,
T. Lenz <sup>1024</sup>, S. Leone <sup>173a</sup>, C. Leonidopoulos <sup>152</sup>, A. Leopold <sup>143</sup>, C. Leroy <sup>107</sup>, R. Les <sup>106</sup>,
C.G. Lester <sup>32</sup>, M. Levchenko <sup>37</sup>, J. Levêque <sup>4</sup>, D. Levin <sup>105</sup>, L.J. Levinson <sup>167</sup>,
M.P. Lewicki 685, D.J. Lewis 20, B. Li 14b, B. Li 62b, C. Li 62a, C-Q. Li 62c,62d, H. Li 62a,
H. Li 62b, H. Li 14c, H. Li 62b, J. Li 62c, K. Li 137, L. Li 62c, M. Li 14a, 14d, Q.Y. Li 62a,
S. \text{Li}_{0}^{62d,62c,d}, T. \text{Li}_{0}^{62b}, X. \text{Li}_{0}^{103}, Z. \text{Li}_{0}^{62b}, Z. \text{Li}_{0}^{125}, Z. \text{Li}_{0}^{103}, Z. \text{Li}_{0}^{91}, Z. \text{Li}_{0}^{91}, Z. \text{Li}_{0}^{91}
M. Liberatore <sup>648</sup>, B. Liberti <sup>75a</sup>, K. Lie <sup>64c</sup>, J. Lieber Marin <sup>81b</sup>, K. Lin <sup>6106</sup>,
R.A. Linck ^{67}, R.E. Lindley ^{7}, J.H. Lindon ^{2}, A. Linss ^{48}, E. Lipeles ^{127}, A. Lipniacka ^{16},
```

```
T.M. Liss • 160,aa, A. Lister • 162, J.D. Little • 4, B. Liu • 14a, B.X. Liu • 141, D. Liu • 62d,62c,
J.B. Liu 62a, J.K.K. Liu 32, K. Liu 62d,62c, M. Liu 62a, M.Y. Liu 62a, P. Liu 14a,
Q. \text{Liu}_{0}^{62d,137,62c}, X. \text{Liu}_{0}^{62a}, Y. \text{Liu}_{0}^{48}, Y. \text{Liu}_{0}^{14c,14d}, Y.L. \text{Liu}_{0}^{105}, Y.W. \text{Liu}_{0}^{62a},
M. Livan <sup>672a,72b</sup>, J. Llorente Merino <sup>6141</sup>, S.L. Lloyd <sup>693</sup>, E.M. Lobodzinska <sup>648</sup>, P. Loch <sup>67</sup>,
S. Loffredo • <sup>75a,75b</sup>, T. Lohse • <sup>18</sup>, K. Lohwasser • <sup>138</sup>, M. Lokajicek • <sup>130</sup>, J.D. Long • <sup>160</sup>,
I. Longarini • <sup>74a,74b</sup>, L. Longo • <sup>69a,69b</sup>, R. Longo • <sup>160</sup>, I. Lopez Paz • <sup>36</sup>, A. Lopez Solis • <sup>48</sup>,
J. Lorenz<sup>108</sup>, N. Lorenzo Martinez<sup>4</sup>, A.M. Lory<sup>108</sup>, A. Lösle<sup>54</sup>, X. Lou<sup>47a,47b</sup>
X. Lou 614a,14d, A. Lounis 66, J. Love 66, P.A. Love 99, J.J. Lozano Bahilo 6161, G. Lu 614a,14d,
M. Lu<sup>©</sup><sup>79</sup>, S. Lu<sup>©</sup><sup>127</sup>, Y.J. Lu<sup>©</sup><sup>65</sup>, H.J. Lubatti<sup>©</sup><sup>137</sup>, C. Luci<sup>©</sup><sup>74a,74b</sup>, F.L. Lucio Alves<sup>©</sup><sup>14c</sup>,
A. Lucotte 6, F. Luehring 67, I. Luise 144, O. Lukianchuk 66, O. Lundberg 143,
B. Lund-Jensen • 143, N.A. Luongo • 122, M.S. Lutz • 150, D. Lynn • 29, H. Lyons • 1, R. Lysak • 130,
E. Lytken • 7, F. Lyu • 14a, V. Lyubushkin • 38, T. Lyubushkin • 38, H. Ma • 29, L.L. Ma • 62b,
Y. Ma<sup>©</sup><sup>95</sup>, D.M. Mac Donell<sup>©</sup><sup>163</sup>, G. Maccarrone<sup>©</sup><sup>53</sup>, J.C. MacDonald<sup>©</sup><sup>138</sup>, R. Madar<sup>©</sup><sup>40</sup>,
W.F. Mader <sup>50</sup>, J. Maeda <sup>83</sup>, T. Maeno <sup>29</sup>, M. Maerker <sup>50</sup>, V. Magerl <sup>54</sup>, J. Magro <sup>68a,68c</sup>,
H. Maguire <sup>138</sup>, D.J. Mahon <sup>41</sup>, C. Maidantchik <sup>81b</sup>, A. Maio <sup>129a,129b,129d</sup>, K. Maj <sup>84a</sup>,
O. Majersky <sup>©</sup> <sup>28a</sup>, S. Majewski <sup>©</sup> <sup>122</sup>, N. Makovec <sup>©</sup> <sup>66</sup>, V. Maksimovic <sup>©</sup> <sup>15</sup>, B. Malaescu <sup>©</sup> <sup>126</sup>,
Pa. Malecki 685, V.P. Maleev 637, F. Malek 660, D. Malito 643b, 43a, U. Mallik 679,
C. Malone <sup>13</sup>, S. Maltezos <sup>10</sup>, S. Malyukov <sup>38</sup>, J. Mamuzic <sup>13</sup>, G. Mancini <sup>53</sup>,
G. Manco (10,72a,72b), J.P. Mandalia (10,93), I. Mandić (10,92), L. Manhaes de Andrade Filho (10,81a),
I.M. Maniatis <sup>151</sup>, M. Manisha <sup>134</sup>, J. Manjarres Ramos <sup>50</sup>, D.C. Mankad <sup>167</sup>,
K.H. Mankinen <sup>697</sup>, A. Mann <sup>6108</sup>, A. Manousos <sup>678</sup>, B. Mansoulie <sup>6134</sup>, S. Manzoni <sup>636</sup>,
A. Marantis 151,8, G. Marchiori 5, M. Marcisovsky 130, L. Marcoccia 75a,75b, C. Marcon 97,
M. Marinescu<sup>20</sup>, M. Marjanovic<sup>119</sup>, Z. Marshall<sup>17a</sup>, S. Marti-Garcia<sup>161</sup>, T.A. Martin<sup>165</sup>,
V.J. Martin 6<sup>52</sup>, B. Martin dit Latour 6<sup>16</sup>, L. Martinelli 6<sup>74a,74b</sup>, M. Martinez 6<sup>13,t</sup>,
P. Martinez Agullo <sup>161</sup>, V.I. Martinez Outschoorn <sup>102</sup>, P. Martinez Suarez <sup>13</sup>,
S. Martin-Haugh <sup>133</sup>, V.S. Martoiu <sup>27b</sup>, A.C. Martyniuk <sup>95</sup>, A. Marzin <sup>36</sup>,
S.R. Maschek <sup>109</sup>, L. Masetti <sup>99</sup>, T. Mashimo <sup>152</sup>, J. Masik <sup>100</sup>, A.L. Maslennikov <sup>37</sup>,
L. Massa <sup>23b</sup>, P. Massarotti <sup>71a,71b</sup>, P. Mastrandrea <sup>73a,73b</sup>, A. Mastroberardino <sup>43b,43a</sup>,
T. Masubuchi <sup>152</sup>, T. Mathisen <sup>159</sup>, A. Matic <sup>108</sup>, N. Matsuzawa <sup>152</sup>, J. Maurer <sup>157</sup>,
B. Maček 692, D.A. Maximov 637, R. Mazini 6147, I. Maznas 6151, M. Mazza 6106,
S.M. Mazza <sup>135</sup>, C. Mc Ginn <sup>29,af</sup>, J.P. Mc Gowan <sup>103</sup>, S.P. Mc Kee <sup>105</sup>,
T.G. McCarthy 109, W.P. McCormack 17a, E.F. McDonald 1014, A.E. McDougall 113,
J.A. Mcfayden 145, G. Mchedlidze 148, R.P. Mckenzie 33g, T.C. Mclachlan 48,
D.J. Mclaughlin <sup>695</sup>, K.D. McLean <sup>6163</sup>, S.J. McMahon <sup>6133</sup>, P.C. McNamara <sup>6104</sup>,
R.A. McPherson 0^{163,v}, J.E. Mdhluli 0^{33g}, S. Meehan 0^{36}, T. Megy 0^{40}, S. Mehlhase 0^{108},
A. Mehta <sup>191</sup>, B. Meirose <sup>145</sup>, D. Melini <sup>149</sup>, B.R. Mellado Garcia <sup>133g</sup>, A.H. Melo <sup>155</sup>,
F. Meloni <sup>6</sup>48, E.D. Mendes Gouveia <sup>6</sup>129a, A.M. Mendes Jacques Da Costa <sup>6</sup>20, H.Y. Meng <sup>6</sup>154,
L. Meng • 90, S. Menke • 109, M. Mentink • 36, E. Meoni • 43b, 43a, C. Merlassino • 125,
L. Merola • 71a,71b, C. Meroni • 70a, G. Merz 105, O. Meshkov • 37, J.K.R. Meshreki • 140,
J. Metcalfe 6, A.S. Mete 6, C. Meyer 67, J-P. Meyer 134, M. Michetti 18,
R.P. Middleton 133, L. Mijović 52, G. Mikenberg 167, M. Mikestikova 130, M. Mikuž 92,
H. Mildner 138, A. Milic 154, C.D. Milke 44, D.W. Miller 39, L.S. Miller 34, A. Milov 167,
D.A. Milstead<sup>47a,47b</sup>, T. Min<sup>14c</sup>, A.A. Minaenko<sup>37</sup>, I.A. Minashvili<sup>148b</sup>, L. Mince<sup>59</sup>,
```

```
A.I. Mincer 116, B. Mindur 84a, M. Mineev 38, Y. Minegishi 152, Y. Mino 86, L.M. Mir 13,
M. Miralles Lopez <sup>161</sup>, M. Mironova <sup>125</sup>, T. Mitani <sup>166</sup>, A. Mitra <sup>165</sup>, V.A. Mitsou <sup>161</sup>,
O. Miu 154, P.S. Miyagawa 193, Y. Miyazaki<sup>88</sup>, A. Mizukami 182, J.U. Mjörnmark 197,
T. Mkrtchyan • 63a, M. Mlynarikova • 114, T. Moa • 47a, 47b, S. Mobius • 55, K. Mochizuki • 107,
P. Moder • 48, P. Mogg • 108, A.F. Mohammed • 14a, 14d, S. Mohapatra • 41,
G. Mokgatitswane <sup>33g</sup>, B. Mondal <sup>140</sup>, S. Mondal <sup>131</sup>, K. Mönig <sup>48</sup>, E. Monnier <sup>101</sup>,
L. Monsonis Romero<sup>161</sup>, J. Montejo Berlingen <sup>636</sup>, M. Montella <sup>6118</sup>, F. Monticelli <sup>689</sup>,
N. Morange 66, A.L. Moreira De Carvalho 129a, M. Moreno Llácer 161,
C. Moreno Martinez 13, P. Morettini 57, S. Morgenstern 516, M. Morii 56,
M. Morinaga • 152, V. Morisbak • 124, A.K. Morley • 36, F. Morodei • 74a,74b, L. Morvaj • 36,
P. Moschovakos <sup>36</sup>, B. Moser <sup>36</sup>, M. Mosidze <sup>148b</sup>, T. Moskalets <sup>54</sup>, P. Moskvitina <sup>112</sup>,
J. Moss 631,n, E.J.W. Moyse 6102, S. Muanza 6101, J. Mueller 6128, D. Muenstermann 690,
R. Müller <sup>19</sup>, G.A. Mullier <sup>97</sup>, J.J. Mullin <sup>127</sup>, D.P. Mungo <sup>970a,70b</sup>, J.L. Munoz Martinez <sup>13</sup>,
D. Munoz Perez <sup>161</sup>, F.J. Munoz Sanchez <sup>100</sup>, M. Murin <sup>100</sup>, W.J. Murray <sup>165,133</sup>,
A. Murrone <sup>6</sup>70a,70b, J.M. Muse <sup>6</sup>119, M. Muškinja <sup>6</sup>17a, C. Mwewa <sup>6</sup>29, A.G. Myagkov <sup>6</sup>37,a,
A.J. Myers • 8, A.A. Myers • 67, M. Myska • 131, B.P. Nachman • 17a,
O. Nackenhorst • 49, A. Nag • 50, K. Nagai • 125, K. Nagano • 82, J.L. Nagle • 29, af, E. Nagy • 101,
A.M. Nairz 636, Y. Nakahama 682, K. Nakamura 682, H. Nanjo 6123, R. Narayan 644,
E.A. Narayanan <sup>111</sup>, I. Naryshkin <sup>37</sup>, M. Naseri <sup>34</sup>, C. Nass <sup>24</sup>, G. Navarro <sup>22a</sup>,
J. Navarro-Gonzalez 161, R. Nayak 150, P.Y. Nechaeva 137, F. Nechansky 148, T.J. Neep 120,
A. Negri • <sup>72a,72b</sup>, M. Negrini • <sup>23b</sup>, C. Nellist • <sup>112</sup>, C. Nelson • <sup>103</sup>, K. Nelson • <sup>105</sup>,
S. Nemecek <sup>130</sup>, M. Nessi <sup>36,9</sup>, M.S. Neubauer <sup>160</sup>, F. Neuhaus <sup>99</sup>, J. Neundorf <sup>48</sup>,
R. Newhouse 6, P.R. Newman 6, C.W. Ng 128, Y.S. Ng 4, Y.W.Y. Ng 6, B. Ngair 6, S.
H.D.N. Nguyen ^{\bullet 107}, R.B. Nickerson ^{\bullet 125}, R. Nicolaidou ^{\bullet 134}, J. Nielsen ^{\bullet 135}, M. Niemeyer ^{\bullet 55},
N. Nikiforou <sup>©36</sup>, V. Nikolaenko <sup>©37,a</sup>, I. Nikolic-Audit <sup>©126</sup>, K. Nikolopoulos <sup>©20</sup>, P. Nilsson <sup>©29</sup>,
H.R. Nindhito <sup>56</sup>, A. Nisati <sup>74a</sup>, N. Nishu <sup>2</sup>, R. Nisius <sup>109</sup>, J-E. Nitschke <sup>50</sup>,
E.K. Nkadimeng <sup>133g</sup>, S.J. Noacco Rosende <sup>89</sup>, T. Nobe <sup>152</sup>, D.L. Noel <sup>32</sup>, Y. Noguchi <sup>86</sup>,
T. Nommensen 6<sup>146</sup>, M.A. Nomura<sup>29</sup>, M.B. Norfolk 6<sup>138</sup>, R.R.B. Norisam 6<sup>95</sup>, B.J. Norman 6<sup>34</sup>,
J. Novak <sup>92</sup>, T. Novak <sup>48</sup>, O. Novgorodova <sup>50</sup>, L. Novotny <sup>131</sup>, R. Novotny <sup>111</sup>,
L. Nozka <sup>121</sup>, K. Ntekas <sup>158</sup>, E. Nurse, F.G. Oakham <sup>34,ac</sup>, J. Ocariz <sup>126</sup>, A. Ochi <sup>83</sup>,
I. Ochoa^{\odot 129a}, S. Oerdek^{\odot 159}, A. Ogrodnik^{\odot 84a}, A. Oh^{\odot 100}, C.C. Ohm^{\odot 143}, H. Oide^{\odot 153},
R. Oishi 6 152, M.L. Ojeda 6 48, Y. Okazaki 6 86, M.W. O'Keefe 91, Y. Okumura 6 152, A. Olariu 276,
L.F. Oleiro Seabra <sup>6</sup> <sup>129a</sup>, S.A. Olivares Pino <sup>6</sup> <sup>136e</sup>, D. Oliveira Damazio <sup>629</sup>,
D. Oliveira Goncalves ^{\circ}<sup>81a</sup>, J.L. Oliver ^{\circ}<sup>158</sup>, M.J.R. Olsson ^{\circ}<sup>158</sup>, A. Olszewski ^{\circ}<sup>85</sup>,
J. Olszowska 685,*, Ö.O. Öncel 54, D.C. O'Neil 141, A.P. O'Neil 1919, A. Onofre 129a,129e,
P.U.E. Onyisi <sup>11</sup>, M.J. Oreglia <sup>39</sup>, G.E. Orellana <sup>89</sup>, D. Orestano <sup>76a,76b</sup>, N. Orlando <sup>13</sup>,
R.S. Orr • 154, V. O'Shea • 59, R. Ospanov • 62a, G. Otero y Garzon • 30, H. Otono 88,
P.S. Ott 63a, G.J. Ottino 17a, M. Ouchrif 35d, J. Ouellette 29,af, F. Ould-Saada 124,
M. Owen <sup>59</sup>, R.E. Owen <sup>133</sup>, K.Y. Oyulmaz <sup>21a</sup>, V.E. Ozcan <sup>21a</sup>, N. Ozturk <sup>8</sup>,
S. Ozturk <sup>©21d</sup>, J. Pacalt <sup>©121</sup>, H.A. Pacey <sup>©32</sup>, K. Pachal <sup>©51</sup>, A. Pacheco Pages <sup>©13</sup>,
C. Padilla Aranda<sup>13</sup>, G. Padovano<sup>74a,74b</sup>, S. Pagan Griso<sup>17a</sup>, G. Palacino<sup>67</sup>,
A. Palazzo 69a,69b, S. Palazzo 52, S. Palestini 536, M. Palka 58b, J. Pan 5170, T. Pan 54a,
```

D.K. Panchal¹, C.E. Pandini¹, J.G. Panduro Vazquez¹, H. Pang¹, P. Pani⁴⁸,

G. Panizzo 68a,68c, L. Paolozzi 56, C. Papadatos 107, S. Parajuli 44, A. Paramonov 66, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{164b}, T.H. Park ¹⁵⁴, M.A. Parker ¹³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁴, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁷, L. Pascual Dominguez ¹⁵⁰, V.R. Pascuzzi ^{17a}, F. Pasquali ¹¹³, E. Pasqualucci ¹0^{74a}, S. Passaggio ¹5^{7b}, F. Pastore ¹9⁹⁴, P. Pasuwan ¹0^{47a,47b}, J.R. Pater ¹0¹⁰⁰, J. Patton⁹¹, T. Pauly ⁶³⁶, J. Pearkes ⁶¹⁴², M. Pedersen ⁶¹²⁴, R. Pedro ^{6129a}, S.V. Peleganchuk • 37, O. Penc • 36, C. Peng • 64b, H. Peng • 62a, K.E. Penski • 108, M. Penzin • 37, B.S. Peralva 681a,81d, A.P. Pereira Peixoto 600, L. Pereira Sanchez 647a,47b, D.V. Perepelitsa [©] ^{29,af}, E. Perez Codina [©] ^{155a}, M. Perganti [©] ¹⁰, L. Perini [©] ^{70a,70b,*}, H. Pernegger ⁶³⁶, S. Perrella ⁶³⁶, A. Perrevoort ⁶¹¹², O. Perrin ⁶⁴⁰, K. Peters ⁶⁴⁸, R.F.Y. Peters ¹⁰⁰, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰¹, V. Petousis ¹³¹, C. Petridou ¹⁵¹, A. Petrukhin ¹⁴⁰, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷, K. Petukhova ¹³², A. Peyaud ¹³⁴, R. Pezoa ¹³⁶, L. Pezzotti ³⁶, G. Pezzullo ¹⁷⁰, T. Pham ¹⁰⁴, P.W. Phillips ¹³³, M.W. Phipps ¹⁶⁰, G. Piacquadio ¹⁴⁴, E. Pianori ^{17a}, F. Piazza ⁶ ^{70a,70b}, R. Piegaia ⁶ ³⁰, D. Pietreanu ⁶ ^{27b}, A.D. Pilkington ⁶ ¹⁰⁰, M. Pinamonti 68a,68c, J.L. Pinfold 2, B.C. Pinheiro Pereira 129a, C. Pitman Donaldson, D.A. Pizzi ⁶³⁴, L. Pizzimento ^{75a,75b}, A. Pizzini ⁶¹¹³, M.-A. Pleier ⁶²⁹, V. Plesanovs ⁵⁴, V. Pleskot ¹³², E. Plotnikova³⁸, G. Poddar ⁴, R. Poettgen ⁹⁷, R. Poggi ⁵⁶, L. Poggioli ¹²⁶, I. Pogrebnyak ¹⁰⁶, D. Pohl ²⁴, I. Pokharel ⁵⁵, S. Polacek ¹³², G. Polesello ^{72a}, A. Poley 141,155a, R. Polifka 131, A. Polini 23b, C.S. Pollard 125, Z.B. Pollock 118, V. Polychronakos ²⁹, D. Ponomarenko ³⁷, L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu^{©27d}, D.M. Portillo Quintero^{©155a}, S. Pospisil^{©131}, P. Postolache^{©27c}, K. Potamianos • 1.N. Potrap • 38, C.J. Potter • 32, H. Potti • 1, T. Poulsen • 48, J. Poveda • 161, G. Pownall⁹⁴⁸, M.E. Pozo Astigarraga⁹³⁶, A. Prades Ibanez⁹¹⁶¹, M.M. Prapa⁹⁴⁶, D. Price ¹⁰⁰, M. Primavera ^{69a}, M.A. Principe Martin ⁹⁸, M.L. Proffitt ¹³⁷, N. Proklova ³⁷, K. Prokofiev 64c, G. Proto 75a,75b, S. Protopopescu 29, J. Proudfoot 66, M. Przybycien 84a, J.E. Puddefoot ¹³⁸, D. Pudzha ³⁷, P. Puzo⁶⁶, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁵, Y. Qin 600, T. Qiu 609, A. Quadt 605, M. Queitsch-Maitland 6010, G. Rabanal Bolanos 61, D. Rafanoharana ⁶ ⁵⁴, F. Ragusa ⁶ ^{70a,70b}, J.L. Rainbolt ⁶ ³⁹, J.A. Raine ⁶ ⁵⁶, S. Rajagopalan ⁶ ²⁹, E. Ramakoti ³⁷, K. Ran ^{14a,14d}, V. Raskina ¹²⁶, D.F. Rassloff ^{63a}, S. Rave ⁹⁹, B. Ravina ⁶ ⁵⁹, I. Ravinovich ⁶ ¹⁶⁷, M. Raymond ⁶ ³⁶, A.L. Read ⁶ ¹²⁴, N.P. Readioff ⁶ ¹³⁸, D.M. Rebuzzi ^{672a,72b}, D. Redigolo^z, G. Redlinger ⁶²⁹, K. Reeves ⁶⁴⁵, J.A. Reidelsturz ⁶¹⁶⁹, D. Reikher 150, A. Reiss 9, A. Rej 140, C. Rembser 36, A. Renardi 48, M. Renda 276, M.B. Rendel¹⁰⁹, A.G. Rennie¹⁰⁵⁹, S. Resconi^{1070a}, M. Ressegotti^{1057b,57a}, E.D. Resseguie^{1017a}, S. Rettie⁹⁵, B. Reynolds¹¹⁸, E. Reynolds^{17a}, M. Rezaei Estabragh¹⁶⁹, O.L. Rezanova³⁷, P. Reznicek 132, E. Ricci 77a,77b, R. Richter 109, S. Richter 47a,47b, E. Richter Was 84b, M. Ridel¹²⁶, P. Rieck¹¹⁶, P. Riedler³⁶, M. Rijssenbeek¹⁴⁴, A. Rimoldi^{72a,72b}, M. Rimoldi ⁶⁴⁸, L. Rinaldi ^{623b,23a}, T.T. Rinn ⁶²⁹, M.P. Rinnagel ⁶¹⁰⁸, G. Ripellino ⁶¹⁴³, I. Riu¹³, P. Rivadeneira⁴⁸, J.C. Rivera Vergara¹⁶³, F. Rizatdinova¹²⁰, E. Rizvi⁹³, C. Rizzi⁶⁵⁶, B.A. Roberts⁶¹⁶⁵, B.R. Roberts^{617a}, S.H. Robertson^{6103,v}, M. Robin⁶⁴⁸, D. Robinson 632, C.M. Robles Gajardo 36f, M. Robles Manzano 999, A. Robson 59, A. Rocchi ^{675a,75b}, C. Roda ^{73a,73b}, S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a},

A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ¹⁵⁵, S. Roe³⁶, J.T. Roemer ¹⁵⁸,

```
A.R. Roepe-Gier <sup>119</sup>, J. Roggel <sup>169</sup>, O. Røhne <sup>124</sup>, R.A. Rojas <sup>163</sup>, B. Roland <sup>54</sup>,
C.P.A. Roland 67, J. Roloff 29, A. Romaniouk 37, E. Romano 72a,72b, M. Romano 23b,
A.C. Romero Hernandez <sup>160</sup>, N. Rompotis <sup>91</sup>, L. Roos <sup>126</sup>, S. Rosati <sup>74a</sup>, B.J. Rosser <sup>39</sup>,
E. Rossi 64, E. Rossi 71a,71b, L.P. Rossi 57b, L. Rossini 48, R. Rosten 118, M. Rotaru 27b,
B. Rottler <sup>54</sup>, D. Rousseau <sup>66</sup>, D. Rousso <sup>32</sup>, G. Rovelli <sup>72a,72b</sup>, A. Roy <sup>160</sup>,
A. Rozanov <sup>101</sup>, Y. Rozen <sup>149</sup>, X. Ruan <sup>33g</sup>, A. Rubio Jimenez <sup>161</sup>, A.J. Ruby <sup>91</sup>,
T.A. Ruggeri 1, F. Rühr 1, A. Ruiz-Martinez 1, A. Rummler 1, Z. Rurikova 1, Rummler 1, Z. Rurikova 1, Rummler 1, Rummler 1, Z. Rurikova 1, Rummler 1, Rumm
N.A. Rusakovich 38, H.L. Russell 163, J.P. Rutherfoord 7, E.M. Rüttinger 138, K. Rybacki 90,
M. Rybar ^{\odot 132}, E.B. Rye ^{\odot 124}, A. Ryzhov ^{\odot 37}, J.A. Sabater Iglesias ^{\odot 56}, P. Sabatini ^{\odot 161},
L. Sabetta 674a,74b, H.F-W. Sadrozinski 6135, F. Safai Tehrani 674a, B. Safarzadeh Samani 6145,
M. Safdari 142, S. Saha 1513, M. Sahinsoy 1519, M. Saimpert 1514, M. Saito 1515, T. Saito 1515,
D. Salamani <sup>6</sup> <sup>36</sup>, G. Salamanna <sup>6</sup> <sup>76a,76b</sup>, A. Salnikov <sup>6</sup> <sup>142</sup>, J. Salt <sup>6</sup> <sup>161</sup>, A. Salvador Salas <sup>6</sup> <sup>13</sup>,
D. Salvatore <sup>6</sup> <sup>43b,43a</sup>, F. Salvatore <sup>6</sup> <sup>145</sup>, A. Salzburger <sup>6</sup> <sup>36</sup>, D. Sammel <sup>54</sup>, D. Sampsonidis <sup>6</sup> <sup>151</sup>,
D. Sampsonidou 62d,62c, J. Sánchez 161, A. Sanchez Pineda 4, V. Sanchez Sebastian 161,
H. Sandaker <sup>124</sup>, C.O. Sander <sup>48</sup>, J.A. Sandesara <sup>102</sup>, M. Sandhoff <sup>169</sup>, C. Sandoval <sup>22b</sup>,
D.P.C. Sankey 133, A. Sansoni 53, L. Santi 74a,74b, C. Santoni 40, H. Santos 129a,129b,
S.N. Santpur <sup>17a</sup>, A. Santra <sup>167</sup>, K.A. Saoucha <sup>138</sup>, J.G. Saraiva <sup>129a,129d</sup>, J. Sardain <sup>7</sup>,
O. Sasaki 6<sup>82</sup>, K. Sato 6<sup>156</sup>, C. Sauer 6<sup>3b</sup>, F. Sauerburger 6<sup>54</sup>, E. Sauvan 6<sup>4</sup>, P. Savard 6<sup>154</sup>, ac.
R. Sawada <sup>152</sup>, C. Sawyer <sup>133</sup>, L. Sawyer <sup>96</sup>, I. Sayago Galvan <sup>161</sup>, C. Sbarra <sup>236</sup>,
A. Sbrizzi \( \bar{\pi}^{23b,23a}, \) T. Scanlon \( \bar{\pi}^{95}, \) J. Schaarschmidt \( \bar{\pi}^{137}, \) P. Schacht \( \bar{\pi}^{109}, \) D. Schaefer \( \bar{\pi}^{39}, \)
U. Schäfer <sup>699</sup>, A.C. Schaffer <sup>666</sup>, D. Schaile <sup>6108</sup>, R.D. Schamberger <sup>6144</sup>, E. Schanet <sup>6108</sup>,
C. Scharf<sup>18</sup>, V.A. Schegelsky<sup>13</sup>, D. Scheirich<sup>13</sup>, F. Schenck<sup>18</sup>, M. Schernau<sup>15</sup>,
C. Scheulen <sup>655</sup>, C. Schiavi <sup>657b,57a</sup>, Z.M. Schillaci <sup>626</sup>, E.J. Schioppa <sup>669a,69b</sup>,
M. Schioppa ^{643b,43a}, B. Schlag ^{699,aj}, K.E. Schleicher ^{654}, S. Schlenker ^{636}, K. Schmieden ^{699},
C. Schmitt <sup>199</sup>, S. Schmitt <sup>1948</sup>, L. Schoeffel <sup>134</sup>, A. Schoening <sup>1963b</sup>, P.G. Scholer <sup>1954</sup>,
E. Schopf <sup>125</sup>, M. Schott <sup>99</sup>, J. Schovancova <sup>36</sup>, S. Schramm <sup>56</sup>, F. Schroeder <sup>169</sup>,
H-C. Schultz-Coulon 63a, M. Schumacher 54, B.A. Schumm 135, Ph. Schune 134,
A. Schwartzman <sup>142</sup>, T.A. Schwarz <sup>105</sup>, Ph. Schwemling <sup>134</sup>, R. Schwienhorst <sup>166</sup>,
A. Sciandra <sup>135</sup>, G. Sciolla <sup>26</sup>, F. Scuri <sup>73a</sup>, F. Scutti <sup>104</sup>, C.D. Sebastiani <sup>91</sup>,
K. Sedlaczek <sup>649</sup>, P. Seema <sup>18</sup>, S.C. Seidel <sup>111</sup>, A. Seiden <sup>135</sup>, B.D. Seidlitz <sup>41</sup>, T. Seiss <sup>39</sup>,
C. Seitz<sup>648</sup>, J.M. Seixas<sup>81b</sup>, G. Sekhniaidze<sup>71a</sup>, S.J. Sekula<sup>44</sup>, L. Selem<sup>4</sup>,
N. Semprini-Cesari <sup>©</sup> <sup>23b,23a</sup>, S. Sen <sup>©</sup> <sup>51</sup>, D. Sengupta <sup>©</sup> <sup>56</sup>, V. Senthilkumar <sup>©</sup> <sup>161</sup>, L. Serin <sup>©</sup> <sup>66</sup>,
L. Serkin 68a,68b, M. Sessa 76a,76b, H. Severini 119, S. Sevova 142, F. Sforza 57b,57a,
A. Sfyrla<sup>56</sup>, E. Shabalina<sup>55</sup>, R. Shaheen<sup>143</sup>, J.D. Shahinian<sup>127</sup>, N.W. Shaikh<sup>47a,47b</sup>,
D. Shaked Renous <sup>167</sup>, L.Y. Shan <sup>14a</sup>, M. Shapiro <sup>17a</sup>, A. Sharma <sup>36</sup>, A.S. Sharma <sup>162</sup>,
P. Sharma <sup>6</sup><sup>79</sup>, S. Sharma <sup>6</sup><sup>48</sup>, P.B. Shatalov <sup>6</sup><sup>37</sup>, K. Shaw <sup>6</sup><sup>145</sup>, S.M. Shaw <sup>6</sup><sup>100</sup>, Q. Shen <sup>6</sup><sup>62c</sup>,
P. Sherwood <sup>695</sup>, L. Shi <sup>695</sup>, C.O. Shimmin <sup>6170</sup>, Y. Shimogama <sup>6166</sup>, J.D. Shinner <sup>694</sup>,
I.P.J. Shipsey <sup>125</sup>, S. Shirabe <sup>60</sup>, M. Shiyakova <sup>38,al</sup>, J. Shlomi <sup>167</sup>, M.J. Shochet <sup>39</sup>,
J. Shojaii <sup>104</sup>, D.R. Shope <sup>143</sup>, S. Shrestha <sup>118</sup>, E.M. Shrif <sup>133g</sup>, M.J. Shroff <sup>163</sup>,
P. Sicho <sup>130</sup>, A.M. Sickles <sup>160</sup>, E. Sideras Haddad <sup>33g</sup>, O. Sidiropoulou <sup>36</sup>, A. Sidoti <sup>23b</sup>,
F. Siegert <sup>50</sup>, Dj. Sijacki <sup>15</sup>, R. Sikora <sup>84a</sup>, F. Sili <sup>89</sup>, J.M. Silva <sup>20</sup>, M.V. Silva Oliveira <sup>36</sup>,
S.B. Silverstein • <sup>47a</sup>, S. Simion <sup>66</sup>, R. Simoniello • <sup>36</sup>, E.L. Simpson • <sup>59</sup>, N.D. Simpson <sup>97</sup>,
S. Simsek • 21d, S. Sindhu • 55, P. Sinervo • 154, V. Sinetckii • 37, S. Singh • 141, S. Singh • 154,
```

```
S. Sinha 6<sup>48</sup>, S. Sinha 6<sup>33g</sup>, M. Sioli 6<sup>23b,23a</sup>, I. Siral 6<sup>122</sup>, S.Yu. Sivoklokov 6<sup>37,*</sup>,
J. Sjölin • 47a,47b, A. Skaf • 55, E. Skorda • 97, P. Skubic • 119, M. Slawinska • 85, V. Smakhtin 167,
B.H. Smart <sup>133</sup>, J. Smiesko <sup>132</sup>, S.Yu. Smirnov <sup>37</sup>, Y. Smirnov <sup>37</sup>, L.N. Smirnov <sup>37</sup>, a,
O. Smirnova 6, A.C. Smith 6, E.A. Smith 6, H.A. Smith 6, J.L. Smith 6, R. Smith 142,
M. Smizanska<sup>6</sup>, K. Smolek<sup>6</sup>, A. Smykiewicz<sup>6</sup>, A.A. Snesarev<sup>37</sup>, H.L. Snoek<sup>113</sup>,
S. Snyder <sup>©29</sup>, R. Sobie <sup>©163,v</sup>, A. Soffer <sup>©150</sup>, C.A. Solans Sanchez <sup>©36</sup>, E.Yu. Soldatov <sup>©37</sup>,
U. Soldevila <sup>16</sup>, A.A. Solodkov <sup>37</sup>, S. Solomon <sup>54</sup>, A. Soloshenko <sup>38</sup>, K. Solovieva <sup>54</sup>,
O.V. Solovyanov <sup>37</sup>, V. Solovyev <sup>37</sup>, P. Sommer <sup>36</sup>, A. Sonav <sup>13</sup>, W.Y. Song <sup>155</sup>,
A. Sopczak <sup>131</sup>, A.L. Sopio <sup>95</sup>, F. Sopkova <sup>28b</sup>, V. Sothilingam <sup>63a</sup>, S. Sottocornola <sup>72a,72b</sup>,
R. Soualah 115c, Z. Soumaimi 35e, D. South 48, S. Spagnolo 69a,69b, M. Spalla 109,
F. Spanò <sup>94</sup>, D. Sperlich <sup>54</sup>, G. Spigo <sup>36</sup>, M. Spina <sup>145</sup>, S. Spinali <sup>90</sup>, D.P. Spiteri <sup>59</sup>,
M. Spousta <sup>132</sup>, E.J. Staats <sup>34</sup>, A. Stabile <sup>70a,70b</sup>, R. Stamen <sup>63a</sup>, M. Stamenkovic <sup>113</sup>,
A. Stampekis <sup>©</sup> <sup>20</sup>, M. Standke <sup>©</sup> <sup>24</sup>, E. Stanecka <sup>©</sup> <sup>85</sup>, B. Stanislaus <sup>©</sup> <sup>17a</sup>, M.M. Stanitzki <sup>©</sup> <sup>48</sup>,
M. Stankaityte <sup>125</sup>, B. Stapf <sup>48</sup>, E.A. Starchenko <sup>37</sup>, G.H. Stark <sup>135</sup>, J. Stark <sup>1010</sup>, ah,
D.M. Starko<sup>155b</sup>, P. Staroba<sup>130</sup>, P. Starovoitov<sup>63a</sup>, S. Stärz<sup>130</sup>, R. Staszewski<sup>85</sup>,
G. Stavropoulos 646, J. Steentoft 6159, P. Steinberg 629, A.L. Steinhebel 122,
B. Stelzer \( \bigcirc \bigcirc 141, 155a \), H.J. Stelzer \( \bigcirc 128 \), O. Stelzer-Chilton \( \bigcirc 155a \), H. Stenzel \( \bigcirc 58 \),
T.J. Stevenson <sup>145</sup>, G.A. Stewart <sup>36</sup>, M.C. Stockton <sup>36</sup>, G. Stoicea <sup>27b</sup>, M. Stolarski <sup>129a</sup>,
S. Stonjek <sup>109</sup>, A. Straessner <sup>50</sup>, J. Strandberg <sup>143</sup>, S. Strandberg <sup>47a,47b</sup>, M. Strauss <sup>119</sup>,
T. Strebler 101, P. Strizenec 286, R. Ströhmer 164, D.M. Strom 122, L.R. Strom 48,
R. Stroynowski<sup>6</sup><sup>44</sup>, A. Strubig<sup>6</sup><sup>47a,47b</sup>, S.A. Stucci<sup>629</sup>, B. Stugu<sup>616</sup>, J. Stupak<sup>6119</sup>,
N.A. Styles ^{648}, D. Su^{6142}, S. Su^{62a}, W. Su^{62a,137,62c}, X. Su^{62a,66}, K. Sugizaki^{6152},
V.V. Sulin<sup>©37</sup>, M.J. Sullivan<sup>©91</sup>, D.M.S. Sultan<sup>©77a,77b</sup>, L. Sultanaliyeva<sup>©37</sup>, S. Sultansov<sup>©3b</sup>,
T. Sumida 6, S. Sun 6, S. Sun 6, S. Sun 6, O. Sunneborn Gudnadottir 6, M.R. Sutton 6, M.R. Sutton 6, T. Sunida 6, S. Sun 6, S.
M. Svatos • 130, M. Swiatlowski • 155a, T. Swirski • 164, I. Sykora • 28a, M. Sykora • 132,
T. Sykora • 132, D. Ta • 99, K. Tackmann • 48, 4, A. Taffard • 158, R. Tafirout • 155a,
J.S. Tafoya Vargas 66, R.H.M. Taibah 6126, R. Takashima 87, K. Takeda 83, E.P. Takeva 52,
Y. Takubo •82, M. Talby •101, A.A. Talyshev •37, K.C. Tam •64b, N.M. Tamir 150,
A. Tanaka 6 152, J. Tanaka 6 152, R. Tanaka 6 6 M. Tanasini 5 7 15, J. Tang 2 Z. Tao 16 16 ,
S. Tapia Araya <sup>680</sup>, S. Tapprogge <sup>999</sup>, A. Tarek Abouelfadl Mohamed <sup>106</sup>, S. Tarem <sup>149</sup>,
K. Tariq^{62b}, G. Tarna^{627b}, G.F. Tartarelli^{670a}, P. Tas^{6132}, M. Tasevsky^{6130},
E. Tassi \mathbb{D}^{43b,43a}, A.C. Tate \mathbb{D}^{160}, G. Tateno \mathbb{D}^{152}, Y. Tayalati \mathbb{D}^{35e}, G.N. Taylor \mathbb{D}^{104},
W. Taylor <sup>155b</sup>, H. Teagle <sup>91</sup>, A.S. Tee <sup>168</sup>, R. Teixeira De Lima <sup>142</sup>, P. Teixeira-Dias <sup>94</sup>,
J.J. Teoh^{\bullet}<sup>154</sup>, K. Terashi^{\bullet}<sup>152</sup>, J. Terron^{\bullet}<sup>98</sup>, S. Terzo^{\bullet}<sup>13</sup>, M. Testa^{\bullet}<sup>53</sup>, R.J. Teuscher^{\bullet}<sup>154</sup>,^v,
A. Thaler <sup>18</sup>, N. Themistokleous <sup>18</sup>, T. Theveneaux-Pelzer <sup>18</sup>, O. Thielmann <sup>18</sup>,
D.W. Thomas<sup>94</sup>, J.P. Thomas<sup>620</sup>, E.A. Thompson<sup>648</sup>, P.D. Thompson<sup>620</sup>, E. Thomson<sup>6127</sup>,
E.J. Thorpe <sup>193</sup>, Y. Tian <sup>155</sup>, V. Tikhomirov <sup>137,a</sup>, Yu.A. Tikhonov <sup>137</sup>, S. Timoshenko <sup>37</sup>,
E.X.L. Ting <sup>1</sup>, P. Tipton <sup>1</sup>70, S. Tisserant <sup>1</sup>101, S.H. Tlou <sup>33g</sup>, A. Tnourji <sup>40</sup>,
K. Todome<sup>©23b,23a</sup>, S. Todorova-Nova<sup>©132</sup>, S. Todt<sup>50</sup>, M. Togawa<sup>©82</sup>, J. Tojo<sup>©88</sup>,
S. Tokár <sup>©</sup> <sup>28a</sup>, K. Tokushuku <sup>©</sup> <sup>82</sup>, R. Tombs <sup>©</sup> <sup>32</sup>, M. Tomoto <sup>©</sup> <sup>82,110</sup>, L. Tompkins <sup>©</sup> <sup>142,aj</sup>,
P. Tornambe <sup>102</sup>, E. Torrence <sup>122</sup>, H. Torres <sup>50</sup>, ah, E. Torró Pastor <sup>161</sup>, M. Toscani <sup>30</sup>,
C. Tosciri <sup>39</sup>, D.R. Tovey <sup>138</sup>, A. Traeet <sup>16</sup>, I.S. Trandafir <sup>27b</sup>, T. Trefzger <sup>164</sup>, A. Tricoli <sup>29</sup>,
```

I.M. Trigger ^{155a}, S. Trincaz-Duvoid ¹²⁶, D.A. Trischuk ¹⁶², B. Trocmé ⁶⁰, A. Trofymov ⁶⁶,

```
C. Troncon <sup>6</sup>70a, L. Truong <sup>6</sup>33c, M. Trzebinski <sup>6</sup>85, A. Trzupek <sup>6</sup>85, F. Tsai <sup>6</sup>144, M. Tsai <sup>6</sup>105,
A. Tsiamis <sup>151</sup>, P.V. Tsiareshka<sup>37</sup>, S. Tsigaridas <sup>155a</sup>, A. Tsirigotis <sup>151,s</sup>, V. Tsiskaridze <sup>144</sup>,
E.G. Tskhadadze<sup>148a</sup>, M. Tsopoulou<sup>©</sup><sup>151</sup>, Y. Tsujikawa<sup>©</sup><sup>86</sup>, I.I. Tsukerman<sup>©</sup><sup>37</sup>, V. Tsulaia<sup>©</sup><sup>17a</sup>,
S. Tsuno <sup>82</sup>, O. Tsur<sup>149</sup>, D. Tsybychev <sup>144</sup>, Y. Tu <sup>64b</sup>, A. Tudorache <sup>27b</sup>, V. Tudorache <sup>27b</sup>,
A.N. Tuna <sup>636</sup>, S. Turchikhin <sup>638</sup>, I. Turk Cakir <sup>63a</sup>, R. Turra <sup>670a</sup>, T. Turtuvshin <sup>638</sup>,
P.M. Tuts <sup>64</sup>, S. Tzamarias <sup>615</sup>, P. Tzanis <sup>610</sup>, E. Tzovara <sup>699</sup>, K. Uchida <sup>152</sup>, F. Ukegawa <sup>6156</sup>,
P.A. Ulloa Poblete 6 136c, G. Unal 6 36, M. Unal 11, A. Undrus 6 29, G. Unel 158, K. Uno 6 152,
J. Urban <sup>©28b</sup>, P. Urquijo <sup>©104</sup>, G. Usai <sup>©8</sup>, R. Ushioda <sup>©153</sup>, M. Usman <sup>©107</sup>, Z. Uysal <sup>©21b</sup>,
V. Vacek <sup>131</sup>, B. Vachon <sup>103</sup>, K.O.H. Vadla <sup>124</sup>, T. Vafeiadis <sup>36</sup>, C. Valderanis <sup>108</sup>,
E. Valdes Santurio <sup>6</sup>4<sup>7a</sup>, M. Valente <sup>6</sup>1<sup>55a</sup>, S. Valentinetti <sup>6</sup>2<sup>3b</sup>, <sup>23a</sup>, A. Valero <sup>6</sup>1<sup>61</sup>,
A. Vallier 101, ah, J.A. Valls Ferrer 161, T.R. Van Daalen 137, P. Van Gemmeren 166,
S. Van Stroud <sup>6</sup> <sup>95</sup>, I. Van Vulpen <sup>6</sup> <sup>113</sup>, M. Vanadia <sup>6</sup> <sup>75a,75b</sup>, W. Vandelli <sup>6</sup> <sup>36</sup>,
M. Vandenbroucke <sup>134</sup>, E.R. Vandewall <sup>120</sup>, D. Vannicola <sup>150</sup>, L. Vannoli <sup>57b,57a</sup>,
R. Vari <sup>1</sup>0<sup>74a</sup>, E.W. Varnes <sup>1</sup>0<sup>7</sup>, C. Varni <sup>1</sup>1<sup>7a</sup>, T. Varol <sup>1</sup>1<sup>47</sup>, D. Varouchas <sup>1</sup>0<sup>66</sup>, L. Varriale <sup>1</sup>1<sup>61</sup>,
K.E. Varvell<sup>146</sup>, M.E. Vasile<sup>27b</sup>, L. Vaslin<sup>40</sup>, G.A. Vasquez<sup>163</sup>, F. Vazeille<sup>40</sup>,
T. Vazquez Schroeder <sup>636</sup>, J. Veatch <sup>31</sup>, V. Vecchio <sup>6100</sup>, M.J. Veen <sup>6113</sup>, I. Veliscek <sup>6125</sup>,
L.M. Veloce ^{\bullet 154}, F. Veloso ^{\bullet 129a,129c}, S. Veneziano ^{\bullet 74a}, A. Ventura ^{\bullet 69a,69b}, A. Verbytskyi ^{\bullet 109},
M. Verducci \mathbb{D}^{73a,73b}, C. Vergis \mathbb{D}^{24}, M. Verissimo De Araujo \mathbb{D}^{81b}, W. Verkerke \mathbb{D}^{113},
J.C. Vermeulen <sup>113</sup>, C. Vernieri <sup>142</sup>, P.J. Verschuuren <sup>94</sup>, M. Vessella <sup>102</sup>,
M.L. Vesterbacka <sup>116</sup>, M.C. Vetterli <sup>141,ac</sup>, A. Vgenopoulos <sup>151</sup>, N. Viaux Maira <sup>136f</sup>,
T. Vickey \mathbb{D}^{138}, O.E. Vickey Boeriu \mathbb{D}^{138}, G.H.A. Viehhauser \mathbb{D}^{125}, L. Vigani \mathbb{D}^{63b},
M. Villa 623b,23a, M. Villaplana Perez 6161, E.M. Villhauer 52, E. Vilucchi 653, M.G. Vincter 634,
G.S. Virdee <sup>©20</sup>, A. Vishwakarma <sup>©52</sup>, C. Vittori <sup>©23b,23a</sup>, I. Vivarelli <sup>©145</sup>, V. Vladimirov <sup>165</sup>,
E. Voevodina <sup>109</sup>, F. Vogel <sup>108</sup>, P. Vokac <sup>131</sup>, J. Von Ahnen <sup>48</sup>, E. Von Toerne <sup>24</sup>,
B. Vormwald <sup>636</sup>, V. Vorobel <sup>132</sup>, K. Vorobev <sup>37</sup>, M. Vos <sup>6161</sup>, J.H. Vossebeld <sup>91</sup>,
M. Vozak <sup>113</sup>, L. Vozdecky <sup>93</sup>, N. Vranjes <sup>15</sup>, M. Vranjes Milosavljevic <sup>15</sup>, M. Vreeswijk <sup>113</sup>,
R. Vuillermet <sup>636</sup>, O. Vujinovic <sup>699</sup>, I. Vukotic <sup>639</sup>, S. Wada <sup>6156</sup>, C. Wagner <sup>102</sup>, W. Wagner <sup>6169</sup>,
S. Wahdan 6 169, H. Wahlberg 8 9, R. Wakasa 156, M. Wakida 110, V.M. Walbrecht 10 109,
J. Walder 133, R. Walker 108, W. Walkowiak 140, A.M. Wang 161, A.Z. Wang 168,
C. Wang 62a, C. Wang 62c, H. Wang 617a, J. Wang 64a, P. Wang 64, R.-J. Wang 699,
R. Wang 61, R. Wang 65, S.M. Wang 147, S. Wang 62b, T. Wang 62a, W.T. Wang 79,
W.X. Wang ^{62a}, X. Wang ^{14c}, X. Wang ^{160}, X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c},
Z. Wang 105, Z. Wang 162d,51,62c, Z. Wang 10105, A. Warburton 10103, R.J. Ward 1020,
N. Warrack <sup>59</sup>, A.T. Watson <sup>20</sup>, M.F. Watson <sup>20</sup>, G. Watts <sup>137</sup>, B.M. Waugh <sup>95</sup>,
A.F. Webb 11, C. Weber 29, M.S. Weber 19, S.A. Weber 34, S.M. Weber 63a, C. Wei<sup>62a</sup>,
Y. Wei <sup>125</sup>, A.R. Weidberg <sup>125</sup>, J. Weingarten <sup>49</sup>, M. Weirich <sup>99</sup>, C. Weiser <sup>54</sup>,
C.J. Wells <sup>648</sup>, T. Wenaus <sup>629</sup>, B. Wendland <sup>649</sup>, T. Wengler <sup>636</sup>, N.S. Wenke <sup>109</sup>, N. Wermes <sup>624</sup>,
M. Wessels 63a, K. Whalen 122, A.M. Wharton 99, A.S. White 61, A. White 8,
M.J. White <sup>1</sup>, D. Whiteson <sup>158</sup>, L. Wickremasinghe <sup>123</sup>, W. Wiedenmann <sup>168</sup>, C. Wiel <sup>50</sup>,
M. Wielers <sup>133</sup>, N. Wieseotte<sup>99</sup>, C. Wiglesworth <sup>42</sup>, L.A.M. Wiik-Fuchs <sup>54</sup>, D.J. Wilbern <sup>119</sup>,
H.G. Wilkens <sup>36</sup>, D.M. Williams <sup>41</sup>, H.H. Williams <sup>127</sup>, S. Williams <sup>32</sup>, S. Willocq <sup>10</sup>
P.J. Windischhofer <sup>125</sup>, F. Winklmeier <sup>122</sup>, B.T. Winter <sup>54</sup>, M. Wittgen <sup>142</sup>, M. Wobisch <sup>96</sup>,
A. Wolf <sup>199</sup>, R. Wölker <sup>125</sup>, J. Wollrath <sup>158</sup>, M.W. Wolter <sup>185</sup>, H. Wolters <sup>129a,129c</sup>,
```

- V.W.S. Wong ¹⁶², A.F. Wongel ⁴⁸, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁵, K.W. Woźniak ⁸⁵,
- K. Wraight 659, J. Wu 14a,14d, M. Wu 64a, S.L. Wu 168, X. Wu 656, Y. Wu 62a,
- Z. Wu 134,62a, J. Wuerzinger 125, T.R. Wyatt 100, B.M. Wynne 52, S. Xella 42, L. Xia 14c,
- M. Xia^{14b}, J. Xiang 64c, X. Xiao 105, M. Xie 62a, X. Xie 62a, J. Xiong 17a, I. Xiotidis 145,
- D. Xu^{14a}, H. Xu^{62a}, H. Xu^{62a}, L. Xu^{62a}, R. Xu^{62a}, R. Xu⁶¹², T. Xu⁶¹², W. Xu⁶¹⁶, Y. Xu^{614b},
- Z. Xu⁶^{62b}, Z. Xu⁶¹⁴², B. Yabsley⁶¹⁴⁶, S. Yacoob^{633a}, N. Yamaguchi⁶⁸⁸, Y. Yamaguchi⁶¹⁵³,
- H. Yamauchi 6 156, T. Yamazaki 17a, Y. Yamazaki 83, J. Yan 2c, S. Yan 125, Z. Yan 25,
- H.J. Yang 62c,62d, H.T. Yang 17a, S. Yang 62a, T. Yang 64c, X. Yang 62a, X. Yang 61a,
- Y. Yang 644, Z. Yang 62a,105, W-M. Yao 17a, Y.C. Yap 48, H. Ye 14c, J. Ye 44, S. Ye 29,
- X. Ye 6^{62a}, Y. Yeh 9⁹⁵, I. Yeletskikh 8³⁸, M.R. Yexley 9⁹⁰, P. Yin 4¹, K. Yorita 1¹⁶⁶,
- C.J.S. Young $^{\odot}$ ⁵⁴, C. Young $^{\odot}$ ¹⁴², M. Yuan $^{\odot}$ ¹⁰⁵, R. Yuan $^{\odot}$ ^{62b,j}, L. Yue $^{\odot}$ ⁹⁵, X. Yue $^{\odot}$ ^{63a},
- M. Zaazoua \mathbb{D}^{35e} , B. Zabinski \mathbb{D}^{85} , E. Zaid \mathbb{D}^{52} , T. Zakareishvili \mathbb{D}^{148b} , N. Zakharchuk \mathbb{D}^{34} ,
- S. Zambito 56, J. Zang 152, D. Zanzi 54, O. Zaplatilek 131, S.V. Zeißner 49, C. Zeitnitz 169,
- J.C. Zeng $^{\bullet 160}$, D.T. Zenger Jr $^{\bullet 26}$, O. Zenin $^{\bullet 37}$, T. Ženiš $^{\bullet 28a}$, S. Zenz $^{\bullet 93}$, S. Zerradi $^{\bullet 35a}$,
- D. Zerwas 666, B. Zhang 14c, D.F. Zhang 138, G. Zhang 14b, J. Zhang 66, K. Zhang 14a, 14d,
- L. Zhang 614c, R. Zhang 168, S. Zhang 105, T. Zhang 152, X. Zhang 162c, X. Zhang 162b,
- Z. Zhang 17a, Z. Zhang 66, H. Zhao 137, P. Zhao 51, T. Zhao 62b, Y. Zhao 135,
- Z. Zhao 6^{62a}, A. Zhemchugov 38, Z. Zheng 142, D. Zhong 160, B. Zhou 15, C. Zhou 168,
- H. Zhou⁶⁷, N. Zhou^{62c}, Y. Zhou⁷, C.G. Zhu^{62b}, C. Zhu^{614a,14d}, H.L. Zhu^{62a}, H. Zhu^{614a},
- J. Zhu 6 105, Y. Zhu 6 62a, X. Zhuang 6 14a, K. Zhukov 7 7, V. Zhulanov 3 7, N.I. Zimine 6 38,
- J. Zinsser 63b, M. Ziolkowski 140, L. Živković 15, A. Zoccoli 23b,23a, K. Zoch 56,
- T.G. Zorbas 138, O. Zormpa 46, W. Zou 41, L. Zwalinski 36

 $^{^{1}}$ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

^{3 (a)} Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

 $^{^{10}}$ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona;
Snain

¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing; (d) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ (a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

- ²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
- ^{21 (a)} Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul; (d) Istinye University, Sariyer, Istanbul; Türkiye
- ^{22 (a)} Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
- ^{23 (a)} Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna: Italy
- ²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
- ²⁵ Department of Physics, Boston University, Boston MA; United States of America
- ²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
- ^{27 (a)} Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
- ²⁸ (a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ³¹ California State University, CA; United States of America
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- ^{33 (a)} Department of Physics, University of Cape Town, Cape Town; (b) iThemba Labs, Western Cape; (c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (d) National Institute of Physics, University of the Philippines Diliman (Philippines) Philippines; (e) University of South Africa, Department of Physics, Pretoria; (f) University of Zululand, KwaDlangezwa; (g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- 34 Department of Physics, Carleton University, Ottawa ON; Canada
- 35 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca; (b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat; (f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- 36 CERN, Geneva; Switzerland
- 37 Affiliated with an institute covered by a cooperation agreement with CERN
- 38 Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- ⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴³ (a) Dipartimento di Fisica, Università della Calabria, Rende; (b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- 46 National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁷ (a) Department of Physics, Stockholm University; (b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
- ⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁵¹ Department of Physics, Duke University, Durham NC; United States of America

- ⁵² SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
- ⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁷ (a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
- ⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁹ SUPA School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- ⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶² (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶³ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ (a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, University of Hong Kong, Hong Kong; (c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- 66 IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁸ (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁶⁹ (a) INFN Sezione di Lecce; (b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷⁰ (a) INFN Sezione di Milano; (b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷¹ (a) INFN Sezione di Napoli; (b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷² (a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷³ (a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁴ (a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁵ (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma: Italy
- ⁷⁶ (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁷ (a) INFN-TIFPA; (b) Università degli Studi di Trento, Trento; Italy
- ⁷⁸ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁷⁹ University of Iowa, Iowa City IA; United States of America
- ⁸⁰ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- 81 (a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; Instituto de Física, Universidade de São Paulo, São Paulo; de Janeiro State University, Rio de Janeiro; Brazil
- $^{82}\ KEK,\ High\ Energy\ Accelerator\ Research\ Organization,\ Tsukuba;\ Japan$
- 83 Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁴ (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁵ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁶ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁷ Kyoto University of Education, Kyoto; Japan

- ⁸⁸ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- ⁸⁹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁹⁰ Physics Department, Lancaster University, Lancaster; United Kingdom
- ⁹¹ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- ⁹² Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹³ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- ⁹⁴ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- ⁹⁵ Department of Physics and Astronomy, University College London, London; United Kingdom
- ⁹⁶ Louisiana Tech University, Ruston LA; United States of America
- 97 Fysiska institutionen, Lunds universitet, Lund; Sweden
- 98 Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- 99 Institut für Physik, Universität Mainz, Mainz; Germany
- ¹⁰⁰ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- ¹⁰¹ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰² Department of Physics, University of Massachusetts, Amherst MA; United States of America
- ¹⁰³ Department of Physics, McGill University, Montreal QC; Canada
- ¹⁰⁴ School of Physics, University of Melbourne, Victoria; Australia
- ¹⁰⁵ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- 106 Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ¹⁰⁷ Group of Particle Physics, University of Montreal, Montreal QC; Canada
- ¹⁰⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- ¹⁰⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- ¹¹⁰ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- ¹¹¹ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- ¹¹² Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- ¹¹⁴ Department of Physics, Northern Illinois University, DeKalb IL; United States of America
- ¹¹⁵ (a) New York University Abu Dhabi, Abu Dhabi; (b) United Arab Emirates University, Al Ain; (c) University of Sharjah, Sharjah; United Arab Emirates
- ¹¹⁶ Department of Physics, New York University, New York NY; United States of America
- ¹¹⁷ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- ¹¹⁸ Ohio State University, Columbus OH; United States of America
- ¹¹⁹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- ¹²⁰ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- ¹²¹ Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- ¹²² Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- ¹²³ Graduate School of Science, Osaka University, Osaka; Japan
- ¹²⁴ Department of Physics, University of Oslo, Oslo; Norway
- ¹²⁵ Department of Physics, Oxford University, Oxford; United Kingdom
- ¹²⁶ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- ¹²⁷ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- ¹²⁸ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
- ¹²⁹ (a) Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física.

- Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- 130 Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹³¹ Czech Technical University in Prague, Prague; Czech Republic
- ¹³² Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- ¹³⁴ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³⁵ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- ¹³⁶ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁷ Department of Physics, University of Washington, Seattle WA; United States of America
- ¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
- 139 Department of Physics, Shinshu University, Nagano; Japan
- ¹⁴⁰ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴² SLAC National Accelerator Laboratory, Stanford CA; United States of America
- ¹⁴³ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
- ¹⁴⁵ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
- ¹⁴⁶ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁸ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (c) University of Georgia, Tbilisi; Georgia
- $^{149}\ Department\ of\ Physics,\ Technion,\ Israel\ Institute\ of\ Technology,\ Haifa;\ Israel$
- ¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- ¹⁵³ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁵ (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- ¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
- ¹⁵⁸ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- ¹⁵⁹ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁶⁰ Department of Physics, University of Illinois, Urbana IL; United States of America
- ¹⁶¹ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Valencia;
 Spain
- ¹⁶² Department of Physics, University of British Columbia, Vancouver BC; Canada
- ¹⁶³ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
- ¹⁶⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany

- ¹⁶⁵ Department of Physics, University of Warwick, Coventry; United Kingdom
- ¹⁶⁶ Waseda University, Tokyo; Japan
- ¹⁶⁷ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
- ¹⁶⁸ Department of Physics, University of Wisconsin, Madison WI; United States of America
- ¹⁶⁹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal: Germany
- ¹⁷⁰ Department of Physics, Yale University, New Haven CT; United States of America
 - ^a Also Affiliated with an institute covered by a cooperation agreement with CERN
 - ^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America
 - ^c Also at Bruno Kessler Foundation, Trento; Italy
 - ^d Also at Center for High Energy Physics, Peking University; China
 - ^e Also at Centro Studi e Ricerche Enrico Fermi; Italy
 - ^f Also at CERN, Geneva; Switzerland
 - ^g Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
 - ^h Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain
 - ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece
 - j Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
 - ^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America
 - ¹ Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel
- ^m Also at Department of Physics, California State University, East Bay; United States of America
- n Also at Department of Physics, California State University, Sacramento; United States of America
- ° Also at Department of Physics, King's College London, London; United Kingdom
- ^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland
- ^q Also at Department of Physics, University of Thessaly; Greece
- ^r Also at Department of Physics, Westmont College, Santa Barbara; United States of America
- ^s Also at Hellenic Open University, Patras; Greece
- ^t Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain
- ^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany
- ^v Also at Institute of Particle Physics (IPP); Canada
- w Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
- x Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia
- ^y Also at Lawrence Livermore National Laboratory, Livermore; United States of America
- ^z Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ^{aa} Also at The City College of New York, New York NY; United States of America
- ab Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China
- ac Also at TRIUMF, Vancouver BC; Canada
- ^{ad} Also at Università di Napoli Parthenope, Napoli; Italy
- ae Also at University of Chinese Academy of Sciences (UCAS), Beijing; China
- ^{af} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America
- ag Also at Yeditepe University, Physics Department, Istanbul; Türkiye
- ah Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France
- ^{ai} Also at Technical University of Munich, Munich, Germany
- ^{aj} Also at Department of Physics, Stanford University, Stanford CA, United States of America
- ak Also at Physics Department, An-Najah National University, Nablus, Palestine
- ^{al} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria
- * Deceased