

```
create table STUDENTS(sroll number(3) primary key,sname varchar(30) not null,maths
number(3),english number(3),science number(3));
```

Table created.

```
SQL> insert into
STUDENTS(sroll,sname,maths,english,science)values(101,'Sanika',98,76,85);
```

1 row created.

```
SQL> insert into
STUDENTS(sroll,sname,maths,english,science)values(102,'Aman',99,65,85);
```

1 row created.

```
SQL> insert into
STUDENTS(sroll,sname,maths,english,science)values(103,'Raj',19,59,18);
```

1 row created.

```
SQL> select * from STUDENTS
2 ;
```

SROLL	SNAME	MATHS	ENGLISH	SCIENCE
101	Sanika	98	76	85
102	Aman	99	65	85
103	Raj	19	59	18

```
SQL> alter table STUDENTS add(total number(3));
```

Table altered.

```
update STUDENTS set total=maths+english+science;
```

3 rows updated.

```
SQL> select * from STUDENTS;
```

SROLL	SNAME	MATHS	ENGLISH	SCIENCE
TOTAL				
101	Sanika	98	76	85
259				
102	Aman	99	65	85
249				
103	Raj	19	59	18
96				

```
SQL> select * from STUDENTS where total<100;
```

SROLL	SNAME	MATHS	ENGLISH	SCIENCE
-----				
TOTAL				
-----				
103	Raj	19	59	18
96				

```
SQL> select max(total) as "maximum total marks of the student" from STUDENTS;
```

```
maximum total marks of the student
-----
259
```

```
SQL> select min(total) as "minimum total marks of the student" from STUDENTS;
```

```
minimum total marks of the student
-----
96
```