

## 1) Layout

- Input

```

FD    LIGHT01
      RECORD    CONTAINS 100  CHARACTERS
      LABEL     RECORDS  ARE  STANDARD
      DATA     RECORD   IS   LIGHT01-REC.
01    LIGHT01-REC.
      05    LIGHT01-KEY.
           10 LIGHT01-ORDER-CODE      PIC 9(07).
      05    LIGHT01-NOVEL-NAME        PIC X(40).
      05    LIGHT01-ISBN              PIC 9(13).
      05    LIGHT01-AUTHOR              PIC X(30).
      05    LIGHT01-PRICE             PIC S9(05)V99      COMP-3.
      05    FILLER                      PIC X(06).

```

```

FD    SEND001
      RECORD    CONTAINS 160  CHARACTERS
      LABEL     RECORDS  ARE  STANDARD
      DATA     RECORD   IS   SEND001-REC.
01    SEND001-REC.
      05    SEND001-ORDER-CODE        PIC 9(07).
      05    SEND001-CUS-NAME          PIC X(30).
      05    SEND001-CUS-ADDRESS1      PIC X(50).
      05    SEND001-CUS-ADDRESS2      PIC X(50).
      05    SEND001-CUS-PHONE        PIC 9(10).
      05    FILLER                      PIC X(13).

```

- Output(File)

ข้อมูลจำนวนการชื้อนยาย(novbuys): Sequence		
Column name	Description	Come from
NOVBUEY-ORDER-CODE	หมายเลขหนังสือ	LIGHT01-ORDER-CODE
NOVBUEY-NOVEL-NAME	ชื่อหนังสือ	LIGHT01-NOVEL-NAME
NOVBUEY-PRICE	ราคาหนังสือ	LIGHT01-PRICE
NOVBUEY-CUS-NAME	ชื่อลูกค้า	SEND001-CUS-NAME
NOVBUEY-CUS-ADDRESS1	ที่อยู่1 ของลูกค้า	SEND001-CUS-ADDRESS1
NOVBUEY-CUS-ADDRESS1	ที่อยู่2 ของลูกค้า	SEND001-CUS-ADDRESS2
NOVBUEY-CUS-PHONE	เบอร์โทรศัพท์ของลูกค้า	SEND001-CUS-PHONE

```

FD NOVBUEY
RECORD CONTAINS 220 CHARACTERS
LABEL RECORDS ARE STANDARD
DATA RECORD IS NOVBUEY-REC.
01 NOVBUEY-REC.
05 NOVBUEY-ORDER-CODE PIC 9(07).
05 FILLER PIC X(01) VALUE SPACES.
05 NOVBUEY-NOVEL-NAME PIC x(40).
05 FILLER PIC X(01) VALUE SPACES.
05 NOVBUEY-PRICE PIC S9(05)V99 COMP-3.
05 FILLER PIC X(01) VALUE SPACES.
05 NOVBUEY-CUS-NAME PIC 9(30).
05 FILLER PIC X(01) VALUE SPACES.
05 NOVBUEY-CUS-ADDRESS1 PIC x(50).
05 FILLER PIC X(01) VALUE SPACES.
05 NOVBUEY-CUS-ADDRESS2 PIC x(50).
05 FILLER PIC X(01) VALUE SPACES.
05 NOVBUEY-CUS-PHONE PIC 9(10).
05 FILLER PIC X(23).

```

## 2) JobName

- Compile: COMPNOV

```

NP  JOBNAME  JobID  Owner  Prty Queue  C  Pos  SAff  ASys Status
_   COMPNOV  JOB07287  AJO05  1  PRINT  A  1202

```

- Run: KMU1JNOV

```

NP  JOBNAME  JobID  Owner  Prty Queue  C  Pos  SAff  ASys Status
_   KMU1JNOV  JOB07288  AJO05  1  PRINT  B  1203

```

JobId

- Compile: JOB07287

NP	JOBNAME	JobID	Owner	PrtY	Queue	C	Pos	SAff	ASys	Status
—	COMPHOV	JOB07287	AJD05	1	PRINT	A	1202			

- Run: JOB07288

NP	JOBNAME	JobID	Owner	PrtY	Queue	C	Pos	SAff	ASys	Status
—	KMU1JNOV	JOB07288	AJD05	1	PRINT	B	1203			

3) User ID (Login): ajd05 - แต่ไฟล์อยู่ที่ ajd05t