Profile data file 'callgrind.out.133674' (creator: callgrind-3.22.0)
:I1 cache
:D1 cache
:LL cache
Timerange: Basic block 0 - 360105
Trigger: Program termination
Profiled target: ./main -v 4 -e 4 -r 2 (PID 133674, part 1)
Events recorded: Ir
Events shown: Ir
Event sort order: Ir
Thresholds: 99
:Include dirs
:User annotated
Auto-annotation: on
PROGRAM TOTALS (100.0%) 2,033,914
Ir file:function
elf/./elf/dl-lookup.c:do_lookup_x [/usr/lib/x86_64-linux-/. (24.42%) 496,639 gnu/ld-linux-x86-64.so.2]

elf/../sysdeps/generic/dl-new-hash.h:\_dl\_lookup\_symbol\_x/. (24.19%) 492,070

```
elf/./elf/dl-lookup.c:_dl_lookup_symbol_x [/usr/lib/x86_64-/. (9.10%) 185,073
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-reloc.c:_dl_relocate_object [/usr/lib/x86_64-/. (7.21%) 146,564
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-lookup.c:check_match [/usr/lib/x86_64-linux-/. (5.54%) 112,600
gnu/ld-linux-x86-64.so.2]
elf/../sysdeps/x86_64/dl-machine.h:_dl_relocate_object/. (5.47%) 111,236
elf/./elf/do-rel.h: dl relocate object/. (5.42%) 110,283
string/../sysdeps/x86_64/multiarch/../multiarch/strcmp-/. (3.31%) 67,223
sse2.S:strcmp [/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-tunables.c:__Gl___tunables_init [/usr/lib/x86_64-/. (1.11% ) 22,485
linux-gnu/ld-linux-x86-64.so.2]
std::mersenne_twister_engine<unsigned long, 32ul, :??? (1.00%) 20,295
624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul,
4022730752ul, 18ul, 1812433253ul>::_M_gen_rand()
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-version.c:_dl_check_map_versions/. (0.76%) 15,372
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
std::mersenne_twister_engine<unsigned long, 32ul, :??? (0.74%) 14,972
624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul,
4022730752ul, 18ul, 1812433253ul>::seed(unsigned long)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::__detail::_Mod<unsigned long, 624ul, 1ul, 0ul, true, :??? (0.61%) 12,460
true>::__calc(unsigned long) [/home/dael/projects/operating_sys/EX4/q4/main]
std::locale:: Impl:: M install facet(std::locale::id::??? (0.60%) 12,192
const*, std::locale::facet const*) [/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
elf/../sysdeps/generic/ldsodefs.h:_dl_relocate_object/. (0.51%) 10,409
elf/../sysdeps/generic/ldsodefs.h:do_lookup_x/. (0.47%) 9,465
wcsmbs/./wcsmbs/btowc.c:btowc [/usr/lib/x86_64-linux-/. (0.45%) 9,216
gnu/libc.so.6]
elf/./elf/dl-runtime.c:_dl_fixup [/usr/lib/x86_64-linux-gnu/ld-/. (0.38%) 7,629
linux-x86-64.so.2]
elf/../sysdeps/generic/dl-protected.h:do_lookup_x/. (0.37%) 7,572
```

```
unsigned long std::__detail::__mod<unsigned long, :??? (0.37%) 7,488
4294967296ul, 1ul, 0ul>(unsigned long)
[/home/dael/projects/operating_sys/EX4/q4/main]
unsigned long std::__detail::__mod<unsigned long, 624ul, :??? (0.37%) 7,476
1ul, 0ul>(unsigned long) [/home/dael/projects/operating_sys/EX4/q4/main]
std::__detail::_Mod<unsigned long, 4294967296ul, 1ul, :??? (0.34%) 6,864
Oul, true, true>::__calc(unsigned long)
[/home/dael/projects/operating_sys/EX4/q4/main]
malloc/./malloc/malloc.c:_int_malloc [/usr/lib/x86_64-linux-/. (0.25%) 5,033
gnu/libc.so.6]
libio/./libio/fileops.c:_IO_file_xsputn@@GLIBC_2.2.5/. (0.21%) 4,370
[/usr/lib/x86_64-linux-gnu/libc.so.6]
elf/./elf/dl-load.c:_dl_map_object_from_fd [/usr/lib/x86_64-/. (0.19%) 3,856
linux-gnu/ld-linux-x86-64.so.2]
libio/./libio/iofwrite.c:fwrite [/usr/lib/x86_64-linux-/. (0.18%) 3,704
gnu/libc.so.6]
elf/./elf/dl-misc.c:_dl_name_match_p [/usr/lib/x86_64-linux-/. (0.16%) 3,208
gnu/ld-linux-x86-64.so.2]
wcsmbs/./wcsmbs/wctob.c:wctob [/usr/lib/x86 64-linux-/. (0.16%) 3,200
gnu/libc.so.6]
elf/../sysdeps/x86 64/dl-/. (0.16%) 3,157
trampoline.h:_dl_runtime_resolve_xsave [/usr/lib/x86_64-linux-gnu/ld-linux-x86-
64.so.2]
elf/../sysdeps/x86/dl-/. (0.15%) 3,096
cacheinfo.h:intel check word.constprop.0 [/usr/lib/x86 64-linux-gnu/ld-linux-
x86-64.so.2]
malloc/./malloc/malloc.c: int free [/usr/lib/x86 64-linux-/. (0.15%) 2,999
gnu/libc.so.6]
elf/./elf/dl-cache.c:_dl_cache_libcmp [/usr/lib/x86_64-linux-/. (0.14%) 2,805
gnu/ld-linux-x86-64.so.2]
std::ctype<wchar_t>::_M_initialize_ctype():??? (0.13%) 2,736
[/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
std::basic_ostream<char, std::char_traits<char> >&:??? (0.12%) 2,394
std::_ostream_insert<char, std::char_traits<char> >(std::basic_ostream<char,
```

```
gnu/libstdc++.so.6.0.33]
elf/./elf/dl-deps.c:_dl_map_object_deps [/usr/lib/x86_64-/. (0.12%) 2,378
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-load.c:_dl_map_object [/usr/lib/x86_64-linux-/. (0.12%) 2,367
gnu/ld-linux-x86-64.so.2]
malloc/./malloc/malloc.c:malloc [/usr/lib/x86_64-linux-/. (0.11% ) 2,293
gnu/libc.so.6]
elf/../bits/stdlib-bsearch.h:intel_check_word.constprop.0/. (0.11%) 2,268
std::ostreambuf iterator<char, std::char traits<char>>:??? (0.11%) 2,137
std::num_put<char, std::ostreambuf_iterator<char, std::char_traits<char>>
>::_M_insert_int<long>(std::ostreambuf_iterator<char, std::char_traits<char>>,
std::ios_base&, char, long) const [/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
std::ostream::sentry::sentry(std::ostream&):??? (0.09%) 1,857
[/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
elf/./elf/dl-tunables.h:__GI___tunables_init/. (0.09%) 1,840
elf/./elf/get-dynamic-info.h:_dl_map_object_from_fd/. (0.09%) 1,809
string/../sysdeps/x86_64/multiarch/strlen-/. (0.08%) 1,582
avx2.S:__strlen_avx2 [/usr/lib/x86_64-linux-gnu/libc.so.6]
malloc/./malloc/malloc.c:free [/usr/lib/x86_64-linux-/. (0.07%) 1,372
gnu/libc.so.6]
std::ostream& std::ostream::_M_insert<long>(long):??? (0.07%) 1,355
[/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
elf/./elf/dl-minimal-malloc.c: minimal malloc/. (0.07%) 1,339
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/rtld.c:dl main [/usr/lib/x86 64-linux-gnu/ld-linux-x86-/. (0.06%) 1,260
64.so.2]
elf/./elf/dl-cache.c:_dl_load_cache_lookup [/usr/lib/x86_64-/. (0.06%) 1,204
linux-gnu/ld-linux-x86-64.so.2]
libio/./libio/fileops.c:_IO_file_overflow@@GLIBC_2.2.5/. (0.06%) 1,162
[/usr/lib/x86_64-linux-gnu/libc.so.6]
```

std::char\_traits<char> >&, char const\*, long) [/usr/lib/x86\_64-linux-

```
string/../sysdeps/x86_64/multiarch/memmove-vec-/. (0.06%) 1,121 unaligned-erms.S:__mempcpy_avx_unaligned_erms [/usr/lib/x86_64-linux-gnu/libc.so.6]
```

elf/./elf/dl-object.c:\_dl\_new\_object [/usr/lib/x86\_64-linux-/. (0.05%) 1,116 gnu/ld-linux-x86-64.so.2]

string/../sysdeps/x86\_64/multiarch/memcmp-avx2-/. (0.05%) 1,095 movbe.S:\_\_memcmp\_avx2\_movbe [/usr/lib/x86\_64-linux-gnu/libc.so.6]

std::locale::id::\_M\_id() const [/usr/lib/x86\_64-linux-:??? (0.05% ) 1,086 gnu/libstdc++.so.6.0.33]

wctype/./wctype/wctype\_l.c:wctype\_l [/usr/lib/x86\_64-linux-/. (0.05%) 1,066 gnu/libc.so.6]

libio/./libio/libioP.h:fwrite/. (0.05%) 975

elf/./elf/dl-tunables.c:\_\_tunable\_get\_val [/usr/lib/x86\_64-/. (0.04% ) 908 linux-gnu/ld-linux-x86-64.so.2]

string/../sysdeps/x86\_64/multiarch/../multiarch/memset-vec-/. (0.04%) 871 unaligned-erms.S:memset [/usr/lib/x86\_64-linux-gnu/ld-linux-x86-64.so.2]

stdlib/./stdlib/cxa\_finalize.c:\_\_cxa\_finalize [/usr/lib/x86\_64-/. (0.04%) 814 linux-gnu/libc.so.6]

int:??? (0.04%) 810

std::uniform\_int\_distribution<int>::operator()<std::mersenne\_twister\_engine<un signed long, 32ul, 624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul, 4022730752ul, 18ul, 1812433253ul> >(std::mersenne\_twister\_engine<unsigned long, 32ul, 624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul, 4022730752ul, 18ul, 1812433253ul>&, std::uniform\_int\_distribution<int>::param\_type const&) [/home/dael/projects/operating\_sys/EX4/q4/main]

string/../sysdeps/x86\_64/multiarch/../multiarch/strlen-/. (0.04%) 808 sse2.S:strlen [/usr/lib/x86\_64-linux-gnu/ld-linux-x86-64.so.2]

std::basic\_ostream<char, std::char\_traits<char> >& :??? (0.04%) 800 std::operator<< <std::char\_traits<char> >(std::basic\_ostream<char, std::char\_traits<char> >&, char const\*) [/usr/lib/x86\_64-linux-gnu/libstdc++.so.6.0.33]

string/../sysdeps/x86\_64/multiarch/../multiarch/strchr-/. (0.04% ) 792 sse2.S:index [/usr/lib/x86\_64-linux-gnu/ld-linux-x86-64.so.2]

```
graph::Graph::~Graph():??? (0.04%) 790
[/home/dael/projects/operating_sys/EX4/q4/main]
operator new(unsigned long) [/usr/lib/x86_64-linux-:??? (0.04%) 784
gnu/libstdc++.so.6.0.33]
malloc/./malloc/malloc.c:ptmalloc_init.part.0/. (0.04%) 771
iconv/./iconv/gconv_simple.c:__gconv_btwoc_ascii/. (0.04%) 768
[/usr/lib/x86_64-linux-gnu/libc.so.6]
std::ctype<char>:: M widen init() const [/usr/lib/x86 64-:??? (0.04%) 754
linux-gnu/libstdc++.so.6.0.33]
elf/./elf/dl-load.c:open_path[/usr/lib/x86_64-linux-gnu/ld-/. (0.04% ) 722
linux-x86-64.so.2]
elf/./dl-map-segments.h: dl map object from fd/. (0.03%) 695
std::locale::_Impl::_Impl(unsigned long) [/usr/lib/x86_64-:??? (0.03%) 673
linux-gnu/libstdc++.so.6.0.33]
libio/./libio/fileops.c:_IO_do_write@@GLIBC_2.2.5/. (0.03%) 653
[/usr/lib/x86_64-linux-gnu/libc.so.6]
elf/./elf/libc-dl-profstub.c: dl mcount wrapper check/. (0.03%) 640
[/usr/lib/x86_64-linux-gnu/libc.so.6]
elf/./elf/dl-load.c:open_verify.constprop.0 [/usr/lib/x86_64-/. (0.03%) 628
linux-gnu/ld-linux-x86-64.so.2]
x000000000146900 [/usr/lib/x86_64-linux-0:??? (0.03%) 621
gnu/libstdc++.so.6.0.33]
string/../sysdeps/x86_64/multiarch/memmove-vec-/. (0.03%) 604
unaligned-erms.S:memcpy [/usr/lib/x86 64-linux-gnu/ld-linux-x86-64.so.2]
misc/../sysdeps/unix/sysv/linux/mmap64.c:mmap/. (0.03%) 601
[/usr/lib/x86 64-linux-gnu/ld-linux-x86-64.so.2]
void std:: Rb tree<std::pair<int, int>, std::pair<int, int>, :??? (0.03%) 583
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_M_construct_node<std::pair<int, int>
const&>(std:: Rb tree node<std::pair<int, int> >*, std::pair<int, int> const&)
[/home/dael/projects/operating_sys/EX4/q4/main]
stdlib/./stdlib/getenv.c:getenv [/usr/lib/x86_64-linux-/. (0.03%) 578
gnu/libc.so.6]
```

```
[/home/dael/projects/operating_sys/EX4/q4/main]
graph::Graph::generateRandomGraph(int, int):??? (0.03%) 553
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-sort-maps.c:dfs_traversal.part.0 [/usr/lib/x86_64-/. (0.03%) 548
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-catch.c:_dl_catch_exception [/usr/lib/x86_64-linux-/. (0.03%) 546
gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-hwcaps split.c: dl hwcaps split masked/. (0.03%) 544
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
libio/./libio/iofflush.c:fflush [/usr/lib/x86_64-linux-/. (0.03%) 540
gnu/libc.so.6]
elf/../sysdeps/nptl/dl-tls_init_tp.c:rtld_mutex_dummy/. (0.03%) 534
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
std::mersenne_twister_engine<unsigned long, 32ul, :??? (0.03%) 528
624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul,
4022730752ul, 18ul, 1812433253ul>::operator()()
[/home/dael/projects/operating_sys/EX4/q4/main]
graph::Graph::cloneList(graph::Neighbor*):??? (0.03%) 520
[/home/dael/projects/operating_sys/EX4/q4/main]
[???] x0000000048ecb800:??? (0.03%) 517
elf/../sysdeps/x86/dl-cacheinfo.h:handle_intel.constprop.0 /. (0.03%) 516
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
wcsmbs/./wcsmbsload.h:btowc/. (0.03%) 512
x000000000142070 [/usr/lib/x86_64-linux-0:??? (0.02%) 506
gnu/libstdc++.so.6.0.331
elf/./elf/dl-init.c:call_init.part.0 [/usr/lib/x86_64-linux-gnu/ld-/. (0.02%) 490
linux-x86-64.so.2]
std::pair<int, int> const& std::forward<std::pair<int, int> :??? (0.02%) 490
const&>(std::remove reference<std::pair<int, int> const&>::type&)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::locale::locale() [/usr/lib/x86_64-linux-:??? (0.02% ) 484
gnu/libstdc++.so.6.0.33]
```

graph::Neighbor::Neighbor(int, int, graph::Neighbor\*):??? (0.03%) 570

```
graph::Graph::addEdge(int, int, int) :??? (0.02%) 483
[/home/dael/projects/operating_sys/EX4/q4/main]
posix/./posix/getopt.c:_getopt_internal_r [/usr/lib/x86_64-/. (0.02%) 481
linux-gnu/libc.so.6]
std::ios base::ios base() [/usr/lib/x86 64-linux-:??? (0.02%) 480
gnu/libstdc++.so.6.0.33]
graph::Algorithms::Euler_circle(graph::Graph const&, int):??? (0.02%) 478
[/home/dael/projects/operating_sys/EX4/q4/main]
stdlib/./stdlib/cxa atexit.c: cxa atexit[/usr/lib/x86 64-linux-/. (0.02%) 468
gnu/libc.so.6]
std::ostream::flush() [/usr/lib/x86_64-linux-:??? (0.02%) 461
gnu/libstdc++.so.6.0.33]
libio/./libio/fileops.c:_IO_file_write@@GLIBC_2.2.5/. (0.02%) 456
[/usr/lib/x86_64-linux-gnu/libc.so.6]
elf/./dl-find_object.h:_dl_find_object_from_map/. (0.02%) 441
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
stdlib/./stdlib/cxa_atexit.c:__new_exitfn [/usr/lib/x86_64-linux-/. (0.02%) 440
gnu/libc.so.6]
(0.02\%)417
std::__cxx11::numpunct<char>::_M_initialize_numpunct(__locale_struct*):???
[/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
(0.02\%)417
std::numpunct<char>:: M initialize numpunct( locale struct*):???
[/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
graph::Graph::print_graph() const :??? (0.02%) 415
[/home/dael/projects/operating_sys/EX4/q4/main]
libio/./libio/fileops.c:_IO_file_sync@@GLIBC_2.2.5/. (0.02%) 399
[/usr/lib/x86_64-linux-gnu/libc.so.6]
gnu_cxx::stdio_sync_filebuf<char, :??? (0.02%) 390
std::char_traits<char> >::xsputn(char const*, long) [/usr/lib/x86_64-linux-
gnu/libstdc++.so.6.0.33]
elf/./get-dynamic-info.h:dl_main/. (0.02%) 386
string/../sysdeps/x86 64/multiarch/memmove-vec-/. (0.02%) 375
unaligned-erms.S:mempcpy [/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
```

```
elf/./elf/dl-sort-maps.c:_dl_sort_maps [/usr/lib/x86_64-linux-/. (0.02%) 374
gnu/ld-linux-x86-64.so.2]
cpu_indicator_init [/usr/lib/x86_64-linux- :??? (0.02%) 364
gnu/libgcc_s.so.1]
(0.02\%)353
std::__cxx11::numpunct<wchar_t>::_M_initialize_numpunct(__locale_struct:???
*) [/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
(0.02\%) 353
std::numpunct<wchar_t>::_M_initialize_numpunct(__locale_struct*):???
[/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
std::ostream::put(char) [/usr/lib/x86_64-linux-:??? (0.02%) 352
gnu/libstdc++.so.6.0.33]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.02%) 348
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_M_get_insert_unique_pos(std::pair<int,
int> const&) [/home/dael/projects/operating_sys/EX4/q4/main]
elf/../elf/dl-tls.c:_dl_allocate_tls_storage [/usr/lib/x86_64-/. (0.02%) 340
linux-gnu/ld-linux-x86-64.so.2]
libio/./libio/genops.c:_IO_default_xsputn [/usr/lib/x86_64-/. (0.02%) 336
linux-gnu/libc.so.6]
setjmp/../sysdeps/x86_64/setjmp.S:__sigsetjmp/. (0.02%) 334
[/usr/lib/x86_64-linux-gnu/libc.so.6]
std::_Rb_tree_node<std::pair<int, int>>::_M_valptr():??? (0.02%) 319
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-load.c:_dl_init_paths [/usr/lib/x86_64-linux-gnu/ld-/. (0.02%) 318
linux-x86-64.so.2]
unsigned int: ??? (0.02%) 315
std::uniform_int_distribution<int>::_S_nd<unsigned long,
std::mersenne_twister_engine<unsigned long, 32ul, 624ul, 397ul, 31ul,
2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul, 4022730752ul,
18ul, 1812433253ul>, unsigned int>(std::mersenne twister engine<unsigned
long, 32ul, 624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul,
2636928640ul, 15ul, 4022730752ul, 18ul, 1812433253ul>&, unsigned int)
[/home/dael/projects/operating_sys/EX4/q4/main]
```

```
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, :??? (0.02%) 308
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int>>>::_M_get_Node_allocator()
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-load.c:_dl_process_pt_gnu_property/. (0.02%) 306
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-object.c:_dl_add_to_namespace_list/. (0.01%) 301
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
stdlib/../stdlib/strtol_l.c:___strtol_l_internal [/usr/lib/x86_64-/. (0.01%) 300
linux-gnu/libc.so.6]
x0000000000ed260 [/usr/lib/x86 64-linux-0:??? (0.01%) 298
gnu/libstdc++.so.6.0.33]
graph::Graph::isInside(std::set<std::pair<int, int>, :??? (0.01%) 298
std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>>, int, int)
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-fini.c:_dl_fini [/usr/lib/x86_64-linux-gnu/ld-linux-/. (0.01%) 297
x86-64.so.2]
gnu_cxx::__aligned_membuf<std::pair<int, int> :??? (0.01%) 290
>::_M_ptr() [/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 286
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> >
>::_M_destroy_node(std::_Rb_tree_node<std::pair<int, int> >*)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::_new_allocator<std::_Rb_tree_node<std::pair<int, :??? (0.01%) 286
int>>>::allocate(unsigned long, void const*)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree_iterator<std::pair<int, int>>:??? (0.01%) 283
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_ldentity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_M_insert_<std::pair<int, int> const&, std::_Rb_tree<std::pair<int, int>,
std::pair<int, int>, std::_ldentity<std::pair<int, int> >, std::less<std::pair<int, int>
>, std::allocator<std::pair<int, int>>>::_Alloc_node>(std::_Rb_tree_node_base*,
std::_Rb_tree_node_base*, std::pair<int, int> const&,
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_ldentity<std::pair<int,
```

```
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_Alloc_node&) [/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-find_object.c:_dlfo_process_initial [/usr/lib/x86_64-/. (0.01%) 282
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-tunables.c:__Gl___tunable_set_val/. (0.01%) 280
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-load.c:_dl_dst_count [/usr/lib/x86_64-linux-gnu/ld-/. (0.01%) 276
linux-x86-64.so.2]
std:: Rb tree node<std::pair<int, int>>:: M valptr() const:??? (0.01%) 275
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-environ.c:_dl_next_ld_env_entry [/usr/lib/x86_64-/. (0.01%) 274
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-lookup-direct.c:_dl_lookup_direct[/usr/lib/x86_64-/. (0.01%) 274
linux-gnu/ld-linux-x86-64.so.2]
std::ios_base::Init::Init() [/usr/lib/x86_64-linux-:??? (0.01% ) 272
gnu/libstdc++.so.6.0.33]
libio/./libio/libioP.h:fflush/. (0.01%) 270
elf/./get-dynamic-info.h:_dl_start/. (0.01%) 268
elf/./elf/dl-deps.c:openaux [/usr/lib/x86_64-linux-gnu/ld-linux-/. (0.01%) 264
x86-64.so.2]
[???] x0000000048eb0400:??? (0.01%) 261
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 260
std::_ldentity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int>>>:: Rb tree impl<std::less<std::pair<int, int>
>, true>::_Rb_tree_impl(std::_Rb_tree<std::pair<int, int>, std::pair<int, int>,
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_Rb_tree_impl<std::less<std::pair<int, int>
>, true> const&) [/home/dael/projects/operating_sys/EX4/q4/main]
(0.01\%)258
io/../sysdeps/unix/sysv/linux/open64_nocancel.c:__open_nocancel/.
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
string/../string/strcspn.c:strcspn[/usr/lib/x86 64-linux-gnu/ld-/. (0.01%) 254
linux-x86-64.so.2]
```

```
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 253
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> >
>::_M_put_node(std::_Rb_tree_node<std::pair<int, int> >*)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::ostream::operator<<(int) [/usr/lib/x86 64-linux-:??? (0.01%) 253
gnu/libstdc++.so.6.0.33]
gnu cxx:: aligned membuf<std::pair<int, int> :??? (0.01%) 250
>::_M_ptr() const [/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-find_object.c:_dlfo_sort_mappings [/usr/lib/x86_64-/. (0.01%) 248
linux-gnu/ld-linux-x86-64.so.2]
elf/./elf/dl-minimal.c:strsep [/usr/lib/x86_64-linux-gnu/ld-/. (0.01%) 248
linux-x86-64.so.2]
elf/./elf/rtld.c:_dl_start [/usr/lib/x86_64-linux-gnu/ld-linux-x86-/. (0.01%) 247
64.so.2]
elf/./elf/dl-call_fini.c:_dl_call_fini[/usr/lib/x86_64-linux-/. (0.01%) 246
gnu/ld-linux-x86-64.so.2]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 246
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_M_erase(std::_Rb_tree_node<std::pair<int,
int> >*) [/home/dael/projects/operating_sys/EX4/q4/main]
stdlib/./stdlib/exit.c: run exit handlers [/usr/lib/x86 64-/. (0.01%) 244
linux-gnu/libc.so.6]
std::_Rb_tree_node<std::pair<int, int> >* :??? (0.01%) 242
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_ldentity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_M_create_node<std::pair<int, int> const&>(std::pair<int, int> const&)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::uniform_int_distribution<int>::param_type::a() const :??? (0.01%) 240
[/home/dael/projects/operating_sys/EX4/q4/main]
graph::Graph::Graph(graph::Graph const&):??? (0.01%) 236
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/../sysdeps/x86/dl-/. (0.01%) 231
cacheinfo.h:init_cpu_features.constprop.0
```

```
graph::Graph(int):??? (0.01%) 225
[/home/dael/projects/operating_sys/EX4/q4/main]
std::ios_base::_M_init() [/usr/lib/x86_64-linux-:??? (0.01% ) 224
gnu/libstdc++.so.6.0.33]
std::pair<std:: Rb tree iterator<std::pair<int, int>>, bool>:??? (0.01%) 224
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_Identity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>:: M insert unique<std::pair<int, int> const&>(std::pair<int, int> const&)
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/../sysdeps/x86/dl-/. (0.01%) 223
cacheinfo.h:get_common_cache_info.constprop.0 [/usr/lib/x86_64-linux-gnu/ld-
linux-x86-64.so.2]
[???] x0000000048ea8000:??? (0.01%) 223
main [/home/dael/projects/operating_sys/EX4/q4/main]:??? (0.01%) 223
elf/./elf/dl-hwcaps.c:_dl_important_hwcaps [/usr/lib/x86_64-/. (0.01%) 222
linux-gnu/ld-linux-x86-64.so.2]
elf/../sysdeps/unix/sysv/linux/dl-/. (0.01%) 211
sysdep.c:_dl_sysdep_parse_arguments [/usr/lib/x86_64-linux-gnu/ld-linux-x86-
64.so.2]
int:??? (0.01%) 210
std::uniform_int_distribution<int>::operator()<std::mersenne_twister_engine<un
signed long, 32ul, 624ul, 397ul, 31ul, 2567483615ul, 11ul, 4294967295ul, 7ul,
2636928640ul, 15ul, 4022730752ul, 18ul, 1812433253ul>
>(std::mersenne_twister_engine<unsigned long, 32ul, 624ul, 397ul, 31ul,
2567483615ul, 11ul, 4294967295ul, 7ul, 2636928640ul, 15ul, 4022730752ul,
18ul, 1812433253ul>&) [/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 210
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int>>>::_S_key(std::_Rb_tree_node<std::pair<int,
int> > const*) [/home/dael/projects/operating_sys/EX4/q4/main]
std::locale::facet::_S_get_c_locale() [/usr/lib/x86_64-linux-:??? (0.01% ) 210
gnu/libstdc++.so.6.0.33]
```

elf/../elf/dl-tls.c:\_dl\_allocate\_tls\_init [/usr/lib/x86\_64-linux-/. (0.01%) 209

gnu/ld-linux-x86-64.so.2]

```
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 209
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> >
>::_M_drop_node(std::_Rb_tree_node<std::pair<int, int> >*)
[/home/dael/projects/operating_sys/EX4/q4/main]
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 209
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_M_get_node()
[/home/dael/projects/operating_sys/EX4/q4/main]
operator new(unsigned long, void*):??? (0.01%) 208
[/home/dael/projects/operating_sys/EX4/q4/main]
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 206
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_M_erase(std::_Rb_tree_node<std::pair<int,
int> >*)'2 [/home/dael/projects/operating_sys/EX4/q4/main]
std::deque<int, std::allocator<int>>::push_back(int:??? (0.01%) 204
const&) [/home/dael/projects/operating_sys/EX4/q4/main]
gnu_cxx::__aligned_membuf<std::pair<int, int> :??? (0.01%) 203
>::_M_addr() [/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree_node<std::pair<int, int> >* :??? (0.01%) 203
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, std:: Identity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_M_clone_node<false, std::_Rb_tree<std::pair<int, int>, std::pair<int, int>,
std::_Identity<std::pair<int, int> >, std::less<std::pair<int, int> >,
std::allocator<std::pair<int, int> >
>::_Alloc_node>(std::_Rb_tree_node<std::pair<int, int> >*,
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_ldentity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_Alloc_node&) [/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree_node<std::pair<int, int> >* :??? (0.01%) 198
std:: Rb tree<std::pair<int, int>, std::pair<int, int>, std:: Identity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_Alloc_node::operator()<std::pair<int, int> const&>(std::pair<int, int> const&)
const [/home/dael/projects/operating sys/EX4/q4/main]
x0000000000e98b0 [/usr/lib/x86 64-linux-0:??? (0.01%) 197
gnu/libstdc++.so.6.0.33]
```

```
std::_Rb_tree_node<std::pair<int, int> >* :??? (0.01%) 195
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_ldentity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_M_copy<false, std::_Rb_tree<std::pair<int, int>, std::pair<int, int>,
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> >
>:: Alloc node>(std:: Rb tree node<std::pair<int, int> >*,
std::_Rb_tree_node_base*, std::_Rb_tree<std::pair<int, int>, std::pair<int, int>,
std:: Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_Alloc_node&)
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-setup hash.c: dl setup hash [/usr/lib/x86 64-/. (0.01%) 189
linux-gnu/ld-linux-x86-64.so.2]
bool std::operator< <int, int>(std::pair<int, int> const&, :??? (0.01%) 189
std::pair<int, int> const&) [/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree_node<std::pair<int, int> >* :??? (0.01%) 188
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, std::_ldentity<std::pair<int,
int>>, std::less<std::pair<int, int>>, std::allocator<std::pair<int, int>>
>::_M_copy<false, std::_Rb_tree<std::pair<int, int>, std::pair<int, int>,
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int>>>:: Alloc node>(std:: Rb tree<std::pair<int,
int>, std::pair<int, int>, std::_Identity<std::pair<int, int> >, std::less<std::pair<int,
int>>, std::allocator<std::pair<int, int>>> const&, std:: Rb tree<std::pair<int,
int>, std::pair<int, int>, std::_Identity<std::pair<int, int> >, std::less<std::pair<int,
int>>, std::allocator<std::pair<int, int>>>::_Alloc_node&)
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/../sysdeps/unix/sysv/linux/dl-/. (0.01%) 187
parse_auxv.h:_dl_sysdep_parse_arguments
libio/./libio/putc.c:putc [/usr/lib/x86_64-linux-gnu/libc.so.6]/. (0.01%) 184
std::locale::operator=(std::locale const&) [/usr/lib/x86_64-:??? (0.01%) 184
linux-gnu/libstdc++.so.6.0.33]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 180
std::_Identity<std::pair<int, int> >, std::less<std::pair<int, int> >,
std::allocator<std::pair<int, int> > >::begin() const
[/home/dael/projects/operating_sys/EX4/q4/main]
string/../sysdeps/x86_64/multiarch/strcmp-/. (0.01%) 178
avx2.S:__strncmp_avx2 [/usr/lib/x86_64-linux-gnu/libc.so.6]
```

```
elf/../sysdeps/x86/cpu-features.c:update_active.constprop.0 /. (0.01%) 176
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
elf/../sysdeps/x86/cpu-/. (0.01%) 175
features.c:init_cpu_features.constprop.0 [/usr/lib/x86_64-linux-gnu/ld-linux-x86-
64.so.2]
gnu_cxx::__aligned_membuf<std::pair<int, int> :??? (0.01%) 175
>::_M_addr() const [/home/dael/projects/operating_sys/EX4/q4/main]
[???] x0000000048ed3600:??? (0.01%) 173
elf/./elf/dl-minimal-malloc.c: minimal calloc/. (0.01%) 170
[/usr/lib/x86_64-linux-gnu/ld-linux-x86-64.so.2]
libio/./libio/genops.c:_IO_cleanup [/usr/lib/x86_64-linux-/. (0.01%) 170
gnu/libc.so.6]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 168
std::_Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int>>>::_S_left(std::_Rb_tree_node_base*)
[/home/dael/projects/operating_sys/EX4/q4/main]
std::_Rb_tree_const_iterator<std::pair<int, int>:??? (0.01%) 168
>::operator++() [/home/dael/projects/operating_sys/EX4/q4/main]
std::basic_ostream<char, std::char_traits<char> >&:??? (0.01%) 168
std::endl<char, std::char_traits<char>>(std::basic_ostream<char,
std::char_traits<char> >&) [/usr/lib/x86_64-linux-gnu/libstdc++.so.6.0.33]
elf/./elf/dl-misc.c:_dl_higher_prime_number [/usr/lib/x86_64-/. (0.01%) 159
linux-gnu/ld-linux-x86-64.so.2]
libio/./libio/genops.c:_IO_flush_all [/usr/lib/x86_64-linux-/. (0.01% ) 159
gnu/libc.so.6]
std::_Rb_tree<std::pair<int, int>, std::pair<int, int>, :??? (0.01%) 159
std:: Identity<std::pair<int, int>>, std::less<std::pair<int, int>>,
std::allocator<std::pair<int, int> > >::_Rb_tree(std::_Rb_tree<std::pair<int, int>,
std::pair<int, int>, std:: Identity<std::pair<int, int> >, std::less<std::pair<int, int>
>, std::allocator<std::pair<int, int> > const&)
[/home/dael/projects/operating_sys/EX4/q4/main]
elf/./elf/dl-init.c:_dl_init [/usr/lib/x86_64-linux-gnu/ld-linux-/. (0.01%) 158
x86-64.so.2]
elf/../sysdeps/x86/dl-prop.h:_dl_process_pt_gnu_property/. (0.01%) 156
```

\_\_\_\_\_

:The following files chosen for auto-annotation could not be found

\_\_\_\_\_

elf/../bits/stdlib-bsearch.h/.

elf/../elf/dl-tls.c/.

elf/../sysdeps/generic/dl-new-hash.h/.

elf/../sysdeps/generic/dl-protected.h/.

elf/../sysdeps/generic/ldsodefs.h/.

elf/../sysdeps/nptl/dl-tls\_init\_tp.c/.

elf/../sysdeps/unix/sysv/linux/dl-parse\_auxv.h/.

elf/../sysdeps/unix/sysv/linux/dl-sysdep.c/.

elf/../sysdeps/x86/cpu-features.c/.

elf/../sysdeps/x86/dl-cacheinfo.h/.

elf/../sysdeps/x86/dl-prop.h/.

elf/../sysdeps/x86\_64/dl-machine.h/.

elf/../sysdeps/x86\_64/dl-trampoline.h/.

elf/./dl-find\_object.h/.

elf/./dl-map-segments.h/.

elf/./elf/dl-cache.c/.

elf/./elf/dl-call\_fini.c/.

elf/./elf/dl-catch.c/.

elf/./elf/dl-deps.c/.

elf/./elf/dl-environ.c/.

elf/./elf/dl-find\_object.c/.

elf/./elf/dl-fini.c/.

elf/./elf/dl-hwcaps.c/.

elf/./elf/dl-hwcaps\_split.c/.

```
elf/./elf/dl-init.c/.
elf/./elf/dl-load.c/.
elf/./elf/dl-lookup-direct.c/.
elf/./elf/dl-lookup.c/.
elf/./elf/dl-minimal-malloc.c/.
elf/./elf/dl-minimal.c/.
elf/./elf/dl-misc.c/.
elf/./elf/dl-object.c/.
elf/./elf/dl-reloc.c/.
elf/./elf/dl-runtime.c/.
elf/./elf/dl-setup_hash.c/.
elf/./elf/dl-sort-maps.c/.
elf/./elf/dl-tunables.c/.
elf/./elf/dl-tunables.h/.
elf/./elf/dl-version.c/.
elf/./elf/do-rel.h/.
elf/./elf/get-dynamic-info.h/.
elf/./elf/libc-dl-profstub.c/.
elf/./elf/rtld.c/.
elf/./get-dynamic-info.h/.
iconv/./iconv/gconv_simple.c/.
io/../sysdeps/unix/sysv/linux/open64_nocancel.c/.
libio/./libio/fileops.c/.
libio/./libio/genops.c/.
libio/./libio/iofflush.c/.
libio/./libio/iofwrite.c/.
libio/./libio/libioP.h/.
libio/./libio/putc.c/.
```

```
misc/../sysdeps/unix/sysv/linux/mmap64.c/.
posix/./posix/getopt.c/.
setjmp/../sysdeps/x86_64/setjmp.S/.
stdlib/../stdlib/strtol_l.c/.
stdlib/./stdlib/cxa_atexit.c/.
stdlib/./stdlib/cxa finalize.c/.
stdlib/./stdlib/exit.c/.
stdlib/./stdlib/getenv.c/.
string/../string/strcspn.c/.
string/../sysdeps/x86_64/multiarch/../multiarch/memset-vec-unaligned-/.
erms.S
string/../sysdeps/x86_64/multiarch/../multiarch/strchr-sse2.S/.
string/../sysdeps/x86_64/multiarch/../multiarch/strcmp-sse2.S/.
string/../sysdeps/x86_64/multiarch/../multiarch/strlen-sse2.S/.
string/../sysdeps/x86_64/multiarch/memcmp-avx2-movbe.S/.
string/../sysdeps/x86_64/multiarch/memmove-vec-unaligned-erms.S/.
string/../sysdeps/x86_64/multiarch/strcmp-avx2.S/.
string/../sysdeps/x86 64/multiarch/strlen-avx2.S/.
wcsmbs/./wcsmbs/btowc.c/.
wcsmbs/./wcsmbs/wctob.c/.
wcsmbs/./wcsmbsload.h/.
wctype/./wctype/wctype_l.c/.
```

malloc/./malloc/malloc.c/.