
sending:BMP_organizer
sending:Hedgehog
blocking:BMP
signal:FGF
dorsal organizer
axial mesoderm
signal:Nodal
notochord
blocking:BMP
dorsal organizer
signal:Nodal
blocking:Wnt
sending:Hedgehog
prechordal plate
sending:BMP organizer
notochord
axial mesoderm
cell cycle s
sending:Wnt/PCP
margin
signal:FGF
neural plate
maternal
endoderm
heat shock
intermediate mesoderm
blastomere
blocking:Wnt
prechordal plate
signal:Nodal
hatching gland
endoderm
blocking:BMP
signal:Wnt
margin
presomitic mesoderm
dorsal organizer
neural plate
signal:FGF
mesoderm
forebrain eye
sending:Wnt/PCP
maternal
sending:RA
blastomere
cell cycle s
heat shock
sending:Wnt/PCP
margin
signal:Nodal
mesoderm
presomitic mesoderm
signal:FGF
endoderm
signal:Wnt
tailbud
axial mesoderm
blastomere
sending:RA
sending:Notch
blocking:RA
dorsal organizer
blocking:Wnt
blocking:BMP
midbrain hindbrain boundary
signal:BMP
receiving:Notch
forebrain eye
sending:RA
presomitic mesoderm
mesoderm
adaxial somite
signal:Wnt
margin
sending:Wnt/PCP
signal:FGF
endoderm
signal:Nodal
blastomere
sending:Notch
axial mesoderm
dorsal forerunner
blocking:Wnt
blocking:RA
tailbud
sending:Wnt/PCP
signal:Wnt
forebrain eye
signal:BMP
signal:FGF
neural plate
receiving:Notch
midbrain hindbrain boundary
sending:Notch
primary neurons
sending:Wnt/PCP
signal:Wnt
margin
signal:FGF
mesoderm
presomitic mesoderm
sending:RA
midbrain hindbrain boundary
forebrain eye
receiving:Notch
neural plate
sending:Hedgehog
signal:Nodal
axial mesoderm
dorsal organizer
sending:BMP organizer
blocking:BMP
cell cycle s
endoderm
maternal
high
oblong
dome
30% epiboly
50% epiboly
shield
60% epiboly
75% epiboly
90% epiboly
bud
3-somite
6-somite
correlation with the profile (within libraries)
−1.00 −0.75 −0.50 −0.25 0.00 0.25 0.50 0.75 1.00