






track 5: sesn3,si:ch211-260e23.9,phlda3,mdm2,bcl2l14,cdkn1a,foxo3b,isg15 (largest population); share of cells with the program active (grey: not defined)
adaxial_somite
hindbrain
placodes
non_neural_ectoderm
signal:BMP
state:p53_response
30% epiboly c4
50% epiboly c9
shield c16
60% epiboly c19
1.0
0.8
0.6
0.4
0.2
0.0



track 6: msgn1,tbx16,mespab,cxcl12a,fscn1a,snai1a,aldh1a2,aplnra (largest population); share of cells with the program active (grey: not defined)
dorsal_organizer
endoderm
prechordal_plate
notochord
presomitic_mesoderm
adaxial_somite
tailbud
lateral_plate
intermediate_mesoderm
hindbrain
axial_mesoderm
margin
mesoderm
neural_plate
blocking:Wnt
sending:Notch
sending:RA
sending:Wnt/PCP
signal:FGF
signal:Nodal
signal:Wnt
state:maternal
1.0
0.8
0.6
0.4
0.2
0.0
50% epiboly
c2
shield
c3
60% epiboly
c1



track 11: sox32,sox17,cxcr4a,marcksl1b,cdh6,foxa2,ackr3b,dhrs3b (largest population); share of cells with the program active (grey: not defined)
EVL
dorsal_organizer
dorsal_forerunner
endoderm
prechordal_plate
notochord
presomitic_mesoderm
adaxial_somite
tailbud
lateral_plate
heart
midbrain_hindbrain_boundary
hindbrain
neural_crest
hatching_gland
margin
mesoderm
neural_plate
sending:Wnt/PCP
signal:BMP
signal:Wnt
state:cell_cycle_g2m
shield
c11
60% epiboly
c10
75% epiboly
c16
90% epiboly
c13
bud
c15
3-somite
c15
6-somite
c12
1.0
0.8
0.6
0.4
0.2
0.0



track 19: twist1a,cxcl12b,ripply1,cxcl12a,fsta,aplnra,marcksl1b,lsp1 (largest population); share of cells with the program active (grey: not defined)
dorsal_organizer
prechordal_plate
notochord
presomitic_mesoderm
adaxial_somite
lateral_plate
intermediate_mesoderm
heart
midbrain_hindbrain_boundary
hatching_gland
margin
mesoderm
neural_plate
blocking:BMP
blocking:Wnt
state:cell_cycle_g2m
60% epiboly c17
75% epiboly c19
90% epiboly c15
bud c23
3-somite c20
6-somite c19
1.0
0.8
0.6
0.4
0.2
0.0



track 20: frzb,fzd8b,rrbp1b,calr3b,xbp1,tram1,zgc:174153,zgc:174855 (largest population); share of cells with the program active (grey: not defined)
EVL
dorsal_organizer
endoderm
prechordal_plate
notochord
presomitic_mesoderm
adaxial_somite
lateral_plate
intermediate_mesoderm
forebrain_eye
midbrain_hindbrain_boundary
primary_neurons
axial_mesoderm
hatching_gland
margin
neural_plate
blocking:BMP
blocking:Wnt
signal:BMP
signal:Nodal
state:heat_shock
60% epiboly c16
75% epiboly c25
90% epiboly c23
bud c26
3-somite c33
6-somite c22
1.0
0.8
0.6
0.4
0.2
0.0



track 21: cxcl12a,id3,twist1a,cxcl12b,osr1,gata5,marcksl1b,hand2 (largest population); share of cells with the program active (grey: not defined)
endoderm
presomitic_mesoderm
adaxial_somite
tailbud
lateral_plate
intermediate_mesoderm
heart
margin
mesoderm
sending:RA
signal:BMP
state:cell_cycle_g2m
state:maternal
60% epiboly c13
75% epiboly c9
90% epiboly c11
bud c6
3-somite c2
6-somite c2
1.0
0.8
0.6
0.4
0.2
0.0



track 22: noto,xbp1,twist2,ntd5,admp,ta,insb,shha (largest population); share of cells with the program active
(grey: not defined)
dorsal_organizer
endoderm
prechordal_plate
notochord
adaxial_somite
intermediate_mesoderm
axial_mesoderm
hatching_gland
margin
blocking:BMP
blocking:Wnt
sending:BMP_organizer
sending:Hedgehog
signal:FGF
signal:Nodal
60% epiboly
c12
75% epiboly
c12
90% epiboly
c14
bud
c16
1.0
0.8
0.6
0.4
0.2
0.0



track 26: msgn1,tbx16,aldh1a2,myf5,foxc1a,rdh10a,im:7138239,cyp27c1 (largest population); share of cells with the program active (grey: not defined)
presomitic_mesoderm
adaxial_somite
tailbud
axial_mesoderm
margin
mesoderm
blocking:BMP
sending:Notch
sending:RA
signal:Wnt
state:cell_cycle_g2m
75% epiboly c8
90% epiboly c10
bud c13
3-somite c10
6-somite c6
1.0
0.8
0.6
0.4
0.2
0.0



track 27: dlx3b,apoeb,apoc1,marcksl1b,gata3,foxi1,tagln2,tfap2a (largest population); share of cells with the program active (grey: not defined)
EVL
prechordal_plate
neural_crest
placodes
non_neural_ectoderm
hatching_gland
signal:BMP
75% epiboly
c2
90% epiboly
c0
bud
c2
1.0
0.8
0.6
0.4
0.2
0.0



track 33: dbx1a,gsc,nkx2.4b,nkx2.9,lft1,lft2,shha,fezf2 (largest population); share of cells with the program active (grey: not defined)
dorsal_organizer
endoderm
prechordal_plate
forebrain_eye
hindbrain
neural_plate
sending:BMP_organizer
sending:Hedgehog
signal:Nodal
state:blastomere
state:cell_cycle_g2m
state:cell_cycle_s
90% epiboly
c29
bud
c21
3-somite
c18
6-somite
c16
1.0
0.8
0.6
0.4
0.2
0.0



track 34: cdx4,hspb1,fgf8a,hes6,hoxb7a,foxd5,ta,hoxc8a (largest population); share of cells with the program active (grey: not defined)
tailbud
axial_mesoderm
margin
blocking:RA
receiving:Notch
sending:Wnt/PCP
signal:BMP
signal:FGF
signal:Wnt
state:cell_cycle_s
90% epiboly
c3
bud
c4
3-somite
c0
1.0
0.8
0.6
0.4
0.2
0.0


track 43: rx3,aldob,six3b,stm,shisa2,lhx2b,pax6b,six7 (largest population); share of cells with the program active (grey: not defined)
forebrain_eye
neural_plate
state:cell_cycle_g2m
state:cell_cycle_s
bud
c7
3-somite
c8
6-somite
c3
1.0
0.8
0.6
0.4
0.2
0.0


track 44: dlx3b,epcam,cldnb,six1b,cldna,foxi1,dlx4b,ptgs2a (largest population); share of cells with the program active (grey: not defined)
EVL
neural_crest
placodes
non_neural_ectoderm
bud
c11
3-somite
c11
6-somite
c5
1.0
0.8
0.6
0.4
0.2
0.0


track 45: hoxb1b,sox3,olig4,hnf1ba,si:ch211-152c2.3,meis2b,meis3,sox19a (largest population); share of cells with the program active (grey: not defined)
hindbrain
primary_neurons
receiving:Notch
sending:Notch
state:blastomere
state:cell_cycle_s
bud
c5
3-somite
c3
6-somite
c1
1.0
0.8
0.6
0.4
0.2
0.0


track 46: olig3,mdkb,si:ch211-152c2.3,irx7,gbx1,cyp26c1,fgf8a,phox2a (largest population); share of cells with the program active (grey: not defined)
midbrain_hindbrain_boundary
hindbrain
state:blastomere
state:cell_cycle_g2m
state:cell_cycle_s
bud
c8
3-somite
c6
6-somite
c4
1.0
0.8
0.6
0.4
0.2
0.0


track 47: her5,pax2a,irx7,eng2a,her11,si:ch211-152c2.3,mdkb,cyp26a1 (largest population); share of cells with the program active (grey: not defined)
midbrain_hindbrain_boundary
blocking:RA
state:blastomere
state:cell_cycle_s
bud
c9
3-somite
c5
6-somite
c7
1.0
0.8
0.6
0.4
0.2
0.0