



Excluded stress cells on the stage UMAPs
high: 2.6% excluded
oblong: 4.5% excluded
dome: 0.0% excluded
30% epiboly: 0.0% excluded
50% epiboly: 2.0% excluded
shield: 0.9% excluded
60% epiboly: 2.9% excluded
75% epiboly: 1.5% excluded
90% epiboly: 1.4% excluded
bud: 0.0% excluded
3-somite: 0.0% excluded
6-somite: 0.0% excluded
p53_response
dissociation
heat_shock
>= 3 yolk genes (kept)


state:maternal: active vs top (kept cells; shares: median library)
high (unsupported): active 3%, top 3%
oblong (unsupported): active 2%, top 2%
dome (unsupported): active 4%, top 4%
30% epiboly (unsupported): active 4%, top 2%
50% epiboly (unsupported): active 6%, top 2%
shield (unsupported): active 2%, top 0%
60% epiboly (unsupported): active 2%, top 1%
75% epiboly (unsupported): active 1%, top 0%
90% epiboly (unsupported): active 0%, top 0%
bud (unsupported): active 0%, top 0%
3-somite (unsupported): active 1%, top 0%
6-somite (unsupported): active 2%, top 0%
active
top
top, margin >= 3


state:blastomere: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 1%, top 0%
dome (unsupported): active 0%, top 0%
30% epiboly (unsupported): active 0%, top 0%
50% epiboly (unsupported): active 3%, top 2%
shield (unsupported): active 1%, top 1%
60% epiboly: active 9%, top 8%
75% epiboly: active 10%, top 8%
90% epiboly: active 12%, top 8%
bud: active 14%, top 5%
3-somite: active 8%, top 4%
6-somite: active 12%, top 6%
active
top
top, margin >= 3


EVL: active vs top (kept cells; shares: median library)
high: active 3%, top 3%
oblong: active 6%, top 6%
dome: active 4%, top 4%
30% epiboly: active 3%, top 3%
50% epiboly: active 2%, top 2%
shield: active 1%, top 1%
60% epiboly: active 2%, top 0%
75% epiboly: active 3%, top 1%
90% epiboly: active 3%, top 1%
bud: active 8%, top 0%
3-somite: active 11%, top 2%
6-somite: active 12%, top 1%
active
top
top, margin >= 3



PGC: active vs top (kept cells; shares: median library)
high: active 3%, top 3%
oblong: active 13%, top 13%
dome: active 6%, top 4%
30% epiboly: active 2%, top 1%
50% epiboly: active 2%, top 0%
shield: active 1%, top 1%
60% epiboly: active 1%, top 0%
75% epiboly: active 1%, top 0%
90% epiboly: active 1%, top 0%
bud: active 0%, top 0%
3-somite (unsupported): active 0%, top 0%
6-somite: active 1%, top 0%
active
top
top, margin >= 3



margin: active vs top (kept cells; shares: median library)
high: active 2%, top 0%
oblong (unsupported): active 2%, top 0%
dome (unsupported): active 10%, top 7%
30% epiboly: active 12%, top 11%
50% epiboly: active 17%, top 13%
shield: active 23%, top 9%
60% epiboly: active 33%, top 8%
75% epiboly: active 33%, top 8%
90% epiboly: active 29%, top 8%
bud: active 26%, top 4%
3-somite: active 22%, top 6%
6-somite: active 22%, top 6%
active
top
top, margin >= 3



dorsal_organizer: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 1%, top 1%
dome (unsupported): active 7%, top 2%
30% epiboly (unsupported): active 6%, top 2%
50% epiboly (unsupported): active 10%, top 3%
shield: active 6%, top 4%
60% epiboly: active 9%, top 2%
75% epiboly: active 7%, top 2%
90% epiboly: active 8%, top 1%
bud: active 6%, top 0%
3-somite: active 4%, top 0%
6-somite: active 5%, top 0%
active
top
top, margin >= 3


dorsal_forerunner: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 4%, top 0%
30% epiboly (unsupported): active 3%, top 0%
50% epiboly (unsupported): active 2%, top 0%
shield (unsupported): active 1%, top 0%
60% epiboly (unsupported): active 4%, top 0%
75% epiboly (unsupported): active 4%, top 0%
90% epiboly (unsupported): active 5%, top 0%
bud (unsupported): active 5%, top 0%
3-somite (unsupported): active 4%, top 1%
6-somite (unsupported): active 5%, top 1%
active
top
top, margin >= 3



endoderm: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 5%, top 0%
30% epiboly (unsupported): active 9%, top 0%
50% epiboly (unsupported): active 12%, top 0%
shield: active 9%, top 1%
60% epiboly: active 12%, top 4%
75% epiboly: active 7%, top 3%
90% epiboly: active 8%, top 4%
bud: active 6%, top 2%
3-somite: active 6%, top 3%
6-somite: active 7%, top 3%
active
top
top, margin >= 3



mesoderm: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 2%, top 2%
dome (unsupported): active 7%, top 0%
30% epiboly (unsupported): active 10%, top 0%
50% epiboly (unsupported): active 15%, top 0%
shield: active 20%, top 4%
60% epiboly: active 25%, top 7%
75% epiboly: active 25%, top 7%
90% epiboly: active 24%, top 6%
bud: active 26%, top 3%
3-somite: active 20%, top 1%
6-somite: active 22%, top 0%
active
top
top, margin >= 3


presomitic_mesoderm: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong (unsupported): active 2%, top 0%
dome (unsupported): active 9%, top 0%
30% epiboly (unsupported): active 11%, top 0%
50% epiboly (unsupported): active 15%, top 0%
shield: active 18%, top 5%
60% epiboly: active 24%, top 7%
75% epiboly: active 22%, top 9%
90% epiboly: active 19%, top 10%
bud: active 20%, top 12%
3-somite: active 16%, top 9%
6-somite: active 19%, top 12%
active
top
top, margin >= 3


tailbud: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 1%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 1%, top 0%
30% epiboly (unsupported): active 4%, top 0%
50% epiboly (unsupported): active 9%, top 0%
shield (unsupported): active 11%, top 0%
60% epiboly (unsupported): active 19%, top 0%
75% epiboly (unsupported): active 18%, top 1%
90% epiboly (unsupported): active 19%, top 2%
bud: active 20%, top 4%
3-somite: active 14%, top 5%
6-somite: active 14%, top 4%
active
top
top, margin >= 3


adaxial_somite: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong (unsupported): active 5%, top 0%
dome (unsupported): active 5%, top 0%
30% epiboly (unsupported): active 9%, top 0%
50% epiboly (unsupported): active 11%, top 0%
shield (unsupported): active 15%, top 0%
60% epiboly: active 20%, top 0%
75% epiboly: active 19%, top 0%
90% epiboly: active 13%, top 1%
bud: active 15%, top 0%
3-somite: active 14%, top 2%
6-somite: active 16%, top 2%
active
top
top, margin >= 3



lateral_plate: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 1%, top 0%
30% epiboly (unsupported): active 4%, top 0%
50% epiboly (unsupported): active 7%, top 0%
shield (unsupported): active 5%, top 0%
60% epiboly (unsupported): active 10%, top 0%
75% epiboly (unsupported): active 8%, top 1%
90% epiboly (unsupported): active 7%, top 2%
bud: active 10%, top 3%
3-somite: active 10%, top 5%
6-somite: active 9%, top 4%
active
top
top, margin >= 3


intermediate_mesoderm: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 1%, top 0%
dome (unsupported): active 6%, top 0%
30% epiboly (unsupported): active 7%, top 0%
50% epiboly (unsupported): active 8%, top 0%
shield (unsupported): active 6%, top 0%
60% epiboly (unsupported): active 5%, top 0%
75% epiboly (unsupported): active 7%, top 1%
90% epiboly (unsupported): active 8%, top 1%
bud (unsupported): active 8%, top 0%
3-somite: active 7%, top 2%
6-somite: active 6%, top 2%
active
top
top, margin >= 3


heart: active vs top (kept cells; shares: median library)
high: no genes measured
oblong: no genes measured
dome: no genes measured
30% epiboly: no genes measured
50% epiboly (unsupported): active 1%, top 0%
shield: no genes measured
60% epiboly (unsupported): active 0%, top 0%
75% epiboly (unsupported): active 2%, top 0%
90% epiboly (unsupported): active 1%, top 0%
bud: active 4%, top 1%
3-somite: active 5%, top 1%
6-somite: active 5%, top 1%
active
top
top, margin >= 3



prechordal_plate: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 3%, top 0%
30% epiboly (unsupported): active 6%, top 0%
50% epiboly (unsupported): active 7%, top 0%
shield (unsupported): active 4%, top 0%
60% epiboly: active 6%, top 0%
75% epiboly: active 3%, top 0%
90% epiboly: active 5%, top 0%
bud: active 7%, top 0%
3-somite: active 8%, top 0%
6-somite: active 8%, top 0%
active
top
top, margin >= 3


hatching_gland: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 4%, top 0%
30% epiboly (unsupported): active 3%, top 0%
50% epiboly (unsupported): active 4%, top 0%
shield (unsupported): active 4%, top 0%
60% epiboly: active 6%, top 2%
75% epiboly: active 6%, top 2%
90% epiboly: active 6%, top 2%
bud: active 9%, top 2%
3-somite: active 10%, top 1%
6-somite: active 13%, top 2%
active
top
top, margin >= 3



axial_mesoderm: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong (unsupported): active 2%, top 0%
dome (unsupported): active 11%, top 0%
30% epiboly (unsupported): active 10%, top 0%
50% epiboly (unsupported): active 14%, top 1%
shield (unsupported): active 11%, top 1%
60% epiboly: active 17%, top 2%
75% epiboly: active 13%, top 3%
90% epiboly: active 13%, top 4%
bud: active 11%, top 1%
3-somite: active 7%, top 0%
6-somite: active 8%, top 0%
active
top
top, margin >= 3


notochord: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 5%, top 0%
30% epiboly (unsupported): active 6%, top 0%
50% epiboly (unsupported): active 8%, top 0%
shield (unsupported): active 9%, top 0%
60% epiboly: active 12%, top 0%
75% epiboly: active 9%, top 0%
90% epiboly: active 8%, top 0%
bud: active 4%, top 1%
3-somite: active 5%, top 2%
6-somite: active 9%, top 1%
active
top
top, margin >= 3


neural_plate: active vs top (kept cells; shares: median library)
high (unsupported): active 3%, top 1%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 3%, top 0%
30% epiboly (unsupported): active 5%, top 0%
50% epiboly (unsupported): active 8%, top 0%
shield (unsupported): active 5%, top 1%
60% epiboly (unsupported): active 12%, top 0%
75% epiboly (unsupported): active 9%, top 0%
90% epiboly (unsupported): active 11%, top 0%
bud (unsupported): active 13%, top 0%
3-somite (unsupported): active 6%, top 0%
6-somite (unsupported): active 7%, top 0%
active
top
top, margin >= 3


forebrain_eye: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 1%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 3%, top 0%
30% epiboly (unsupported): active 2%, top 0%
50% epiboly (unsupported): active 4%, top 0%
shield (unsupported): active 6%, top 3%
60% epiboly (unsupported): active 15%, top 9%
75% epiboly: active 17%, top 12%
90% epiboly: active 18%, top 15%
bud: active 16%, top 14%
3-somite: active 15%, top 11%
6-somite: active 14%, top 11%
active
top
top, margin >= 3



midbrain_hindbrain_boundary: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 1%, top 0%
30% epiboly (unsupported): active 0%, top 0%
50% epiboly (unsupported): active 4%, top 1%
shield (unsupported): active 6%, top 2%
60% epiboly (unsupported): active 17%, top 6%
75% epiboly: active 15%, top 6%
90% epiboly (unsupported): active 14%, top 8%
bud: active 19%, top 11%
3-somite: active 15%, top 11%
6-somite: active 14%, top 11%
active
top
top, margin >= 3


hindbrain: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 1%, top 0%
30% epiboly (unsupported): active 4%, top 1%
50% epiboly (unsupported): active 5%, top 0%
shield (unsupported): active 2%, top 0%
60% epiboly (unsupported): active 2%, top 0%
75% epiboly (unsupported): active 4%, top 1%
90% epiboly (unsupported): active 10%, top 4%
bud: active 13%, top 7%
3-somite: active 8%, top 4%
6-somite: active 9%, top 4%
active
top
top, margin >= 3


primary_neurons: active vs top (kept cells; shares: median library)
high (unsupported): active 0%, top 0%
oblong (unsupported): active 1%, top 1%
dome (unsupported): active 0%, top 0%
30% epiboly (unsupported): active 1%, top 1%
50% epiboly (unsupported): active 2%, top 0%
shield (unsupported): active 1%, top 1%
60% epiboly (unsupported): active 0%, top 0%
75% epiboly (unsupported): active 2%, top 0%
90% epiboly (unsupported): active 2%, top 0%
bud (unsupported): active 3%, top 1%
3-somite: active 4%, top 3%
6-somite: active 4%, top 2%
active
top
top, margin >= 3


non_neural_ectoderm: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong: active 6%, top 0%
dome (unsupported): active 4%, top 0%
30% epiboly (unsupported): active 2%, top 0%
50% epiboly (unsupported): active 2%, top 0%
shield (unsupported): active 2%, top 1%
60% epiboly: active 10%, top 10%
75% epiboly: active 15%, top 14%
90% epiboly: active 14%, top 12%
bud: active 14%, top 11%
3-somite: active 10%, top 8%
6-somite: active 12%, top 6%
active
top
top, margin >= 3


neural_crest: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong (unsupported): active 0%, top 0%
dome (unsupported): active 4%, top 0%
30% epiboly (unsupported): active 2%, top 0%
50% epiboly (unsupported): active 2%, top 0%
shield (unsupported): active 1%, top 0%
60% epiboly (unsupported): active 2%, top 0%
75% epiboly (unsupported): active 6%, top 0%
90% epiboly (unsupported): active 10%, top 0%
bud (unsupported): active 7%, top 1%
3-somite: active 6%, top 4%
6-somite: active 7%, top 5%
active
top
top, margin >= 3


placodes: active vs top (kept cells; shares: median library)
high (unsupported): active 1%, top 0%
oblong (unsupported): active 2%, top 0%
dome (unsupported): active 2%, top 0%
30% epiboly (unsupported): active 2%, top 0%
50% epiboly (unsupported): active 2%, top 0%
shield (unsupported): active 2%, top 1%
60% epiboly (unsupported): active 10%, top 2%
75% epiboly (unsupported): active 12%, top 1%
90% epiboly: active 14%, top 2%
bud: active 16%, top 4%
3-somite: active 12%, top 4%
6-somite: active 11%, top 5%
active
top
top, margin >= 3