



state:maternal: 686 active cells (kept), supported at: no stage
high 13, oblong 3, dome 50, 30% epiboly 46, 50% epiboly 299, shield 26, 60% epiboly 67, 75% epiboly 40, 90% epiboly 19, bud 37, 3-somite 13, 6-somite 73







state:blastomere: 3568 active cells (kept), supported at: 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 1, oblong 3, dome 5, 30% epiboly 6, 50% epiboly 197, shield 14, 60% epiboly 368, 75% epiboly 654, 90% epiboly 691, bud 959, 3-somite 138, 6-somite 532







EVL: 2033 active cells (kept), supported at: high, oblong, dome, 30% epiboly, 50% epiboly, shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 10, oblong 13, dome 52, 30% epiboly 40, 50% epiboly 145, shield 11, 60% epiboly 94, 75% epiboly 179, 90% epiboly 151, bud 621, 3-somite 181, 6-somite 536







PGC: 427 active cells (kept), supported at: high, oblong, dome, 30% epiboly, 50% epiboly, shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 6-somite
high 12, oblong 16, dome 67, 30% epiboly 31, 50% epiboly 88, shield 9, 60% epiboly 35, 75% epiboly 37, 90% epiboly 31, bud 47, 3-somite 5, 6-somite 49








margin: 9939 active cells (kept), supported at: high, 30% epiboly, 50% epiboly, shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 11, oblong 4, dome 121, 30% epiboly 196, 50% epiboly 1052, shield 241, 60% epiboly 1345, 75% epiboly 2030, 90% epiboly 1631, bud 1968, 3-somite 352, 6-somite 988
active, another program on top (6882)
on top (2376)
on top, margin >= 3 (681)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high



dorsal_organizer: 2910 active cells (kept), supported at: shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 1, oblong 2, dome 87, 30% epiboly 91, 50% epiboly 549, shield 66, 60% epiboly 396, 75% epiboly 491, 90% epiboly 425, bud 505, 3-somite 69, 6-somite 228
active, another program on top (2343)
on top (292)
on top, margin >= 3 (275)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


dorsal_forerunner: 1597 active cells (kept), supported at: no stage
high 1, oblong 1, dome 44, 30% epiboly 40, 50% epiboly 126, shield 9, 60% epiboly 174, 75% epiboly 243, 90% epiboly 262, bud 405, 3-somite 73, 6-somite 219
active, another program on top (1485)
on top (90)
on top, margin >= 3 (22)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


endoderm: 3236 active cells (kept), supported at: shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 1, dome 62, 30% epiboly 139, 50% epiboly 688, shield 93, 60% epiboly 484, 75% epiboly 505, 90% epiboly 379, bud 462, 3-somite 95, 6-somite 328







mesoderm: 8353 active cells (kept), supported at: shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 1, oblong 3, dome 80, 30% epiboly 168, 50% epiboly 922, shield 204, 60% epiboly 1002, 75% epiboly 1511, 90% epiboly 1326, bud 1821, 3-somite 325, 6-somite 990
active, another program on top (6973)
on top (1117)
on top, margin >= 3 (263)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


presomitic_mesoderm: 7329 active cells (kept), supported at: shield, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 3, oblong 4, dome 107, 30% epiboly 175, 50% epiboly 883, shield 185, 60% epiboly 966, 75% epiboly 1400, 90% epiboly 1082, bud 1416, 3-somite 265, 6-somite 843





tailbud: 5827 active cells (kept), supported at: bud, 3-somite, 6-somite
high 1, dome 11, 30% epiboly 58, 50% epiboly 532, shield 113, 60% epiboly 745, 75% epiboly 1107, 90% epiboly 1051, bud 1380, 3-somite 227, 6-somite 602
active, another program on top (5015)
on top (649)
on top, margin >= 3 (163)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


adaxial_somite: 5679 active cells (kept), supported at: 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 5, oblong 9, dome 56, 30% epiboly 132, 50% epiboly 680, shield 154, 60% epiboly 817, 75% epiboly 1073, 90% epiboly 744, bud 1058, 3-somite 229, 6-somite 722





lateral_plate: 2938 active cells (kept), supported at: bud, 3-somite, 6-somite
dome 11, 30% epiboly 58, 50% epiboly 385, shield 52, 60% epiboly 400, 75% epiboly 453, 90% epiboly 403, bud 617, 3-somite 169, 6-somite 390
active, another program on top (2280)
on top (436)
on top, margin >= 3 (222)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


intermediate_mesoderm: 2640 active cells (kept), supported at: 3-somite, 6-somite
high 1, oblong 3, dome 64, 30% epiboly 103, 50% epiboly 467, shield 61, 60% epiboly 233, 75% epiboly 403, 90% epiboly 399, bud 516, 3-somite 112, 6-somite 278
active, another program on top (2356)
on top (228)
on top, margin >= 3 (56)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


heart: 863 active cells (kept), supported at: bud, 3-somite, 6-somite
50% epiboly 60, 60% epiboly 15, 75% epiboly 115, 90% epiboly 92, bud 254, 3-somite 87, 6-somite 240





prechordal_plate: 2326 active cells (kept), supported at: 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
dome 37, 30% epiboly 92, 50% epiboly 405, shield 46, 60% epiboly 252, 75% epiboly 232, 90% epiboly 255, bud 510, 3-somite 139, 6-somite 358




hatching_gland: 2739 active cells (kept), supported at: 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 3, dome 49, 30% epiboly 47, 50% epiboly 257, shield 41, 60% epiboly 246, 75% epiboly 346, 90% epiboly 329, bud 669, 3-somite 169, 6-somite 583








axial_mesoderm: 4639 active cells (kept), supported at: 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 5, oblong 5, dome 125, 30% epiboly 153, 50% epiboly 813, shield 115, 60% epiboly 660, 75% epiboly 843, 90% epiboly 683, bud 795, 3-somite 111, 6-somite 331
active, another program on top (4071)
on top (387)
on top, margin >= 3 (181)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


notochord: 3029 active cells (kept), supported at: 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
dome 56, 30% epiboly 86, 50% epiboly 446, shield 90, 60% epiboly 488, 75% epiboly 586, 90% epiboly 443, bud 377, 3-somite 77, 6-somite 380





neural_plate: 3672 active cells (kept), supported at: no stage
high 5, dome 32, 30% epiboly 78, 50% epiboly 443, shield 53, 60% epiboly 486, 75% epiboly 602, 90% epiboly 605, bud 972, 3-somite 96, 6-somite 300
active, another program on top (3619)
on top (53)
on top, margin >= 3 (0)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high



forebrain_eye: 5047 active cells (kept), supported at: 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 4, dome 40, 30% epiboly 37, 50% epiboly 225, shield 59, 60% epiboly 576, 75% epiboly 1024, 90% epiboly 1008, bud 1223, 3-somite 239, 6-somite 612
active, another program on top (1483)
on top (1290)
on top, margin >= 3 (2274)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high



midbrain_hindbrain_boundary: 4718 active cells (kept), supported at: 75% epiboly, bud, 3-somite, 6-somite
high 2, dome 8, 30% epiboly 8, 50% epiboly 229, shield 61, 60% epiboly 663, 75% epiboly 963, 90% epiboly 761, bud 1142, 3-somite 246, 6-somite 635
active, another program on top (2107)
on top (1425)
on top, margin >= 3 (1186)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


hindbrain: 2678 active cells (kept), supported at: bud, 3-somite, 6-somite
high 2, dome 7, 30% epiboly 57, 50% epiboly 322, shield 21, 60% epiboly 91, 75% epiboly 239, 90% epiboly 504, bud 908, 3-somite 135, 6-somite 392
active, another program on top (1665)
on top (729)
on top, margin >= 3 (284)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high


primary_neurons: 809 active cells (kept), supported at: 3-somite, 6-somite
oblong 3, dome 1, 30% epiboly 12, 50% epiboly 87, shield 7, 60% epiboly 15, 75% epiboly 70, 90% epiboly 107, bud 273, 3-somite 65, 6-somite 169
active, another program on top (553)
on top (107)
on top, margin >= 3 (149)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high

non_neural_ectoderm: 4027 active cells (kept), supported at: oblong, 60% epiboly, 75% epiboly, 90% epiboly, bud, 3-somite, 6-somite
high 7, oblong 11, dome 48, 30% epiboly 30, 50% epiboly 124, shield 19, 60% epiboly 462, 75% epiboly 910, 90% epiboly 784, bud 925, 3-somite 161, 6-somite 546






neural_crest: 2143 active cells (kept), supported at: 3-somite, 6-somite
high 3, dome 43, 30% epiboly 31, 50% epiboly 110, shield 8, 60% epiboly 110, 75% epiboly 345, 90% epiboly 533, bud 553, 3-somite 93, 6-somite 314
active, another program on top (1756)
on top (177)
on top, margin >= 3 (210)
6-somite
3-somite
bud
90% epiboly
75% epiboly
60% epiboly
shield
50% epiboly
30% epiboly
dome
oblong
high

placodes: 3925 active cells (kept), supported at: 90% epiboly, bud, 3-somite, 6-somite
high 4, oblong 5, dome 28, 30% epiboly 30, 50% epiboly 118, shield 24, 60% epiboly 342, 75% epiboly 797, 90% epiboly 757, bud 1112, 3-somite 200, 6-somite 508

