
readout proxies vs replicated programs (50% epiboly)
cell text: ▲/▼ replicated call, c = not separable from program genes, n libraries significant +/−
ID1 GO: positive regulation of apoptotic proce
ID2 presumptive shield | GO: regionalization
ID3 presumptive endoderm | GO: gastrulation
ID4 epithelium | GO: intermediate filament-bas
ID5 reproductive system | GO: gamete generatio
ID6 neural plate | GO: negative regulation of
ID7 presumptive mesoderm | GO: pattern specifi
ID8 GO: nucleosome organization
ID9 GO: chromosome condensation
▼0/4
1/0
0/0
▼0/3
0/0
▲4/0
▼0/4
0/0
2/0
0/0
▲3/0
▲3/0
c3/0
0/0
0/0
0/1
0/2
0/1
▼0/4
0/2
0/1
0/0
▼0/3
0/1
0/0
▼0/4
0/0
▼0/3
0/2
▼0/3
▲4/0
▲4/0
▲4/0
▲4/0
c4/0
▼0/4
0/1
▼0/3
▼0/3
▼0/3
0/1
0/0
0/1
0/0
0/0
Nodal
BMP
Wnt
FGF
Notch
mean association z over 50% libraries
6
4
2
0
−2
−4
−6