MSDS Report

NAGARAKU Premium Mild Glue

Version：V5.0.0.1
Report No.：THSH.260440903EN
Creation Date：2026/04/27
Revision Date：2026/04/27

***Prepared according to EU regulation No. 2015/830**

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name	NAGARAKU Premium Mild Glue
Model No.	-
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	-

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	No special note.
Uses advised against	No special note.

Details of the supplier of the MSDS

Name of the company	Shanghai Nageer Technology Co., Ltd.
Address of the company	Room 1284, Building 2,No. 228, Nonggongshang Avenue,Haiwan Town, Fengxian District，Shanghai
Post code	——
Telephone number	13003138981
Fax number	——
E-mail address	lageelash@126.com

Emergency telephone number

Emergency telephone number	+86 13003138981
Opening hours	24h

2 Hazards identification

CLP classification according to Regulation（EC）No. 1272/2008

Eye Damage/Irritation	-

GHS Label elements

Hazard pictograms	
Signal word	**Warning**

Hazard statements

H319	May cause severe eye irritation (mainly from carbon black)
H335	May cause respiratory irritation (mainly from carbon black dust)
H315	May cause skin irritation (mainly from polymethylmethacrylate)

Precautionary statements

◆ Prevention

P262	Avoid contact with eyes, skin, and clothing
P280	Wear protective gloves, protective goggles, and protective clothing
P305+P351+P338	If in eyes, rinse immediately with plenty of water for several minutes. Remove contact lenses, if present, and continue rinsing
P304+P340	If inhaled, remove person to fresh air and keep comfortable for breathing
P403+P233	Store in a well-ventilated place. Keep container tightly closed
P501	Dispose of contents and container in accordance with local, regional, and national regulations

◆ Response

Storage	Not applicable

◆ Storage

Storage	Not applicable

◆ Disposal

Disposal	Not applicable

Other hazards

	Not applicable.

3 Composition/information on ingredients

Substance/mixture

	Mixture

Component	CAS No.	EC No.	Index No.	Classification according to Regulation（EC）No. 1272/2008 [CLP]	Weight % content (or range)
Polyethylmethacrylate	197098-43-4	-	-	Not Classified	96.8
Polymethylmethacrylate	9011-14-7	232-674-9	-	Not Classified	3
Carbon black	1333-86-4	215-609-9	-	Not Classified	0.2

4 First-aid measures

Description of first aid measures

General advice	In case of contact or ingestion, take corresponding first aid measures immediately and seek medical attention (if discomfort persists).
Eye contact	Immediately rinse eyes with plenty of running water for at least 15 minutes, occasionally lifting the upper and lower eyelids to ensure thorough rinsing of the eyeballs. Remove contact lenses if present. If symptoms such as stinging, redness, or blurred vision persist after rinsing, seek medical attention immediately.
Skin contact	Immediately remove contaminated clothing and rinse the contact area with plenty of

	running water for at least 15 minutes. If skin irritation symptoms such as redness, itching, or stinging occur, seek medical attention promptly. Wash contaminated clothing before reuse.
Ingestion	This product is not for consumption. If accidentally ingested, do not induce vomiting. Immediately have the exposed person drink up to 2 glasses of water (if conscious). If symptoms such as nausea, vomiting, or abdominal pain occur, seek medical attention immediately and bring this MSDS report. First Aid Notes: First aid personnel should wear appropriate protective equipment, follow precautionary statements, and provide symptomatic treatment. If symptoms persist, send to the hospital promptly and inform the doctor of the product ingredients.
Inhalation	If glue volatiles or carbon black dust are inhaled, immediately move the exposed person to an area with fresh, well-ventilated air and keep the respiratory tract unobstructed. If symptoms such as difficulty breathing or coughing occur, consult a doctor immediately.
Protecting of first-aiders	Treat symptomatically according to the patient's symptoms, and inform the physician of the main ingredients of the product to avoid delayed treatment.

Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Water spray, foam, carbon dioxide (CO_2), and dry powder extinguishers can be used. For large-scale fires, water spray or alcohol-resistant foam is recommended to prevent the spread of fire.
Unsuitable extinguishing media	There are no clearly unsuitable extinguishing media. Avoid using high-pressure water flow to directly impact the container to prevent glue splashing and spreading.

Specific hazards arising from the substance or mixture

1	In the event of a fire, toxic and harmful combustion products may be generated (such as carbon monoxide, carbon oxides, etc., produced by the combustion of carbon black). Firefighters should wear self-contained breathing apparatus and full protective equipment and fight the fire from the upwind direction. Carbon black dust may burn when exposed to open flames. Avoid dust accumulation, and clean up the dust in a timely manner after extinguishing the fire to prevent re-ignition.

Advice for firefighters

1	Firefighters must wear self-contained breathing apparatus (to prevent inhalation of toxic flue gas generated by combustion) and fire-proof, dust-proof protective equipment when fighting fires, and avoid contact with high-temperature combustion materials.
2	Keep a safe distance when fighting fires to avoid dust flying; if the fire is large, evacuate surrounding personnel and set up a warning area; after the fire is extinguished, clean up the fire debris, properly dispose of the contaminated fire-fighting water, and handle it in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

1	When handling spills, wear protective gloves and goggles to avoid direct contact with the spilled material, and keep the scene well-ventilated.

Environmental precautions

1	Prevent the leaked material from entering sewers, rivers, soil and other environments to avoid pollution.

Methods and materials for containment and cleaning up

1	Small Spill: Absorb with dry sand, absorbent cotton, or other inert materials, collect into a sealed container, and dispose of as hazardous waste
2	Large Spill: Isolate the spill area with a fence to prevent spread, collect the spilled material into a sealed container, avoid flowing into sewers, soil, or water sources, contact professionals for disposal, and thoroughly clean the spill area after disposal.

7 Handling and storage

Precautions for safe handling

◆ Handling Precautions

1	Maintain good ventilation during operation, avoid large-scale use in confined spaces, and prevent the accumulation of volatiles
2	Avoid contact with eyes, skin, and clothing, and wash hands and contact areas with water promptly after operation
3	Do not store or mix with strong oxidants, strong acids, strong bases, or other substances to avoid reactions
4	Avoid generating carbon black dust during operation to prevent inhalation

◆ Storage Precautions

1	Store in a cool, dry, and well-ventilated environment, away from heat sources, open flames, and direct sunlight. The recommended storage temperature is 5-30℃
2	Keep the container tightly closed to prevent the leakage of volatiles and the entry of dust, and avoid container damage
3	Store separately from incompatible substances such as strong oxidants, classify storage, and clearly mark
4	Shelf Life: According to product labeling, generally 12 months. After expiration, the adhesion and safety need to be tested, and it cannot be used continuously
5	The storage area should be equipped with corresponding fire-fighting equipment and spill treatment supplies

8 Exposure controls/personal protection

Control parameters

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Polyethylmethacrylate	USA - OSHA	-	-	-	-
	South Korea	-	-	-	-
	Ireland	-	-	-	-
	Germany (DFG)	-	-	-	-
	OEL	100	-	150	-
	Australia	-	-	-	-

◆ Biological limit values

Biological limit values	No relevant regulations

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

2	GBZ/T 300.1~GBZ/T 300.160-2017; GBZ/T 300.161~GBZ/T 300.164-2018 Determination of toxic substances in workplace air (Series standard).

◆ Derived No effect level (DNEL)

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Polyethylmethacrylate	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Polymethylmethacrylate	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Carbon black	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

◆ Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	No clear national occupational exposure limit; it is recommended that the dust concentration in the operating environment should not exceed 10mg/m^3.

Engineering controls

1	Install ventilation facilities (such as exhaust fans) in the operation area to keep air circulation and reduce dust concentration; clean dust regularly to avoid accumulation.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Set up emergency exit and necessary risk-elimination area.
4	Handle in accordance with good industrial hygiene and safety practice.

Personal protection equipment

General requirement	Avoid makeup and wearing jewelry during operation; do not rub eyes, mouth and nose with hands; conduct regular occupational health checks and seek medical attention if discomfort is found.
Eye protection	IWear side-frame safety glasses (complying with EN 166 standard) to avoid dust entering the eyes.
Hand protection	Wear disposable nitrile gloves or rubber gloves; replace and clean hands in a timely manner after operation; apply skin care products to protect the skin after using gloves.
Respiratory protection	Wear dust masks (such as EN143 or 149 standard P2 or FFP2 type filters) during operation; wear respiratory protectors when ventilation is poor.
Skin and body protection	Wear anti-static work clothes and aprons to avoid direct skin contact with products and dust.

9 Physical and chemical properties and safety characteristics

Physical and chemical properties

Appearance	Black viscous liquid
Odor	no obvious odor (mild formula)
Odor threshold	No information available
pH	No information available
Melting point/freezing	No clear melting point; it may thicken at low temperatures and remain in a viscous liquid

point(℃)	state above 0℃.
Initial boiling point and boiling range(℃)	Not applicable
Flash point(Closed cup,℃)	Not applicable
Evaporation rate	Not applicable
Flammability	Not flammable
Upper/lower explosive limits[%(v/v)]	Not flammable
Vapor pressure	Not applicable
Vapor density(Air＝1)	Not applicable
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(℃)	No information available
Decomposition temperature(℃)	No information available
Viscosity	No information available
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing

10 Stability and reactivity

Stability and reactivity

Stability	This product is stable under normal temperature, pressure, and well-ventilated conditions. Avoid contact with high temperatures, open flames, strong oxidants, strong acids, and strong bases, otherwise, component decomposition may occur, affecting product performance and producing a small amount of toxic and harmful gases.
Incompatible Substances	Strong oxidants (such as chlorates, bromates, nitrates), strong acids, strong bases; avoid contact or storage with these substances to prevent reactions.
Polymerization Hazard	No polymerization hazard. The main ingredients, polyethylmethacrylate and polymethylmethacrylate, are both polymerization products and will not undergo self-polymerization reactions. There is no need to add polymerization inhibitors during storage and use.
Decomposition Products	When heated, burned, or decomposed, toxic and harmful gases such as carbon oxides (e.g., carbon monoxide, carbon dioxide) and organic vapors may be generated. When carbon black burns, a small amount of polycyclic aromatic hydrocarbons may be produced (if present).

11 Toxicological information

Acute toxicity

Component	LD_{50}(oral)	LD_{50}(dermal)	LC_{50}(inhalation,4h)
Polyethylmethacrylate	No information available	No information available	No information available
Polymethylmethacrylate	No information available	No information available	No information available
Carbon black	No information available	No information available	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Polyethylmethacrylate	Not Listed	Not Listed
Polymethylmethacrylate	Not Listed	Not Listed
Carbon black	Not Listed	Not Listed

Others

	NAGARAKU Premium Mild Glue
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Reproductive toxicity(additional)	Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
Polyethylmethacrylate	No information available	No information available	No information available

Chronic aquatic toxicity

Chronic aquatic toxicity	No information available

Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Polyethylmethacrylate	Low	Low
Polymethylmethacrylate	Low	Low
Carbon black	Low	Low

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]

Polyethylmethacrylate	not PBT/vPvB
Polymethylmethacrylate	not PBT/vPvB
Carbon black	not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label	Not applicable

IMDG-CODE

IMDG-CODE	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR

IATA-DGR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Polyethylmethacrylate	√	√	√	√	√	√	√	√	√
Polymethylmethacrylate	×	√	√	√	√	√	√	√	√
Carbon black	×	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances
[TSCA] United States Toxic Substances Control Act Inventory
[DSL] Canadian Domestic Substances List
[IECSC] China Inventory of Existing Chemical Substances
[NZIoC] New Zealand Inventory of Chemicals
[PICCS] Philippines Inventory of Chemicals and Chemical Substances
[KECI] Existing and Evaluated Chemical Substances
[AICS] Australia Inventory of Chemical Substances
[ENCS] Existing And New Chemical Substances

European chemical inventory

Component	A	B	C	D	E	F	G
Polyethylmethacrylate	×	×	×	√	×	×	×

Polymethylmethacrylate	×	×	×	√	×	×	×
Carbon black	×	×	×	√	×	×	×

[A] Candidate list of Substances of Very High Concern for authorization under EU REACH regulation
[B] Substances requiring authorisation under EU REACH regulation
[C] Substances restricted under EU REACH
[D] Pre-registered substances under EU REACH
[E] Registered substances under EU REACH
[F] Substance Evaluation – CoRAP under EU REACH
[G] List of priority substances under EU water policy （Directive 2455/2001/EC）

Note:
"√" Indicates that the substance included in the regulations.
"×" No data or not inlcuded in the regulations.

16 Other information

Information on revision

Creation Date	2026/04/27
Revision Date	2026/04/27
Reason for revision	-

Reference

[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home。
[2] IARC, website: http://www.iarc.fr/。
[3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/substancesearch/index.action。
[4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple。
[5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp。
[6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/。
[7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg。
[8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/。

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG	International Maritime Dangerous Goods
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC_{50}	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD_{50}	Lethal Dose 50%	NTP	National Toxicology Program
EC_{50}	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P_{OW}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment

Disclaimer

This MSDS was prepared according to REACH Regulation The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.