MSDS Report

NAGARAKU Premium Extra Strong Glue

Version：V5.0.0.1
Report No.：THSH.260440909EN
Creation Date：2026/04/27
Revision Date：2026/04/27

***Prepared according to EU regulation No. 2015/830**

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name	NAGARAKU Premium Extra Strong Glue
Model No.	-
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	-

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	No special note.
Uses advised against	No special note.

Details of the supplier of the MSDS

Name of the company	Shanghai Nageer Technology Co., Ltd.
Address of the company	Room 1284, Building 2,No. 228, Nonggongshang Avenue,Haiwan Town, Fengxian District, Shanghai
Post code	——
Telephone number	13003138981
Fax number	——
E-mail address	lageelash@126.com

Emergency telephone number

Emergency telephone number	+86 13003138981
Opening hours	24h

2 Hazards identification

CLP classification according to Regulation（EC）No. 1272/2008

Eye Damage/Irritation	-

GHS Label elements

Hazard pictograms	-
Signal word	-

GHS Hazard Classification

	-

◆ Response

Storage	Not applicable

◆ Storage

Storage	Not applicable

◆ Disposal

Disposal	Not applicable

Other hazards

	Not applicable.

3 Composition/information on ingredients

Substance/mixture

	Mixture

Component	CAS No.	EC No.	Index No.	Classification according to Regulation（EC）No. 1272/2008 [CLP]	Weight % content (or range)
Polyethylmethacrylate	197098-43-4	-	-	Not Classified	95.9
Polymethylmethacrylate	9011-14-7	232-674-9	-	Not Classified	3
Ethyl acrylates copolymers	9003-32-1	-	-	Not Classified	1
Carbon Black	1333-86-4	215-609-9	-	Not Classified	0.1

4 First-aid measures

Description of first aid measures

General advice	In case of contact or ingestion, take corresponding first aid measures immediately and seek medical attention (if discomfort persists).
Eye contact	Immediately flush eyes, including under the eyelids, with copious amounts of water for at least 15 minutes. If irritation persists, seek medical attention.
Skin contact	Rinse affected skin with plenty of water for at least 15 minutes, then wash thoroughly with soap or mild detergent and water. If skin irritation persists, seek medical aid and bring the product container or label.
Ingestion	If a large amount is swallowed, do not induce vomiting; get immediate medical attention. Never give anything by mouth to an unconscious person.
Inhalation	If adverse effects occur, remove the affected person to a well-ventilated, uncontaminated area. If not breathing, perform artificial respiration by qualified personnel and seek immediate medical attention.
Notes to Physician	Symptomatic treatment, take corresponding treatment measures according to the contact route and symptoms, and inform the doctor of the potential hazards of each component.

Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Regular dry chemical, carbon dioxide (CO_2), water spray, or alcohol-resistant foam.
Unsuitable extinguishing media	No data available

Fire Fighting Precautions

1	Slight fire hazard. Dust/air mixtures of Polymethylmethacrylate may ignite or explode. Ethyl acrylates copolymers are flammable (flash point 75 °F), increasing fire risk.
2	Move containers from the fire area if safe to do so.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

1	Wear appropriate PPE (gloves, goggles, respiratory protection if needed). Avoid dust formation and breathing vapors, mist, or dust.

Environmental precautions

1	Prevent the product from entering waterways, sewers, or soil, especially due to the aquatic hazard of Ethyl acrylates copolymers.

Methods and materials for containment and cleaning up

1	Absorb spilled material with inert absorbent (e.g., sand, vermiculite). Collect and dispose of waste in accordance with local, state, and federal regulations.

7 Handling and storage

Precautions for safe handling

◆ Handling Precautions

1	Use in a well-ventilated area. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Do not eat, drink, or smoke while handling the product.

◆ Storage Precautions

1	Store in a cool, dry, well-ventilated area away from heat, sparks, and open flames (due to flammable component). Keep container tightly closed. Store away from strong oxidizing agents and strong acids. Shelf life: 5-6 months under recommended storage conditions.

8 Exposure controls/personal protection

Control parameters

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m³	ppm	mg/m³
Polyethylmethacrylate	USA - OSHA	-	-	-	-
	South Korea	-	-	-	-
	Ireland	-	-	-	-
	Germany (DFG)	-	-	-	-
	OEL	100	-	150	-
	Australia	-	-	-	-

◆ Biological limit values

Biological limit values	No relevant regulations

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300.1~GBZ/T 300.160-2017; GBZ/T 300.161~GBZ/T 300.164-2018 Determination of toxic substances in workplace air (Series standard).

◆ Derived No effect level (DNEL)

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Polyethylmethacrylate	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Polymethylmethacrylate	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Ethyl acrylates copolymers	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Carbon Black	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

Exposure Controls

1	Other Components: No clear occupational exposure limits have been specified temporarily; it is recommended to control the exposure amount and avoid long-term repeated exposure.

Personal protection equipment

Respiratory protection	Wear N95 or higher protective mask during operation; if the dust or steam concentration is high, wear a gas mask.
Eye protection	Wear chemical goggles to prevent glue from splashing into the eyes.
Skin and body protection	Wear nitrile gloves or rubber gloves and protective clothing to avoid direct skin contact.
Other Protection	Wear non-slip shoes, and avoid wearing jewelry, watches and other items that are easy to be adhered by glue during operation.

9 Physical and chemical properties and safety characteristics

Physical and chemical properties

Appearance	Black
Odor	Low odor or mild odor
Odor threshold	No information available
pH	Not applicable
Melting point/freezing point(℃)	No information available

Initial boiling point and boiling range(℃)	Not applicable
Flash point(Closed cup,℃)	75 °F (from Ethyl acrylates copolymers).
Evaporation rate	Not applicable
Flammability	Not flammable
Upper/lower explosive limits[%(v/v)]	Not flammable
Vapor pressure	Not flammable
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	Not applicable
Solubility	Insoluble in water (Carbon Black); other components may have limited solubility in organic solvents.
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(℃)	No information available
Decomposition temperature(℃)	No information available
Viscosity	No information available
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing

10 Stability and reactivity

Stability and reactivity

Stability	Stable under normal handling and storage conditions.
Hazardous Reactions	No dangerous reactions known under normal conditions of use. Avoid contact with strong oxidizing agents and strong acids (incompatible with Polymethylmethacrylate).
Hazardous Decomposition Products	In case of fire, toxic fumes (e.g., carbon oxides) may be released. Under normal storage and use, no hazardous decomposition products are produced.

11 Toxicological information

Acute toxicity

Component	LD_{50}(oral)	LD_{50}(dermal)	LC_{50}(inhalation,4h)
Polyethylmethacrylate	No information available	No information available	No information available
Poly(vinyl alcohol)	No information available	No information available	No information available
Sodium stearate	No information available	No information available	No information available
Chloro-based acrylate ester	No information available	No information available	No information available
Carbon Black	No information available	No information available	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Polyethylmethacrylate	Not Listed	Not Listed

Poly(vinyl alcohol)	Not Listed	Not Listed
Sodium stearate	Not Listed	Not Listed
Chloro-based acrylate ester	Not Listed	Not Listed
Carbon Black	Not Listed	Not Listed

Others

	NAGARAKU Premium Extra Strong Glue
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Reproductive toxicity(additional)	Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
Polyethylmethacrylate	No information available	No information available	No information available

Chronic aquatic toxicity

Chronic aquatic toxicity	No information available

Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Polyethylmethacrylate	Low	Low
Polymethylmethacrylate	Low	Low
Ethyl acrylates copolymers	Low	Low
Carbon Black	Low	Low

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Polyethylmethacrylate	not PBT/vPvB

Polymethylmethacrylate	not PBT/vPvB
Ethyl acrylates copolymers	not PBT/vPvB
Carbon Black	not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals	This product and waste containers shall be disposed of in accordance with hazardous waste disposal specifications; waste materials containing Sodium Hydroxide shall be neutralized first (neutralized to neutral with dilute acetic acid) before being handed over to professional hazardous waste treatment institutions for disposal; do not discard or dump at will, do not mix with domestic waste, and do not discharge into sewers or rivers; waste containers shall be cleaned and disposed of according to recyclable or hazardous waste classification.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Wear protective gloves and goggles during disposal to avoid direct contact with waste materials; the disposal process shall comply with local environmental protection regulations, do a good job in environmental protection and prevent pollution; when neutralizing Sodium Hydroxide, slowly add dilute acetic acid to avoid reaction exothermic splashing.

14 Transport information

Label and Mark

Transporting Label	Not applicable

IMDG-CODE

IMDG-CODE	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR

IATA-DGR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Polyethylmethacrylate	√	√	√	√	√	√	√	√	√
Polymethylmethacrylate	×	√	√	√	√	√	√	√	√
Ethyl acrylates copolymers	×	√	√	√	√	√	√	√	√
Carbon Black	×	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances
[TSCA] United States Toxic Substances Control Act Inventory
[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances
[NZIoC] New Zealand Inventory of Chemicals
[PICCS] Philippines Inventory of Chemicals and Chemical Substances
[KECI] Existing and Evaluated Chemical Substances
[AICS] Australia Inventory of Chemical Substances
[ENCS] Existing And New Chemical Substances

European chemical inventory

Component	A	B	C	D	E	F	G
Polyethylmethacrylate	×	×	×	√	×	×	×
Polymethylmethacrylate	×	×	×	√	×	×	×
Ethyl acrylates copolymers	×	×	×	√	×	×	×
Carbon Black	×	×	×	√	×	×	×

[A] Candidate list of Substances of Very High Concern for authorization under EU REACH regulation
[B] Substances requiring authorisation under EU REACH regulation
[C] Substances restricted under EU REACH
[D] Pre-registered substances under EU REACH
[E] Registered substances under EU REACH
[F] Substance Evaluation – CoRAP under EU REACH
[G] List of priority substances under EU water policy （Directive 2455/2001/EC）

Note:
"√" Indicates that the substance included in the regulations.
"×" No data or not inlcuded in the regulations.

16 Other information

Information on revision

Creation Date	2026/04/27
Revision Date	2026/04/27
Reason for revision	-

Reference

[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home。
[2] IARC, website: http://www.iarc.fr/。
[3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/substancesearch/index.action。
[4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple。
[5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp。
[6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/。
[7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg。
[8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/。

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG	International Maritime Dangerous Goods
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC_{50}	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD_{50}	Lethal Dose 50%	NTP	National Toxicology Program

EC_{50}	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P_{OW}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment

Disclaimer

This MSDS was prepared according to REACH Regulation The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.