
SD B3 — Fund Escrow

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Choose one of Bank mock or Gateway mock for each eligible attempt. A browser redirect or button click never establishes HELD.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD A5 — Reconcile Pending Transactions/Retry Confirmed-Failed Transfers

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Unknown results are query-only. Only final failure proving no movement permits retry. Callback/query races share one atomic
confirmation path; no manual success.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD U4.API — View/Track Escrows — Merchant API Variant

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Read only. Polling never authorizes a payment or participant action. Exclude private evidence, other merchants' transactions and Admin-only audit.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD U3 — Logout

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Already accepted funding/payout requests survive logout.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD U4 — View/Track Escrows

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Read only. PENDING/UNKNOWN is never HELD or a final payout result. Every subsequent write rechecks permissions and current state.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD U6 — Submit Dispute Evidence

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




If evidence commits first, Admin must review the updated evidence revision. If decision commits first, the evidence window is
closed.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD B2 — Cancel Unfunded Escrow

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Cancellation is allowed only before funding or after confirmed no-collection failure.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD S2 — Record Delivery/Service Completion

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward




Use the evidence policy saved at creation, never today's policy. Defaults: Goods optional; Services required. Completion never
auto-releases.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.

SD U8 — Accept/Reject Refund Proposal

EPS academic MVP | simulated VND | analysis-level interactions | time flows downward



Once REFUND_PENDING, new dispute and opposite release are blocked. Duplicate acceptance returns the existing intent; unknown results use A5.

Blue: EPS boundary/control. Gray: actor/entity/external mock. Yellow: business constraint.

Solid filled arrow = request; dashed open arrow = async event or gray return. Frames show guarded alternatives/options.