



0	PARA INFORMACIÓN	11-06-2026	MER	TDJ	AZA
REV.	DESCRIPCION	FECHA	EJE.	REV.	APR.
		AES: 5155-00-0000-IG-EL-LM-003			
		PROYECTO: LA CALERA CPF2 - FASE 2			
FACILITIES ENGINEERING & MAJOR PROJECTS		TITULO: LISTADO DE MATERIALES - CANALIZACIONES			
Toda la información contenida en la presente documentación es confidencial y de propiedad de Pluspetrol, siendo prohibida su reproducción o copia, total o parcial, sin autorización previa.		ESC:		DOCUMENTO N°:	
		N/A		ACAL-00102-LM-E-0018	
		REEMPLAZA:		Pag: 01 de 17	

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003		Rev. 0
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018		
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:		11-06-26
													Página 2		
AREA 100															
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus			
A	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	24	0							24	0	Bandeja portacable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.
A	1.24	XEBCD_14030832	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Length: 3000mm, Thickness: 1,6mm.	u	48	0							48	0	Tapa para bandeja portacable tipo escalera, ancho 300mm, espesor 1,6mm.
A	1.26	XEBCQ_15310399	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	4	0							4	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 90°
A	1.27	XEBCK_14030728	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Thickness: 1,6mm, Angle: 90°.	u	4	0							4	0	Tapa para curva horizontal tipo escalera, ancho 300mm, espesor 1,6mm, angulo 90°
A	1.29	XEBCQ_15310395	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 45°, Thickness: 2,5 mm, Wing: 152 mm.	u	4	0							4	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 45°
A	1.30	XEBCK_14030727	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Thickness: 1,6mm, Angle: 45°.	u	4	0							4	0	Tapa para curva horizontal tipo escalera, ancho 300mm, espesor 1,6mm, angulo 45°
A	1.44	XEBTS_14030008	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	15	0							15	0	Bandeja portacable tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm.
A	1.45	XEBCD_14030834	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Length: 3000mm, Thickness: 1,6mm.	u	29	0							29	0	Tapa para bandeja portacable tipo escalera, ancho 450mm, espesor 1,6mm.
A	1.47	XEBCQ_15310405	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	3	0							3	0	Curva horizontal tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm, ángulo 90°
A	1.48	XEBCK_14030732	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Thickness: 1,6mm, Angle: 90°.	u	3	0							3	0	Tapa para curva horizontal tipo escalera, ancho 400mm, espesor 1,6mm, angulo 90°
A	1.50	XEBCQ_15310401	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Angle: 45°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm, ángulo 45°
A	1.51	XEBCK_14030731	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Thickness: 1,6mm, Angle: 45°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 450mm, espesor 1,6mm, angulo 45°
A	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	32	0							32	0	Bandeja portacable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.
A	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	51	0							51	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.
A	1.68	XEBCQ_15310412	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	7	0							7	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 90°
A	1.69	XEBCK_14030736	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 90°.	u	7	0							7	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, angulo 90°
A	1.71	XEBCQ_15310408	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 45°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 45°
A	1.72	XEBCK_14030735	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 45°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, angulo 45°

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003		Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018			
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:		11-06-26	
													Página 3			
AREA 100																
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas	
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus				
A	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm	
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm	
0	1.225	XEBVJ_14030477	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	2	0							2	0	Curva vertical interior tipo escalera, ancho 300mm, espesor 2,1mm	
0	1.226	XEBCV_14031273	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	2	0							2	0	Tapa para curva vertical interior tipo escalera, ancho 300mm, espesor 1,6mm	
0	1.227	XEBVJ_14030479	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard).Width: 450mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 450mm, espesor 2,1mm	
0	1.228	XEBCV_11843341	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 450mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical interior tipo escalera, ancho 450mm, espesor 1,6mm	
0	1.229	XEBVJ_14030481	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 600mm, espesor 2,1mm	
0	1.230	XEBCV_11843343	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical interior tipo escalera, ancho 600mm, espesor 1,6mm	
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm	
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm	
0	1.233	XEBVF_14030392	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	2	0							2	0	Curva vertical exterior tipo escalera, ancho 300mm, espesor 2,1mm	
0	1.234	XEBCO_14031275	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	2	0							2	0	Tapa para curva vertical exterior tipo escalera, ancho 300mm, espesor 1,6mm	
0	1.235	XEBVF_14030394	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard).Width: 450mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical exterior tipo escalera, ancho 450mm, espesor 2,1mm	
0	1.236	XEBCO_11843379	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 450mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical exterior tipo escalera, ancho 450mm, espesor 1,6mm	
0	1.237	XEBVF_14030396	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical exterior tipo escalera, ancho 600mm, espesor 2,1mm	
0	1.238	XEBCO_11843381	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical exterior tipo escalera, ancho 600mm, espesor 1,6mm	
0	1.92	XEBRB_15100033	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450 mm, Width red: 300 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0	Reduccion central 450mm a 300mm	
0	1.93	XEBCJ_14030774	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450 mm, Width red: 300 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 450mm a 300mm, espesor 1,6mm.	
0	1.98	XEBRB_15100035	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 300 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0	Reduccion central 600mm a 300mm	

			Proyecto										LA CALERA CPF2 - FASE 2										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LISTA DE MATERIALES - CANALIZACIONES										Doc. Cliente: ACAL-00102-LM-E-0018															
													Fecha de emisión:						11-06-26									
Página 4																												
AREA 100																												
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas													
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus																
0	1.99	XEBCJ_14030779	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 300 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 600mm a 300mm, espesor 1,6mm.													
0	1.101	XEBRB_15100036	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 450 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0	Reduccion central 600mm a 450mm													
0	1.102	XEBCJ_14030780	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 450 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 600mm a 450mm, espesor 1,6mm.													
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	244	0							244	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)													
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	244	0							244	0	Cupla de unión para bandejas, ala 152mm.													

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
													Página 5					
AREA 200																		
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas			
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus						
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	20	0							20	0	Bandeja portacable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.			
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	40	0							40	0	Tapa para bandeja portacable tipo escalera, ancho 150mm, espesor 1,6mm.			
0	1.5	XEBCQ_15310393	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	4	0							4	0	Curva horizontal tipo escalera, ancho150mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.6	XEBCK_14030724	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm, Angle: 90°.	u	4	0							4	0	Tapa para curva horizontal tipo escalera, ancho 150mm, espesor 1,6mm, angulo 90°			
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	52	0							52	0	Bandeja portacable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.			
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	70	0							70	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.			
0	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	7	0							7	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm			
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	7	0							7	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm			
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	8	0							8	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm			
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	8	0							8	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm			
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	200	0							200	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)			
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	200	0							200	0	Cupla de unión para bandejas, ala 152mm.			

		Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
		LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
		LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
Página 6																	
AREA 300																	
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas		
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus					
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	52	0							52	0	Bandeja portacable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.		
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	70	0							70	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.		
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	120	0							120	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)		
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	120	0							120	0	Cupla de unión para bandejas, ala 152mm.		
0	1.148	XLBMBF14151901	Conduit Tubes RMC rigid metal conduit, burr-free interior surface IRAM IAS U 500-2100, hot dip galvanized 80/90 microns (min./avg.), NPT-M ends with threaded coupling and thread protect. Diameter: Φ 1"	m	300	0							300	0	Caños A°G Ø:1 " c/costura mecanizada, roscado NTP incluye cupla roscada y protección de rosca.		
0	1.152	XLBMBF14151902	Conduit Tubes RMC rigid metal conduit, burr-free interior surface IRAM IAS U 500-2100, hot dip galvanized 80/90 microns (min./avg.), NPT-M ends with threaded coupling and thread protect. Diameter: Φ 1 1/2"	m	300	0							300	0	Caños A°G Ø:1 1/2" c/costura mecanizada, roscado NTP incluye cupla roscada y protección de rosca.		
0	1.156	XLBMBF14151906	Conduit Tubes RMC rigid metal conduit, burr-free interior surface IRAM IAS U 500-2100, hot dip galvanized 80/90 microns (min./avg.), NPT-M ends with threaded coupling and thread protect. Diameter: Φ 2".	m	300	0							300	0	Caños A°G Ø:12" c/costura mecanizada, roscado NTP incluye cupla roscada y protección de rosca.		

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
													Página 7					
AREA 400																		
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas			
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus						
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	23	0							23	0	Bandeja portacable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.			
0	1.24	XEBCD_14030832	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Length: 3000mm, Thickness: 1,6mm.	u	23	0							23	0	Tapa para bandeja portacable tipo escalera, ancho 300mm, espesor 1,6mm.			
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	1	0							1	0	Bandeja portacable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.			
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.			
0	1.68	XEBCQ_15310412	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.69	XEBCK_14030736	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 90°.	u	1	0							1	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, angulo 90°			
0	1.134	XEBRE_15100041	Cable tray right reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 300 mm , Thickness: 2,5 mm, Wing: 152 mm	u	2	0							2	0				
0	1.135	XEBRR_14030803	Cable tray cover for right reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 300 mm , Thickness: 1,6 mm.	u	2	0							2	0				
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	60	0							60	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)			
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	60	0							60	0	Cupla de unión para bandejas, ala 152mm.			

pluspetrol AESA			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
													Página 8					
AREA 500																		
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas			
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus						
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	21	0							21	0	Bandeja portacable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.			
0	1.26	XEBCQ_15310399	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	4	0							4	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	129	0							129	0	Bandeja portacable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.			
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	129	0							129	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.			
0	1.68	XEBCQ_15310412	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	15	0							15	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.69	XEBCK_14030736	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 90°.	u	10	0							10	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, angulo 90°			
0	1.225	XEBVJ_14030477	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 300mm, espesor 2,1mm			
0	1.229	XEBVJ_14030481	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	21	0							21	0	Curva vertical interior tipo escalera, ancho 600mm, espesor 2,1mm			
0	1.230	XEBCV_11843343	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	7	0							7	0	Tapa para curva vertical interior tipo escalera, ancho 600mm, espesor 1,6mm			
0	1.233	XEBVF_14030392	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical exterior tipo escalera, ancho 300mm, espesor 2,1mm			
0	1.237	XEBVF_14030396	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	21	0							21	0	Curva vertical exterior tipo escalera, ancho 600mm, espesor 2,1mm			
0	1.238	XEBCO_11843381	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	7	0							7	0	Tapa para curva vertical exterior tipo escalera, ancho 600mm, espesor 1,6mm			
0	1.80	XEBTQ_15100017	Cable tray horizontal tee ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,5mm.	u	5	0							5	0	Tee tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm			
0	1.81	XEBHT_14030828	Cable tray cover for horizontal Tee material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para Tee tipo escalera, ancho 600mm, espesor 1,6mm			
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	438	0							438	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)			
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	438	0							438	0	Cupla de unión para bandejas, ala 152mm.			

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
													Página 9					
AREA 600																		
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas			
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus						
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	20	0							20	0	Bandeja portacable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.			
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	40	0							40	0	Tapa para bandeja portacable tipo escalera, ancho 150mm, espesor 1,6mm.			
0	1.5	XEBCQ_15310393	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	1	0							1	0	Curva horizontal tipo escalera, ancho150mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.6	XEBCK_14030724	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm, Angle: 90°.	u	1	0							1	0	Tapa para curva horizontal tipo escalera, ancho 150mm, espesor 1,6mm, angulo 90°			
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	20	0							20	0	Bandeja portacable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.			
0	1.24	XEBCD_14030832	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Length: 3000mm, Thickness: 1,6mm.	u	40	0							40	0	Tapa para bandeja portacable tipo escalera, ancho 300mm, espesor 1,6mm.			
0	1.26	XEBCQ_15310399	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	1	0							1	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.27	XEBCK_14030728	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Thickness: 1,6mm, Angle: 90°.	u	1	0							1	0	Tapa para curva horizontal tipo escalera, ancho 300mm, espesor 1,6mm, angulo 90°			
0	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm			
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm			
0	1.225	XEBVJ_14030477	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 300mm, espesor 2,1mm			
0	1.226	XEBCV_14031273	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical interior tipo escalera, ancho 300mm, espesor 1,6mm			
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	92	0							92	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)			
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	92	0							92	0	Cupla de unión para bandejas, ala 152mm.			

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003		Rev. 0
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018		
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:		11-06-26
													Página 10		
AREA 1705															
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus			
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	35	0							35	0	Bandeja portable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	70	0							70	0	Tapa para bandeja portable tipo escalera, ancho 150mm, espesor 1,6mm.
0	1.5	XEBCQ_15310393	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	8	0							8	0	Curva horizontal tipo escalera, ancho150mm, ala 152mm, espesor 2,5mm, ángulo 90°
0	1.6	XEBCK_14030724	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm, Angle: 90°.	u	8	0							8	0	Tapa para curva horizontal tipo escalera, ancho 150mm, espesor 1,6mm, ángulo 90°
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	24	0							24	0	Bandeja portable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.
0	1.26	XEBCQ_15310399	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	1	0							1	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 90°
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	70	0							70	0	Bandeja portable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	93	0							93	0	Tapa para bandeja portable tipo escalera, ancho 600mm, espesor 1,6mm.
0	1.68	XEBCQ_15310412	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	3	0							3	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 90°
0	1.69	XEBCK_14030736	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 90°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, ángulo 90°
0	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm
0	1.225	XEBVJ_14030477	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	4	0							4	0	Curva vertical interior tipo escalera, ancho 300mm, espesor 2,1mm
0	1.229	XEBVJ_14030481	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	12	0							12	0	Curva vertical interior tipo escalera, ancho 600mm, espesor 2,1mm
0	1.230	XEBCV_11843343	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	8	0							8	0	Tapa para curva vertical interior tipo escalera, ancho 600mm, espesor 1,6mm
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm
0	1.233	XEBVF_14030392	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	4	0							4	0	Curva vertical exterior tipo escalera, ancho 300mm, espesor 2,1mm
0	1.237	XEBVF_14030396	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	12	0							12	0	Curva vertical exterior tipo escalera, ancho 600mm, espesor 2,1mm

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003										Rev. 0		
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018												
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:					11-06-26							
										Página 11															
AREA 1705																									
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas										
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus													
0	1.238	XEBCO_11843381	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	8	0							8	0	Tapa para curva vertical exterior tipo escalera, ancho 600mm, espesor 1,6mm										
0	1.95	XEBRB_15100034	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 150 mm , Thickness: 2,5 mm, Wing: 152 mm	u	2	0							2	0	Reduccion central 600mm a 150mm										
0	1.96	XEBCJ_14030778	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 150 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 600mm a 150mm, espesor 1,6mm.										
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	354	0							354	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)										
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	354	0							354	0	Cupla de unión para bandejas, ala 152mm.										

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003		Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018			
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:		11-06-26	
													Página 12			
AREA 2000																
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas	
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus				
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	27	0							27	0	Bandeja portacable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.	
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	54	0							54	0	Tapa para bandeja portacable tipo escalera, ancho 150mm, espesor 1,6mm.	
0	1.17	XEBTQ_15100014	Cable tray horizontal tee ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,5mm.	u	1	0							1	0		
0	1.18	XEBHT_14030822	Cable tray cover for horizontal Tee material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm.	u	1	0							1	0		
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	30	0							30	0	Bandeja portacable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.	
0	1.24	XEBCD_14030832	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Length: 3000mm, Thickness: 1,6mm.	u	60	0							60	0	Tapa para bandeja portacable tipo escalera, ancho 300mm, espesor 1,6mm.	
0	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	4	0							4	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm	
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	4	0							4	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm	
0	1.225	XEBVJ_14030477	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	3	0							3	0	Curva vertical interior tipo escalera, ancho 300mm, espesor 2,1mm	
0	1.226	XEBCV_14031273	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para curva vertical interior tipo escalera, ancho 300mm, espesor 1,6mm	
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	4	0							4	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm	
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	4	0							4	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm	
0	1.233	XEBVF_14030392	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	3	0							3	0	Curva vertical exterior tipo escalera, ancho 300mm, espesor 2,1mm	
0	1.234	XEBCO_14031275	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para curva vertical exterior tipo escalera, ancho 300mm, espesor 1,6mm	
0	1.86	XEBRB_15100031	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300 mm, Width red: 150 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0		
0	1.87	XEBCJ_14030770	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300 mm, Width red: 150 mm , Thickness: 1,6 mm.	u	1	0							1	0		
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	300	0							300	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)	
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	300	0							300	0	Cupla de unión para bandejas, ala 152mm.	
0	1.173	XLBNMC12143074	Conduit Tubes Rigid non-metal conduit IRAM compliant, reinforced PVC, thickness: 3.2 mm, Diameter: 6in.	m	600	0							600	0	Caño PVC rígido de pared gruesa. Diámetro exterior: 160mm, espesor: 3,2mm	

pluspetrol AESA			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
													Página 13					
AREA 2100																		
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas			
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus						
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	9	0							9	0	Bandeja portacable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.			
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	18	0							18	0	Tapa para bandeja portacable tipo escalera, ancho 150mm, espesor 1,6mm.			
0	1.5	XEBCQ_15310393	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho150mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.6	XEBCK_14030724	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm, Angle: 90°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 150mm, espesor 1,6mm, angulo 90°			
0	1.44	XEBTS_14030008	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	9	0							9	0	Bandeja portacable tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm.			
0	1.45	XEBCD_14030834	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Length: 3000mm, Thickness: 1,6mm.	u	18	0							18	0	Tapa para bandeja portacable tipo escalera, ancho 450mm, espesor 1,6mm.			
0	1.47	XEBCQ_15310405	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm, ángulo 90°			
0	1.48	XEBCK_14030732	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Thickness: 1,6mm, Angle: 90°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 450mm, espesor 1,6mm, angulo 90°			
0	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	3	0							3	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm			
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm			
0	1.227	XEBVJ_14030479	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard).Width: 450mm, Wing: 152mm, Thickness: 2,1mm.	u	3	0							3	0	Curva vertical interior tipo escalera, ancho 450mm, espesor 2,1mm			
0	1.228	XEBCV_11843341	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 450mm, Wing: 152mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para curva vertical interior tipo escalera, ancho 450mm, espesor 1,6mm			
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	3	0							3	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm			
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm			
0	1.235	XEBVF_14030394	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard).Width: 450mm, Wing: 152mm, Thickness: 2,1mm.	u	3	0							3	0	Curva vertical exterior tipo escalera, ancho 450mm, espesor 2,1mm			
0	1.236	XEBCO_11843379	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 450mm, Wing: 152mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para curva vertical exterior tipo escalera, ancho 450mm, espesor 1,6mm			
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	70	0							70	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)			
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	70	0							70	0	Cupla de unión para bandejas, ala 152mm.			

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003		Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018			
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:		11-06-26	
													Página 14			
AREA 2300																
Rev.	Item	Código	Descripción de Material	Unidad	Rev. R0		Rev. R1		Rev. R2		Rev. R3		Total	Dif. c/ la Rev. anterior	Notas	
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus				
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	3	0							3	0	Bandeja portacable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.	
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	6	0							6	0	Tapa para bandeja portacable tipo escalera, ancho 150mm, espesor 1,6mm.	
0	1.5	XEBCQ_15310393	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	1	0							1	0	Curva horizontal tipo escalera, ancho150mm, ala 152mm, espesor 2,5mm, ángulo 90°	
0	1.6	XEBCK_14030724	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm, Angle: 90°.	u	1	0							1	0	Tapa para curva horizontal tipo escalera, ancho 150mm, espesor 1,6mm, angulo 90°	
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	20	0							20	0	Bandeja portacable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.	
0	1.24	XEBCD_14030832	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Length: 3000mm, Thickness: 1,6mm.	u	10	0							10	0	Tapa para bandeja portacable tipo escalera, ancho 300mm, espesor 1,6mm.	
0	1.26	XEBCQ_15310399	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 90°	
0	1.27	XEBCK_14030728	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Thickness: 1,6mm, Angle: 90°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 300mm, espesor 1,6mm, angulo 90°	
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	152	0							152	0	Bandeja portacable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.	
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	58	0							58	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.	
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	1	0							1	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm	
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	1	0							1	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm	
0	1.233	XEBVF_14030392	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	2	0							2	0	Curva vertical exterior tipo escalera, ancho 300mm, espesor 2,1mm	
0	1.234	XEBCO_14031275	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	2	0							2	0	Tapa para curva vertical exterior tipo escalera, ancho 300mm, espesor 1,6mm	
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	270	0							270	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)	
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	270	0							270	0	Cupla de unión para bandejas, ala 152mm.	

		Proyecto LA CALERA CPF2 - FASE 2										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
												Doc. Cliente: ACAL-00102-LM-E-0018					
		LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:			11-06-26		
												Página 15					
CANTIDADES TOTALES																	
Rev.	Item	Código	Descripción de Material	Unidad	Rev. RA		Rev. R0		Rev. R1		Rev. R2		Total	Dif. c/ la Rev. anterior	Notas		
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus					
0	1.2	XEBTS_14030006	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	114	6							120	0	Bandeja portable tipo escalera, ancho 150mm, ala 152mm, espesor 2,5mm.		
0	1.3	XEBCD_14030830	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Length: 3000mm, Thickness: 1,6mm.	u	228	11							239	0	Tapa para bandeja portable tipo escalera, ancho 150mm, espesor 1,6mm.		
0	1.5	XEBCQ_15310393	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	16	1							17	0	Curva horizontal tipo escalera, ancho150mm, ala 152mm, espesor 2,5mm, ángulo 90°		
0	1.6	XEBCK_14030724	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm, Angle: 90°.	u	16	1							17	0	Tapa para curva horizontal tipo escalera, ancho 150mm, espesor 1,6mm, ángulo 90°		
0	1.17	XEBTQ_15100014	Cable tray horizontal tee ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,5mm.	u	1	0							1	0			
0	1.18	XEBHT_14030822	Cable tray cover for horizontal Tee material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 150mm, Thickness: 1,6mm.	u	1	0							1	0			
0	1.23	XEBTS_14030007	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	162	8							170	0	Bandeja portable tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm.		
0	1.24	XEBCD_14030832	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Length: 3000mm, Thickness: 1,6mm.	u	181	9							190	0	Tapa para bandeja portable tipo escalera, ancho 300mm, espesor 1,6mm.		
0	1.26	XEBCQ_15310399	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	12	1							13	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 90°		
0	1.27	XEBCK_14030728	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Thickness: 1,6mm, Angle: 90°.	u	7	0							7	0	Tapa para curva horizontal tipo escalera, ancho 300mm, espesor 1,6mm, ángulo 90°		
0	1.29	XEBCQ_15310395	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Angle: 45°, Thickness: 2,5 mm, Wing: 152 mm.	u	4	0							4	0	Curva horizontal tipo escalera, ancho 300mm, ala 152mm, espesor 2,5mm, ángulo 45°		
0	1.30	XEBCK_14030727	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300mm, Thickness: 1,6mm, Angle: 45°.	u	4	0							4	0	Tapa para curva horizontal tipo escalera, ancho 300mm, espesor 1,6mm, ángulo 45°		
0	1.44	XEBTS_14030008	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	24	1							25	0	Bandeja portable tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm.		
0	1.45	XEBCD_14030834	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Length: 3000mm, Thickness: 1,6mm.	u	47	2							49	0	Tapa para bandeja portable tipo escalera, ancho 450mm, espesor 1,6mm.		
0	1.47	XEBCQ_15310405	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	5	0							5	0	Curva horizontal tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm, ángulo 90°		
0	1.48	XEBCK_14030732	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Thickness: 1,6mm, Angle: 90°.	u	5	0							5	0	Tapa para curva horizontal tipo escalera, ancho 450mm, espesor 1,6mm, ángulo 90°		
0	1.50	XEBCQ_15310401	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450mm, Angle: 45°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 450mm, ala 152mm, espesor 2,5mm, ángulo 45°		
0	1.51	XEBCK_14030731	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450mm, Thickness: 1,6mm, Angle: 45°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 450mm, espesor 1,6mm, ángulo 45°		
0	1.65	XEBTS_14030009	Cable tray straight section ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Length: 6000mm, Wing: 152mm, Thickness: 2,5mm	u	488	24							512	0	Bandeja portable tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm.		

		Proyecto LA CALERA CPF2 - FASE 2										Doc AESA: 5155-00-0000-IG-EL-LM-003		Rev. 0	
												Doc. Cliente: ACAL-00102-LM-E-0018			
		LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:		11-06-26	
												Página 16			
CANTIDADES TOTALES															
Rev.	Item	Código	Descripción de Material	Unidad	Rev. RA		Rev. R0		Rev. R1		Rev. R2		Total	Dif. c/ la Rev. anterior	Notas
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus			
0	1.66	XEBCD_14030836	Cable tray cover for straight section material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Length: 3000mm, Thickness: 1,6mm.	u	472	24							496	0	Tapa para bandeja portacable tipo escalera, ancho 600mm, espesor 1,6mm.
0	1.68	XEBCQ_15310412	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 90°, Thickness: 2,5 mm, Wing: 152 mm.	u	27	1							28	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 90°
0	1.69	XEBCK_14030736	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 90°.	u	20	1							21	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, angulo 90°
0	1.71	XEBCQ_15310408	Cable tray horizontal bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Angle: 45°, Thickness: 2,5 mm, Wing: 152 mm.	u	2	0							2	0	Curva horizontal tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm, ángulo 45°
0	1.72	XEBCK_14030735	Cable tray cover for horizontal bend material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm, Angle: 45°.	u	2	0							2	0	Tapa para curva horizontal tipo escalera, ancho 600mm, espesor 1,6mm, angulo 45°
0	1.223	XEBVJ_14030475	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	17	1							18	0	Curva vertical interior tipo escalera, ancho 150mm, espesor 2,1mm
0	1.224	XEBCV_14031277	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	17	1							18	0	Tapa para curva vertical interior tipo escalera, ancho 150mm, espesor 1,6mm
0	1.225	XEBVJ_14030477	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	11	1							12	0	Curva vertical interior tipo escalera, ancho 300mm, espesor 2,1mm
0	1.226	XEBCV_14031273	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	6	0							6	0	Tapa para curva vertical interior tipo escalera, ancho 300mm, espesor 1,6mm
0	1.227	XEBVJ_14030479	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard).Width: 450mm, Wing: 152mm, Thickness: 2,1mm.	u	4	0							4	0	Curva vertical interior tipo escalera, ancho 450mm, espesor 2,1mm
0	1.228	XEBCV_11843341	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 450mm, Wing: 152mm, Thickness: 1,6mm.	u	4	0							4	0	Tapa para curva vertical interior tipo escalera, ancho 450mm, espesor 1,6mm
0	1.229	XEBVJ_14030481	Cable tray vertical inside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	34	2							36	0	Curva vertical interior tipo escalera, ancho 600mm, espesor 2,1mm
0	1.230	XEBCV_11843343	Cable tray cover for vertical inside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	16	1							17	0	Tapa para curva vertical interior tipo escalera, ancho 600mm, espesor 1,6mm
0	1.231	XEBVF_14030390	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 150mm, Wing: 152mm, Thickness: 2,1mm.	u	18	1							19	0	Curva vertical exterior tipo escalera, ancho 150mm, espesor 2,1mm
0	1.232	XEBCO_14031276	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 150mm, Wing: 152mm, Thickness: 1,6mm.	u	18	1							19	0	Tapa para curva vertical exterior tipo escalera, ancho 150mm, espesor 1,6mm
0	1.233	XEBVF_14030392	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300mm, Wing: 152mm, Thickness: 2,1mm.	u	12	1							13	0	Curva vertical exterior tipo escalera, ancho 300mm, espesor 2,1mm
0	1.234	XEBCO_14031275	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 300mm, Wing: 152mm, Thickness: 1,6mm.	u	7	0							7	0	Tapa para curva vertical exterior tipo escalera, ancho 300mm, espesor 1,6mm
0	1.235	XEBVF_14030394	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard).Width: 450mm, Wing: 152mm, Thickness: 2,1mm.	u	4	0							4	0	Curva vertical exterior tipo escalera, ancho 450mm, espesor 2,1mm
0	1.236	XEBCO_11843379	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 450mm, Wing: 152mm, Thickness: 1,6mm.	u	4	0							4	0	Tapa para curva vertical exterior tipo escalera, ancho 450mm, espesor 1,6mm
0	1.237	XEBVF_14030396	Cable tray vertical outside bend ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,1mm.	u	34	2							36	0	Curva vertical exterior tipo escalera, ancho 600mm, espesor 2,1mm

			Proyecto										Doc AESA: 5155-00-0000-IG-EL-LM-003				Rev. 0	
			LA CALERA CPF2 - FASE 2										Doc. Cliente: ACAL-00102-LM-E-0018					
			LISTA DE MATERIALES - CANALIZACIONES										Fecha de emisión:				11-06-26	
													Página 17					
CANTIDADES TOTALES																		
Rev.	Item	Código	Descripción de Material	Unidad	Rev. RA		Rev. R0		Rev. R1		Rev. R2		Total	Dif. c/ la Rev. anterior	Notas			
					Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus	Cant.	Sur Plus						
0	1.238	XEBCO_11843381	Cable tray cover for vertical outside bend material SAE 1010, hot dip galvanized ASTM A123 45 microns.Width: 600mm, Wing: 152mm, Thickness: 1,6mm.	u	16	1							17	0	Tapa para curva vertical exterior tipo escalera, ancho 600mm, espesor 1,6mm			
0	1.80	XEBTQ_15100017	Cable tray horizontal tee ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600mm, Wing: 152mm, Thickness: 2,5mm.	u	5	0							5	0	Tee tipo escalera, ancho 600mm, ala 152mm, espesor 2,5mm			
0	1.81	XEBHT_14030828	Cable tray cover for horizontal Tee material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600mm, Thickness: 1,6mm.	u	3	0							3	0	Tapa para Tee tipo escalera, ancho 600mm, espesor 1,6mm			
0	1.86	XEBRB_15100031	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 300 mm, Width red: 150 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0				
0	1.87	XEBCJ_14030770	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 300 mm, Width red: 150 mm , Thickness: 1,6 mm.	u	1	0							1	0				
0	1.92	XEBRB_15100033	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 450 mm, Width red: 300 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0	Reduccion central 450mm a 300mm			
0	1.93	XEBCJ_14030774	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 450 mm, Width red: 300 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 450mm a 300mm, espesor 1,6mm.			
0	1.95	XEBRB_15100034	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 150 mm , Thickness: 2,5 mm, Wing: 152 mm	u	2	0							2	0				
0	1.96	XEBCJ_14030778	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 150 mm , Thickness: 1,6 mm.	u	1	0							1	0				
0	1.98	XEBRB_15100035	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 300 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0	Reduccion central 600mm a 300mm			
0	1.99	XEBCJ_14030779	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 300 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 600mm a 300mm, espesor 1,6mm.			
0	1.101	XEBRB_15100036	Cable tray straight reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 450 mm , Thickness: 2,5 mm, Wing: 152 mm	u	1	0							1	0	Reduccion central 600mm a 450mm			
0	1.102	XEBCJ_14030780	Cable tray cover for straight reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 450 mm , Thickness: 1,6 mm.	u	1	0							1	0	Tapa para reducción tipo escalera, de 600mm a 450mm, espesor 1,6mm.			
0	1.134	XEBRE_15100041	Cable tray right reducer ladder type, material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A123 65 microns (standard). Width: 600 mm, Width red: 300 mm , Thickness: 2,5 mm, Wing: 152 mm	u	2	0							2	0	Reduccion central 600mm a 300mm			
0	1.135	XEBRR_14030803	Cable tray cover for right reducer material SAE 1010, manufacture according to IEC 61.537, hot dip galvanized ASTM A653 45 microns. Width: 600 mm, Width red: 300 mm , Thickness: 1,6 mm.	u	2	0							2	0	Tapa para reducción tipo escalera, de 600mm a 300mm, espesor 1,6mm.			
0	1.141	XEBFC_14064633	Cable tray fixing clamp for profiles or cantilever brackets (including bolt, nuts and washers), hot dip galvanized ASTM A653 45 microns.	u	2148	107							2255	0	Grampa de fijación para bandejas. Con bulonería para fijación a perfil HEB100.(Esp.:10mm)			
0	1.143	XEBSP_14064553	Cable tray splice plate for ladder type cable tray, material SAE 1010, including bolts, nuts and washers, hot dip galvanized ASTM A653 45 microns. Wing: 152mm	u	2148	107							2255	0	Cupla de unión para bandejas, ala 152mm.			
0	1.148	XLBMBF14151901	Conduit Tubes RMC rigid metal conduit, burr-free interior surface IRAM IAS U 500-2100, hot dip galvanized 80/90 microns (min./avg.), NPT-M ends with threaded coupling and thread protect. Diameter: Ø 1"	m	300	15							315	0	Caños A"G Ø:1 " c/costura mecanizada, roscado NTP incluye cupla roscada y protección de rosca.			
0	1.152	XLBMBF14151902	Conduit Tubes RMC rigid metal conduit, burr-free interior surface IRAM IAS U 500-2100, hot dip galvanized 80/90 microns (min./avg.), NPT-M ends with threaded coupling and thread protect. Diameter: Ø 1 1/2"	m	300	15							315	0	Caños A"G Ø:1 1/2" c/costura mecanizada, roscado NTP incluye cupla roscada y protección de rosca.			
0	1.156	XLBMBF14151906	Conduit Tubes RMC rigid metal conduit, burr-free interior surface IRAM IAS U 500-2100, hot dip galvanized 80/90 microns (min./avg.), NPT-M ends with threaded coupling and thread protect. Diameter: Ø 2".	m	300	15							315	0	Caños A"G Ø:12" c/costura mecanizada, roscado NTP incluye cupla roscada y protección de rosca.			
0	1.173	XLBNMC12143074	Conduit Tubes Rigid non-metal conduit IRAM compliant, reinforced PVC, thickness: 3.2 mm, Diameter: 6in.	m	600	30							630	0	Caño PVC rígido de pared gruesa. Diametro exterior: 160mm, espesor: 3,2mm			