



onlinegdb.com
OnlineGDB
mpiler and debugger for c/c++
ompile. run. debug. share.
IDE
My Projects
Classroom new
earn Programming
gramming Questions
Sign Up
Login
Q • Docs • Blog • Terms of Use •
• GDB Tutorial • Credits • Privacy
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
#include <stdio.h>
#include <stdio.h>
int main(void)
{
/* Mencetak teks ke layar sebanyak 10 kali */
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
printf("Saya sedang belajar bahasa C");
return 0;
}
input
Saya sedang belajar bahasa CSaya sedang belajar bahasa CSaya sedang belajar bahasa CSaya sedang belajar bahasa CSa
ya sedang belajar bahasa CSaya sedang belajar bahasa CSaya sedang belajar bahasa CSaya sedang belajar bahasa CSaya
sedang belajar bahasa CSaya sedang belajar bahasa C
...Program finished with exit code 0
Press ENTER to exit console.


onlinegdb.com
OnlineGDB
ompiler and debugger for c/c++
ompile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
ogramming Questions
Sign Up
Login
Q • Docs • Blog • Terms of Use •
• GDB Tutorial • Credits • Privacy
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
#include <stdio.h>
#include <stdio.h>
int main(void) {
int baris, kolom;
/* Proses pengulangan pertama */
for (baris = 1; baris <= 10; baris++) {
/* Proses pengulangan kedua yang terdapat
dalam pengulangan pertama */
for (kolom = 1; kolom <= 10; kolom++) {
printf("%3d ", baris * kolom);
}
printf("\n");
}
return 0;
}
input
Saya sedang belajar bahasa CSaya sedang belajar bahasa CSaya sedang belaja
ya sedang belajar bahasa CSaya sedang belajar bahasa CSaya sedang belajar
sedang belajar bahasa CSaya sedang belajar bahasa C
...Program finished with exit code 0
Press ENTER to exit console.
Snip & Sketch
Snip saved to clipboard
Select here to mark up and share the image



onlinegdb.com
OnlineGDB
compiler and debugger for c/c++
compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
rogramming Questions
Sign Up
Login
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
#include <stdio.h>
#include <stdio.h>
int main(void) {
int baris, kolom;
/* Proses pengulangan pertama */
for (baris = 1; baris <= 1000; baris++) {
/* Proses pengulangan kedua yang terdapat
dalam pengulangan pertama */
for (kolom = 1; kolom <= 10; kolom++) {
printf("%3d ", baris * kolom);
}
printf("\n");
}
return 0;
}
input
999 1998 2997 3996 4995 5994 6993 7992 8991 9990
1000 2000 3000 4000 5000 6000 7000 8000 9000 10000
...Program finished with exit code 0
Press ENTER to exit console.
AQ • Docs • Blog • Terms of Use •
• GDB Tutorial • Credits • Privacy
016 - 2026 GDB Online



onlinegdb.com
OnlineGDB
mpiler and debugger for c/c++
ompile. run. debug. share.
IDE
My Projects
Classroom new
earn Programming
gramming Questions
Sign Up
Login
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
/***
Welcome to GDB Online.
GDB online is an online compiler and debugger tool for C, C++, Python, PHP, Ruby,
C#, OCaml, VB, Perl, Swift, Prolog, Javascript, Pascal, COBOL, HTML, CSS, JS
Code, Compile, Run and Debug online from anywhere in world.
***/
#include <stdio.h>
#include <stdio.h>
int main(void)
{
for (int j = 0; j < 1000; j++)
{
printf("Saya Mahasiswa teknik Mesin sedang belajar bahasa C\n");
}
return 0;
}
input
999 1998 2997 3996 4995 5994 6993 7992 8991 9990
1000 2000 3000 4000 5000 6000 7000 8000 9000 10000
...Program finished with exit code 0
Press ENTER to exit console.
• Docs • Blog • Terms of Use •
GDB Tutorial • Credits • Privacy
16 - 2026 GDB Online



onlinegdb.com
OnlineGDB
ler and debugger for c/c++
pile. run. debug. share.
IDE
My Projects
assroom new
rn Programming
amming Questions
Sign Up
Login
Docs • Blog • Terms of Use •
DB Tutorial • Credits • Privacy
Run
Debug
Stop
Share
Save
{} Beautify
Language C
main.c
/***
Welcome to GDB Online.
GDB online is an online compiler and debugger tool for C, C++, Python, PHP, Ruby,
C#, OCaml, VB, Perl, Swift, Prolog, Javascript, Pascal, COBOL, HTML, CSS, JS
Code, Compile, Run and Debug online from anywhere in world.
***/
#include <stdio.h>
#include <stdio.h>
int main(void)
{
for (int j = 10; j > 0; j--)
{
printf("Saya sedang belajar bahasa C\n");
}
return 0;
}
input
Saya sedang belajar bahasa C
Saya sedang belajar bahasa C
...Program finished with exit code 0
Press ENTER to exit console.



onlinegdb.com
OnlineGDB
npiler and debugger for c/c++
mpile. run. debug. share.
IDE
My Projects
Classroom new
earn Programming
gramming Questions
Sign Up
Login
• Docs • Blog • Terms of Use •
GDB Tutorial • Credits • Privacy
Run
Debug
Stop
Share
Save
{} Beautify
Language C
main.c
/***
Welcome to GDB Online.
GDB online is an online compiler and debugger tool for C, C++, Python, PHP, Ruby,
C#, OCaml, VB, Perl, Swift, Prolog, Javascript, Pascal, COBOL, HTML, CSS, JS
Code, Compile, Run and Debug online from anywhere in world.
***/
#include <stdio.h>
#include <stdio.h>
int main(void)
{
for (char j = 'A'; j <= 'E'; j++)
{
printf("%c = %d\n", j, j);
}
return 0;
}
input
D = 68
E = 69
...Program finished with exit code 0
Press ENTER to exit console.



onlinegdb.com
OnlineGDB
iler and debugger for c/c++
pile. run. debug. share.
IDE
My Projects
assroom new
rn Programming
amming Questions
Sign Up
Login
Docs • Blog • Terms of Use •
DB Tutorial • Credits • Privacy
2026 GDB Online
New File (Ctrl+M)
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
/***
Welcome to GDB Online.
GDB online is an online compiler and debugger tool for C, C++, Python, PHP, Ruby,
C#, OCaml, VB, Perl, Swift, Prolog, Javascript, Pascal, COBOL, HTML, CSS, JS
Code, Compile, Run and Debug online from anywhere in world.
***/
#include <stdio.h>
#include <stdio.h>
int main(void)
{
for (int a = 0, b = 0; a < 5; a++, b += 5)
{
printf("Baris ke-%d : a = %d, b = %2d\n", a + 1, a, b);
}
return 0;
}
input
Baris ke-4 : a = 3, b = 15
Baris ke-5 : a = 4, b = 20
...Program finished with exit code 0
Press ENTER to exit console.


onlinegdb.com
OnlineGDB
compiler and debugger for c/c++
compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
rogramming Questions
Sign Up
Login
Run
Debug
Stop
Share
Save
{} Beautify
Language C
main.c
Welcome to GDB Online.
GDB online is an online compiler and debugger tool for C, C++, Python, PHP, Ruby,
C#, OCaml, VB, Perl, Swift, Prolog, Javascript, Pascal, COBOL, HTML, CSS, JS
Code, Compile, Run and Debug online from anywhere in world.
***/
#include <stdio.h>
#include <stdio.h>
int main(void)
{
int b = 0;
for (int a = 0; a < 5; a++)
{
printf("Baris ke-%d : a = %d, b = %2d\n", a + 1, a, b);
b += 5;
}
return 0;
}
input
Baris ke-4 : a = 3, b = 15
Baris ke-5 : a = 4, b = 20
...Program finished with exit code 0
Press ENTER to exit console.
AQ • Docs • Blog • Terms of Use •
• GDB Tutorial • Credits • Privacy
2016 - 2026 GDB Online


onlinegdb.com
OnlineGDB
mpiler and debugger for c/c++
ompile. run. debug. share.
IDE
My Projects
Classroom new
earn Programming
gramming Questions
Sign Up
Login
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
#include <stdio.h>
int main(void)
{
int baris, kolom;
/* Proses pengulangan pertama */
for (baris = 1; baris <= 10; baris++)
{
/* Proses pengulangan kedua yang terdapat
dalam pengulangan pertama */
for (kolom = 1; kolom <= 10; kolom++)
{
printf("%3d ", baris * kolom);
}
printf("\n");
}
return 0;
}
input
9 18 27 36 45 54 63 72 81 90
10 20 30 40 50 60 70 80 90 100
...Program finished with exit code 0
Press ENTER to exit console.
• Docs • Blog • Terms of Use •
• GDB Tutorial • Credits • Privacy
016 - 2026 GDB Online


onlinegdb.com
OnlineGDB
mpiler and debugger for c/c++
ompile. run. debug. share.
IDE
My Projects
Classroom new
earn Programming
gramming Questions
Sign Up
Login
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
Welcome to GDB Online.
GDB online is an online compiler and debugger tool for C, C++, Python, PHP, Ruby,
C#, OCaml, VB, Perl, Swift, Prolog, Javascript, Pascal, COBOL, HTML, CSS, JS
Code, Compile, Run and Debug online from anywhere in world.
*****/
#include <stdio.h>
#include <stdio.h>
int main(void) {
int j;
printf("Statemen sebelum blok pengulangan\n");
j = 10;
while (j < 5) {
printf("Statemen di dalam blok pengulangan\n");
j++;
}
printf("Statemen setelah blok pengulangan\n");
return 0;
}
input
Statemen sebelum blok pengulangan
Statemen setelah blok pengulangan
...Program finished with exit code 0
Press ENTER to exit console.
• Docs • Blog • Terms of Use •
GDB Tutorial • Credits • Privacy
16 - 2026 GDB Online


onlinegdb.com
OnlineGDB
compiler and debugger for c/c++
compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
Sign Up
Login
FAQ • Docs • Blog • Terms of Use •
Us • GDB Tutorial • Credits • Privacy
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
}
int main(void)
{
int angka;
printf("Masukkan sebuah bilangan: ");
scanf("%d", &angka);
if (CekPrima(angka))
{
printf("%d adalah bilangan prima.\n", angka);
}
else
{
printf("%d bukan bilangan prima.\n", angka);
}
return 0;
}
input
Masukkan sebuah bilangan: 7
7 adalah bilangan prima.
...Program finished with exit code 0
Press ENTER to exit console.


onlinegdb.com
OnlineGDB
mpiler and debugger for c/c++
mpile. run. debug. share.
IDE
My Projects
Classroom new
earn Programming
gramming Questions
Sign Up
Login
• Docs • Blog • Terms of Use •
GDB Tutorial • Credits • Privacy
16 - 2026 GDB Online
Run
Debug
Stop
Share
Save
{} Beautify
Language C
main.c
int c;
while ((c = getchar()) != '\n' && c != EOF)
;
if (c == EOF)
return 1;
printf("Input tidak valid.\n");
continue;
}
if (b == 0)
{
printf("Pembagi tidak boleh 0.\n");
continue;
}
printf("%g / %g = %g\n", a, b, a / b);
break; /* Keluar setelah pembagian berhasil */
}
return 0;
}
input
Masukkan bilangan pembagi : 3
1 / 3 = 0.333333
...Program finished with exit code 0
Press ENTER to exit console.