Understanding cost variation with clustering

Henry Wilde

Supervised by: Dr Jonathan Gillard and Dr Vincent Knight

February 8, 2019





The data


- The Cwm Taf University Health Board
- April 2012 through April 2017
- 2.4 million patient-episode records with 260 attributes


The data

- The Cwm Taf University Health Board
- April 2012 through April 2017
- 2.4 million patient-episode records with 260 attributes


			Net Cost	Age (years)	HRG	Admission Date	Discharge Date	Length of Stay (days)
PATIENT ID	SPELL ID	EPISODE ID						
ID_123456	M1001	M1001-1	858.14	74	EA05Z	2015-05-06	2015-05-06	0.0
	M1211	M1211-1	333.95	74	FZ38F	2015-07-15	2015-08-01	17.0
		M1211-2	706.09	74	FZ38F	2015-07-15	2015-08-01	17.0
		M1211-3	8671.31	74	RC16Z	2015-07-15	2015-08-01	17.0

An overview of the data







	NetCost	
mean	1,737.65	
std	3,160.54	
min	4.50	
1%	62.55	
25%	347.07	
50%	745.51	
75%	1,859.00	
95%	6,554.91	
99%	14,183.23	
max	369,168.93	



Diabetic patient analysis

Diabetic overview





	Non-diabetic	Diabetic
mean	1,647.01	2,648.98
std	3,019.54	4,152.20
min	4.50	10.91
1%	62.55	139.65
25%	338.67	490.64
50%	709.33	1,227.95
75%	1,756.90	3,106.44
95%	6,179.92	9,591.06
99%	13,414.47	19,128.45
max	369,168.93	273,450.30

