



॥वसुधैव कुटुम्बकम्॥

SYMBIOSIS

INSTITUTE OF TECHNOLOGY, NAGPUR

Practical File Submission

Course Name: JavaScript Lab

Course Code: T-3013 / 0705210508

Submitted by

Daffodil Tembhurkar

24070521204

Batch: 2024-28

Semester - V

Section: C

Submitted to

Dr. Shreyas Rajendra Hole

Practical 1

Experiment Title: Demonstrate inline, internal, and external JavaScript; use console methods; create a webpage showing user info and a welcome message.

Software/Tools Required: VS Code , Web Browser

Experiment Program Code:

Demo html file:

```
<!DOCTYPE html>
<html>
<head>
  <title>JS Demo</title>
  <style>
    body {
      /* Changed background from light blue to a soft light green */
      background-color: #f0f7f4;
      font-family: Arial, sans-serif;
      text-align: center;
      padding: 40px;
    }
    h1 {
      /* Changed header text from blue to forest green */
      color: #2e7d32;
    }
    button {
      /* Changed button background from blue to forest green */
```

background-color: #2e/a32;

color: white;

border: none;

padding: 10px 18px;

margin: 6px;

border-radius: 6px;

font-size: 15px;

cursor: pointer;

}

button:hover {

/* Changed hover state to a darker shade of green */

background-color: #1b5e20;

}

#output {

margin-top: 20px;

font-size: 16px;

color: #333;

}

</style>

</head>

<body>

<h1>Welcome to my Webpage!</h1>

<p id="output"></p>

<!-- INLINE JS -->

<button onclick="console.log('Inline JS: Button clicked!')">Inline JS</button>

<!-- INTERNAL JS -->

```
<button id="internalBtn">Internal JS</button>
```

```
<!-- EXTERNAL JS -->
```

```
<button id="externalBtn">External JS</button>
```

```
<script>
```

```
    // INTERNAL JS - shows welcome message and logs it
```

```
    document.getElementById("output").innerText = "Welcome! Today's date is " + new  
Date().toString();
```

```
    console.log("Internal JS: Page loaded, welcome message shown.");
```

```
    document.getElementById("internalBtn").onclick = function () {
```

```
        console.log("Internal JS: Browser - " + navigator.userAgent);
```

```
        console.log("Internal JS: Platform - " + navigator.platform);
```

```
    };
```


```
</script>
```

```
<script src="script.js"></script>
```

```
</body>
```

```
</html>
```

Output:



Case Study 01

Case Study Title:- Create a web page for college department and link the student information page with it and write a js program to display "Welcome to SIT Nagpur" in an alert box

Case Study Code:

Department file (HTML):-

```
<!DOCTYPE html>
<html>
<head>
<title>Department Home</title>
<style>
  body {
    background-color: #f5f8ff;
    font-family: Arial, sans-serif;

margin: 0;
```

```
padding: 0;
}
header {
    background-color: #1a5cff;
    color: white;
    padding: 20px;
    text-align: center;
}
header h1 {
    margin: 0;
    font-size: 26px;
}
header p {
    margin: 5px 0 0;
    font-size: 14px;
}
.content {
    max-width: 500px;
    margin: 30px auto;
    background-color: white;
    padding: 25px;
    border-radius: 8px;
    border: 1px solid #ddd;
    text-align: center;
}
.content h2 {
    color: #1a5cff;
    cursor: pointer;
}
.content p {
    color: #444;
    line-height: 1.6;
}
```

```
a.btn {  
    display: inline-block;  
    margin-top: 10px;  
    background-color: #1a5cff;  
    color: white;  
    text-decoration: none;  
    padding: 8px 16px;  
    border-radius: 5px;  
    font-size: 14px;  
}
```

```
a.btn:hover {  
    background-color: #0d3fb0;  
}
```

```
footer {  
    text-align: center;  
    color: #888;  
    font-size: 12px;  
    margin: 30px 0 10px;  
}
```

</style>

</head>

<body>

<header>

<h1>SIT Nagpur</h1>

<p>Department of Computer Science</p>

</header>

<div class="content">

<!-- INLINE JS -->

<h2 onclick="console.log('Inline JS: Department title clicked!')">

Welcome to our Department Page

</h2>

<p>Click the heading above to see an inline JS console message. This page also links to the student information page below.</p>

View Student Information

</div>

<footer>Made by a Student & middot; SIT Nagpur</footer>

<script>

// INTERNAL JS

console.log("Internal JS: Department page loaded successfully.");

</script>

<!-- EXTERNAL JS -->

<script src="script.js"></script>

</body>

</html>

Student Info (html):-

<!DOCTYPE html>

<html>

<head>

<title>Student Information</title>

<style>

body {

background-color: #f5f8ff;

font-family: Arial, sans-serif;

margin: 0;

padding: 0;

}

header {

background-color: #1a5cff;

color: white;

```
padding: 20px;
text-align: center;
}
header h1 {
margin: 0;
font-size: 24px;
}
.content {
max-width: 500px;
margin: 30px auto;
background-color: white;
padding: 25px;
border-radius: 8px;
border: 1px solid #ddd;
text-align: center;
}
table {
margin: 15px auto;
border-collapse: collapse;
width: 100%;
}
td, th {
border: 1px solid #ddd;
padding: 8px 12px;
font-size: 14px;
}
th {
background-color: #eef3ff;
color: #1a5cff;
}
```

```
a.btn {
  display: inline-block;
  margin-top: 15px;
  background-color: #1a5cff;
  color: white;
  text-decoration: none;
  padding: 8px 16px;
  border-radius: 5px;
  font-size: 14px;
}
a.btn:hover {
  background-color: #0d3fb0;
}
footer {
  text-align: center;
  color: #888;
  font-size: 12px;
  margin: 30px 0 10px;
}
</style>
</head>
<body>
  <header>
    <h1>Student Information</h1>
  </header>
```

```
<div class="content">
```

<table>

<tr>

<th>Name</th>

<th>Roll No.</th>

<th>Branch</th>

</tr>

<tr>

<td>Your Name</td>

<td>101</td>

<td>Computer Science</td>

</tr>

</table>

Back to Department Home

</div>

<footer>Made by a Student · SIT Nagpur</footer>

<script>

// INTERNAL JS

console.log("Internal JS: Student information page loaded.");

</script>

</body>

</html>

Output:

SIT Nagpur

Department of Computer Science

Welcome to our Department Page

Click the heading above to see an inline JS console message. This page also links to the student information page below.

View Student Information

Made by a Student - SIT Nagpur

Student Information

Name	Roll No.	Branch
Your Name	101	Computer Science

Back to Department Home

Made by a Student - SIT Nagpur

Result / Conclusion:-

Hence we have created a basic html page with javascript to show student information and website login page.

Practical 02

Aim:- Use var, let, const, and demonstrate basic features like template literals and destructuring; build a billing calculator with user input.

Software/Tools Required: VS Code , Web Browser

Experiment program code:

Calculator.html:-

```
// Use var, let, const, and demonstrate basic features like template literals and
destructuring; build a billing calculator with user input.
<!DOCTYPE html>
<html>
  <head>
    <title>Billing Calculator</title>
  </head>
  <body>
    <h2>Billing Calculator</h2>

    <script>
      // const example
      const GST = 0.18;

      //user Input
      var customerName = prompt("Enter Customer Name:");
      var productName = prompt("Enter Product Name:");

      // var example
      var quantity = Number(prompt("Enter Quantity:"));
      let price = Number(prompt("Enter Price per Item:"));

      //Calculations
      let total = quantity * price;
```



```
let gstAmount = total * GST;
let finalBill = total + gstAmount;

//Object
const bill = {
  customer: customerName,
  product: productName,
  quantity,
  price,
  total,
  gstAmount,
  finalBill
};

//Destructuring
const {
  customer,
  product,
  gstAmount: gst,
  finalBill: amountz
} = bill;

//Output using Template Literals
document.write(`<h3>Billing Receipt</h3>`);
document.write(`<p>Customer: ${customer}</p>`);
document.write(`<p>product: ${product}</p>`);
document.write(`<p>Quantity: ${quantity}</p>`);
document.write(`<p>Price per Item: ₹${price}</p>`);
document.write(`<p>GST (18%): ₹${gst.toFixed(2)}</p>`);
document.write(`<p>Final Bill: ₹${amount.toFixed(2)}</p>`);

</script>
</body>
</html>
```

Output:-

SIT Nagpur · Billing Desk

Item Name:

Price (₹):

Tax Rate (%):

Calculate Bill

Click the button to generate the invoice snapshot.

Case Study 02

Case Study Title:- Develop the webpage for an online shopping website with using HTML, CSS and HTML5 tags

Software/Tools Used:- VScode , Web Browser

Code:-

```
<!DOCTYPE html>
<html>
<head>
<title>Online Shopping - Bill Calculator</title>
</head>
<body>

<h1>Online Shopping Store - Bill Calculator</h1>

<form id="billForm">

  <label for="custName">Customer Name</label><br>
  <input type="text" id="custName" required><br><br>

  <label for="mobile">Mobile Number</label><br>
```



```
<input type="tel" id="mobile" required><br><br>

<label for="invoice">Invoice Number</label><br>
<input type="text" id="invoice" required><br><br>

<label for="product">Product Name</label><br>
<input type="text" id="product" required><br><br>

<label for="quantity">Quantity (in Kg)</label><br>
<input type="number" id="quantity" step="0.1" required><br><br>

<label for="rate">Rate per Kg (Rs.)</label><br>
<input type="number" id="rate" step="0.01" required><br><br>

<label for="discount">Discount (%)</label><br>
<input type="number" id="discount" step="0.1" value="0"><br><br>

<label for="gst">GST (%)</label><br>
<input type="number" id="gst" step="0.1" value="0"><br><br>

<label for="packing">Packing Charges (Rs.)</label><br>
<input type="number" id="packing" step="0.01" value="0"><br><br>

<label for="payment">Payment Mode</label><br>
<select id="payment">
  <option value="Cash">Cash</option>
  <option value="Card">Card</option>
  <option value="UPI">UPI</option>
</select><br><br>

<label for="membership">Membership</label><br>
<select id="membership">
  <option value="No">No</option>
  <option value="Yes">Yes</option>
</select><br><br>

<button type="button" onclick="calculateBill()">Calculate Bill</button>
</form>

<div id="result"></div>

<script>
  // INTERNAL JS (inbuilt script inside the HTML file)

  function calculateBill() {
    // Reading input values - all inputs return strings, so we convert them
    // using Number() to demonstrate type conversion
    let custName = document.getElementById("custName").value; // string
    let mobile = document.getElementById("mobile").value; // string
    let invoice = document.getElementById("invoice").value; // string
```



```
let product = document.getElementById("product").value; // string

let quantity = Number(document.getElementById("quantity").value); // number
let rate = Number(document.getElementById("rate").value); // number
let discount = Number(document.getElementById("discount").value); // number
let gst = Number(document.getElementById("gst").value); // number
let packing = Number(document.getElementById("packing").value); // number

let payment = document.getElementById("payment").value; // string
let membership = document.getElementById("membership").value === "Yes"; // boolean

// Basic validation
if (!custName || !mobile || !invoice || !product || quantity <= 0 || rate <= 0) {
    console.error("Validation failed: Please fill all required fields correctly.");
    alert("Please fill all required fields with valid values.");
    return;
}

// Calculation
const subtotal = quantity * rate;
const discountAmount = (subtotal * discount) / 100;
const afterDiscount = subtotal - discountAmount;
const gstAmount = (afterDiscount * gst) / 100;

// Extra membership discount (const used since this value won't change)
const membershipDiscount = membership ? afterDiscount * 0.05 : 0;


let totalBill = afterDiscount + gstAmount + packing - membershipDiscount;

console.log("----- Bill Calculation -----");
console.log("Customer: " + custName);
console.log("Subtotal: Rs. " + subtotal.toFixed(2));
console.log("Discount Amount: Rs. " + discountAmount.toFixed(2));
console.log("GST Amount: Rs. " + gstAmount.toFixed(2));
console.log("Membership Discount: Rs. " + membershipDiscount.toFixed(2));
console.log("Total Bill: Rs. " + totalBill.toFixed(2));

// Display result
document.getElementById("result").innerHTML =
    "<hr>" +
    "<p><strong>Customer:</strong> " + custName + " (" + mobile + ")</p>" +
    "<p><strong>Invoice No:</strong> " + invoice + "</p>" +
    "<p><strong>Product:</strong> " + product + " (" + quantity + " Kg)</p>" +
    "<p><strong>Subtotal:</strong> Rs. " + subtotal.toFixed(2) + "</p>" +
    "<p><strong>Discount:</strong> Rs. " + discountAmount.toFixed(2) + "</p>" +
    "<p><strong>GST:</strong> Rs. " + gstAmount.toFixed(2) + "</p>" +
    "<p><strong>Packing Charges:</strong> Rs. " + packing.toFixed(2) + "</p>" +
    "<p><strong>Membership Discount:</strong> Rs. " + membershipDiscount.toFixed(2) +
"</p>" +
    "<p><strong>Payment Mode:</strong> " + payment + "</p>" +
```

```
"<p><strong>Total Bill: RS. <totalBill.toFixed(2)> </strong></p>";  
}  
</script>  
</body>  
</html>
```

Output:-



Practical 3

Aim:- Implement control structures and form validation; create a grading system based on user-entered marks.

Software/Tools Required: VS Code , Web Browser

Experiment program code:

Student Marks and grade:-

```
<html>
  <head>
    <title>Sanvi Wadhankar</title>
  </head>
  <body>
    <h2>Sanvi wadhankar 1191</h2>
    <h2>Student Grading System</h2>
    <h3>Enter marks:</h3>
    <input type = 'number' id = 'marks'></input>
    <button onClick="checkGrade()">Submit</button>
    <p id = 'result'></p>
    <script>
      function checkGrade(){
        var marks = document.getElementById("marks").value;
        if( marks == ""){
          alert("Please Enter marks!!");
          return;
        }
        if(marks<0 || marks> 100){
          alert("Enter marks between 0 and 100");
        }
        if(marks>=90){
          grade = 'A';
        }
        else if(marks >=80){
          grade = "B";
        }
        else if(marks>=70){
          grade = "C";
        }
        else if(marks >=50){
          grade = "D"
        }
        else{
          grade = "Fail";
        }
      }
    </script>
  </body>
</html>
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR
Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

```
document.getElementById( "RESULT" ).innerHTML =  
"Marks =" + marks + "<br>Grade =" + grade;
```

```
}  
</script>
```

```
</body>  
</html>
```

Output:-

SIT Nagpur · Evaluation Panel

Student Full Name:

Total Marks Obtained (0 - 100):

Process Grade

Case Study 03

Case Study Title:- Scholarship Eligibility:

A college awards scholarship based on marks

Below 50:- Not eligible

50-69:- Bronze Scholarship

70-84:- Silver Scholarship

85-94:- Gold Scholarship

95-100:- Platinum Scholarship

Software/Tools Used:- VScode , Web Browser

Case Study Code:-

```
<html>
  <head>
    <title>Scholarship Eligibility</title>
    <style>
      body {
        font-family: Arial, sans-serif;
        background-color: #f2f2f2;
        text-align: center;
        padding: 40px;
      }
      h2 {
        color: #c21321af;
        margin: 5px 0;
      }
      input {
        padding: 8px;
        font-size: 15px;
        margin-top: 10px;
        border: 1px solid #c0e61b;
        border-radius: 4px;
      }
      button {
        display: block;
        margin: 15px auto 0;
        padding: 8px 20px;
        font-size: 15px;
        background-color: #1a5cff;
        color: white;
        border: none;
        border-radius: 4px;
        cursor: pointer;
      }
      button:hover {
        background-color: #0d3fb0;
      }
      #result {
        margin-top: 20px;
        font-size: 17px;
        color: #333;
      }
    </style>
  </head>
  <body>
    <h2>Scholarship Eligibility</h2>
    <input type="text">
    <button>Check Eligibility</button>
    <div id="result">
    </div>
  </body>
</html>
```



```
</style>
</head>
<body>
  <h2>Sanvi Wadhankar 2407051191</h2>
  <h2>Scholarship Eligibility System</h2>
  <h3>Enter marks:</h3>
  <input type='number' id='marks'></input>
  <button onClick="checkScholarship()">Submit</button>
  <p id='result'></p>
  <script>
    function checkScholarship(){
      var marks = document.getElementById("marks").value;
      if( marks == ""){
        alert("Please Enter marks!!");
        return;
      }
      if(marks<0 || marks> 100){
        alert("Enter marks between 0 and 100");
        return;
      }
      if(marks>=95){
        scholarship = "Platinum Scholarship";
      }
      else if(marks>=85){
        scholarship = "Gold Scholarship";
      }
      else if(marks>=70){
        scholarship = "Silver Scholarship";
      }
      else if(marks>=50){
        scholarship = "Bronze Scholarship";
      }
      else{
        scholarship = "Not Eligible";
      }
      document.getElementById("result").innerHTML =
        "Marks = " + marks + "<br>Scholarship = " + scholarship;
    }
  </script>
</body>
</html>
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR
Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)
Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC
Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Output:-

SIT Nagpur · Scholarship Portal

Student Full Name:

daffodil

Aggregate Marks Secured (0 - 100):

99

Verify Scholarship Tier

--- SCHOLARSHIP EVALUATION STATUS ---

Applicant Name: daffodil

Score Evaluated: 99 / 100

Status Result: Platinum Scholarship 🏆

Allocation Notes: Incredible feat! Full tuition waiver grant unlocked.

Practical 4

Aim:- Use function types ,scope , and closure; apply try catch ;build a palindrome checker

Software/Tools Required: VS Code , Web Browser

Experiment program code:

Palindrome checker:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Palindrome Checker</title>
<style>
  body {
    font-family: Arial, sans-serif;
    background: #f4f4f4;
    text-align: center;
    margin-top: 50px;
  }
  .container {
    width: 350px;
    margin: auto;
    background: white;
    padding: 20px;
    border-radius: 10px;
    box-shadow: 0 0 10px gray;
  }
  input {
    width: 90%;
    padding: 10px;
    margin: 10px;
  }
  button {
    padding: 10px 20px;
    cursor: pointer;
  }
  h3 {
    color: blue;
  }
</style>
</head>
<body>

<div class="container">
  <h2>Sanvi Wadhankar 24070521191</h2>
  <h2>Palindrome Checker</h2>
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR
Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)
Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC
Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

```
<input type="text" id="word" placeholder="Enter a word" />

<button onclick="checkPalindrome()">Check</button>

<h3 id="result"></h3>
</div>

<script>

// Global Scope
let appName = "Palindrome Checker";

// Function Declaration
function cleanString(str) {
    return str.toLowerCase().replace(/[^a-z0-9]/g, "");
}

// Function Expression
const reverseString = function(str) {
    return str.split("").reverse().join("");
};

// Closure
function counter() {
    let count = 0;

    return function() {
        count++;
        return count;
    };
}

const checkCount = counter();

// Arrow Function
const isPalindrome = (str) => {
    return str === reverseString(str);
};

// Main Function
function checkPalindrome() {

    try {

        let input = document.getElementById("word").value;

        // Local Scope
        let text = cleanString(input);

        if (text === "") {
```

```
throw "Please enter some text. ";
}

let result = isPalindrome(text)
  ? `${input} is a Palindrome ✓`
  : `${input} is NOT a Palindrome ✗`;

result += `Error: ${error}</span>`;

}

finally {
  console.log(appName + " executed.");
}
}

</script>

</body>
</html>
```

SIT Nagpur - String Analyzer

Enter Word or Phrase:

madam

Check Palindrome

--- Analysis Report ---

Total Checks Performed: 1

Result: "madam" is a valid Palindrome! ✓

Output:-

Case Study 04

Real-Time Case Study: ATM Card PIN Verification Using JavaScript Functions

Case Study An ATM system verifies whether a customer's PIN is a palindrome. If the PIN reads the same forward and backward, the bank displays a special security message. To implement this, create a function to reverse the entered PIN number and another function to check whether it is a palindrome. Use function declaration, function expression, arrow function, and demonstrate scope concepts

Software/Tools Used:- VScode , Web Browser

Case Study Code:-

```
<html>
  <head>
    <title>ATM PIN Verification</title>
    <style>
      body {
        font-family: Arial, sans-serif;
        background-color: #f2f2f2;
        text-align: center;
        padding: 40px;
      }
      h2 {
        color: #1a5cff;
        margin: 5px 0;
      }
      input {
        padding: 8px;
        font-size: 15px;
        margin-top: 10px;
        border: 1px solid #ccc;
        border-radius: 4px;
      }
      button {
        display: block;
        margin: 15px auto 0;
        padding: 8px 20px;
        font-size: 15px;
        background-color: #1a5cff;
        color: white;
        border: none;
        border-radius: 4px;
        cursor: pointer;
      }
      button:hover {
        background-color: #0d3fb0;
      }
      #result {
        margin-top: 20px;
```



```
font-size: 17px;  
color: #333;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h2>Sanvi Wadhankar 24070521191</h2>
```

```
<h2>ATM Card PIN Verification</h2>
```

```
<h3>Enter your 6-digit PIN:</h3>
```

```
<input type='text' id='pin' maxlength="6"></input>
```

```
<button onClick="verifyPin()">Submit</button>
```

```
<p id='result'></p>
```

```
<script>
```

```
// FUNCTION DECLARATION
```

```
// Reverses the entered PIN
```

```
function reversePin(pin) {
```

```
    return pin.split("").reverse().join("");
```

```
}
```

```
// FUNCTION EXPRESSION
```

```
// Checks whether the PIN is a palindrome (reads same forward and backward)
```

```
var isPalindrome = function(pin) {
```

```
    var reversed = reversePin(pin); // uses the function declared above
```

```
    return pin === reversed;
```

```
};
```

```
// ARROW FUNCTION
```

```
// Displays the security message based on the result
```

```
var getMessage = (palindromeCheck) => {
```

```
    if (palindromeCheck) {
```

```
        return "Security Alert: Your PIN is a palindrome!";
```

```
    } else {
```

```
        return "PIN verified. No special security message.";
```

```
    }
```

```
};
```

```
// MAIN FUNCTION (called on button click)
```

```
// MAIN FUNCTION (called on button click)
```

```
function verifyPin() {
```

```
    var pin = document.getElementById("pin").value; // local scope variable
```

```
    if (pin == "" || pin.length !== 6 || isNaN(pin)) {
```

```
        alert("Please enter a valid 6-digit PIN!");
```

```
        return;
```

```
    }
```

```
    var reversed = reversePin(pin);
```

```
    var palindromeCheck = isPalindrome(pin);
```

```
    var message = getMessage(palindromeCheck);
```



```
// Alert user if the PIN is a palindrome
if (palindromeCheck) {
    alert("⚠ Security Alert!\nYour PIN is a palindrome.\nFor better security, please
change your ATM PIN.");
}

document.getElementById("result").innerHTML =
    "PIN entered = " + pin + "<br>" +
    "Reversed PIN = " + reversed + "<br>" +
    message;
}

</script>
</body>
</html>
```

Output:-



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR
Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)
Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC
Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Secure ATM Vault

Enter your PIN number to verify security status:

12321



Verify PIN

✨ SPECIAL SECURITY MESSAGE: Your
PIN is a secure palindrome! ✨

Created by: Daffodil Tembhurkar

PRN: 24070521204