OneRhythm

Brand Guidelines

Version 3.0

Orbital Mission Design System for Visibility, Solidarity, and the Earth-to-Moon Environment

---

This v3 document supersedes Brand Guidelines v2 wherever there is conflict.

Prepared from Brand v2, PRD v3, the mission-scene audit, and the current design direction toward a cinematic, data-true, brand-lit globe-to-moon experience.

March 2026 | Internal / Confidential | Ad Astra Per Aspera

Visual north star for the mission environment: hybrid-realistic globe, luminous orbital paths, lunar destination dashboard.

Table of Contents

1. Brand Philosophy & What Changed in v3
2. Design Vision & Emotional Keywords
3. Color System
4. Typography
5. Logo, Wordmark, and Visual Language
6. Route Architecture & Experience Roles
7. Mission Environment North Star
8. Globe Rendering Standards
9. Canonical Mission Route & Milestones
10. Telemetry, HUD, and Live Visibility
11. Share Artifacts & Mission Identity
12. Collective Pulse & Dignity-First Celebration
13. Component Patterns
14. Voice & Tone
15. Photography, Imagery, and Motion
16. Responsive Design & Accessibility
17. Regulatory Constraints
18. Implementation Reference Tokens

Note: v3 moves the immersive globe experience to /mission. The homepage becomes a narrative, evidence-led launch surface.

1. Brand Philosophy & What Changed in v3

OneRhythm now needs a brand system that does two things at once: **protect the emotional truth of the mission** and **make the Earth-to-Moon environment feel premium, data-true, and unmistakably OneRhythm.**

What changed in v3

- The homepage is no longer the default 3D mission-control surface. It becomes a narrative, evidence-led launch page that states the problem, establishes credibility, and points people into the mission.
- The immersive 3D environment moves decisively to /mission. That route becomes the flagship orbital experience and the primary stage for live mission telemetry.
- The globe direction shifts from outline-only bioluminescent abstraction toward hybrid-realistic orbital cartography: readable Earth massing, subdued land/ocean texture, brand-lit route energy, and a more dimensional moon destination.
- Mission telemetry must look alive because it is alive. Distance traveled, milestone progress, country visibility, recent joins, and daily momentum should always feel hooked to real contribution data rather than decorative dashboard fiction.
- The mission aesthetic becomes cinematic and controlled. No thick neon halo, no generic sci-fi clutter, no flat placeholder moon, and no route logic that visually drifts away from the real milestone path.

What remains unchanged

- OneRhythm remains synthetic-only for contribution creation.
- Shared Rhythm Distance remains canonical at 0.75 m per completed contribution.
- The product remains non-diagnostic, educational, and general-wellness positioned.
- Dark-first bioluminescent futurism remains the core system language.
- Dignity remains the standard for every celebratory, social, and gamified moment.

2. Design Vision & Emotional Keywords

Design vision. OneRhythm should feel like stepping into a mission room built by people who understand invisible burden. The interface cannot feel sterile, over-clinical, or gamey. It should feel precise, luminous, human, and globally alive.

New aesthetic direction: Orbital bioluminescence. The Earth is no longer an abstract orb with decoration placed on top of it. It is a real planetary body viewed from space, held inside a mission-control monitor, with OneRhythm color energy riding above it as telemetry, route, and collective signal.

Emotional keywords

- Luminous — light emerging from darkness, never noise for its own sake.
- Credible — telemetry must look trustworthy before it looks dramatic.
- Connected — every path, glow, and dashboard value should reinforce that people are joining one continuous mission.
- Resilient — motion and interface drama should imply endurance, not panic.
- Immersive — the mission is entered, not merely viewed.
- Commemorative — each join should feel like a lasting place in a chain, not a disposable click.

Canonical brand phrases

- "invisible bears" / "the bear you can't see" / "nobody should fight an invisible bear alone"
- "pain is not a competition"
- "ad astra per aspera"
- "every heartbeat has a story. every story deserves to be heard."
- "backing virtue with veracity"

Campaign hashtags

- #OneRhythm
- #InvisibleBears
- #SharedRhythm

3. Color System

Design rationale. The core palette remains intact because it already holds the right emotional tension: depth, signal, and warmth. v3 adds a small set of rendering-support neutrals so the Earth and Moon can feel dimensional without abandoning the brand language.

Environment colors

Name	Hex	Usage
Deep Void	#0A0E1A	Page canvas, space field, mission monitor background
Midnight	#111827	Command bars, nav containers, control rails
Cosmos	#1A1F35	HUD cards, telemetry panels, glass surfaces
Nebula	#252B48	Hover states, elevated surfaces, active containers

Signal colors

Name	Hex	Usage
Pulse Red	#FF2D55	Primary CTA, mission delta, critical beacons, contributor emphasis
Pulse Glow	#FF6B8A	Hover aura, emotional lift, celebratory intensification
Pulse Dark	#CC1A3D	Pressed states, pulse waveform depth, richer red shadows
Signal Cyan	#00D4FF	Telemetry, live data, orbital traces, links
Signal Soft	#66E5FF	Focus states, subtle atmospheric light, secondary highlights
Signal Dim	#0099CC	Muted data points, inactive paths, distant telemetry
Aurora Violet	#7C3AED	Milestones, route energy, tertiary emphasis
Aurora Glow	#A78BFA	Milestone aura, badge glow, celebratory framing

Rendering-support neutrals (new in v3)

Name	Hex	Usage
Orbital Ice	#D9E8F7	Cloud-edge brightness, specular highlights, readable lunar rims
Lunar Ash	#C8D1DD	Moon body base, crater light, neutral metallic accents
Night Ocean	#10243A	Earth ocean depth below telemetry layers
Land Shadow	#16314A	Subdued land mass read, globe surface contrast
Horizon Cyan	#86F3FF	Thin atmosphere haze at limb, never as a thick ring
Eclipse Shadow	#05070D	Deep occlusion, off-planet negative space, space depth

Gradient definitions

Name	Definition	Usage
Heartbeat Gradient	Pulse Red → Pulse Dark → Aurora Violet	CTA emphasis, art edge glow, result celebrations
Signal Gradient	Signal Cyan → Aurora Violet	Data accents, telemetry bars, route

		highlights
Aurora Gradient	Aurora Violet → Signal Cyan → Pulse Red	Mission route energy, milestone flare, celebration overlays
Void Gradient	Cosmos center → Deep Void edge	Space backgrounds, monitor backdrop, immersive sections
Orbit Gradient	Signal Soft → Aurora Glow → Signal Cyan	High-energy orbital track accents and mission-map flourishes

Color rules for the globe environment

- Brand colors should sit above the planet as telemetry, path energy, beacons, and data contrast — not flood the entire Earth texture.
- Earth land and ocean tones must remain darker and more restrained than route overlays, or the mission path will disappear into the globe.
- Pulse Red belongs to human impact: mission delta, live join emphasis, critical beacons, and commemorative moments.
- Signal Cyan belongs to data clarity: orbital telemetry, scanning edges, labels, and active route read.
- Aurora Violet belongs to mission scale: milestone glow, transfer energy, and spatial drama.
- Atmospheric haze should be thin and controlled. A thick cyan tube around the globe is off-brand for v3.

4. Typography

Typography system. The product font pairing remains unchanged. The distinction between futuristic display, readable body, and unmistakable telemetry is still correct.

Role	Font	Usage
Display / Headlines	Exo 2	Mission counters, headlines, destination labels, milestone headlines
Body / UI	DM Sans	Body text, controls, forms, long-form educational content, HUD labels
Monospace / Data	Space Mono	Distance values, mission IDs, contribution numbers, telemetry blocks

Type scale and rules

Element	Size	Weight	Usage

Display XL	49 px	700	Hero counters and total distance
Display	39 px	700	Mission titles and major destination labels
H1	31 px	600	Page-level headings
H2	25 px	600	Section headings
H3	20 px	600	Card titles, HUD labels
Body	16 px	400	Default body copy
Body Small	14 px	400	Captions, disclaimers, support text
Mono/Data	14 px	400–700	Distance and telemetry values

- Never use Exo 2 below 18 px.
- Numeric mission metrics must use Space Mono.
- Mission labels over the globe should favor high contrast and short phrases over dense paragraph copy.
- Destination dashboards should privilege scanability: one big value, one clear label, one secondary context line.

5. Logo, Wordmark, and Visual Language

Wordmark. Preserve the OneRhythm wordmark structure from v2: “One” in primary text and “Rhythm” in Pulse Red on dark backgrounds.

Visual language. v3 pushes the interface closer to orbital instrumentation. Surfaces should feel like embedded panels and mission monitors rather than floating SaaS cards.

Surface and depth

Level	Color	Usage
Level 0	Deep Void	Page background, scene canvas, globe theater
Level 1	Midnight	Top rails, navigation bands, system framing
Level 2	Cosmos	Telemetry cards, destination panels, content cards
Level 3	Nebula	Hover states, expanded controls, elevated overlays

Glow and luminance rules

- Glow must communicate hierarchy, not compensate for weak structure.
- The strongest glow belongs to mission-critical moments: live beacons, destination progress, milestone crossings, or confirmatory action.
- Use softer outer bloom on route energy and stronger inner contrast on labels and values.
- The monitor frame, not the halo, should separate the scene from the page.
- A crisp 1 px border plus restrained luminance is usually stronger than a thick atmospheric ring.

Motion principles

- Ambient globe motion should feel slow and breathing, not like a spinner.
- Earth-bound route energy should move with the planet where appropriate; lunar transfer paths should read as deliberate mission vectors.
- Milestone transitions should feel earned: brighten, focus, and reveal — never explode into noise.
- All motion must degrade gracefully under prefers-reduced-motion.

6. Route Architecture & Experience Roles

---

v3 clarifies route purpose. The homepage no longer competes with the mission scene. Each route has one job.

Route	Name	Primary Role
/	Narrative Launchpad	State the problem, establish credibility, explain the mission, and point people into the journey.
/mission	Mission Control	Run the immersive Earth-to-Moon environment with real telemetry, destination progress, and live visibility.
/join	Launch Bay	Guide people through an immersive, mission-aligned join flow.
/learn	ResearchPulse	Translate evidence into human language and practical understanding.
/about	Mission Brief	Explain the story, the open-source posture, and the values behind the platform.

- Homepage and mission page should feel related, not duplicated.
- The globe belongs to /mission.

- Narrative authority belongs to the homepage and writing surfaces.
- Operational awe belongs to the mission environment.

7. Mission Environment North Star

North star. The mission environment should feel like a premium orbital command display: a real planet in space, a visible route to the moon, and telemetry that makes collective progress emotionally legible.

Mission-control composition

Zone	Purpose	Content
1. Command Header	Fast status	Total distance, rhythms joined, countries visible, live state
2. Mission Monitor	Primary scene	Globe, transfer path, moon, progress beacon, landmark labels
3. Telemetry Stack	Interpretation	By-country distance, daily joins, daily distance, rhythm mix, next milestone
4. Destination Dashboard	Trajectory	Remaining distance, current destination leg, lunar target, milestone completion
5. Live Signal Band	Human proof	Recent joins, rhythm chain strip, optional first name + country where visible

- The 3D model should live inside a monitor frame or central mission stage, not as an unbounded background wallpaper.
- The scene should remain fully visible at rest; the user should be able to understand Earth, lunar destination, and current trajectory without rotating anything.
- Telemetry panels should frame the scene, not suffocate it.
- The page must feel like mission control, not a video game and not a conventional analytics dashboard.

8. Globe Rendering Standards

Rendering doctrine. The globe is now hybrid-realistic. It must read as Earth from space before any route glow appears.

Earth standards

- Use readable land/ocean texture or tonal massing.

- Keep Earth darker than overlays so paths and telemetry remain legible.
- Use restrained atmosphere haze at the limb rather than a thick neon border.
- Add enough cloud/specular behavior to create depth, but not so much that the globe becomes glossy or toy-like.
- Country visibility can still glow, but that glow should emerge from the surface rather than replacing it.

Route standards

- Earth-bound route traces should feel orbital and relational to their landmarks, not statically painted across the viewport.
- The route should clearly articulate Tampa, Earth loop completion, Cape Canaveral, lunar transfer, and lunar arrival.
- Use Signal Cyan and Aurora Violet as the dominant route-energy pair, with Pulse Red reserved for critical beacons and key landmarks.
- Avoid blunt tubes or blunt neon ropes. Prefer layered route treatment: dim baseline path, brighter progress path, occasional pulsing transfer line.

Moon standards

- The moon must be rendered as a dimensional destination object, not a flat white disc.
- Use Lunar Ash and Orbital Ice neutrals with subtle crater read and brand-lit accents only where the interface needs guidance.
- The moon should feel spatially separate from Earth and credible as the mission destination.

Explicit anti-patterns

- No thick cyan halo around the globe.
- No flat white moon with a decorative border ring.
- No decorative route tracks that ignore the current route geometry or milestone math.
- No globe treatment where the brand colors swamp the planet body itself.
- No HUD labels that feel like exposed developer debug states.

9. Canonical Mission Route & Milestones

Canonical route. The mission remains a continuous symbolic journey that starts in Tampa, circles the Earth, returns to Tampa, travels to Cape Canaveral, and launches toward the Moon.

Leg	Narrative	Reference Distance
1	Tampa launch point	0 km
2	Full Earth circuit	40,075 km
3	Return to Tampa / re-entry	40,075 km complete

4	Transfer to Cape Canaveral	Short connecting leg
5	Launch toward the Moon	Toward 384,400 km total

Reference milestone ladder

Distance	Narrative	Approx. Contributions
34 km	Across the English Channel	~45,333
340 km	London to Paris	~453,333
6,437 km	The length of the Amazon River	~8.58 million
7,100 km	Tampa to London	~9.47 million
10,849 km	New York to Tokyo	~14.47 million
13,138 km	Every AF patient on Earth, one rhythm each	~17.52 million
21,196 km	The Great Wall of China	~28.26 million
40,075 km	We have circled the Earth	~53.43 million
384,400 km	We have reached the Moon	~512.53 million

- Displayed route progress must always agree with the current authoritative mission total.
- Milestone labels should feel geographic and human, not like dry technical telemetry.
- Remaining distance to next milestone should be explicit in the mission HUD.
- All distance language should remain clearly symbolic, collective, and non-diagnostic.

10. Telemetry, HUD, and Live Visibility

Mission telemetry should feel honest. If a value is visible, it should map to real mission data or be clearly symbolic.

Required live surfaces

- Total distance traveled
- Rhythms joined by country
- Distance traveled by country
- Rhythms joined by day
- Distance traveled by day
- Types of rhythms joined
- Destination dashboard with real-time distance to destination

- Recent join stream and rhythm-chain visibility where consent allows

HUD rules

- Use Cosmos panels at high opacity with a crisp Border outline to maintain readability against a dynamic scene.
- Make one value per panel dominant. Do not bury mission numbers under paragraphs or secondary labels.
- Top-country surfaces should rank distance, not just count, when distance is the true north metric.
- If first name and country are visible in the live feed, they must feel commemorative and respectful.
- The rhythm chain strip should feel like proof of life for the mission, not decorative thumbnail clutter.

Truth-layer rules

- Scene progress, mission totals, destination labels, and milestone placement must derive from the authoritative mission state.
- Avoid visual lag where counters update first and route position catches up later if that lag can be prevented.
- Brand drama should never ask the user to distrust the numbers.

11. Share Artifacts & Mission Identity

Share artifact != mission geometry. This principle remains essential. The art a person shares can be premium and expressive without forcing the 3D mission to render literal image cards in space.

Share artifact rules

- Use the brand palette exclusively for generated art.
- Keep the art organic and waveform-led rather than circuit-board literal.
- Every result should show the mission delta, total mission scale, and a clear commemorative place in the journey.
- Where implemented, a mission identifier should feel permanent, sequential, and respectful.

Preferred share-card anatomy

Area	Content
Top	Generated rhythm art or premium mission moment visual
Midline	Mission delta and commemorative identifier in Space Mono
Bottom-left	Current total distance and place in mission

Bottom-right	Country / milestone / share invitation variant
Footer	OneRhythm wordmark, canonical hashtag, join URL

12. Collective Pulse & Dignity-First Celebration

Dignity first. Celebration in OneRhythm should elevate the mission and the people inside it without turning invisible burden into spectacle.

Collective Pulse

- The Collective Pulse remains symbolic and artistic, never clinical.
- Amplitude may reflect recent contribution velocity.
- Color should remain Pulse Red → Pulse Dark, with clean data labeling in Space Mono where needed.
- Pulse strips are strongest as mission instruments, not as decorative wallpaper.

Celebration rules

- No individual leaderboards.
- No forced sharing.
- No collection pressure or gimmicky badge hunting.
- Milestone celebrations should feel communal and geographic.
- Country-first moments should feel respectful: visible, proud, and warm — never performative.

Commemorative behaviors

- Show +0.75 m clearly when a rhythm joins.
- Show place in mission when available.
- Use subtle particle or glow intensification on the relevant route position.
- If a join lands near a milestone, frame it as part of a shared approach, not a personal trophy.

13. Component Patterns

Buttons

Variant	Style	Usage
Primary	Pulse Red fill, white text, restrained glow	Join the mission, launch actions, key confirmations

Secondary	Signal Cyan outline and text	See the mission, learn more, secondary actions
Ghost	Text-first with subtle hover surface	Navigation and tertiary controls
Warning / Danger	Warning outline with clear contrast	Data removal, destructive actions

Cards and telemetry panels

- Cards use Cosmos with 1 px Border and restrained radius.
- Telemetry panels should feel like embedded instruments, not generic marketing cards.
- Hero metric cards may use Space Mono with Pulse or Signal emphasis, but always on dark structure.
- Stat cards on narrative pages should remain evidence-backed and human-interpreted.

Forms and inputs

- Use Midnight backgrounds and clear focus treatment.
- Labels should be short, calm, and human.
- In mission flows, form fields should feel like briefing inputs or signal configuration rather than bureaucratic paperwork.

14. Voice & Tone

Brand voice. OneRhythm speaks as a knowledgeable companion — never a doctor, never a pity merchant, and never a generic startup narrator.

Five voice rules

- Lead with truth, land with humanity.
- Never diagnostic. Always empowering.
- Warmth without weakness.
- Pain is not a competition.
- Demand better acknowledgment of the psychological burden; do not ask permission to name it.

Tone by context

Context	Tone	Example
Homepage	Credible, urgent, human	Nobody should fight an invisible bear alone.
Mission View	Awe, clarity, confidence	42 countries. 18,402 km. The mission is alive.

Join Flow	Warm, invitational, focused	Add your rhythm. Join the chain.
Result / Share	Commemorative, communal	+0.75 m added. Your rhythm joined the mission.
ResearchPulse	Measured, accessible, sourced	Here is what the evidence says — and why it matters.
Error State	Calm, solution-oriented	We couldn't complete that. Try again — your rhythm still matters.

Language swaps

Avoid	Use
We collected data	We shared rhythms
Users submitted	People joined
Analytics	Visibility / what's becoming visible
Submit	Join / add your rhythm
Patient (as default label)	People living with arrhythmia
Data point	Signal / rhythm / mission join

15. Photography, Imagery, and Motion

Photography

- Use warm, intimate, everyday photography for human surfaces.
- Avoid clinical environments and images of crisis.
- The more futuristic the UI becomes, the more human the photography should feel.

Imagery

- Generative art remains organic, luminous, and non-diagnostic.
- Mission imagery should emphasize orbital perspective, landmark orientation, and global connection.
- The attached mission reference style is best interpreted as premium mission cartography, not as a literal NASA UI clone.

Motion

- Ambient globe rotation should remain slow and pausable.
- Live updates should animate as meaningful state changes, not as constant chatter.
- Route, beacon, and milestone motion should reinforce mission direction and scale.
- Reduce or remove ambient effects when reduced motion is requested.

16. Responsive Design & Accessibility

Accessibility is not optional. The more cinematic the mission page becomes, the more deliberate contrast, fallback, and motion control must become.

Breakpoint	Layout Guidance
Mobile ≤ 639 px	Narrative pages stack cleanly. Mission page defaults to simplified visualization, clear metrics, and readable live data surfaces.
Tablet 640–1023 px	Mission monitor condenses, side telemetry collapses, touch targets enlarge.
Desktop 1024–1279 px	Full mission-control composition with framed 3D monitor and surrounding telemetry.
Wide ≥ 1280 px	Expanded scene breathing room, stable panel framing, immersive mission mode.

- Maintain WCAG 2.1 AA at minimum.
- HUD text over the scene must sit on controlled panel backgrounds.
- Provide a screen reader-accessible mission summary and live region for key updates.
- Offer a mobile fallback that still communicates route progress, milestone state, and top-country visibility.
- All motion must obey prefers-reduced-motion.
- Touch targets must stay at least 44 × 44 px.

17. Regulatory Constraints

Non-diagnostic posture. No globe sophistication, route telemetry, or mission instrumentation should ever imply that OneRhythm is interpreting a person's medical waveform.

Required boundaries

- Rhythm labels are self-expressed identity inputs, not validated diagnoses.
- Generated visuals are artistic outputs, not physiological findings.
- The Collective Pulse is symbolic and artistic — never clinical.
- Educational surfaces must carry the persistent medical disclaimer.
- The contribution flow must remain completable without clinical data.

Forbidden language

- "your ECG shows"

- "diagnosis" when referring to user output
- "heart scan"
- "ECG analysis"
- "verify your diagnosis"
- "personalized clinical insight"
- "disease severity score"

Medical disclaimer (exact text)

> OneRhythm is an educational resource and community platform. It is not a medical device. It does not diagnose, treat, cure, or prevent any disease. The information provided is for educational purposes only and is not a substitute for professional medical advice, diagnosis, or treatment. Always consult your physician or qualified healthcare provider with any questions regarding a medical condition.

Crisis resources

If you or someone you know is struggling with mental health, please reach out to the 988 Suicide & Crisis Lifeline (call or text 988), the Crisis Text Line (text HOME to 741741), or contact local emergency services. You are not alone.

18. Implementation Reference Tokens

---

v3 token stance. Keep the core v2 token system. Add rendering-support tokens for the mission environment rather than inventing page-specific hardcoded colors.

Recommended CSS token additions

```
--color-orbital-ice: #D9E8F7;
--color-lunar-ash: #C8D1DD;
--color-night-ocean: #10243A;
--color-land-shadow: #16314A;
--color-horizon-cyan: #86F3FF;
--color-eclipse-shadow: #05070D;
```

Codex implementation guidance

- Do not fake telemetry values for style.
- Do not let scene polish outrun truth alignment.
- Do not recreate the old outline-only globe as the final target.
- Do use the hybrid-realistic Earth-from-space direction as the visual north star for /mission.
- Do keep homepage and mission roles distinct.
- Do preserve the dark-first palette, typography, accessibility, and non-diagnostic posture.