LAB MANNUAL

2023





OBJECT ORIENTED PROGRANING

DEPARTMENT **BSCS**

mswordcoverpages.com

PROGRAMING FUNDAMENTAL

NAME AKHTAR ALI

ROLL NO (177)

SECTION (C)

LAB MANUAL

TEACHER NAME YASIR SALEEM

2024*

//1:WRITE PROGRAM TO CALCULATE NUMBERS

```
//import pakage
import java.util.Scanner;
//class start
class calculater
//class body
{
//main mathod
public static void main(String arg[])
//main method body start
{
//Scanner object create
Scanner sc=new Scanner(System.in);
/*show in command prompt enter number and also use ln after print for next line*/
System.out.println("enter number");
//create double variable a (double use for points number like 1.3 and 2.6)
//scan number which enter frome keybord
double a=sc.nextDouble();
//show in command prompt enter operator
System.out.println("enter operator");
//create variable char oper and also scan
char oper=sc.next().charAt(0);
/*show in command prompt enter number and also use ln after print for next line*/
System.out.println("enter number");
// create double variable b
double b=sc.nextDouble();
//chack the condition with help op switch
//switch(which condition you want to chack )
switch(oper)
//switch body start
{
//case check ip case is + then run this case
case '+':
System.out.println(+(a+b));
//we use break for if this case is execute then stop executing other cases
break;
case '/':
//we use if(condition) to check condition if b is equal to zero then execute //under the body if
statements else then execute  else statements
if(b==0)
{
System.out.println("the division is not posibal");
}
else{
System.out.println(+(a/b));
}
break;
case '-':
System.out.println(+(a-b));
```

```
break;
case '*':
System.out.println(+(a*b));
break;
//in switch default is use for if condition is not same to cases the execute default statements
default:
System.out.println("enter only integer");
}
}
}
```

Output::

```
enter number
45
enter operator
+
enter number
8
53.0
```

//2:WRITE PROGRAM CALCULATE DAYS ,HOURS AND ALSO SECONDS IN YEARS

```
import java.util.Scanner;
class daysinyears
{
public static void main(String arg[])
{
Scanner sc=new Scanner(System.in);
System.out.println("number of days in years");
System.out.println("please enter the number of years");
int years= sc.nextInt();
int daysinyear=360;
System.out.println("the number of days in "+years+" years ="+(years*daysinyear));
System.out.println("number of hours in "+years+" years is ="+(years*daysinyear)*24);
System.out.println("number of seconds in "+years+" years is ="+((years*daysinyear)*24)*60);
}
}
```

Output::

```
number of days in years
please enter the number of years
3
the number of days in 3 years =1080
number of hours in 3 years is =25920
number of seconds in 3 years is =1555200
```

//3:WRITE A PROGRAM CALCULATE AGE

```
import java.util.Scanner;
class simpleage
{
```

```
public static void main(String arg[])
{
Scanner sc=new Scanner(System.in);
String name="Akhtar ali";
System.out.println("Please enter your brithyear");
int a=sc.nextInt();
System.out.println("Please enter currantyear");
int b=sc.nextInt();

System.out.println(name+ "your age is="+(b-a)+" years");
}
}
```

Output:

```
Please enter your brithyear
2002
Please enter currantyear
2024
Akhtar aliyour age is=22 years
```

//4:WRITE A PROGRAM WORK LIKE WIFI

```
import java.util.Scanner;
class wifi
{
 public static void main(String arg[])
  {
  Scanner sc=new Scanner(System.in);
    long pass=12345678;
    String name="Home Wifi ";
    System.out.println("wifi show\n"+name);
    System.out.println("login wifi press 1 || cancel press any numer");
   int login=sc.nextInt();
   switch(login)
   {
     case 1:
              System.out.println(name);
             System.out.println("enter password");
            long password=sc.nextLong();
            if(password==pass)
              {
              System.out.println("connted");
                              System.out.println("");
                               System.out.println("SIGNALS");
                for(int i=1;i<=10;i++)
                  {
                    for(int j=i;j<10;j++)
                      {
                        System.out.print(" ");
                      }
                          for(int k=1;k<=i;k++)
```

```
                    {
                      System.out.print("*");
                    }
                      System.out.println();
                       }
                }
            else
                {
                 System.out.println("wrong password ");
                 }
        break;
  default:
            System.out.println("thanks come back");

 }
}
```

Output:

```
wifi show
Home Wifi
login wifi press 1 || cancel press any numer
1
Home Wifi
enter password
12345678
connted

SIGNALS
       *
      **
     ***
    ****
   *****
  ******
 *******
********
*********
**********
```

//5:WRITE A PROGRAM FOR TABLES

```
import java.util.Scanner;
class baba
      {
public static void main(String arg[])
         {
     Scanner sc=new Scanner(System.in);
System.out.println("enter number for table");
int j=sc.nextInt();
for(int i=1;i<=15;i++)
{
```

```
   System.out.println(+i+" x "+j+"="+(i*j));
        }
System.out.println("enter number for table");
int k=sc.nextInt();
for(int i=1;i<=15;i++)
        {

System.out.println(+i+" x "+k+ " = "+(i*k));
         }



              }

                }
```

Output:

```
enter number for table
2
1 x 2=2
2 x 2=4
3 x 2=6
4 x 2=8
5 x 2=10
6 x 2=12
7 x 2=14
8 x 2=16
9 x 2=18
10 x 2=20
11 x 2=22
12 x 2=24
13 x 2=26
14 x 2=28
15 x 2=30
Enter number for table
6
1 x 6 = 6
2 x 6 = 12
3 x 6 = 18
4 x 6 = 24
5 x 6 = 30
6 x 6 = 36
7 x 6 = 42
8 x 6 = 48
9 x 6 = 54
10 x 6 = 60
11 x 6 = 66
12 x 6 = 72
13 x 6 = 78
14 x 6 = 84
15 x 6 = 90
```

//6:WRITE A PROGRAM FOR VARIABLES

```
class variable
{
public static void main(String arg[])
{
String name="Akhtar ali";
int age=21;
float b=3.567f;
double marks=8.45;
String course="cs";
char section='c';
System.out.println("studant details"+b);
System.out.println("studant name="+name);
System.out.println("studant marks="+marks);
System.out.println("studant course="+course);
System.out.println("studant section="+section);

}
}
```

Output:

```
studant details3.567
studant name=Akhtar ali
studant marks=8.45
studant course=cs
studant section=c
```

//7:WRITE A PROGRAM INHERITANCE

```
 class mcalling
{

public static void main(String[] args)
 {
int result=multiply(3,4);
double b=pro(3.56,9.65);
double c=devision(33,44,66);
System.out.println("Result\n"+result);
System.out.println("result\n"+b);
System.out.println("result=\n"+c);
  }

public static int multiply(int a,int b)
  {
int product=a*b;
return product;
   }

public static double pro(double a,double b)
```

```
{
double product=a*b;
return product;
}
public static double devision(int a,int b,int c)
{
double devision=(a/b)-c;
return devision;
}
}
```

Output:

```
Result
12
result
34.354
result=
-66.0
```

//8:WRITE A PROGRAM WHICH FIND FACTORIAL

```
class Fact
{
public static void main(String[] args)
{
int number = 5;
int factorial = number;
for(int i =(number - 1); i > 1; i--)
{
factorial = factorial * i;
}
System.out.println("Factorial of a number is:" + factorial);
}
}
```

```
Output: Factorial of a number is:120
```

//9: WRITE A PROGRAME EVEN ODD DIFFERENTIATOR NUMBER UNDER 100 NUMBERS

```
public class EvenOddDifferentiator {
   public static void main(String[] args) {
      for (int i = 0; i <= 15; i++) {
         if (i % 2 == 0) {
            System.out.println(i + " is even.");
         } else {
            System.out.println(i + " is odd.");
         }
```

```
        }
    }
}
```

Output:

```
0 is even.
1 is odd.
2 is even.
3 is odd.
4 is even.
5 is odd.
6 is even.
7 is odd.
8 is even.
9 is odd.
10 is even.
11 is odd.
12 is even.
13 is odd.
14 is even.
15 is odd.
```

//10:WRITE A PROGRAM TO SHOW RIGHT ANGLE TRIANGLE ON SCREEN

```
public class RightAngleTriangle {
    public static void main(String[] args) {
        int rows = 5; // You can change the number of rows as needed

        for (int i = 1; i <= rows; i++) {
            for (int j = 1; j <= i; j++) {
                System.out.print("* ");
            }
            System.out.println();
        }
    }
}
```

Output:

```
*
* *
* * *
* * * *
* * * * *
```

//11:WRITE A PROGRAM TO SHOW INVERTED RIGHT ANGLE TRIANGLE ON SCREEN

```
public class InvertedRightAngleTriangle {
   public static void main(String[] args) {
      int rows = 5; // You can change the number of rows as needed

      for (int i = rows; i >= 1; i--) {
         for (int j = 1; j <= i; j++) {
            System.out.print("* ");
         }
         System.out.println();
      }
   }
}
```

Output:

```
* * * * *
* * * *
* * *
* *
*
```

//12: WRITE A PROGRAM EQUILATERAL TRIANGLE TO SHOW ON SCREEN

```
public class EquilateralTriangle {
   public static void main(String[] args) {
      int rows = 5; // You can change the number of rows as needed

      for (int i = 1; i <= rows; i++) {
         // Print spaces
         for (int j = 1; j <= rows - i; j++) {
            System.out.print("  ");
         }

         // Print numbers
         for (int k = 1; k <= 2 * i - 1; k++) {
            System.out.print("* ");
         }

         System.out.println();
      }
   }
}
```

Output:

```
     *
    * * *
   * * * * *
  * * * * * * *
```

```
* * * * * * * * *
```

//13:WRITE A PROGRAM FOR NESTED LOOPS

```
import java.util.Scanner;
public class NestedLoopsExample {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        // Input number of rows and columns for the rectangle
        System.out.print("Enter the number of rows: ");
        int rows = scanner.nextInt();

        System.out.print("Enter the number of columns: ");
        int columns = scanner.nextInt();

        // Nested loops to create a rectangle pattern
        for (int i = 1; i <= rows; i++) {
            for (int j = 1; j <= columns; j++) {
                System.out.print("* ");
            }
            System.out.println();
        }

        scanner.close();
    }
}
```

Output:

```
Enter the number of rows: 3
Enter the number of columns: 7
* * * * * * *
* * * * * * *
* * * * * * *
```

//14:WRITE A PROGRAM LOGICAL OR

```
import java.util.Scanner;

public class LogicalOrExample {

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        // Input two boolean values
        System.out.print("Enter the first boolean value (true/false): ");
        boolean firstValue = scanner.nextBoolean();
```

```
        System.out.print("Enter the second boolean value (true/false): ");
        boolean secondValue = scanner.nextBoolean();

        // Logical OR
        boolean orResult = firstValue || secondValue;

        // Display the result
        System.out.println("Logical OR Result: " + orResult);

        scanner.close();
    }
}
```

Output:

```
Enter the first boolean value (true/false): true
Enter the second boolean value (true/false): false
Logical OR Result: true
          OR
Enter the first boolean value (true/false): false
Enter the second boolean value (true/false): false
Logical OR Result: false
```

Descrition:

/*In this program, the user is prompted to enter two boolean values. The program then uses the logical OR operator (`||`) to calculate the result. The logical OR operator returns `true` if at least one of the operands is `true`. The result is then displayed..*/

//15:WRITE A PROGRAM FOR LOGICAL AND

```
import java.util.Scanner;

public class LogicalAndExample {

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        // Input two boolean values
        System.out.print("Enter the first boolean value (true/false): ");
        boolean firstValue = scanner.nextBoolean();

        System.out.print("Enter the second boolean value (true/false): ");
        boolean secondValue = scanner.nextBoolean();

        // Logical AND
        boolean andResult = firstValue && secondValue;

        // Display the result
        System.out.println("Logical AND Result: " + andResult);
```

```
        scanner.close();
    }
}
```

Output:

```
Enter the first boolean value (true/false): true
Enter the second boolean value (true/false): false
Logical AND Result: false
```

Description:

/*
In this program, the user is prompted to enter two boolean values. The program then uses the logical AND operator (`&&`) to calculate the result. The logical AND operator returns `true` only if both operands are `true`. The result is then displayed.

Feel free to run the program and input different boolean values to observe the outcome of the logical AND operation.*/

//16:WRITE A PROGRAM SWITCH NESTED IF

```
import java.util.Scanner;

public class SimpleNestedIfSwitch {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        // Prompt user to enter a choice
        System.out.print("Enter a choice (A, B, C): ");
        char choice = scanner.next().charAt(0);

        // Outer if statement
        if ((choice >= 'A' && choice <= 'Z') || (choice >= 'a' && choice <= 'z')) {
            // Switch statement inside the outer if statement
            switch (choice) {
                case 'A':
                case 'a':
                    System.out.println("You chose A");
                    break;
                case 'B':
                case 'b':
                    System.out.println("You chose B");
                    break;
                case 'C':
                case 'c':
                    System.out.println("You chose C");
                    break;
                default:
                    System.out.println("Invalid choice");
            }
```

```
        } else {
            System.out.println("Invalid input. Please enter a letter.");
        }

        scanner.close();
    }
}
```

Output:

```
Enter a choice (A, B, C): A
You chose A
```

//17:WRITE A PROGRAM METHOD CALLING

```
import java.util.Scanner;

public class MethodCallingExample {

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        // Call method to get user input
        int number = getUserInput(scanner);

        // Call method to check if the number is even or odd
        checkEvenOdd(number);

        // Call method to calculate and display the square of the number
        displaySquare(number);

        scanner.close();
    }

    // Method to get user input
    private static int getUserInput(Scanner scanner) {
        System.out.print("Enter a number: ");
        return scanner.nextInt();
    }

    // Method to check if the number is even or odd
    private static void checkEvenOdd(int number) {
        if (number % 2 == 0) {
            System.out.println(number + " is even.");
        } else {
            System.out.println(number + " is odd.");
        }
    }

    // Method to calculate and display the square of the number
    private static void displaySquare(int number) {
```

```
        int square = number * number;
        System.out.println("The square of " + number + " is: " + square);
    }
}
```

Output:

Enter a number: 34
34 is even.
The square of 34 is: 1156

//18:WRITE A PROGRAM TO CALCULATE PERCENTAGE

```
import java.util.Scanner;

public class CalculatePercentage {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        // Input student's name
        System.out.print("Enter student's name: ");
        String studentName = scanner.nextLine();

        // Input marks in different subjects
        System.out.print("Enter marks in English: ");
        double englishMarks = scanner.nextDouble();

        System.out.print("Enter marks in Math: ");
        double mathMarks = scanner.nextDouble();

        System.out.print("Enter marks in Science: ");
        double scienceMarks = scanner.nextDouble();

        // Calculate total marks and percentage
        double totalMarks = englishMarks + mathMarks + scienceMarks;
        double percentage = (totalMarks / 300) * 100;

        // Display results
        System.out.println("\nResults for " + studentName);
        System.out.println("English Marks: " + englishMarks);
        System.out.println("Math Marks: " + mathMarks);
        System.out.println("Science Marks: " + scienceMarks);
        System.out.println("Total Marks: " + totalMarks);
        System.out.println("Percentage: " + percentage + "%");

        scanner.close();
    }
}
```

Output:

```
Enter student's name: Akhtar
Enter marks in English: 49
Enter marks in Math: 90
Enter marks in Science: 88

Results for Akhtar
English Marks: 49.0
Math Marks: 90.0
Science Marks: 88.0
Total Marks: 227.0
Percentage: 75.66666666666667%
```

//19:WRITE A PROGRAM FOR STUDENT DETAILS

```
import java.util.Scanner;

public class StudentDetails {
static String name;
   public static void main(String[] args) {
      Scanner scanner = new Scanner(System.in);
      System.out.println("enter studant name ");
       name=scanner.next();
      // Call method to get user's age
      int age = getAge(scanner);

      // Call method to calculate and display marks percentage
      double percentage = calculatePercentage(scanner);

      // Call method to check eligibility based on age and percentage
      checkEligibility(age, percentage);

      scanner.close();
   }

   // Method to get user's age
   private static int getAge(Scanner scanner) {

      System.out.print(name+" Enter your age: ");
      return scanner.nextInt();
   }

   // Method to calculate and display marks percentage
   private static double calculatePercentage(Scanner scanner) {
      System.out.print(name+" Enter total marks: ");
      double totalMarks = scanner.nextDouble();

      System.out.print(name+" Enter obtained marks: ");
      double obtainedMarks = scanner.nextDouble();

      double percentage = (obtainedMarks / totalMarks) * 100;
```

```
        System.out.println(name+" Your percentage is: " + percentage + "%");

        return percentage;
    }

    // Method to check eligibility based on age and percentage
    private static void checkEligibility(int age, double percentage) {
        if (age >= 18 && percentage >= 60) {
            System.out.println(name+" Congratulations! You are eligible for uos admision.");
        } else {
            System.out.println(name+" Sorry, you are not eligible.");
        }
    }
}
```

Output:

```
enter studant name
Akhtar
Akhtar Enter your age: 19
Akhtar Enter total marks: 950
Akhtar Enter obtained marks: 1100
Akhtar Your percentage is: 115.78947368421053%
Akhtar Congratulations! You are eligible for uos admision.
```

//20:WRITE A PROGRAM WHICH CALCULATE THREE NUMBERS

```
import java.util.Scanner;
public class Main {
        static Scanner sc=new Scanner(System.in);

        public static void main(String[] args)
        {
                System.out.println("enter numofoperands");
                int operands=sc.nextInt();
                if(operands==2)
                {
                System.out.println("enter first num");
 double a=sc.nextDouble();
  System.out.println("enter operator");
  char oper=sc.next().charAt(0);
      System.out.println("enter scond num");
double    b=sc.nextDouble();
System.out.println("Rsult:::");
double result=calculation(a,b,oper);
System.out.println(+result);
return;
}else if (operands==3)
{
        System.out.println("enter first num");
        double a=sc.nextDouble();
```

```
        System.out.println(" enter operator");
        char oper=sc.next().charAt(0);
        System.out.println("enter second num");
        double b=sc.nextDouble();

        double c=calculation(a,b,oper);
        System.out.println(+c);
        System.out.println("enter operator");
        char oper2=sc.next().charAt(0);
        System.out.println("enter third num ");
        double d=sc.nextDouble();
        double e=calculation(c,d,oper2);
        System.out.println("result="+e);
        }
        }
        static double calculation(double a,double b,char oper)
        {
                switch(oper)
                {
        case '+':
        return a+b;
        case '-':
                return a-b;
                case '*':
                        return a*b;
                case '/':
                                return a/b;
                                default:
                                System.out.println("error");
                                System.exit(1);
                                return 0;
                        }
                }
}
```

Output:

```
enter numofoperands
3
enter first num
3
 enter operator
-
enter second num
8
-5.0
enter operator
+
enter third num
7
result=2.0
```

//21:WRITE A PROGRAM PR UON ADMISSION ENTER ALL DETAIL

```
import java.util.Scanner;

public class Main {
   static Scanner sc = new Scanner(System.in);
   static String name;
   static int age;
   static double sscper;
   static double fscper;

   public static void main(String[] args) {
      System.out.println("Enter your name");
      name = sc.next();
      calculateAge();

      if (age >= 18) {
         System.out.println(name + ", you're eligible for admission. Please enter your SSC and
FSC details.");
         enterSSC();
         enterFSC();

         if (sscper >= 60 && fscper >= 60) {
            makePayment();
         } else {
            System.out.println("Sorry, your FSC and SSC marks are less than 60%");
         }
      } else {
         System.out.println("Sorry, your age is less than 18.");
      }
   }

   static void calculateAge() {
      System.out.println(name + ", enter birth year");
      int by = sc.nextInt();
      System.out.println(name + ", enter current year");
      int cy = sc.nextInt();
      age = cy - by;
      System.out.println(name + ", your age is " + age);
   }

   static void enterSSC() {
      System.out.println(name + ", enter your SSC marks");
      double sscmarks = sc.nextDouble();
```

```
      System.out.println("Enter total marks");
      double totalmarks = sc.nextDouble();
      sscper = (sscmarks / totalmarks) * 100;
      System.out.println(name + ", your percentage is " + sscper);
   }

   static void enterFSC() {
      System.out.println(name + ", enter your FSC marks");
      double fscmarks = sc.nextDouble();
      System.out.println("Enter total marks");
      double totalmarks = sc.nextDouble();
      fscper = (fscmarks / totalmarks) * 100;
      System.out.println(name + ", your FSC percentage is " + fscper);
   }

   static void makePayment() {
      System.out.println("Congratulations, you're selected.");
      System.out.println("Pay 2000");

      double paidAmount = sc.nextDouble();
      double remainingAmount = 2000 - paidAmount;

      if (paidAmount < 2000) {
         System.out.println("Please pay the full amount.");
         System.out.println("Pay more " + remainingAmount);
         double additionalPayment = sc.nextDouble();
         System.out.println("Thanks for the payment.");
      } else if (paidAmount > 2000) {
         System.out.println("You paid more than your admission payment. Refund: " +
(paidAmount - 2000));
      }
   }
}
```

Output:

```
Enter your name
akhtar
akhtar, enter birth year
2002
akhtar, enter current year
2024
akhtar, your age is 22
```

```
akhtar, you're eligible for admission. Please enter your SSC and FSC details.
akhtar, enter your SSC marks
700
Enter total marks
1100
akhtar, your percentage is 63.64
akhtar, enter your FSC marks
800
Enter total marks
1100
akhtar, your FSC percentage is 72.73
Congratulations, you're selected.
Pay 2000
1900
Please pay the full amount.
Pay more 100.0
100
Thanks for the payment.
```

//22:WRITE A PROGRAM PR UON ADMISSION MORE THEN ONE PERSON

```
import java.util.Scanner;
public class arrays {
   static Scanner sc=new Scanner(System.in);
   static int h;
   static int o;
   static String name[]=new String[5];
   static int age[]=new int[5];
   static double sscper[]=new double[5];
   static double fscper[]=new double[5];
   public static void main(String[] args) {
      Name();
      AGE();
      for(int k=0;k<5;k++) {
         if(age[k]>=18) {
            h=k;
            Ssc();
            Fsc();
            for(int i=h;i<=h;i++) {
               if(sscper[i]>=60&&fscper[i]>=60) {
                  o=i;
                  Payment();
```

```
            } else {
               System.out.println("sorry your marks percentage is less than 60%");
            }
         }
      } else {
         System.out.println("sorry your age is less than 18");
      }
   }
}

static void Name() {
   System.out.println("only five students enter his data it a time ");
   for(int i=0;i<5;i++) {
      System.out.println("enter student name number "+(i+1));
      name[i]=sc.next();
   }
}

static void AGE() {
   for(int i=0;i<5;i++) {
      System.out.println(name[i]+" enter your birth year");
      int by=sc.nextInt();
      System.out.println("enter current year");
      int cy=sc.nextInt();
      age[i]=cy-by;
      System.out.println(name[i]+" your age is "+age[i]);
   }
}

static void Ssc() {
   for(int i=h;i<=h;i++) {
      System.out.println(name[i]+" enter your ssc details");
      System.out.println(name[i]+" enter ssc marks");
      double sscmarks=sc.nextDouble();
      System.out.println("enter ssc total marks");
      double totalmarks=sc.nextDouble();
      sscper[i]=(sscmarks/totalmarks)*100;
      System.out.println(name[i]+" your scc percentage is "+sscper[i]);
   }
}

static void Fsc() {
   for(int i=h;i<=h;i++) {
      System.out.println(name[i]+" enter your fsc details");
```

```
        System.out.println(name[i]+" enter fsc marks");
        double fscmarks=sc.nextDouble();
        System.out.println("enter fsc total marks");
        double totalmarks=sc.nextDouble();
        fscper[i]=(fscmarks/totalmarks)*100;
        System.out.println(name[i]+" your scc percentage is "+fscper[i]);
      }
   }

   static void Salection() {
      for(int i=o;i<=o;i++) {
        System.out.println(name[o]+"congratulations you're selected");
      }
   }

   static void Payment() {
      Salection();
      for(int i=o;i<=o;i++) {
        System.out.print(name[o]+" your admission fee is \n **Rs::2000**");
        System.out.println("enter fee");
        int fee=sc.nextInt();
        if(fee<=2000) {
          System.out.println("you pay less than 2000");
          int bfee=2000-fee;
          System.out.println("pay "+bfee);
          int cfee=sc.nextInt();
        } else {
          System.out.println(name[o]+" **Thanks***");
        }
      }
   }
}
```

Output:

```
/*only five students enter his data it a time
enter studant name number 1
Akhtar
enter studant name number 2
Mudassir
enter studant name number 3
noorulislam
enter studant name number 4
uzair
```

```
enter studant name number 5
attaullah
Akhtar enter your birth year
2002
enter current year
2024
Akhtar your age is 22
Mudassir enter your birth year
2009
enter current year
2024
Mudassir your age is 15
noorulislam enter your birth year
1998
enter current year
2024
noorulislam your age is 26
uzair enter your birth year
2001
enter current year
2024
uzair your age is 23
attaullah enter your birth year
2000
enter current year
2024
attaullah your age is 24
Akhtar enter your ssc details
Akhtar enter ssc marks
700
enter ssc totalmarks
1100
Akhtar your scc percentage is 63.63636363636363
Akhtar enter your fsc details
Akhtar enter fsc marks
750
enter fsc totalmarks
1100
Akhtar your scc percentage is 68.18181818181817
Akhtarcongrulation you're salected
Akhtar you're admission fee is
 **Rs::2000**enter fee
1901
you pay less then 2000
```

```
pay99
99
sorry your age is less then 18
noorulislam enter your ssc details
noorulislam enter ssc marks
450
enter ssc totalmarks
1100
noorulislam your scc percentage is 40.909090909090914
noorulislam enter your fsc details
noorulislam enter fsc marks
500
enter fsc totalmarks
1100
noorulislam your scc percentage is 45.45454545454545
sorry your marks percentage is less then 60%
uzair enter your ssc details
uzair enter ssc marks
899
enter ssc totalmarks
1100
uzair your scc percentage is 81.72727272727272
uzair enter your fsc details
uzair enter fsc marks
1100
enter fsc totalmarks
1500
uzair your scc percentage is 73.33333333333333
uzaircongrulation you're salected
uzair you're admission fee is
 **Rs::2000**enter fee
2100
uzair **Thanks***
attaullah enter your ssc details
attaullah enter ssc marks
650
enter ssc totalmarks
1100
attaullah your scc percentage is 59.09090909090909
attaullah enter your fsc details
attaullah enter fsc marks
709
enter fsc totalmarks
1100
```

```
attaullah your scc percentage is 64.45454545454545
sorry your marks percentage is less then 60%

[Program finished]*/
```

//23:WRITE PROGRAM WHICH CALL INHERITANCE AND ASLO USE IP

```
import java.util.Scanner;
public class Main {
	public static void main(String[] args) {
		Scanner sc=new Scanner(System.in);
		System.out.println("please enter number");
		int b=sc.nextInt();
		System.out.println("please enter second number");
		int c=sc.nextInt();
		System.out.println("If you want addition enter 1 and sub 2");
		int a=sc.nextInt();
		if(a==1)
		{
			ADD(b,c);
			}
			else if(a==2)
			{
			Sub(b,c);
				}else
				{
					System.out.println("only 1 and 2 enter");
					}
	}
	static double ADD(double a, double b)
	{
		System.out.println("addition "+(a+b));
		return 0;
		}
		static double Sub(double a ,double b)
		{
	System.out.println("sub "+(a-b));
	return 0;
	}
}
Output:
please enter number
4
please enter second number
7
```

```
If you want addition enter 1 and sub 2
1
addition 11.0
[Program finished]*
please enter number
2
please enter second number
9
If you want addition enter 1 and sub 2
2
sub -7.0
[Program finished]*
```

//24:write a program which convert alphabets to upper case and lower case and aslo call methods

```
import java.util.Scanner;
public class Main {
		static String name;
		static Scanner sc=new Scanner(System.in);
		public static void main(String[] args) {

			System.out.println("enter anything that you want to upper and lower Case");
		name=sc.next();
			System.out.println("you enter is "+name);
			GetToLowerCase();
		}
		static void GetToUpperCase()
		{
			System.out.println("to uppercase="+name.toUpperCase());
			}
			static void GetToLowerCase()
			{
				GetToUpperCase();
				System.out.println("To Lower Case ="+name.toLowerCase());
				}
}
```

Output:

```
/*
enter anything that you want to upper and lower Case
Pakistan-Zindabad
```

```
you enter is Pakistan-Zindabad
to uppercase=PAKISTAN-ZINDABAD
To Lower Case =pakistan-zindabad
```

```
[Program finished]*/
```