Document ID: VIB-PORT-ELIG-020 Classification: INTERNAL CONFIDENTIAL Effective Date: 2024-04-01 Version: 5.1

Document Owner: National Head of Product Management

Product Eligibility and Serviceability Rules: VI Business (India)

1. Executive Purpose and Document Scope

The Product Eligibility and Serviceability Rules outline the strict physical, technological, and commercial preconditions a customer must meet before VI Business (India) will formally contract and deploy specific managed services.

This artifact acts as a mandatory gating mechanism during the pre-sales phase. It prevents Account Managers from selling unsupportable architectures (e.g., selling low-latency SIP trunking over unstable satellite internet) and defends VI Business against unfair SLA penalty claims arising from customer-side failures.

2. Definitions, Assumptions, and Applicability

Definitions:

- **Feasibility:** The physical capability to deliver fiber or wireless connectivity to a specific pin code.
- **Eligibility:** The technological or commercial right of a customer to purchase a specific product overlay (e.g., SD-WAN).
- **RoW:** Right of Way (Municipal permissions for laying fiber).

Assumptions:

- Exceptions to these rules can only be mathematically overridden via a formal Deal Desk waiver, counter-signed by the Head of Solution Engineering.

Applicability:

- **Target Audience:** Bid Writers, Solution Architects (SAs), Account Managers.
- **Scope:** The entire VI Business Enterprise Portfolio (Connectivity, Security, IoT/Mobility, Unified Communications).

3. Core Eligibility Logic and Dependency Rules

Certain advanced services cannot function without prerequisite baseline services functioning as the foundation.

Target Product Overlay	Mandatory Prerequisite (Dependency)	Reason for Dependency

Target Product Overlay	Mandatory Prerequisite (Dependency)	Reason for Dependency
Managed SD-WAN (Premium)	At least one VI Business primary underlay circuit (MPLS or ILL).	To guarantee end-to-end QoS (Quality of Service) and enforce deterministic SLA metrics.
Managed SOC (SIEM Ingestion)	Customer must operate a supported Next-Gen Firewall (e.g., Fortinet, Palo Alto).	SIEM parsers cannot extract actionable threat intelligence from legacy or consumer-grade, uncertified routers.
Cloud Connect (AWS/Azure)	Minimum 50 Mbps VI ILL or MPLS.	Hyperscaler BGP peering tables require stable, enterprise-grade throughput; standard broadband drops BGP adjacencies.
SIP Trunking (Voice)	VI Business dedicated fiber/copper underlay.	DoT Toll Bypass regulations prohibit tunneling enterprise voice over the open public internet.

4. Geography and Serviceability Conditions

India's vast topographical and civic differences necessitate strict serviceability banding.

- **Band A (Tier-1 Urban Centers):** Mumbai, Delhi NCR, Bengaluru, Chennai, Pune, Hyderabad.
  - *Serviceability:* Unconditional optical fiber deployment. >99% ring redundancy availability.
- **Band B (Tier-2 & Tier-3 Cities):** Jaipur, Lucknow, Coimbatore, etc.
  - *Serviceability:* Optical fiber standard, but 10G+ port speeds require 45-day capacity planning lead time.
- **Band C (Rural / Deep Geography):**
  - *Serviceability (Fiber):* Requires formal desktop/physical survey. Subject to long-haul variable trenching costs (Distance-Based CapEx).
  - *Serviceability (LTE/5G):* Available universally where VI network coverage exists, but SLA drops from 99.99% to 99.5% due to varying atmospheric attenuation.

5. Technical Prerequisites (Customer Responsibilities)

Before VI Business deploys active electronics to a customer site, the site must meet fundamental operational standards. Failure to meet these unconditionally pauses the deployment clock.

- **Power Stability:** The customer must supply conditioned, Uninterruptible Power Supply (UPS) power backed by an Automatic Voltage Regulator (AVR). VI hardware blown due to raw grid power spikes is exempt from Next-Business-Day RMA limits.
- **Rack Environment:** Customer must provide a minimum 2U, standard 19-inch rack space in a secure, climate-controlled (sub-25°C) server room.
- **Internal Cabling:** VI Business provides the Customer Premises Equipment (CPE) and optical hand-off. The customer is strictly responsible for all LAN-side Cat6/fiber patching from the VI router to their internal core distribution switches.

6. Commercial Prerequisites

- **Minimum Entry Value:** Managed SD-WAN architectures require a minimum Total Contract Value (TCV) > INR 25 Lakhs. Smaller deployments default to standard unmanaged connectivity.
- **Financial Vetting:** Net-new enterprise logos exceeding INR 1 Crore in requested hardware CapEx require a D&B (Dun & Bradstreet) credit score review administered by the Enterprise Finance division before hardware POs are released.

7. Unsupported Scenarios (Hard Rejections)

Solution Architects must immediately flag and reject RFPs exhibiting the following characteristics:

1. **VoIP over Open Internet (Toll Bypass):** Any customer architecture attempting to land international PSTN calls into India and route them over unmanaged internet links to domestic IP-PBXs, directly violating DoT OSP guidelines.
2. **"Wires Only" Unmanaged Firewalls:** VI Business will not lease raw firewall hardware for the customer to configure themselves. Security appliances are exclusively sold as fully managed instances to protect the VI core from misconfigured routing loops.

8. Exception Handling Workflow

If an Account Manager wishes to propose a solution violating Section 3 or Section 5 (e.g., providing SD-WAN entirely over third-party broadband links), the following sequence is triggered:

1. **SA Justification:** Solution Architect drafts a 1-page technical risk assessment.
2. **Deal Desk Review:** Finance evaluates the margin buffers to account for increased third-party outage risks.
3. **Formal Waiver:** Approvals are captured via Salesforce. The final customer contract must include a "Limitations of Supportability" annexure explicitly outlining the compromised SLAs.

9. Proposal-Use Guidance

- **RFP Compliance Checklists:** Use Section 5 (Technical Prerequisites) to pre-fill the "Customer Responsibilities" section of the commercial proposal, ensuring legal cover if the customer delays the site readiness.
- **Defending Scope Constraints:** Use Section 7 (Unsupported Scenarios) to technically justify why certain "nice to have" customer requirements were marked "Non-Compliant" in the RFP response grid.

10. Governance and Ownership

- **Owner:** National Head of Product Management
- **Reviewers:** Legal, IT Service Delivery, Solution Engineering.
- **Update Cadence:** Evaluated bi-annually alongside the release of new product marketing catalogues.