PROPOSAL IN RESPONSE TO

Request for Proposal

Next-Generation BSS/OSS Platform Modernization

Issued by: Vi Business Solutions (Vodafone Idea Limited)

Submitted By	NexWave Technologies Pvt. Ltd.
RFP Reference	RFP-2026-VI-BSS-NXT-002
Submission Date	April 10, 2026
Submitted To	Priya Sharma, Head of IT Procurement, Vi Business Solutions
Authorized Signatory	Rajesh Menon, Chief Executive Officer
Contact Email	rfp.vi2026@nexwavetech.in
Contact Phone	+91-80-4567-8901
Proposal Validity	180 days from April 10, 2026 (valid until October 7, 2026)
Classification	CONFIDENTIAL — For Vi Business Solutions Evaluation Only

NexWave Technologies Pvt. Ltd. | 12th Floor, Embassy TechSquare, Outer Ring Road, Bengaluru — 560103 | www.nexwavetech.in | CIN: U72200KA2009PTC123456

Section 1: Executive Summary

NexWave Technologies Pvt. Ltd. is proud to submit this proposal in response to Vi Business Solutions' RFP-2026-VI-BSS-NXT-002 for the Next-Generation BSS/OSS Platform Modernization. We are confident that NexWave's TeleSphere BSS/OSS Suite — a cloud-native, TM Forum-certified, microservices-based platform — is the ideal solution to power Vi's FutureReady transformation programme.

Our proposal delivers:

- A production-proven platform currently serving 3 Tier-1 operators with a combined 420M subscribers across Asia-Pacific and Middle East
- Full compliance with all mandatory technical requirements including 3GPP Rel-17 OCS, TM Forum Frameworx Level 4, and GSMA security certifications
- A zero-revenue-leakage data migration methodology, validated across 6 large-scale BSS transformations
- 5G SA network slice management capabilities live in production since Q3 2024
- A dedicated India delivery center in Bengaluru with 1,200+ FTEs available to this programme
- 5-year Total Cost of Ownership commitment with guaranteed pricing transparency and milestone-linked commercials

We understand the critical nature of this transformation for Vi's 215 million subscribers and its 5G growth ambitions. NexWave commits to mobilizing a 150-person dedicated programme team from Day 1, led by a seasoned programme director with two prior BSS transformations at comparable operator scale.

Section 2: Company Profile & Qualifications

2.1 Corporate Overview

Legal Entity	NexWave Technologies Pvt. Ltd.
Founded	2009
Headquarters	Bengaluru, Karnataka, India
CIN	U72200KA2009PTC123456
GSTIN	29AAACN1234A1Z5
PAN	AAACN1234A
Listed Exchanges	BSE & NSE (NSE: NEXWAVE)
Global Offices	India (Bengaluru, Mumbai, Chennai), Singapore, Dubai, London
Total Employees	8,400+ globally; 6,100 in India
India FTE (BSS/OSS)	1,200+ dedicated BSS/OSS engineers
Annual Revenue (FY2025)	INR 2,840 Crores total; INR 1,920 Crores from telecom sector
Years in Telecom BSS/OSS	15 years (since 2009)
Clients Globally	28 mobile operators in 18 countries

2.2 India Delivery Center

NexWave's primary delivery center is located at Embassy TechSquare, Bengaluru (Karnataka), with secondary centers in Chennai (Tamil Nadu) and Mumbai (Maharashtra). The India organization employs 6,100 professionals across software engineering, infrastructure, quality assurance, and managed services. The Bengaluru center operates under ISO 27001, ISO 9001, and CMMI Level 5 certifications.

2.3 Financial Summary

Metric	Value
FY2023 Total Revenue (INR Cr)	2,210
FY2024 Total Revenue (INR Cr)	2,530
FY2025 Total Revenue (INR Cr)	2,840
FY2025 Telecom Sector Revenue (INR Cr)	1,920
FY2024 Telecom Sector Revenue (INR Cr)	1,690
FY2023 Telecom Sector Revenue (INR Cr)	1,480
Net Profit Margin (FY2025)	14.2%
Debt-to-Equity Ratio	0.18 (low leverage)

Audited financials for FY2023, FY2024, and FY2025 are included in Appendix F.

2.4 Tier-1 Operator References

#. Operator	Scope & Go-Live
1. Stellar Mobile (Indonesia)	280M subs; Full BSS transformation; OCS live Oct 2023; TeleSphere platform

2. Crescent Telecom (Saudi Arabia)	55M subs; Convergent billing + CRM + 5G slicing; live Q1 2024
3. AsiaNet Wireless (Philippines)	120M subs; Greenfield BSS/OSS; migration from Ericsson BSCS; live Dec 2022
4. BrightPath Mobile (Sri Lanka)	28M subs; OCS + Order Management + Self-Care; live Jun 2024
5. ConnectFirst (Bangladesh)	38M subs; Billing + CRM + RA/FM; live Mar 2023

Section 3: Technical Solution — BSS Modules

3.1 Solution Architecture Overview

NexWave's TeleSphere BSS Suite is a cloud-native, event-driven, microservices platform built on a Domain-Driven Design (DDD) architecture. All components are packaged as containerized services (Docker/Helm) deployed on Kubernetes, with full support for multi-region active-active deployment on MeitY-empanelled clouds (AWS India, Azure India, Jio Cloud).

- Architecture pattern: Event-driven microservices with Apache Kafka as the central event bus
- API layer: TM Forum Open API-compliant REST and AsyncAPI; TMF620, TMF622, TMF632, TMF637, TMF641, TMF666 exposed natively
- Data layer: Distributed NoSQL (Cassandra) for high-throughput OCS; PostgreSQL for billing & CRM; Redis for real-time session state
- Observability: Prometheus + Grafana for metrics; ELK stack for log aggregation; Jaeger for distributed tracing

3.2 Online Charging System (OCS)

TeleSphere OCS v7.2 is fully compliant with 3GPP Release 17 Ro/Gy/Rf interfaces and supports prepaid, postpaid, and hybrid charging in a unified engine.

Capability	NexWave Response
3GPP Compliance	Rel-17 Ro (online), Gy (policy & charging), Rf (offline)
Rating Latency (P99)	<38ms at 1.5M TPS — demonstrated in Stellar Mobile production environment
Peak Throughput	2M TPS (tested); 1.5M TPS production SLA guaranteed
Subscriber Scale	Horizontally scalable; 280M subs live at Stellar Mobile
Prepaid Support	Real-time balance deduction, reservation, reauthorization
Postpaid Support	CDR-based mediation, convergent bill generation
Enterprise Billing	Contract billing, CPQ integration, volume discounts, SLA-based credits
5G Charging	5G-SA Nchf interface; network slice usage-based charging

3.3 CRM — Customer Management

TeleSphere CRM provides a 360-degree subscriber view built on a cloud-native platform integrated with AI/ML decisioning engine for agent assist, churn prediction, and next-best-action recommendations.

- Single unified CRM for consumer prepaid, postpaid, SME, and enterprise segments
- AI-assisted agent workflows: real-time sentiment analysis, suggested responses, automated case routing
- Screen load time: <1.4 seconds P99 in production (target: <2 seconds)
- Salesforce-compatible data model; migration tooling available for existing Siebel/Salesforce data
- Omnichannel interaction history: call center, web, app, retail POS unified in single timeline

3.4 Order Management System (OMS)

TeleSphere OMS is a microservices-based orchestration engine with pre-built workflows for 45+ order types including SIM swap, plan change, number porting, enterprise provisioning, and 5G slice ordering.

Capability	NexWave Response
Architecture	Microservices OMS; BPMN-based workflow engine (Camunda)
Automation Rate	94.7% no-touch order completion (AsiaNet Wireless, Q1 2025)
SIM Swap / Plan Change	<2 hours average fulfillment (target: <4 hours)

New Connection	<4 hours including SIM provisioning and network activation
Enterprise Order	Complex CPQ + contract billing orders: <8 hours
Fulfillment Dashboard	Real-time order tracker; exception-based management console

3.5 Revenue Assurance & Fraud Management

Capability	NexWave Response
RA Engine	Real-time stream processing (Flink); sub-30-minute leakage detection
RA Data Sources	OCS events, mediation records, billing invoices, network CDRs — all reconciled
Fraud Detection	Hybrid rule-based + ML model ensemble; SIM clone alert-to-block <3 minutes
Fraud ML Model	LSTM-based anomaly detection; retrained daily; false positive rate <0.5%
SUBEX Migration	Pre-built migration toolkit for SUBEX RAG data — RA history preserved
Regulatory Reports	Automated TRAI QoS and revenue reports; no manual intervention required

3.6 Self-Care Portal & Digital Channels

- Responsive progressive web app (PWA) and native iOS/Android apps
- Supported languages: English, Hindi, Marathi, Tamil, Telugu, Gujarati (6 languages at launch)
- AI-powered NLP chatbot (TeleSphere Chat) with 97.2% intent recognition accuracy in production
- Full transactional capability: recharge, plan change, bill pay, complaint registration, SIM swap
- USSD self-care menu for feature phones — all core transactions supported
- Accessibility: WCAG 2.1 AA compliant

Section 4: Technical Solution — OSS Modules

4.1 Network Inventory Management

TeleSphere NIM provides dynamic, real-time discovery and management of physical and logical network resources across 4G, 5G-NSA, and 5G-SA network elements.

- Vendor support: Ericsson (ECS, Radio, Core), Nokia (ADS, AirScale), Huawei (SDP, Enterprise), ZTE — all pre-built adapters included
- Discovery protocols: SNMP, NETCONF/YANG, TR-069, SSH, REST APIs
- Topology views: Physical, logical, and service topology layers with live status
- Shadow inventory elimination: Automated reconciliation with active network elements; decommissions Excel-based shadow systems

4.2 Service Provisioning

Capability	NexWave Response
Provisioning Protocols	NETCONF/YANG, REST, SOAP, CLI templating
SIM Provisioning SLA	<45 seconds P95 (target: <60 seconds)
Rollback Capability	Automated rollback on provisioning failure; <30-second rollback
5G NSA/SA Provisioning	AMF, SMF, UPF network function configuration via SBI APIs
eSIM / eUICC	RSP-compliant eSIM profile management; SGP.22 specification

4.3 5G Slice Management

TeleSphere SliceOrchestrator is production-deployed for 5G SA slice management at Crescent Telecom (Saudi Arabia) since Q1 2024, making NexWave one of the very few vendors with live 5G slicing references.

- E2E slice lifecycle: Design → Order → Instantiate → Assure → Modify → Terminate
- GSMA NG.116 compliant; 3GPP TS 28.530 network slice management standard
- Slice types: eMBB, URLLC, mMTC — all supported
- Enterprise self-service: Slice ordering API exposed via TeleSphere Enterprise Portal
- Slice assurance: Real-time KPI monitoring per slice with SLA violation alerts

Section 5: Integration & API Architecture

5.1 TM Forum Open API Compliance

Requirement	Status	Vendor Notes
TMF620 — Product Catalog Management	**COMPLIANT**	Native TeleSphere Catalog API v4.0
TMF622 — Product Order Management	**COMPLIANT**	TeleSphere OMS exposes TMF622 natively
TMF632 — Party Management	**COMPLIANT**	CRM party model TM Forum SID-aligned
TMF637 — Product Inventory	**COMPLIANT**	Real-time product inventory API
TMF641 — Service Order Management	**COMPLIANT**	OSS provisioning via TMF641
TMF666 — Account Management	**COMPLIANT**	Enterprise account & billing APIs
TMF642 — Alarm Management	**COMPLIANT**	Fault Management module
TMF724 — AI/ML Management	**PARTIAL**	AI/ML API exposure roadmap Q3 2026

5.2 Event Streaming & Messaging

- Apache Kafka v3.6 — central event bus; minimum 800,000 events/second (exceeds 500k requirement)
- Event schema registry: Confluent Schema Registry for Avro schema governance
- Pre-built Kafka connectors for all 40+ Vi integration points

5.3 Key Integrations

Integration Target	NexWave Approach
NPCI / UPI Payment Gateway	Pre-built adapter; certified for UPI 2.0, IMPS, NACH
Razorpay & Paytm	Payment aggregator SDKs — already integrated at 3 Indian clients
GSTN / IRP e-Invoicing	Certified IRN generation; live at BrightPath Mobile; CBIC-compliant
Ericsson BSCS / ECS	Pre-built migration toolkit; subscriber data extraction certified
Siebel CRM v8.x	Bidirectional sync adapter; history migration tooling included
Salesforce	Native Salesforce connector with real-time event sync
SUBEX RAG	Data migration bridge; historical RA data preserved
Telecom Operators (CDR Exchange)	Pre-built adapters for all 11 Indian operator interconnects
TRAI Reporting	Automated QoS and regulatory report generation; no downtime during migration

Section 6: Cloud Infrastructure & Security

6.1 Cloud Infrastructure Architecture

NexWave proposes deployment on AWS India (Mumbai primary) + AWS India (Hyderabad DR) in an active-active configuration. AWS is MeitY-empanelled, ISO 27001 and SOC 2 Type II certified, and ensures 100% India data residency with no cross-border transfers.

- Kubernetes (EKS): All TeleSphere services deployed as containerized microservices
- Helm charts provided for all 32 service components — fully IaC (Terraform) managed
- Auto-scaling: Horizontal pod autoscaler tuned for BSS traffic patterns (billing batch vs. real-time OCS peaks)
- Active-Active multi-region: Mumbai primary + Chennai DR; automated geo-failover via Route 53 health checks
- Data residency: All data stored in AWS ap-south-1 (Mumbai) and ap-south-2 (Hyderabad); no egress outside India

6.2 Security Architecture

Requirement	Status	Vendor Notes
AES-256 at rest; TLS 1.3 in transit	**COMPLIANT**	AWS KMS + HSM (CloudHSM) for key management
MFA; SAML 2.0 / OAuth 2.0 / OIDC	**COMPLIANT**	Azure AD / Okta integration; all admin portals MFA-enforced
RBAC + ABAC; PAM integration	**COMPLIANT**	CyberArk PAM integration; OPA for ABAC policy engine
SS7/Diameter/SIP Firewall (GSMA FS.11/19)	**COMPLIANT**	Integrated signaling firewall — P1 Security certified
Immutable audit logs; 36-month retention	**COMPLIANT**	AWS CloudTrail + Splunk SIEM integration
DPDP Act 2023 compliance	**COMPLIANT**	DPA executed; PII tokenization; consent management module
Bi-annual external pen testing	**COMPLIANT**	Mandiant/KPMG engaged for pen tests; critical findings in <30 days
PCI-DSS Level 1 Service Provider	**COMPLIANT**	Certificate valid until Dec 2026; renewal in progress
ISO 27001 (delivery organization)	**COMPLIANT**	Certificate valid; last audit Feb 2025
MeitY Cloud Empanelment	**COMPLIANT**	AWS India MeitY-empanelled (Empanelment ref: MeitY-CSP-AWS-2024)

Section 7: Implementation Methodology & Project Plan

7.1 Methodology

NexWave follows the TeleSphere Delivery Framework (TDF) — a hybrid Agile/Waterfall methodology designed specifically for large-scale BSS/OSS transformations. TDF divides the programme into phase gates with fixed deliverables and acceptance criteria, while maintaining 2-week Agile sprints for software configuration, integration development, and testing cycles.

7.2 Phase-by-Phase Plan

Phase	Duration	Key Activities
Phase 0	Jul–Aug 2026 (8 wks)	Kickoff, As-Is assessment, gap analysis, target architecture, cloud infra provisioning, data migration strategy
Phase 1	Sep–Nov 2026 (12 wks)	Cloud platform build, TeleSphere platform installation, OCS deployment, network element integration, billing engine baseline
Phase 2A	Nov 2026–Jan 2027 (10 wks)	CRM go-live (enterprise), OMS automation (enterprise orders), Product Catalog, 5G Slice Management — enterprise segment
Phase 2B	Jan–Mar 2027 (10 wks)	Consumer postpaid billing migration (20M subs); 60-day parallel run; GST e-invoicing live before cutover
Phase 3	Mar–Jul 2027 (16 wks)	Consumer prepaid OCS migration (170M subs); phased circle-by-circle rollout; minimum 60-day parallel run
Phase 4	Jul–Oct 2027 (12 wks)	OSS full deployment, RA/FM go-live, Self-Care portal launch, AI/ML capabilities activation
Phase 5	Oct–Dec 2027 (8 wks)	Legacy decommission, performance optimization, final acceptance, project handover to AMS team

7.3 Critical Milestone Commitments

- Revenue Migration Blackout Compliance: No billing changes Oct 1–10, 2026 or Dec 24, 2026–Jan 7, 2027 — built into programme schedule
- 5G Slice Readiness by January 2027: Phase 2A explicitly includes 5G SA slice management; Crescent Telecom reference available for Vi team site visit
- GST E-Invoicing: Live in Phase 1 (November 2026) — prerequisite gating for any billing migration
- TRAI QoS Reporting: Automated through all migration phases — no manual fallback required
- 60-Day Parallel Run: Both prepaid and postpaid phases include mandatory 60-day parallel run per RFP constraint

7.4 Programme Team Structure

Role	Proposed Resource & Key Credentials
Programme Director	Suresh Krishnamurthy — 20 yrs BSS/OSS; led AsiaNet Wireless (120M subs) transformation
Architecture Lead	Deepa Venkataraman — TM Forum Frameworx certified; 15 yrs platform architecture
OCS Domain Lead	Arun Pillai — 3GPP charging specialist; ex-Ericsson; designed OCS at Stellar Mobile

CRM Domain Lead	Preethi Sundaram — Salesforce + TeleSphere CRM; 12 yrs CRM transformation
OSS Domain Lead	Vikram Rao — Network inventory + provisioning; Nokia & Huawei adapter specialist
Data Migration Lead	Meena Goswami — Led 6 large-scale BSS migrations; 100M+ subscriber records
Security Lead	Karthik Iyer — CISSP, CISM; PCI-DSS QSA; led DPDP compliance at 2 operators
Delivery Manager (India)	Pooja Shah — 150-person team anchor; PRINCE2 Practitioner; based Bengaluru

Section 8: Data Migration Strategy

8.1 Migration Approach — Zero Tolerance for Revenue Leakage

NexWave's TeleSphere Migration Factory is a proven, tool-driven framework used in 6 major BSS transformations including the 120M-subscriber AsiaNet Wireless migration (completed Dec 2022 with zero billing disruption). Our approach: Extract → Cleanse → Transform → Load → Validate → Reconcile → Cutover.

8.2 Subscriber Record Migration

Aspect	NexWave Approach
Volume	215M subscriber records from Siebel CRM + legacy billing system
Extraction Tool	TeleSphere DataBridge — certified connectors for Siebel v8.x and Ericsson ECS
Cleansing	Automated deduplication, PII validation, address normalization, MSISDN reconciliation
Transformation	SID-compliant data model mapping with 100% field-level audit trail
Validation	Triple-check reconciliation: source count vs. landing zone vs. target system
Migration Duration	Phased: Postpaid (20M) in Phase 2B; Prepaid (170M) in Phase 3
Rollback Plan	Legacy systems remain live during 60-day parallel run; instant rollback capability

8.3 CDR & Historical Data

- Minimum 24 months of CDR history migrated and queryable on new platform
- Historical CDRs archived to AWS S3 Glacier with ILM policies aligned to TRAI retention requirements
- CDR reconciliation: 100% count and value reconciliation against source mediation
- No billing re-run required: All historical invoices preserved and accessible in new CRM

Section 9: Support & Managed Services Model

9.1 Hypercare Period

NexWave will deploy a dedicated 24x7 war-room team for 90 days post each phase go-live. The war-room will be staffed with domain specialists for OCS, CRM, OMS, OSS, and infrastructure, co-located at Vi's Mumbai HQ and accessible via dedicated MS Teams bridge.

9.2 5-Year Application Managed Services (AMS)

AMS Component	NexWave Commitment
AMS Commencement	From Phase 3 go-live (Consumer Prepaid — July 2027)
AMS Model	Fixed monthly retainer (L2/L3 support) + T&M for enhancements
Support Hours	24x7x365 for critical services (OCS, billing, fraud); business hours L2 for OMS, CRM
L2 Ticket Response	<2 hours for P1/P2; <8 hours for P3; <24 hours for P4
L3 Resolution SLA	<4 hours for critical incidents; <2 business days for high-priority
Escalation Matrix	4-tier escalation: L1 (Vi ops) → L2 (NexWave AMS) → L3 (product engineering) → CEO bridge
Innovation Reviews	Quarterly platform roadmap sessions; 2 enhancement releases per year included in AMS fee
AMS Price Escalation	Capped at lower of 5% per year or WPI index — as required by RFP

9.3 SLA Commitments

Requirement	Status	Vendor Notes
OCS/Charging Availability: 99.999%	**COMPLIANT**	Contractually committed; service credits per RFP schedule
CRM/OMS Availability: 99.99%	**COMPLIANT**	Redundant active-active deployment
Self-Care Portal: 99.95%	**COMPLIANT**	CloudFront CDN + multi-AZ deployment
OCS Rating Latency P99: <50ms	**COMPLIANT**	<38ms demonstrated at 1.5M TPS (Stellar Mobile)
SIM Provisioning: <60 sec P95	**COMPLIANT**	<45 seconds P95 in production
Bill Run: 10M accounts <6 hours	**COMPLIANT**	Tested at 10M in 4.2 hours
Fraud Alert-to-Block: <5 minutes	**COMPLIANT**	<3 minutes in production at AsiaNet
Critical Incident Response: <15 min	**COMPLIANT**	24x7 NOC with automated paging
RPO <15 min; RTO <1 hour	**COMPLIANT**	Active-Active; tested DR failover every 6 months

Section 10: Commercial Proposal Summary

The full commercial proposal is submitted as a separate password-protected PDF file (NexWave_Vi_BSS_RFP_2026_Commercial.pdf). The password has been communicated separately to it.procurement@vibusinesses.in. Below is a summary of the commercial structure.

10.1 5-Year Total Cost of Ownership Summary

Cost Category	Amount (INR)
Year 0 — Initial CapEx (Implementation)	INR 312 Crores
Year 1 — OpEx (Post Go-Live Stabilization)	INR 68 Crores
Year 2 — OpEx	INR 72 Crores
Year 3 — OpEx	INR 76 Crores
Year 4 — OpEx	INR 79 Crores
Year 5 — OpEx	INR 83 Crores
5-Year Total Cost of Ownership	INR 690 Crores

10.2 Key Commercial Terms

- All prices in INR excluding GST. Applicable GST rates: 18% on software services; 18% on professional services
- Prices firm for 180 days from April 10, 2026 (valid until October 7, 2026)
- AMS annual escalation: 4% per year (below RFP maximum of 5% / WPI)
- Volume tiers provided for 200M / 250M / 300M subscribers in commercial proposal
- Payment: Milestone-linked schedule aligned to Phase gate sign-offs; 20% mobilization advance against bank guarantee
- Pass-through cloud costs (AWS IaaS) separately itemized; available at cost with no margin

10.3 Optional Pricing Items

Optional Item	Indicative Price
Extended Warranty (Year 6–7)	INR 41 Cr / year (flat; no escalation)
Advanced AI/ML Module (Churn + Next Best Action)	INR 18 Cr one-time; INR 4 Cr/year maintenance
Edge BSS for Private 5G (per enterprise site)	INR 45 Lakhs per site setup + INR 8 Lakhs/year AMS
Additional Language Pack (per language)	INR 80 Lakhs one-time development; 6-month delivery

Section 11: Compliance Matrix — Mandatory Requirements

Full compliance matrix (point-by-point response to all mandatory and preferred requirements in Sections 4 and 5 of the RFP) is included as Appendix E of this proposal.

11.1 Vendor Qualification Compliance

Requirement	Status	Vendor Notes
Min. 10 years in BSS/OSS domain	**COMPLIANT**	NexWave founded 2009; 15 years in telecom BSS/OSS
INR 500 Cr telecom revenue (last 3 FY)	**COMPLIANT**	INR 1,480 Cr / 1,690 Cr / 1,920 Cr (FY23/24/25)
India presence: min. 500 FTE	**COMPLIANT**	1,200+ BSS/OSS FTE in India
2 live BSS/OSS implementations: 50M+ subs	**COMPLIANT**	Stellar Mobile (280M), AsiaNet (120M), Crescent (55M)
1 reference: 100M+ subscribers migrated	**COMPLIANT**	AsiaNet Wireless (120M) — live Dec 2022
OCS: 1M+ TPS demonstrated in production	**COMPLIANT**	2M TPS tested; 1.5M TPS at Stellar Mobile
50M+ subscriber migration without billing disruption	**COMPLIANT**	120M subs at AsiaNet — zero billing disruption certified
At least 1 live 5G slicing / SA core integration	**COMPLIANT**	Crescent Telecom 5G SA slicing live Q1 2024
India regulatory: TRAI, DOT, GST, DPDP Act	**COMPLIANT**	GSTN IRP live at BrightPath; DPDP DPA template ready
TM Forum Frameworx Level 3+ certification	**COMPLIANT**	Level 4 — certificates in Appendix B
GSMA FS.11, FS.19, FS.23 certification	**COMPLIANT**	Valid certificates in Appendix B
PCI-DSS Level 1 Service Provider	**COMPLIANT**	Certificate valid until Dec 2026
ISO 27001 (delivery organization)	**COMPLIANT**	Last audited Feb 2025; certificate in Appendix B
MeitY-empanelled cloud	**COMPLIANT**	AWS India (ap-south-1) MeitY-empanelled

Section 12: Client References

Operator	Contact	Scope & Status
Stellar Mobile Indonesia	Ari Wibowo, CTO ari.wibowo@stellarmobile.co.id +62-21-5678-9012	280M subs; Full BSS transformation; TeleSphere OCS, Billing, CRM, OMS; live Oct 2023
Crescent Telecom Saudi Arabia	Mohammed Al-Rashidi, VP IT mrashidi@crescenttel.sa +966-11-234-5678	55M subs; Convergent billing, CRM, 5G SA slicing; live Q1 2024
AsiaNet Wireless Philippines	Maria Santos, Head of IT msantos@asianet.com.ph +63-2-8765-4321	120M subs; Greenfield BSS/OSS; Ericsson BSCS migration; live Dec 2022
BrightPath Mobile Sri Lanka	Pradeep Fernando, CIO pfernando@brightpath.lk +94-11-234-5678	28M subs; OCS, OMS, Self-Care, GST e-invoice; live Jun 2024
ConnectFirst Bangladesh	Tanvir Ahmed, IT Director tanvir@connectfirst.com.bd +880-2-9876-5432	38M subs; Billing, CRM, RA/FM; live Mar 2023

NexWave Technologies is ready to power Vi's FutureReady transformation.

We look forward to the opportunity to demonstrate TeleSphere at the vendor evaluation phase.

Authorized Signatory: Rajesh Menon, CEO | NexWave Technologies Pvt. Ltd. | Date: April 10, 2026

Appendices included:

- Appendix A — Signed Proposal Submission Cover Letter
- Appendix B — Certifications (TM Forum Frameworx, GSMA, PCI-DSS, ISO 27001)
- Appendix C — Case Studies: AsiaNet Wireless, Stellar Mobile, Crescent Telecom
- Appendix D — Team CVs (Programme Director, Architecture Lead, Domain Leads)
- Appendix E — Full Compliance Matrix (point-by-point, all RFP sections)
- Appendix F — Audited Financials FY2023, FY2024, FY2025
- Appendix G — Legal Declarations (GST certificate, PAN, NDA, Non-Collusion, CoI Disclosure)
- Appendix H — Professional Indemnity and Cyber Liability Insurance Certificates
- Appendix I — Sample SLA & Escalation Matrix
- Appendix J — Commercial Proposal (separate password-protected PDF)