

{root-project-name} ({project-version})

Maksim Kostromin

Version {project-version}, 2018-06-27 02:25:12 UTC

Table of Contents

1. Introduction	2
2. Implementation	3
3. Test usage	6
4. Build documentation	7
5. Links	8
6. Other links	9

Travis CI status: [\[Build Status\]](#)

Chapter 1. Introduction

This project contains example of `asciidoctor-maven-plugin` usage

Read [project reference documentation](#)

Project generated by [generator-jvm](#) yeoman generator (java)

Chapter 2. Implementation

plugin configuration

```
<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="
    http://maven.apache.org/POM/4.0.0
    http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <build>
    <plugins>
      <plugin>
        <groupId>org.asciidoctor</groupId>
        <artifactId>asciidoctor-maven-plugin</artifactId>
        <version>1.5.6</version>
        <dependencies>
          <dependency>
            <groupId>org.asciidoctor</groupId>
            <artifactId>asciidoctorj-pdf</artifactId>
            <version>1.5.0-alpha.16</version>
          </dependency>
        </dependencies>
        <executions>
          <execution>
            <id>output-pdf-doc</id>
            <phase>generate-resources</phase>
            <goals>
              <goal>process-asciidoc</goal>
            </goals>
            <configuration>
              <backend>pdf</backend>
              <!--
                Since 1.5.0-alpha.9 PDF back-end can use 'rouge' as well as 'coderay'
                for source highlighting
              -->
              <!--
                Due to a known issue on windows, it is recommended to use 'coderay'
                until an new version of 'rouge' is released.

                see discussions: https://github.com/asciidoctor/asciidoctor-maven-examples/pull/58
                                https://github.com/asciidoctor/asciidoctorj-pdf/issues/3
                                https://github.com/jneen/rouge/issues/661
              -->
              <sourceHighlighter>coderay</sourceHighlighter>
              <attributes>
                <icons>font</icons>
                <pagenums/>
                <toc/>
```

```

        <idprefix/>
        <idseparator>-</idseparator>
    </attributes>
</configuration>
</execution>
<execution>
    <id>output-html</id>
    <phase>generate-resources</phase>
    <goals>
        <goal>process-asciidoc</goal>
    </goals>
    <configuration>
        <baseDir>docs</baseDir>
        <imagesDir>static</imagesDir>
        <sourceHighlighter>coderay</sourceHighlighter>
        <backend>html</backend>
        <attributes>
            <toc>left</toc>
            <linkcss>>false</linkcss>
            <doctype>book</doctype>
            <ruby>erubis</ruby>
            <encoding>${project.build.sourceEncoding}</encoding>
            <linkattrs>>true</linkattrs>
            <numbered>>true</numbered>
            <sectanchors>>true</sectanchors>
            <sectlink>>true</sectlink>
            <idprefix/>
            <docinfo1/>
            <icons>font</icons>
            <idseparator>-</idseparator>
            <setanchors>>true</setanchors>
            <source-highlighter>coderay</source-highlighter>
            <toc-title>Table of Contents</toc-title>
            <project-name>${project.artifactId}</project-name>
            <root-project-name>${project.artifactId}</root-project-name>
            <project-version>${project.version}</project-version>
            <github-url>https://github.com/daggerok/${project.artifactId}</github-
url>
        </attributes>
    </configuration>
</execution>
<execution>
    <id>output-docbook</id>
    <phase>generate-resources</phase>
    <goals>
        <goal>process-asciidoc</goal>
    </goals>
    <configuration>
        <backend>docbook</backend>
        <doctype>book</doctype>
    </configuration>

```

```
        </execution>
    </executions>
    <configuration>
        <sourceDirectory>./docs</sourceDirectory>
        <headerFooter>true</headerFooter>
    </configuration>
</plugin>
</plugins>
<defaultGoal>clean process-resources</defaultGoal>
</build>
</project>
```



this plugin configured for base directory: **./docs**

Chapter 3. Test usage

build fat jar

```
./mvnw clean process-resources
```

run app

```
npm i -g serve  
serve ./target/generated-docs  
open http://127.0.0.1:3000
```


Chapter 4. Build documentation

build documentation

```
./mvnw process-resources
```

Chapter 5. Links

- [GitHub repo](#)
- [GitHub pages](#)

Chapter 6. Other links

- [Asciidoctor maven examples](#)
- [asciidoctor-maven-plugin page](#)
- [asciidoctor-maven-plugin example](#)