

# thymeleaf-ee (0.0.1)

Maksim Kostromin

Version 0.0.1, 2018-06-27 01:28:04 UTC

# Table of Contents

1. Introduction .....	2
2. Implementation .....	3
2.1. create Java EE project .....	3
2.2. add thymeleaf and mvc 1.0 spec dependencies .....	3
2.3. configure thymeleaf .....	5
2.4. create MVC controller .....	6
2.5. add default (basic) pages layout .....	6
2.6. and finally create view for index page .....	7
3. Links .....	9
4. Other links .....	10

Travis CI status: [\[Build Status\]](#)

# Chapter 1. Introduction

Read GitHub pages [project reference documentation](#)

generated by [generator-jvm](#) yeoman generator (java-ee)

# Chapter 2. Implementation

## 2.1. create Java EE project

*I'm using my yo generator-jvm generator package (type: java-ee, name thymeleaf-ee):*

```
npm i -g yo generator-generator-jvm
yo jvm -t java-ee -n thymeleaf-ee
```

*beans.xml*

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xmlns="http://xmlns.jcp.org/xml/ns/javaee"
       xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/beans_1_1.xsd"
       bean-discovery-mode="all">
</beans>
```

## 2.2. add thymeleaf and mvc 1.0 spec dependencies

```

<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="
    http://maven.apache.org/POM/4.0.0
    http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <dependencies>
    <dependency>
      <groupId>javax.mvc</groupId>
      <artifactId>javax.mvc-api</artifactId>
      <version>1.0-pr</version>
    </dependency>
    <dependency>
      <groupId>org.mvc-spec.ozark</groupId>
      <artifactId>ozark-resteasy</artifactId>
      <version>1.0.0-m03</version>
    </dependency>
    <dependency>
      <groupId>org.mvc-spec.ozark.ext</groupId>
      <artifactId>ozark-thymeleaf</artifactId>
      <version>1.0.0-m03</version>
      <exclusions>
        <exclusion>
          <groupId>org.thymeleaf</groupId>
          <artifactId>thymeleaf</artifactId>
        </exclusion>
      </exclusions>
    </dependency>
    <dependency>
      <groupId>org.thymeleaf</groupId>
      <artifactId>thymeleaf</artifactId>
      <version>3.0.9.RELEASE</version>
    </dependency>
  </dependencies>
</project>

```

```

allprojects {
  dependencies {
    implementation 'javax.mvc:javax.mvc-api:1.0-pr'
    implementation 'org.mvc-spec.ozark:ozark-resteasy:1.0.0-m03'
    implementation 'org.mvc-spec.ozark.ext:ozark-thymeleaf:1.0.0-m03', {
      exclude group: 'org.thymeleaf', module: 'thymeleaf'
    }
    implementation 'org.thymeleaf:thymeleaf:3.0.9.RELEASE'
  }
}

```

## 2.3. configure thymeleaf

*configure Thymeleaf view resolver*

```
@Slf4j
@ApplicationScoped
public class ThymeleafViewEngine extends ViewEngineBase {

    @Inject ServletContext servletContext;
    TemplateEngine engine;

    @Override
    public boolean supports(final String view) {
        return !view.contains(".");
    }

    @PostConstruct
    public void postConstruct() {
        final ServletContextTemplateResolver resolver = new
        ServletContextTemplateResolver(servletContext);
        resolver.setPrefix("/WEB-INF/layouts/");
        resolver.setSuffix(".html");
        resolver.setTemplateMode(TemplateMode.HTML);
        resolver.setCacheable(false);
        engine = new TemplateEngine();
        engine.setTemplateResolver(resolver);
    }

    @Override
    public void processView(ViewEngineContext context) throws ViewEngineException {
        Try.of(() -> {

            final HttpServletRequest request = context.getRequest();
            final HttpServletResponse response = context.getResponse();

            final WebContext webContext = new WebContext(request, response, servletContext,
            request.getLocale());
            webContext.setVariables(context.getModels());
            request.setAttribute("view", context.getView());

            final String template = "default";
            engine.process(template, webContext, response.getWriter());

            return template; // not needed, just because we are using vavr Try.of()

        }).orElseThrow(ViewEngineException::new);
    }
}
```

## 2.4. create MVC controller

*resteasy controller*

```
@Path("")
@Controller
@Produces(TEXT_HTML)
public class IndexPage {

    @Inject Models models;

    @GET
    @Path("")
    public String indexView() {
        models.put("message", "Hello, World!");
        models.put("data", List.of("ololo", "trololo").toJavaList());
        return "index";
    }
}
```

## 2.5. add default (basic) pages layout



Thymeleaf default layout template in `src/main/resources/webapp/WEB-INF/layouts/default.html` file:

```
<!doctype html>
<html lang="en"
      xmlns="http://www.w3.org/1999/xhtml"
      xmlns:th="http://www.thymeleaf.org">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="IE=Edge" />
  <title>Template | Thymeleaf EE</title>
  <link rel="icon" type="image/x-icon" th:href="@{/assets/favicon.ico}" />
  <link rel="stylesheet" type="text/css" th:href="@{/assets/styles.css}" />
  <!-- custom styles will be added here...-->
  <th:block th:include="${view} :: header" />
</head>
<body>

<div th:text="${message}">Here should be some basic message...</div>
<ul th:each="item : ${data}">
  <li th:text="${item}"></li>
</ul>

<!-- custom view specific stuff: -->
<div th:replace="${view} :: content"></div>

<script th:src="@{/assets/scripts.js}"></script>
<!-- custom scripts will be added here...-->
<th:block th:include="${view} :: footer" />
</body>
</html>
```

## 2.6. and finally create view for index page

Thymeleaf index view template (file `src/main/resources/webapp/WEB-INF/layouts/index.html`):

```
<!DOCTYPE html>
<html lang="en" xmlns="http://www.w3.org/1999/xhtml" xmlns:th=
"http://www.thymeleaf.org">
<head>
  <title>Hello | Thymeleaf EE</title>
  <div th:fragment="header" th:remove="tag">
    <!-- here some my styles.... -->
  </div>
</head>
<body th:fragment="content">
<h1>Hello!</h1>
<div th:fragment="footer" th:remove="tag">
  <!-- here some my scripts.... -->
</div>
</body>
</html>
```

# Chapter 3. Links

- [GitHub repo](#)
- [GitHub pages](#)

## Chapter 4. Other links

- [DZone: Thymeleaf With JavaEE 8 article](#)
- [JSR 371: Model-View-Controller Specification](#)