

webpack-examples (0.0.1)

Maksim Kostromin

Version 0.0.1, 2018-06-17 04:50:19 UTC

Table of Contents

1. Introduction.....	2
2. Quickstart.....	3
2.1. no config.....	3
2.2. basic config.....	3
3. Links	4

Travis CI status:

Chapter 1. Introduction

Read [reference documentation](#)

webpack 4 examples:

- [starter without config file](#)
- [basic starter](#)

Chapter 2. Quickstart

2.1. no config

using webpack without `webpack.config.js` file

```
mkdir starter-no-config
cd starter-no-config/

mkdir src dist
echo "console.log('hey!');" >> src/index.js
echo "<script src='./main.js'></script>" >> dist/index.html

npm init -y
npm i -g webpack webpack-cli
#npm i -DE webpack webpack-cli

webpack --mode=development
webpack --mode=production
```

2.2. basic config

using webpack with basic config file: `config/webpack.dev.js`

```
const { resolve } = require('path');

module.exports = {
  entry: {
    main: './src/index.js'
  },
  mode: 'development',
  output: {
    filename: '[name]-bundle.js',
    path: resolve(__dirname, '../dist'),
  },
};
```

Chapter 3. Links

GitHub repo: [lawwantsin/webpack-course](#)

[GitHub](#)

[asciidoctor reference...](#)