

Flag 3 (Resources)

Analysis & Exploitation Steps:-




Figure 1: Analyzing AndroidManifest.xml to Outline of Everything the Application Does and Searching for the String "flag_three" and Found an Activity of Class "b3nac.injuredandroid.FlagThreeActivity"

```
FlagThreeActivity x
34     }
35 }
36 }
37
38 public final int F() {
39     return this.w;
40 }
41
42 public final void 6(int i) {
43     this.w = i;
44 }
45
46 @Override // androidx.appcompat.app.c, androidx.fragment.app.d, androidx.activity.ComponentActivity, androidx.core
47 protected void onCreate(Bundle bundle) {
48     super.onCreate(bundle);
49     setContentView(R.layout.activity_flag_three);
50     j.j.a(this);
51     C((Toolbar) findViewById(R.id.toolbar));
52     ((FloatingActionButton) findViewById(R.id.fab)).setOnClickListener(new a());
53 }
54
55 public final void submitFlag(View view) {
56     EditText editText = (EditText) findViewById(R.id.editText2);
57     d.s.d.g.d(editText, "editText2");
58     if (d.s.d.g.a(editText.getText().toString(), getString(R.string.cmVzb3VyY2VzX3lv))) {
59         Intent intent = new Intent(this, (Class<?>) FlagOneSuccess.class);
60         new FlagsOverview().L(true);
61         new j().b(this, "flagThreeButtonColor", true);
62         startActivity(intent);
63     }
64 }
65 }
```

Figure 2: Displays the Decompiled Source for "b3nac.injuredandroid.FlagThreeActivity" Class and Discovered a Stored String "R.string.cmVzb3VyY2VzX3lv" the Application Uses for Comparison




Figure 3: Displays Successful Search Result Found the Stored String Named "cmVzb3VyY2VzX3lv"




Figure 4: Displays Successful Submission of the Flag

Impacts:-

- Exposes sensitive information, may reveal hardcoded credentials & helps attackers understand the app

Remediations:-

- Never store credentials in “strings.xml”, remove hardcoded secrets & use secure credential storage