


Okta's Auth0 Instructions

Prerequisites


- Sign Up for an Auth0 Account
- Install packages in your project using npm install @auth0/nextjs-auth0 if you're using the okta-demo.
 - o You can also use npm install as the package manager should pick up the necessary package requirements in this demo project.

>> Instructions


Sign up for an auth0 account and Create an Application



Select Regular Web Application as we're using Next.js as our Framework.



In the Quickstart, you can search for Next.js and select it to follow the setup instructions for your app. Okta's Auth0 is user friendly and works out of the box.



If you're using our App then you'll just need to copy and paste you .env.local environment into the project.

****NOTE:** As mentioned, you'll need to install the necessary packages to run this application. The QuickStart will mention installing the Aut0 packages, but you can also run **npm install** in the console to install the necessary packages listed in the project folder.

[← Back to Applications](#)



cs504-team-project

Regular Web Application

Client ID `Ry0tj32YIb0cT8HEdih9x71hzNiGb2iw`

[Quickstart](#)

[Settings](#)

[Credentials](#)

[API Access](#)

[Addons](#)

[Connections](#)

[Login Experience](#)

[Okta Integration Network](#)

[NEW](#)

[← Change Technology](#)

[NEXT](#) **Next.js Quickstart**

[Integrate into your application](#)

[Run the sample application](#)

Required Configuration

✓ Enter your application origin

Your application origin: `http://localhost:3000` [🔗](#)

✓ Add the required Allowed URLs

URLs Allowed: `http://localhost:3000/auth/callback` (as Callback URL), `http://localhost:3000/` (as Logout URL). Non-Verifiable
Callback URI Confirmation is disabled.

[View in Application Settings](#)

[Integrate Into your application](#)

One thing to note when adding your `.env.local` file is that you'll need to generate your own secret key. Open up a Linux Terminal or if you have openssl installed on your workstation, generate your secret key as instructed in the comments. Here I'm using my integrated Linux Terminal.

1 Configure environment variables

Add the following variables to your `.env.local` file in the project root.

`.env.local`

[Copy](#)

```
APP_BASE_URL=http://localhost:3000
AUTH0_DOMAIN=dev-1lt8yzzx1r5bfc5mf.us.auth0.com
AUTH0_CLIENT_ID=Ry0tj32YIb0cT8HEdih9x71hzNiGb2iw
AUTH0_CLIENT_SECRET=*****MASKED*****

# 64 character random string to encrypt the session cookie
#
# We're generating a secret for your convenience, but for production,
# generate your own secret using `openssl rand -hex 32`
AUTH0_SECRET=*****MASKED*****
```


```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE AZURE

(Message from Kali developers)

This is a minimal installation of Kali Linux, you likely
want to install supplementary tools. Learn how:
⇒ https://www.kali.org/docs/troubleshooting/common-minimum-setup/


(Run: "touch ~/.hushlogin" to hide this message)
(dagogue671@INTRUSTION-DETECTED)~/mnt/c/Users/david/VSCode/CS504/Project/CS504-Team-Project
$ openssl rand -hex 32
3ce61bfe1af387c9a9478b41fa5f290ad812f376d988f2ebd516adce78151c48
```

Once setup, head down to on the left side dashboard by clicking on Security > Multi-factor Auth and Enable One-Time Password and/or Email for Enterprise Licenses.



Scroll down to Define Policies section and select Always and Enable Adaptive MFA Risk Assessment and Save.

In the Additional Settings section, enable Show Multi-factor Authentication options.




Once the setup is done, run you project and hit the sign up button.


```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE AZURE
PS C:\Users\david\VSCode\CS504\Project\CS504-Team-Project\cs504-team-project> npm run dev

> cs504-team-project@0.1.0 dev
> next dev


▲ Next.js 16.2.7 (Turbopack)
- Local:      http://localhost:3000
- Network:    http://172.20.0.133:3000
- Environments: .env.local
✓ Ready in 1253ms
⚠ The "middleware" file convention is deprecated. Please use "proxy" instead. Learn more: https://nextjs.org/docs/messages/middleware-to-proxy
```




Auth0 should redirect you to their Sign In Application for Authentication.



Once Registered, you should see your account registered under the User Management > Users dashboard.



Here you should be able to use an Authenticator app such as Google Authenticator or Microsoft's Authenticator on your phone to generate a OTP (One Time Passcode).



CU Dashbo

Email -

cu Team Pr

Auth0

localho

+

Ask Gemini

localhost:3000/confirmation

🔍 ☆

5467%

G

D

📖

★ Bookmarks

📺 Epic Games Store R...

📁 Services

📞 WhatsApp

🌱 Creating a letsencyr...

>>

📁 All Bookmarks

Auth0 Confirmation

Sign in / sign up worked successfully.

User Info

Email: dagogue671@gmail.com

Name: David Gogue

User ID: google-oauth2|113435951478740910968

Full Auth0 User Object

```
{
  "given_name": "David",
  "family_name": "Gogue",
  "nickname": "dagogue671",
  "name": "David Gogue",
  "picture": "https://lh3.googleusercontent.com/a/ACg8ocJCxs6HgtEDJm29rkaqGuy8Xxis4NmLDz0lwJxAj8DFU5j1ZA=s96-c",
  "email": "dagogue671@gmail.com",
  "email_verified": true,
  "sub": "google-oauth2|113435951478740910968"
}
```

[Log Out](#)

N