Test Run Report



Test Run Overview

Started 20 Nov 2023, 11:51:07

Ended <still running>

Duration (mm:ss) ---

Test Results Summary

Passed 0 Failed 0 Skipped 0



Test Case Summary





PasswordEditor.testcase

Summary

Started 20 Nov 2023, 11:51:07 Ended 20 Nov 2023, 12:06:15

Duration (mm:ss) 15:08.715
Outcome pending

Output

UI Connect: UIConnection

0 11:51:07(00:00.013)

- (i) AutoRetry overrides:
 - * -Provar global variable, provar_autoretry_timeout : 60
 - * -Provar global variable, provar_autoretry_override : ENABLE_ALL
- (i) AutoRetry overrides:
- 1 Opening Selenium Connection. Connection Name: UIConnection, Base URL: https://login.salesforce.com/, Private Browsing Mode: false
- ① Opening Chrome webdriver instance to https://login.salesforce.com/
 - * Add Chrome browser specific capabilities
- (i) Successfully opened Chrome webdriver to https://login.salesforce.com/
- (i) Selenium Connection opened successfully.
- ① UI Connect step is success
 - * Connection Name: UIConnection Url : https://login.salesforce.com/
- ① UI Connect step is success
- (i) Pausing at end of Test Case
 - 🍀 Starting Page Object change watcher. Page Object bin folder: C:\Users\deepak.agrawal\Provar\Workspace1\Traning1\bin\pageobjects
- (i) Refreshing PageObject. Id: pageobjects.SalesForceLoggin
- Got pageObjectRefreshed notification. pageObjectId: pageobjects.SalesForceLoggin, utc: 06:22:11.000
- (i) Refreshing PageObject. Id: pageobjects.SalesForceLoggin
- ① Got pageObjectRefreshed notification. pageObjectId: pageobjects.SalesForceLoggin, utc: 06:25:51.000
- (i) Refreshing PageObject. Id: pageobjects.SalesForceLoggin
- ① Got pageObjectRefreshed notification. pageObjectId: pageobjects.SalesForceLoggin, utc: 06:26:10.000
- ① Loading test case. File: C:\Users\deepak.agrawal\Provar\Workspace1\Traning1\tests\PasswordEditor.testcase
- ① Loading test case. File: C:\Users\deepak.agrawal\Provar\Workspace1\Traning1\tests\PasswordEditor.testcase
- 1 Got pageObjectRefreshed notification. pageObjectId: C:.Users.deepak.agrawal.Provar.Workspace1.Traning1..secrets, utc: 06:33:15.000
- A Page Object not found for pageObjectRefreshed notification. pageObjectId: C:.Users.deepak.agrawal.Provar.Workspace1.Traning1..secrets
- ① Loading test case. File: C:\Users\deepak.agrawal\Provar\Workspace1\Traning1\tests\PasswordEditor.testcase
- 🛈 Waiting for Page Object to update. Page Object Id: pageobjects.SalesForceLoggin, onOrAfterUtc: 06:35:31.000, timeout(seconds): 15.000
- ① Start of wait for Page Object to update. Page Object Id: pageobjects.SalesForceLoggin, onOrAfterUtc: 06:35:31.000, timeout(seconds): 15.000
- Refreshing PageObject. Id: pageobjects.SalesForceLoggin
- ① Got pageObjectRefreshed notification. pageObjectId: pageobjects.SalesForceLoggin, utc: 06:35:32.000
- 1 Page Object refresh wait successful. Page Object Id: pageobjects.SalesForceLoggin, duration(seconds): 0.522

On Sales Force Loggin page

0 12:05:33(14:26.503)

- ① Start of With Screen. Connection Name: UIConnection, target: ui:pageobject:target?pageId=pageobjects.SalesForceLoggin
- (i) Navigating to URL: https://login.salesforce.com/
- ① Opening Page context. Name: screen, data: pageobjects.SalesForceLoggin@6c8f12dc, frame: null

- (i) Going to update browser window handles.
 - Update browser window handles.
- (i) Successfully updated browser window handles.

Set the Username to ********

0 12:05:35(14:28.519)

- ① Start of Interact. Connection: UIConnection, Locator: ui:pageobject:field?field=username&pageId=pageobjects.SalesForceLoggin, before wait: default, after wait: default, auto retry: default
- $\textcircled{1} \ \mathsf{Locator:} \ \mathsf{ui:pageobject:} field? \textit{field=username\&pageId=pageobjects.} Sales Force Loggin \\$
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://login.salesforce.com/
- i) Doing before wait. waitUrl: default
- 1 End of <default> wait.
- i Doing after wait. waitUrl: default
- ① Got webElement. tagName: INPUT, id: username, type: email, selector: null
- ① Typing value. tagName: INPUT, type: email, value: ********, blur: false, selector: null
- i) Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
 - Update browser window handles.
- Successfully updated browser window handles.
- i Pausing for Pause (after executing last child)
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- (i) Going to update browser window handles.
 - Update browser window handles.
- Successfully updated browser window handles.
- Pausing at end of Test Case