

Yr/Course/Section: 3/BSCS/A

ACTIVITY 5 DJANGO

- `django_project > django_project > settings.py`

The screenshot shows the PyCharm IDE with the `settings.py` file open. The file contains the following configuration:

```

"""
Django settings for django_project project.

Generated by 'django-admin startproject' using Django 4.2.

For more information on this file, see
https://docs.djangoproject.com/en/4.2/topics/settings/

For the full list of settings and their values, see
https://docs.djangoproject.com/en/4.2/ref/settings/
"""

import os
from pathlib import Path

import django_heroku

# Build paths inside the project like this: BASE_DIR / 'subdir'.
BASE_DIR = Path(__file__).resolve().parent.parent

# Quick-start development settings - unsuitable for production
# See https://docs.djangoproject.com/en/4.2/topics/development/checklist/

# SECURITY WARNING: keep the secret key used in production secret!
SECRET_KEY = 'django-insecure-wr+slb0wTzrt*rdw9$tr79ldhvw0m5l9zsk00w'

```

The screenshot shows the PyCharm IDE interface. On the left, the Project tool window displays the directory structure of the 'django_project' project, with 'settings.py' selected under the 'src' folder. The main editor area displays the contents of 'settings.py'. The code includes configuration for SECRET_KEY, DEBUG mode, ALLOWED_HOSTS, INSTALLED_APPS, and MIDDLEWARE.

```
SECRET_KEY = 'django-insecure-ur+eib1bbw7lit+ndvsnf0r(2!uW8vnp@qgimnKa"buv'

# SECURITY WARNING: don't run with debug turned on in production!
DEBUG = True


ALLOWED_HOSTS = ['running-serenump.com', '127.0.0.1']

# Application definition

INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
]

MIDDLEWARE = [
    'django.middleware.security.SecurityMiddleware',
    'django.contrib.sessions.middleware.SessionMiddleware',
```



- django_project > django_project > urls.py



```

11 from django.contrib import admin
12 from django.contrib.auth import views as auth_views
13 from django.urls import path, include
14 from django.conf import settings
15 from django.conf.urls.static import static
16 from users import views as user_views
17
18 urlpatterns = [
19     path('admin/', admin.site.urls),
20     path('register/', user_views.register, name='register'),
21     path('profile/', user_views.profile, name='profile'),
22     path('login/', auth_views.LoginView.as_view(template_name='users/login.html'), name='login'),
23     path('logout/', auth_views.LogoutView.as_view(template_name='users/logout.html'), name='logout'),
24     path('password-reset/',
25         auth_views.PasswordResetView.as_view(
26             template_name='users/password_reset.html'
27         ),
28         name='password_reset'),
29     path('password-reset/done/',
30         auth_views.PasswordResetDoneView.as_view(
31             template_name='users/password_reset_done.html'
32         ),
33         name='password_reset_done'),
34     path('password-reset-confirm/uidb64/{token}/',
35         auth_views.PasswordResetConfirmView.as_view()
36     ),
37     name='password_reset_confirm'),
38 ]
39
40 if settings.DEBUG:
41     urlpatterns += static(settings.MEDIA_URL, document_root=settings.MEDIA_ROOT)

```




```

42     path('password-reset-complete/uidb64/{token}/',
43         auth_views.PasswordResetCompleteView.as_view(
44             template_name='users/password_reset_complete.html'
45         ),
46         name='password_reset_complete'),
47     path('password-reset-complete/',
48         auth_views.PasswordResetCompleteView.as_view(
49             template_name='users/password_reset_complete.html'
50         ),
51         name='password_reset_complete') ]
52
53 path('', include('blog.urls'))
54
55 urlpatterns += static(settings.MEDIA_URL, document_root=settings.MEDIA_ROOT)


```

BLOg APP


- `django_project > blog > admin.py`



- `django_project > blog > apps.py`



- django_project > blog > **models.py**




```

1 from django.db import models
2 from django.utils import timezone
3 from django.contrib.auth.models import User
4 from django.urls import reverse
5
6 class Post(models.Model):
7     title = models.CharField(max_length=100)
8     content = models.TextField()
9     date_posted = models.DateTimeField(default=timezone.now)
10    author = models.ForeignKey(User, on_delete=models.CASCADE)
11
12    def __str__(self):
13        return self.title
14
15    def get_absolute_url(self):
16        return reverse('post-detail', kwargs={'pk': self.pk})

```

- django_project > blog > **urls.py**



```

1 from django.urls import path
2 from .views import (
3     PostListView,
4     PostDetailView,
5     PostCreateView,
6     PostUpdateView,
7     PostDeleteView,
8     UserPostListView
9 )
10 from . import views
11
12 urlpatterns = [
13     path('', PostListView.as_view(), name='blog-home'),
14     path('user/post/userpost/', UserPostListView.as_view(), name='user-post'),
15     path('post/create/', PostDetailView.as_view(), name='post-detail'),
16     path('post/new/', PostCreateView.as_view(), name='post-create'),
17     path('post/update/', PostUpdateView.as_view(), name='post-update'),
18     path('post/delete/', PostDeleteView.as_view(), name='post-delete'),
19     path('about/', views.about, name='blog-about'),
20 ]

```

- django_project > blog > views.py

```


1 from django.shortcuts import render, get_object_or_404
2 from django.contrib.auth.mixins import LoginRequiredMixin, UserPassesTestMixin
3 from django.contrib.auth.models import User
4 from django.views.generic import (
5     ListView,
6     DetailView,
7     CreateView,
8     UpdateView,
9     DeleteView
10 )
11 from .models import Post
12
13
14 def home(request):
15     context = {
16         'posts': Post.objects.all()
17     }
18     return render(request, 'blog/home.html', context)
19
20
21 class PostListView(ListView):
22     model = Post
23     template_name = 'blog/home.html' # <app/>model<_>context<_>.html
24     context_object_name = 'posts'
25     ordering = ['-date_posted']
26     paginate_by = 5
27
28     def get(self):
29         return super().get()

```


```

1 from django.shortcuts import render, get_object_or_404
2 from django.contrib.auth.mixins import LoginRequiredMixin, UserPassesTestMixin
3 from django.contrib.auth.models import User
4 from django.views.generic import (
5     ListView,
6     DetailView,
7     CreateView,
8     UpdateView,
9     DeleteView
10 )
11 from .models import Post
12
13
14 def home(request):
15     context = {
16         'posts': Post.objects.all()
17     }
18     return render(request, 'blog/home.html', context)
19
20
21 class UserPostListView(ListView):
22     model = Post
23     template_name = 'blog/user_posts.html' # <app/>model<_>context<_>.html
24     context_object_name = 'posts'
25     paginate_by = 5
26
27     def get_queryset(self):
28         user = get_object_or_404(User, username=self.kwargs.get('username'))
29         return Post.objects.filter(author=user).order_by('-date_posted')
30
31
32 class PostDetailView(DetailView):
33     model = Post
34
35
36 class PostCreateView(LoginRequiredMixin, CreateView):
37     model = Post
38     fields = ('title', 'content')
39
40     def form_valid(self, form):
41         return super().form_valid(form)

```




```
176 def form_valid(self, form):
177     form.instance.author = self.request.user
178     return super().form_valid(form)
179
180 class PostUpdateView(LoginRequiredMixin, UserPassesTestMixin, UpdateView):
181     model = Post
182     fields = ('title', 'content')
183
184     def form_valid(self, form):
185         form.instance.author = self.request.user
186         return super().form_valid(form)
187
188     def test_func(self):
189         post = self.get_object()
190         if self.request.user == post.author:
191             return True
192         return False
193
194 class PostDeleteView(LoginRequiredMixin, UserPassesTestMixin, DeleteView):
195     model = Post
196     success_url = '/'
197
198     def test_func(self):
199         post = self.get_object()
200         if self.request.user == post.author:
201             return True
202         return False
```



```
203
204
205 class PostDeleteView(LoginRequiredMixin, UserPassesTestMixin, DeleteView):
206     model = Post
207     success_url = '/'
208
209     def test_func(self):
210         post = self.get_object()
211         if self.request.user == post.author:
212             return True
213         return False
214
215     def about(request):
216         return render(request, 'blog/about.html', {'title': 'About'})
217
218 def about(request):
219     return render(request, 'blog/about.html', {'title': 'About'})
```


Blog App Static

- django_project > blog > static > blog > **main.css**



The screenshot shows a code editor with a project explorer on the left and a code editor on the right. The project explorer shows the following structure:

- Project
 - blog
 - __init__.py
 - main.css
 - static
 - blog
 - main.css

The code editor shows the following CSS code:

```
body {
    background: #f9f9f9;
    color: #333333;
    margin-top: 5px;
}

h1, h2, h3, h4, h5, h6 {
    color: #333333;
}


ul {
    margin: 0;
}

.bg-steel {
    background-color: #f7f7f7;
}

.site-header .navbar-nav .nav-link {
    color: #c0392b;
}

.site-header .navbar-nav .nav-link:hover {
    color: #ffffff;
}

.site-header .navbar-nav .nav-link.active {
```



The screenshot shows a code editor with a project explorer on the left and a code editor on the right. The project explorer shows the following structure:

- Project
 - blog
 - __init__.py
 - main.css
 - static
 - blog
 - main.css

The code editor shows the following CSS code:

```
body {
    background: #f9f9f9;
    color: #333333;
    margin-top: 5px;
}

h1, h2, h3, h4, h5, h6 {
    color: #333333;
}

ul {
    margin: 0;
}

.bg-steel {
    background-color: #f7f7f7;
}

.site-header .navbar-nav .nav-link {
    color: #c0392b;
}

.site-header .navbar-nav .nav-link:hover {
    color: #ffffff;
}

.site-header .navbar-nav .nav-link.active {
```


This screenshot shows the VS Code editor with a project named 'design_project' open. The file explorer on the left shows a directory structure with files like 'main.css', 'index.html', and 'index.js'. The main editor window displays the following CSS code:


```
100 .article-tag {
101     height: 45px;
102     width: 80px;
103     margin-right: 10px;
104 }
105
106 .article-metadata {
107     padding-bottom: 1px;
108     margin-bottom: 4px;
109     border-bottom: 1px solid #e0e0e0;
110 }
111
112 .article-metadata a: hover {
113     color: #333;
114     text-decoration: none;
115 }
116
117 .article-svg {
118     width: 20px;
119     height: 20px;
120     vertical-align: middle;
121 }
122
123 .account-tag {
124     height: 100px;
125     width: 100px;
```

This screenshot shows the same VS Code editor with the 'design_project' open. The main editor window displays the following CSS code, which continues from the previous one:

```
126
127
128 .article-metadata a: hover {
129     color: #333;
130     text-decoration: none;
131 }
132
133 .article-svg {
134     width: 20px;
135     height: 20px;
136     vertical-align: middle;
137 }
138
139 .account-tag {
140     height: 100px;
141     width: 100px;
142     margin-right: 10px;
143     margin-bottom: 10px;
144 }
145
146 .account-heading {
147     font-size: 2.5em;
148 }
```

Blog App Templates

- `django_project > blog > templates > blog > about.html`



- django_project > blog > templates > blog > **base.html**

```

1  {% load static %}
2  <doctype html>
3  <html>
4  <head>
5
6      <!-- Required meta tags -->
7      <meta charset="utf-8">
8      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
9
10     <!-- Bootstrap CSS -->
11     <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-IySoM7W4YoFfP8+0QM9i" crossorigin="anonymous">
12
13     <link rel="stylesheet" type="text/css" href="{% static 'blog/main.css' %}">
14
15     <!-- Title -->
16     <title>Django Blog - {{ title }}</title>
17     <!-- End Title -->
18     <title>Django Blog</title>
19     <!-- End Title -->
20
21 </head>
22 <body>
23     <div class="site-header">
24         <div class="navbar navbar-expand-md navbar-dark bg-steal fixed-top">
25             <div class="container">
26                 <a class="navbar-brand mr-4" href="{% url 'blog-home' %}">Django Blog</a>
27                 <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarToggle" aria-controls="

```

```

28                 <span class="navbar-toggler-icon"></span>
29             </div>
30             <div class="collapse navbar-collapse id="navbarToggle">
31                 <div class="navbar-nav mr-auto">
32                     <a class="nav-item nav-link" href="{% url 'blog-home' %}">Home</a>
33                     <a class="nav-item nav-link" href="{% url 'blog-about' %}">About</a>
34                 </div>
35                 <!-- User Right Side -->
36                 <div class="navbar-nav">
37                     <!-- If user is authenticated -->
38                     <div class="nav-item nav-link" href="{% url 'post-create' %}">New Post</div>
39                     <div class="nav-item nav-link" href="{% url 'profile' %}">Profile</div>
40                     <div class="nav-item nav-link" href="{% url 'logout' %}">Logout</div>
41                     <!-- Else -->
42                     <div class="nav-item nav-link" href="{% url 'login' %}">Login</div>
43                     <div class="nav-item nav-link" href="{% url 'register' %}">Register</div>
44                 </div>
45             </div>
46         </div>
47     </div>
48 </body>
49 </html>

```


- django_project > blog > templates > blog > **home.html**

```

1  {% extends "blog/base.html" %}
2  {% block content %}
3      {% for post in posts %}
4          <article class="media content-section">
5
6              {% if post.author.profile.image %}
7                  
8              {% else %}
9                  
10             {% endif %}
11
12             <div class="media-body">
13                 <div class="article-metadata">
14                     <a class="text-decoration-none" href="{% url 'user-posts' post.author.username %}">{{ post.author }}</a>
15                     <small class="text-muted">{{ post.data_posted|date:"F d, Y" }}</small>
16                 </div>
17                 <h2><a class="article-title" href="{% url 'post-detail' post.id %}">{{ post.title }}</a></h2>
18                 <div class="article-content">{{ post.content }}</div>
19             </div>
20         </article>
21     {% endfor %}
22     {% if is_paginated %}
23
24         {% if page_obj.has_previous %}
25             <a class="btn btn-outline-info mb-4" href="{% page|first %}">First</a>
26             <a class="btn btn-outline-info mb-4" href="{% page|page_obj.previous_page_number %}">Previous</a>
27         {% endif %}
28     {% endif %}
29
30     {% for num in page_obj.paginator.page_range %}
31         {% if page_obj.number == num %}
32             <a class="btn btn-info mb-4" href="{% page|num %}">{{ num }}</a>
33         {% elif num > page_obj.number|add:"-2" and num < page_obj.number|add:"3" %}
34             <a class="btn btn-outline-info mb-4" href="{% page|num %}">{{ num }}</a>
35         {% endif %}
36     {% endfor %}
37
38     {% if page_obj.has_next %}
39         <a class="btn btn-outline-info mb-4" href="{% page|page_obj.next_page_number %}">Next</a>
40         <a class="btn btn-outline-info mb-4" href="{% page|page_obj.paginator.num_pages %}">Last</a>
41     {% endif %}
42
43 {% endblock content %}


```

```

1  {% extends "blog/base.html" %}
2  {% block content %}
3      {% for post in posts %}
4          <article class="media content-section">
5
6              {% if post.author.profile.image %}
7                  
8              {% else %}
9                  
10             {% endif %}
11
12             <div class="media-body">
13                 <div class="article-metadata">
14                     <a class="text-decoration-none" href="{% url 'user-posts' post.author.username %}">{{ post.author }}</a>
15                     <small class="text-muted">{{ post.data_posted|date:"F d, Y" }}</small>
16                 </div>
17                 <h2><a class="article-title" href="{% url 'post-detail' post.id %}">{{ post.title }}</a></h2>
18                 <div class="article-content">{{ post.content }}</div>
19             </div>
20         </article>
21     {% endfor %}
22     {% if is_paginated %}
23
24         {% if page_obj.has_previous %}
25             <a class="btn btn-outline-info mb-4" href="{% page|first %}">First</a>
26             <a class="btn btn-outline-info mb-4" href="{% page|page_obj.previous_page_number %}">Previous</a>
27         {% endif %}
28     {% endif %}
29
30     {% for num in page_obj.paginator.page_range %}
31         {% if page_obj.number == num %}
32             <a class="btn btn-info mb-4" href="{% page|num %}">{{ num }}</a>
33         {% elif num > page_obj.number|add:"-2" and num < page_obj.number|add:"3" %}
34             <a class="btn btn-outline-info mb-4" href="{% page|num %}">{{ num }}</a>
35         {% endif %}
36     {% endfor %}
37
38     {% if page_obj.has_next %}
39         <a class="btn btn-outline-info mb-4" href="{% page|page_obj.next_page_number %}">Next</a>
40         <a class="btn btn-outline-info mb-4" href="{% page|page_obj.paginator.num_pages %}">Last</a>
41     {% endif %}
42
43 {% endblock content %}

```

- django_project > blog > templates > blog > **post_confirm_delete.html**




```

1 {% extends "blog/base.html" %}
2 {% block content %}
3     <div class="content-section">
4         <form method="POST">
5             <div class="form-group">
6                 <legend class="border-bottom mb-4">Delete Post</legend>
7                 <h2>Are you sure you want to delete the post '{{ object.title }}'?</h2>
8             </div>
9             <div class="form-group">
10                 <button class="btn btn-outline-danger" type="submit">Yes, Delete</button>
11                 <a class="btn btn-outline-secondary" href="{% url 'post-detail' object.id %}">Cancel</a>
12             </div>
13         </form>
14     </div>
15 {% endblock content %}

```

- django_project > blog > templates > blog > **post_detail.html**




```

1 {% extends "blog/base.html" %}
2 {% block content %}
3     <article class="media content-section">
4         
5         <div class="media-body">
6             <div class="article-meta">
7                 <a class="mr-2" href="{% url 'user-posts' object.author.username %}">{{ object.author }}</a>
8                 <small class="text-muted">{{ object.date_posted|date:"F M, Y" }}</small>
9                 <div>
10                     <div>
11                         <a class="btn btn-secondary btn-sm mt-1 mr-1" href="{% url 'post-update' object.id %}">Update</a>
12                         <a class="btn btn-danger btn-sm mt-1 mr-1" href="{% url 'post-delete' object.id %}">Delete</a>
13                     </div>
14                 </div>
15             </div>
16             <h2 class="article-title">{{ object.title }}</h2>
17             <p class="article-content">{{ object.content }}</p>
18         </div>
19     </article>
20 {% endblock content %}

```


- `django_project > blog > templates > blog > post_form.html`



- `django_project > blog > templates > blog > user_posts.html`

The screenshot shows the PyCharm IDE with a Django project named 'django_project'. The left sidebar displays the project structure, including 'blog' and 'templates' directories. The 'templates' directory is expanded, showing 'blog' and 'user_posts.html'. The 'user_posts.html' file is selected, and its content is displayed in the main editor area. The code is a Django template that renders a list of posts by a user. It includes logic for displaying a media content section for the first post and a media body for subsequent posts. The code uses Django's {% if %}, {% endif %}, and {% for %} tags, along with Jinja2-style {{ }} for variable interpolation.

```

1  {% extends "blog/base.html" %}
2  {% block content %}
3      <h1 class="m-3">Posts by {{ view.kwargs.username }} ({{ page_obj.paginator.count }})</h1>
4      {% for post in posts %}
5          <article class="media content-section">
6              {% if post.author.profile.image %}
7                  
8              {% else %}
9                  
10             {% endif %}
11
12             <div class="media-body">
13                 <div class="article-metadata">
14                     <a class="m-2" href="{% url 'user-posts' post.author.username %}">{{ post.author }}</a>
15                     <small class="text-muted">{{ post.date_posted|date:"d, Y" }}</small>
16                 </div>
17                 <h2><a class="article-title" href="{% url 'post-detail' post.id %}">{{ post.title }}</a></h2>
18                 <div class="article-content">{{ post.content }}</div>
19             </div>
20          </article>
21      {% endif %}
22      {% if is_paginated %}
23
24      {% if page_obj.has_previous %}
25          <a class="btn btn-outline-info m-4" href="{% page|first %}">First</a>
26          <a class="btn btn-outline-info m-4" href="{% page|previous_page_number %}">Previous</a>
27      </div>
28      <div class="media content-section">
29          <img class="rounded-circle article-img"
  
```



```

11 {% endfor %}
12 {% if is_paginated %}
13
14 {% if page_obj.has_previous %}
15     <a class="btn btn-outline-info mb-4" href="{% page=1 %}">First</a>
16     <a class="btn btn-outline-info mb-4" href="{% page=page_obj.previous_page_number %}">Previous</a>
17 {% endif %}
18
19 {% for num in page_obj.paginator.page_range %}
20     {% if page_obj.number == num %}
21         <a class="btn btn-info mb-4" href="{% page=num %}">{{ num }}</a>
22     {% elif num == page_obj.number|add:'-2' and num == page_obj.number|add:'2' %}
23         <a class="btn btn-outline-info mb-4" href="{% page=num %}">{{ num }}</a>
24     {% endif %}
25 {% endfor %}
26
27 {% if page_obj.has_next %}
28     <a class="btn btn-outline-info mb-4" href="{% page=page_obj.next_page_number %}">Next</a>
29     <a class="btn btn-outline-info mb-4" href="{% page=page_obj.paginator.num_pages %}">Last</a>
30 {% endif %}
31
32 {% endif %}
33 {% endblock content %}

```

Users APP


- django_project > users > **admin.py**

```


1 from django.contrib import admin
2 from _models import Profile
3
4 admin.site.register(Profile)

```


- django_project > users > **apps.py**



- django_project > users > **forms.py**



- django_project > users > **models.py**



```
from django.db import models
from django.contrib.auth.models import User
from PIL import Image

class Profile(models.Model):
    user = models.OneToOneField(User, on_delete=models.CASCADE)
    image = models.ImageField(upload_to='profile_pic')


    def __str__(self):
        return f'{self.user.username} Profile'

    def save(self):
        super().save()

        img = Image.open(self.image.path)

        if img.height > 300 or img.width > 300:
            output_size = (300, 300)
            img.thumbnail(output_size)
            img.save(self.image.path)
```

- django_project > users > signals.py



```
from django.db.models.signals import post_save
from django.contrib.auth.models import User
from django.dispatch import receiver
from .models import Profile

@receiver(post_save, sender=User)
def create_profile(sender, instance, created, **kwargs):
    if created:
        Profile.objects.create(user=instance)

@receiver(post_save, sender=User)
def save_profile(sender, instance, **kwargs):
    instance.profile.save()
```

- django_project > users > views.py

```
from django.shortcuts import render, redirect
from django.contrib import messages
from django.contrib.auth.decorators import login_required
from .forms import UserRegisterForm, UserUpdateForm, ProfileUpdateForm

def register(request):
    if request.method == 'POST':
        form = UserRegisterForm(request.POST)
        if form.is_valid():
            form.save()
            username = form.cleaned_data.get('username')
            messages.success(request, f'Your account has been created! You are now able to log in')
            return redirect('login')
    else:
        form = UserRegisterForm()
    return render(request, 'users/register.html', {'form': form})

@login_required
def profile(request):
    if request.method == 'POST':
        u_form = UserUpdateForm(request.POST, instance=request.user)
        p_form = ProfileUpdateForm(request.POST,
                                  request.FILES,
                                  instance=request.user.profile)
        if u_form.is_valid() and p_form.is_valid():
            u_form.save()
            p_form.save()
            messages.success(request, f'Your account has been updated!')
            return redirect('profile')
    else:
        u_form = UserUpdateForm(instance=request.user)
        p_form = ProfileUpdateForm(instance=request.user.profile)

    context = {
        'u_form': u_form,
        'p_form': p_form
    }

    return render(request, 'users/profile.html', context)
```


```
if request.method == 'POST':
    u_form = UserUpdateForm(request.POST, instance=request.user)
    p_form = ProfileUpdateForm(request.POST,
                              request.FILES,
                              instance=request.user.profile)
    if u_form.is_valid() and p_form.is_valid():
        u_form.save()
        p_form.save()
        messages.success(request, f'Your account has been updated!')
        return redirect('profile')
    else:
        u_form = UserUpdateForm(instance=request.user)
        p_form = ProfileUpdateForm(instance=request.user.profile)

    context = {
        'u_form': u_form,
        'p_form': p_form
    }

    return render(request, 'users/profile.html', context)
```


Users App Templates

- django_project > users > templates > users > **login.html**




```
{% extends "blog/base.html" %}
{% load crispy_forms_tags %}
{% block content %}
    <div class="container">
        <form method="POST">
            <div class="form-group">
                <input type="text" class="form-control" value="{{ form.username }}" />
            </div>
            <div class="form-group">
                <input type="password" class="form-control" value="{{ form.password }}" />
            </div>
            <div class="form-group">
                <button type="submit" class="btn btn-outline-info">Log In</button>
            </div>
            <div class="text-muted">
                <a href="{% url 'password_reset' %}">Forgot Password</a>
            </div>
        </form>
        <div class="border-top pt-3">
            <div class="text-muted">
                <a href="{% url 'register' %}">Sign Up Now</a>
            </div>
        </div>
    </div>
{% endblock content %}
```

- django_project > users > templates > users > **logout.html**



```
{% extends "blog/base.html" %}
{% block content %}
    <div class="border-top pt-3">
        <div class="text-muted">
            <a href="{% url 'login' %}">Log In Again</a>
        </div>
    </div>
{% endblock content %}
```


password_reset.html



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows the project structure: django_project > users > templates > users > password_reset.html. The code editor shows the content of password_reset.html, which is a Django template. It extends 'blog/base.html' and includes a form for password reset. The form has a legend 'Reset Password' and a button 'Request Password Reset'. The code is as follows:

```
{% extends "blog/base.html" %}
{% load crispy_forms_tags %}
{% block content %}
<div class="content-section">
  <form method="POST">
    <div class="form-group">
      <legend class="border-bottom mb-0">Reset Password</legend>
      {{ form|crispy }}
    </div>
    <div class="form-group">
      <button class="btn btn-outline-info" type="submit">Request Password Reset</button>
    </div>
  </form>
</div>
{% endblock content %}
```


- django_project > users > templates > users > **password_reset_complete.html**



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows the project structure: django_project > users > templates > users > password_reset_complete.html. The code editor shows the content of password_reset_complete.html, which is a Django template. It extends 'blog/base.html' and includes a message 'Your password has been set.' and a link to 'Sign In Here'. The code is as follows:

```
{% extends "blog/base.html" %}
{% block content %}
<div class="alert alert-info">
  Your password has been set.
</div>
<a href="{% url 'login' %}">Sign In Here</a>
{% endblock content %}
```



password_reset_confirm.html



The screenshot shows a code editor with a project explorer on the left and a code editor on the right. The project explorer shows a directory structure for a Django project. The code editor displays the content of the `password_reset_confirm.html` file. The code is a Django template that extends `blog/base.html` and includes a form for password reset confirmation.

```
{% extends "blog/base.html" %}
{% load crispy_forms_tags %}
{% block content %}
    <div class="content-section">
        <form method="POST">
            <div class="form-group">
                <legend class="border-bottom mb-4">Reset Password/Legend</legend>
                {{ form|crispy }}
            </div>
            <div class="form-group">
                <button class="btn btn-outline-info" type="submit">Reset Password</button>
            </div>
        </form>
    </div>
{% endblock content %}
```


- `django_project > users > templates > users > password_reset_done.html`




The screenshot shows a code editor with a project explorer on the left and a code editor on the right. The project explorer shows a directory structure for a Django project. The code editor displays the content of the `password_reset_done.html` file. The code is a Django template that extends `blog/base.html` and includes a message indicating that an email has been sent with instructions to reset the password.

```
{% extends "blog/base.html" %}
{% block content %}
    <div class="alert alert-info">
        An email has been sent with instructions to reset your password.
    </div>
{% endblock content %}
```

profile.html




```
{% extends "blog/base.html" %}
{% load crispy_forms_tags %}
{% block content %}
    <div class="content-section">
        <div class="media">
            {% if user.profile.image %}
                
            {% else %}
                
            {% endif %}
            <div class="media-body">
                <h2 class="account-heading">{{ user.username }}</h2>
                <p class="text-secondary">{{ user.email }}</p>
            </div>
        </div>
        <form method="POST" enctype="multipart/form-data">
            {% csrf_token %}
            <fieldset class="form-group">
                <legend class="border-bottom pb-4">Profile Info/Legend</legend>
                {{ u_form|crispy }}
                {{ p_form|crispy }}
            </fieldset>
            <div class="form-group">
                <button class="btn btn-outline-info" type="submit">Update</button>
            </div>
        </form>
    </div>
{% endblock content %}
```



```
        
        {% endif %}
        <div class="media-body">
            <h2 class="account-heading">{{ user.username }}</h2>
            <p class="text-secondary">{{ user.email }}</p>
        </div>
    </div>
    <form method="POST" enctype="multipart/form-data">
        {% csrf_token %}
        <fieldset class="form-group">
            <legend class="border-bottom pb-4">Profile Info/Legend</legend>
            {{ u_form|crispy }}
            {{ p_form|crispy }}
        </fieldset>
        <div class="form-group">
            <button class="btn btn-outline-info" type="submit">Update</button>
        </div>
    </form>
{% endblock content %}
```


- `django_project > users > templates > users > register.html`



```
1 {% extends "blog/base.html" %}
2 {% load crispy_forms_tags %}
3 {% block content %}
4     <div class="content-section">
5         <form method="POST">
6             <div class="form-group">
7                 <legend class="border-bottom pb-4">Join Today</legend>
8                 {{ form.crispy }}
9             </div>
10            <div class="form-group">
11                <button class="btn btn-outline-info" type="submit">Sign Up</button>
12            </div>
13        </form>
14        <div class="border-top pt-5">
15            <small class="text-muted">
16                Already Have An Account? <a class="ml-2" href="{% url 'login' %}">Sign In</a>
17            </small>
18        </div>
19    </div>
20 {% endblock content %}
```


Media Files

- `django_project > media > default.png`



RUNSERVER Command

- `python manage.py runserver`




```
django_project > cd . > python manage.py runserver
Watching for file changes with StatReloader
Performing system checks...


System check identified no issues (0 silenced).
December 21, 2021 - 11:26:53
Django version 4.0, using settings 'django_project.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.
[]
```

DJANGO BLOG FINISHED RESULT/OUTPUT

- Home Page



- **About Page**



Register Page

Django Blog Home About Login Register

Join Today

Username*

Required: 130 characters or fewer: Letters, digits and @/./+/-/_ only.

Email*

Password*

- Your password can't be too similar to your other personal information.
- Your password must contain at least 8 characters.
- Your password can't be a commonly used password.
- Your password can't be entirely numeric.

Password confirmation*

Enter the same password as before, for verification.

Sign Up

Our Sidebar

You can put any information here you'd like.

- Latest Posts
- Announcements
- Calendars
- etc.

Django Blog Home About Login Register

Email*

Password*

- Your password can't be too similar to your other personal information.
- Your password must contain at least 8 characters.
- Your password can't be a commonly used password.
- Your password can't be entirely numeric.

Password confirmation*

Enter the same password as before, for verification.


Sign In

Our Sidebar


You can put any information here you'd like.

- Latest Posts
- Announcements
- Calendars
- etc.


- Login Page




- **Forgot Password Page**



Logged In User Home Page



- Profile Page



Django Blog Home About New Post Profile Logout

john

Profile Info

Username*

john

Required: 150 characters or fewer. Letters, digits and @/./+/-/_ only.

Email*

Image*

Currently: profile_pics/HardwareHaul_Context_Diagram.JPG

Change:

Choose File No file chosen

Update

You can put any information here you'd like.

Latest Posts

Announcements

Calendars

etc

- **New Post Page**

Django Blog Home About New Post Profile Logout

Blog Post

Title*

Content*

Post

Our Sidebar

You can put any information here you'd like.


Latest Posts

Announcements


Calendars

etc


User Posts Page



- **Logout Page**



- **Admin Login Page**



- **Admin Home Page (Logged In)**

