Google Jobs API

Web Scraping Stable and reliable

Use Google Jobs API allows you to extract results from the Google Jobs search engine.

Try API playground. Analyze Changelog. Add SerpAPI Chrome Extension.

Head to the Integration Docs for more and interactive demos.

Search Query

Start Now

engine required

Specify: Texas, United States

Search



Free Plan - 250 searches/month.

Get started

API Parameters

Search Query

engine	Required	Parameter defines the query you want to search.

Geographic Location

location	Optional	Parameter defines from where you want the search to originate. If omitted, location will be derived based on the IP address of the requesting computer. location may restrict results to locations near the origin and is subject to the Google's location canonicalization. location and uule parameters can't be used together. It is recommended to specify location at the city level in order to simulate a real user's search.
ludocid	Optional	Parameter defines the Google place id (encoded as a CID) you want to search for.
lsig	Optional	Parameter is the Google ads publish location you want to use for the search.

Localization

google_domain	Optional	Parameter defines the Google domain to use. It defaults to google.com. Head to the Google domains page for a full list of supported Google domains.
gl	Optional	Parameter defines the country to use for the Google Jobs search. It's two-letter country code. (e.g., us for the United States, uk for United Kingdom, or fr for France). Head to the Google countries page for a full list of supported Google countries.
hl	Optional	Parameter defines the language to use for the Google Jobs search. It's two-letter language code. (e.g., en for English, es for Spanish, or fr for French). Head to the Google languages page for a full list of supported Google languages.

Pagination

next_page_token	Optional	Parameter defines the next page token. It is used for retrieving the next page of results. Up to 10 results per page. The next page token can be found in the JSON response under serpapi_pagination.next_page_token. Usage of start parameter should not be used in conjunction with this token.

Advanced Google Jobs Parameters

chips	Optional	Parameter defines predefined query conditions. The full list of query chips is provided in the JSON results. To search with a full list of chips, you need to join all chips with a comma (,) and pass the result as the chips parameter. This parameter has been deprecated by Google.
lrad	Optional	Refines search radius in kilometers. Does not strictly limit the radius.
ibp	Optional	Parameter will filter the results by search term features. This parameter has been deprecated by Google.
uule	Optional	Parameter defines the exact location to use for the search. uule encoded values can be found in the JSON response under search_parameters.uule. (e.g., uule=w+CAIQICIGVGV4YXM). uule value provided for search filter.

Google Parameters

async	Required	Set parameter to google_jobs to use the Google Jobs API engine.
no_cache	Optional	Parameter will force SerpApi to fetch the Google Jobs result even if a cached version is already present within one hour. A cached result is one that was returned to any search on your account in the last hour. Please use this parameter only when you need extra freshness for a particular search. Cached searches are free, and do not count against your plan's monthly quota.
output	Optional	Parameter defines the format for the SerpApi response. Supported formats are: html - Raw HTML of the Google Jobs result. json - Structured JSON of the Google Jobs result.
api_key	Required	Parameter defines the SerpApi private key to use.

API Results

JSON Results

JSON output includes structured data for jobs_results , actual search_parameters , and search_information . If a request fails, it will return an error message. Typical errors are 401 Invalid API key. , 429 Run out of searches. , or 500 There was a server error. .

HTML Results

When requested or during errors, the API does not have a full HTML response, only text. Typically, search_metadata.prettify_html_file contains the raw HTML file content of the search. It is displayed in the playground.

API Examples

Example with `q` **:** `barista new york`



Example with `q` **:** `Java Developer` **(Working from home)**

Set parameter ltype=1 to filter results by Work from home.



Example with `q` **:** `San Jose` **and** `uule` **:** `w+CAIQICIGVGV4YXM`

Update filter from the same category can be used in a single search via `chips` parameter.



```
},
"description": "Hello potential future Oatly employee. I
"job_highlights": [
  {
    "title": "Qualifications",
    "items": [
      "Instantly win over all levels from baristas to ow
      "Must be located in New York, NY and have lived th
      "Bachelor's degree or equivalent in practical expe
      ...
    ]
  },
  {
    "title": "Benefits",
    "items": [
      "Another bulleted list felt redundant, so we wrote
      "The salary for this role will be based on a varie
      "Actual compensation is influenced by a wide array
      ...
    ]
  },
  {
    "title": "Responsibilities",
    "items": [
      "To create, lead, and execute the development stra
      "To identify and nurture genuine strong relationsh
      "Contribute to the building of a strong local coff
      ...
    ]
  }
],
"apply_options": [
  {
    "title": "Oatly AB",
    "link": "https://careers.oatly.com/jobs/4553887-baris
  },
  {
    "title": "Jobgether",
    "link": "https://jobgether.com/offer/665eecf6a9462a7
  },
  {
    "title": "Jooble",
    "link": "https://jooble.org/jdp/7382893261740045457?
  },
  ...
],
"job_id": "eyJqb2JfdGl0bGUiOiJCYXJpc3RhIE1hcmtldCBEZXZlb
},
{
  "title": "Starbucks Barista (T2660)",
  "company_name": "1001 Target Corporation",
  "location": "Anywhere",
  "via": "Workday",
  "share_link": "https://www.google.com/search?ibp=htl;jobs
  "extensions": [
    "Work from home",
    "Full-time",
    "No degree mentioned",
    ...
  ],
  "detected_extensions": {
    "dental_coverage": true,
    "paid_time_off": true,
    "health_insurance": true,
    "schedule_type": "Full-time",
    "work_from_home": true
  },
  "description": "Starting Hourly Rate / Salario por Hora
  "apply_options": [
    {
      "title": "Workday",
      "link": "https://target.wd5.myworkdayjobs.com/en-US/
    },
    {
      "title": "AARP Job Board",
      "link": "https://jobs.aarp.org/job/starbucks-barista
    },
    {
      "title": "ZipRecruiter",
      "link": "https://www.ziprecruiter.com/c/Target-Brand
    },
    ...
  ],
  "job_id": "eyJqb2JfdGl0bGUiOiJTdGFyYnVja3MgQmFyaXN0YSAoVI
},
...
],
}
```


© 2016-2026 SerpApi, LLC.