

Project DSA

Present by:

Name
Durgesh Dahifale

Prn:
202402060010

Code:

```
#include<iostream>
using namespace std;
class BookStore
{
    public:
    string name;
    string type;
    float price;
    int quantity;
}mybook[100];

int size;
int sp=-1;

void BookTypes() {
    cout<<"\n";
    cout << "Available Book Types:\n";
    cout << "1. Story\n";
    cout << "2. Love\n";
    cout << "3. Educational\n";
    cout << "Enter your choice for book type (1/2/3): ";
}

void push()
{
    cout<<"enter the size of Book: "<<"\n";
    cin>>size;
    cout<<"*****\n";

    if (sp + 1 >= size) {
        cout << "Book Store is full, cannot add more books.\n";
        cout << "*****\n";
        return;
    }
    sp++;

    BookTypes();
    int bookTypeChoice;
    cin >> bookTypeChoice;
```

```

switch(bookTypeChoice)
{
    case 1:
        mybook[sp].type = "Story";
        break;
    case 2:
        mybook[sp].type = "Love";
        break;
    case 3:
        mybook[sp].type = "Educational";
        break;
    default:
        cout<<"Enter correct choice"<<"\n";
        sp--;
        return;
}

cout<<"Enter book name: ";
cin>>mybook[sp].name;
cout<<"Enter book price: ";
cin>>mybook[sp].price;
cout<<"Enter book quantity: ";
cin>>mybook[sp].quantity;

cout << "Book added successfully.\n";
cout << "*****\n";
}

void pop() {
    if (sp == -1) {
        cout << "Book Store is empty, cannot purchase any book.\n";
        cout << "*****\n";
        return;
    }

    string bookName;
    cout << "Enter the name of the book you want to purchase: ";
    cin >> bookName;

    for (int i = 0; i <= sp; i++) {
        if (mybook[i].name == bookName) {
            cout << "Book Found: " << mybook[i].name << " (Available Quantity: " <<
mybook[i].quantity << ")\n";
            int qty;
            cout << "Enter quantity to purchase: ";
            cin >> qty;

            if (qty <= 0) {
                cout << "Invalid quantity entered.\n";
            }
        }
    }
}

```

```

        return;
    }

    if (qty > mybook[i].quantity) {
        cout << "Only " << mybook[i].quantity << " copies are available.\n";
        return;
    }

    mybook[i].quantity -= qty;
    float total = qty * mybook[i].price;
    cout << "Purchase successful! Total price: " << total << "\n";

    if (mybook[i].quantity == 0) {
        for (int j = i; j < sp; j++) {
            mybook[j] = mybook[j + 1];
        }
        sp--;
        cout << "Book " << bookName << " is now out of stock and removed from
the store.\n";
    }
    cout << "*****\n";
    return;
}

cout << "Book not found in the store.\n";
cout << "*****\n";
}

void display()
{
    if(sp== -1)
    {
        cout<<"Book Store is empty"<<"\n";
        cout<<"*****\n";
    }

    for(int i=sp;i>=0;i--)
    {
        cout<<"\n";
        cout<<"*****\n";
        cout << "Book " << i + 1 << ":\n";
        cout << "Name: " << mybook[i].name << "\n";
        cout << "Price: " << mybook[i].price << "\n";
        cout << "Quantity: " << mybook[i].quantity << "\n";
        cout << "Type: " << mybook[i].type << "\n";
        cout << "-----\n";
    }
}

```

```

void sortStack() {
    if (sp == -1) {
        cout << "Book Store is empty, nothing to sort.\n";
        cout << "*****\n";
        return;
    }
    for (int i = 0; i <= sp; i++) {
        for (int j = 0; j < sp - i; j++) {
            if (mybook[j].name > mybook[j + 1].name) {
                swap(mybook[j], mybook[j + 1]);
            }
        }
    }
    cout << "Sorted Book Store by name:\n";
    for (int i = sp; i >= 0; i--) {
        cout << "Name: " << mybook[i].name << "\n";
        cout << "Price: " << mybook[i].price << "\n";
        cout << "Quantity: " << mybook[i].quantity << "\n";
        cout << "Type: " << mybook[i].type << "\n";
        cout << "-----\n";
    }
    cout << "*****\n";
}

```

```

void updateBook() {
    string bookName;
    cout << "\n";
    cout << "*****\n";
    cout << "Enter the name of the book to update: ";
    cin >> bookName;

    for (int i = 0; i <= sp; i++) {
        if (mybook[i].name == bookName) {
            cout << "Book found. Enter new details:\n";
            cout << "New Name: ";
            cin >> mybook[i].name;
            cout << "New Price: ";
            cin >> mybook[i].price;
            cout << "New Quantity: ";
            cin >> mybook[i].quantity;

            BookTypes();
            int choice;

            cin >> choice;
            switch (choice) {
                case 1:
                    mybook[i].type = "Story";
                    break;
                case 2:

```

```

        mybook[i].type = "Love";
        break;
    case 3:
        mybook[i].type = "Educational";
        break;
    default:
        cout << "Invalid type\n";
        break;
    }
    cout << "Book updated successfully!\n";
    return;
}
}
cout << "Book not found.\n";
}

```

```

void searchBook()
{
    int i;
    BookStore check_book;
    cout<<"enter the name want to search\n";
    cin>>check_book.name;
    for (i = 0; i <= sp; i++) {
        if (mybook[i].name == check_book.name) {
            cout << "Book Found:\n";
            cout << "Name: " << mybook[i].name << "\n";
            cout << "Price: " << mybook[i].price << "\n";
            cout << "Quantity: " << mybook[i].quantity << "\n";
            cout << "Type: " << mybook[i].type << "\n";
            cout << "-----\n";
            return ;
        }
    }
    cout << "Book not found in the store.\n";
    cout << "-----\n";
}

```

```

void countBooks()
{
    cout<<"\n";
    cout << "Total number of books in the store: " << sp + 1 << "\n";
    cout << "*****\n";
}

```

```

void calculation() {
    float Price = 0;

    for (int i = 0; i <= sp; i++) {
        Price = Price + mybook[i].price * mybook[i].quantity;
    }
}

```

```

    }

    cout << "Total price of all books in store: " << Price << "\n";
}

int main()
{
    int ch;
    while (true)
    {
        cout<<"\n";
        cout<<"\n===== Book Store Menu =====\n";
        cout<<"1. Add Book\n";
        cout<<"2. purchase Book\n";
        cout<<"3. Sort Book\n";
        cout<<"4. Display Book\n";
        cout<<"5. Update Book Name\n";
        cout<<"6. search Book\n";
        cout<<"7. countBook\n";
        cout<<"8. Total Amount of Book\n";
        cout<<"Your choice is: ";
        cin>>ch;
        switch (ch)
        {
            case 1:
                push();
                break;

            case 2:
                pop();
                break;

            case 3:
                sortStack();
                break;

            case 4:
                display();
                break;

            case 5:
                updateBook();
                break;

            case 6:
                searchBook();
                break;

            case 7:

```

```

        countBooks();
        break;

    case 8:
        calculation();
        break;

    default:
        cout<<"enter correct choice"<<"\n";
        break;
    }
}
}

```

Output:

```

PS C:\Users\Nadim\Desktop\cpp> cd "c:\Users\Nadim\Desktop\cpp\cpp\" ; if ($?) { g++ project.cpp -o project } ; if ($?) { .\project }
enter the size of Book:
9
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 1
Enter book name: shivajimaharaj
Enter book price: 300
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
  CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  > DSA
  > Java
  > OUTLINE
  > TIMELINE
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 1
Enter book name: jungalbook
Enter book price: 240
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 1
Enter book name: jhasikirani
Enter book price: 250
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
  CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  > DSA
  > Java
  > OUTLINE
  > TIMELINE
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 2
Enter book name: abc
Enter book price: 320
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 2
```


The screenshot shows the Visual Studio Code interface with a C++ project. The Explorer pane on the left lists files under a 'cpp' folder, including 'Assignment1.exe', 'Assignment2.cpp', 'Assignment2.exe', 'BookStore.cpp', 'BookStore.exe', 'demo.cpp', 'demo.exe', 'demos.cpp', 'demos.exe', 'linklist.cpp', 'linklist.exe', 'main.cpp', 'main.exe', 'p.cpp', 'p.exe', 'poly.cpp', 'poly.exe', 'postfix.cpp', 'postfix.exe', 'project.cpp', 'project.exe', 'queue.cpp', 'queue.exe', 'stack.cpp', 'stack.exe', and 'tempCodeRunnerFil...'. The 'project.cpp' file is selected. The Terminal pane on the right shows the output of the program, which is a book store menu. The output is as follows:

```
Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 2
Enter book name: pqr
Enter book price: 200
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 2
Enter book name: xyz
Enter book price: 250
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
```

The status bar at the bottom indicates the current line and column are 252 and 20, respectively. The encoding is UTF-8, and the line endings are CRLF. The language is C++ and the platform is Win32.

The screenshot shows the Visual Studio Code interface with a C++ project. The Explorer pane on the left lists files under a 'cpp' folder, including 'Assignment1.exe', 'Assignment2.cpp', 'Assignment2.exe', 'BookStore.cpp', 'BookStore.exe', 'demo.cpp', 'demo.exe', 'demos.cpp', 'demos.exe', 'linklist.cpp', 'linklist.exe', 'main.cpp', 'main.exe', 'p.cpp', 'p.exe', 'poly.cpp', 'poly.exe', 'postfix.cpp', 'postfix.exe', 'project.cpp', 'project.exe', 'queue.cpp', 'queue.exe', 'stack.cpp', 'stack.exe', and 'tempCodeRunnerFil...'. The 'project.cpp' file is selected. The Terminal pane on the right shows the output of the program, which is a book store menu. The output is as follows:

```
===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 3
Enter book name: math
Enter book price: 240
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
```

The status bar at the bottom indicates the current line and column are 252 and 20, respectively. The encoding is UTF-8, and the line endings are CRLF. The language is C++ and the platform is Win32.

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
  CPP
    cpp
      Assignment1.exe
      Assignment2.cpp
      Assignment2.exe
      BookStore.cpp
      BookStore.exe
      demo.cpp
      demo.exe
      demos.cpp
      demos.exe
      linklist.cpp
      linklist.exe
      main.cpp
      main.exe
      p.cpp
      p.exe
      poly.cpp
      poly.exe
      postfix.cpp
      postfix.exe
      project.cpp
      project.exe
      queue.cpp
      queue.exe
      stack.cpp
      stack.exe
      tempCodeRunnerFil...
    > DSA
    > Java
    > OUTLINE
    > TIMELINE
  0 0 0 Connect
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 3
Enter book name: physics
Enter book price: 300
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 3
Enter book name: chemistry
Enter book price: 350
Enter book quantity: 10
Book added successfully.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
  CPP
    cpp
      Assignment1.exe
      Assignment2.cpp
      Assignment2.exe
      BookStore.cpp
      BookStore.exe
      demo.cpp
      demo.exe
      demos.cpp
      demos.exe
      linklist.cpp
      linklist.exe
      main.cpp
      main.exe
      p.cpp
      p.exe
      poly.cpp
      poly.exe
      postfix.cpp
      postfix.exe
      project.cpp
      project.exe
      queue.cpp
      queue.exe
      stack.cpp
      stack.exe
      tempCodeRunnerFil...
    > DSA
    > Java
    > OUTLINE
    > TIMELINE
  0 0 0 Connect
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 1
Book Store is full, cannot add more books.
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 4

*****
Book 9:
Name: chemistry
Price: 350
Quantity: 10
Type: Educational
-----

*****
Book 8:
Name: physics
Price: 300
Quantity: 10
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  Assignment1.exe
  Assignment2.cpp
  Assignment2.exe
  BookStore.cpp
  BookStore.exe
  demo.cpp
  demo.exe
  demos.cpp
  demos.exe
  linklist.cpp
  linklist.exe
  main.cpp
  main.exe
  p.cpp
  p.exe
  poly.cpp
  poly.exe
  postfix.cpp
  postfix.exe
  project.cpp
  project.exe
  queue.cpp
  queue.exe
  stack.cpp
  stack.exe
  tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
0 0 0 Connect Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

*****
Book 8:
Name: physics
Price: 300
Quantity: 10
Type: Educational
-----
*****
Book 7:
Name: math
Price: 240
Quantity: 10
Type: Educational
-----
*****
Book 6:
Name: xyz
Price: 250
Quantity: 10
Type: Love
-----
*****
Book 5:
Name: pqr
Price: 200
Quantity: 10
Type: Love
-----
*****
Book 4:
Name: abc
Price: 320
Quantity: 10
Type: Love
-----
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  Assignment1.exe
  Assignment2.cpp
  Assignment2.exe
  BookStore.cpp
  BookStore.exe
  demo.cpp
  demo.exe
  demos.cpp
  demos.exe
  linklist.cpp
  linklist.exe
  main.cpp
  main.exe
  p.cpp
  p.exe
  poly.cpp
  poly.exe
  postfix.cpp
  postfix.exe
  project.cpp
  project.exe
  queue.cpp
  queue.exe
  stack.cpp
  stack.exe
  tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
0 0 0 Connect Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

*****
Book 3:
Name: jhasikirani
Price: 250
Quantity: 10
Type: Story
-----
*****
Book 2:
Name: jangalbook
Price: 240
Quantity: 10
Type: Story
-----
*****
Book 1:
Name: shivajimaharaj
Price: 300
Quantity: 10
Type: Story
-----
===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 3
Sorted Book Store by name:
Name: xyz
Price: 250
Quantity: 10
```

The screenshot shows the Visual Studio Code interface with a C++ project. The Explorer pane on the left shows a file tree with various C++ files and executables. The Terminal pane on the right displays the output of a program, which is a book store application. The output shows a menu of 8 options, and the user has chosen option 3, 'Sort Book'. The program then displays a sorted list of books by name, with details for each book including Name, Price, Quantity, and Type. The books listed are: xyz (Price: 250, Quantity: 10, Type: Love), shivajimaharaj (Price: 300, Quantity: 10, Type: Story), pqr (Price: 200, Quantity: 10, Type: Love), physics (Price: 300, Quantity: 10, Type: Educational), math (Price: 240, Quantity: 10, Type: Educational), jhasikirani (Price: 250, Quantity: 10, Type: Story), and jangalbook (Price: 240, Quantity: 10, Type: Story).

```
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 3
Sorted Book Store by name:
Name: xyz
Price: 250
Quantity: 10
Type: Love
-----
Name: shivajimaharaj
Price: 300
Quantity: 10
Type: Story
-----
Name: pqr
Price: 200
Quantity: 10
Type: Love
-----
Name: physics
Price: 300
Quantity: 10
Type: Educational
-----
Name: math
Price: 240
Quantity: 10
Type: Educational
-----
Name: jhasikirani
Price: 250
Quantity: 10
Type: Story
-----
Name: jangalbook
Price: 240
Quantity: 10
Type: Story
-----
```

The screenshot shows the Visual Studio Code interface with a C++ project. The Explorer pane on the left shows a file tree with various C++ files and executables. The Terminal pane on the right displays the output of a program, which is a book store application. The output shows a menu of 8 options, and the user has chosen option 4, 'Display Book'. The program then displays a sorted list of books by name, with details for each book including Name, Price, Quantity, and Type. The books listed are: chemistry (Price: 350, Quantity: 10, Type: Educational), abc (Price: 320, Quantity: 10, Type: Love), xyz (Price: 250, Quantity: 10, Type: Love), shivajimaharaj (Price: 300, Quantity: 10, Type: Story), and jangalbook (Price: 240, Quantity: 10, Type: Story).

```
-----
Name: chemistry
Price: 350
Quantity: 10
Type: Educational
-----
Name: abc
Price: 320
Quantity: 10
Type: Love
-----
=====
==== Book Store Menu ====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 4
=====
Book 9:
Name: xyz
Price: 250
Quantity: 10
Type: Love
-----
=====
Book 8:
Name: shivajimaharaj
Price: 300
Quantity: 10
Type: Story
-----
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  Assignment1.exe
  Assignment2.cpp
  Assignment2.exe
  BookStore.cpp
  BookStore.exe
  demo.cpp
  demo.exe
  demos.cpp
  demos.exe
  linklist.cpp
  linklist.exe
  main.cpp
  main.exe
  p.cpp
  p.exe
  poly.cpp
  poly.exe
  postfix.cpp
  postfix.exe
  project.cpp
  project.exe
  queue.cpp
  queue.exe
  stack.cpp
  stack.exe
  tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
0 0 0 Connect Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32
```

```
*****
Book 7:
Name: pqr
Price: 200
Quantity: 10
Type: Love
-----
*****
Book 6:
Name: physics
Price: 300
Quantity: 10
Type: Educational
-----
*****
Book 5:
Name: math
Price: 240
Quantity: 10
Type: Educational
-----
*****
Book 4:
Name: jhasikirani
Price: 250
Quantity: 10
Type: Story
-----
*****
Book 3:
Name: jangalbook
Price: 240
Quantity: 10
Type: Story
-----
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  Assignment1.exe
  Assignment2.cpp
  Assignment2.exe
  BookStore.cpp
  BookStore.exe
  demo.cpp
  demo.exe
  demos.cpp
  demos.exe
  linklist.cpp
  linklist.exe
  main.cpp
  main.exe
  p.cpp
  p.exe
  poly.cpp
  poly.exe
  postfix.cpp
  postfix.exe
  project.cpp
  project.exe
  queue.cpp
  queue.exe
  stack.cpp
  stack.exe
  tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
0 0 0 Connect Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32
```

```
*****
Book 2:
Name: chemistry
Price: 350
Quantity: 10
Type: Educational
-----
*****
Book 1:
Name: abc
Price: 320
Quantity: 10
Type: Love
-----
===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 6
enter the name want to search
math
Book Found:
Name: math
Price: 240
Quantity: 10
Type: Educational
-----
===== Book Store Menu =====
1. Add Book
```

```
File Edit Selection View Go Run ... cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  > DSA
  > Java
  > OUTLINE
  > TIMELINE
0 0 0 Connect
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 5

*****
Enter the name of the book to update: math
Book found, Enter new details:
New Name: biology
New Price: 320
New Quantity: 15

Available Book Types:
1. Story
2. Love
3. Educational
Enter your choice for book type (1/2/3): 3
Book updated successfully!

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 4

*****
Book 9:
```

```
File Edit Selection View Go Run ... cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  > DSA
  > Java
  > OUTLINE
  > TIMELINE
0 0 0 Connect
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

*****
Book 9:
Name: xyz
Price: 250
Quantity: 10
Type: Love
-----

*****
Book 8:
Name: shivajimaharaj
Price: 300
Quantity: 10
Type: Story
-----

*****
Book 7:
Name: pqr
Price: 200
Quantity: 10
Type: Love
-----


*****
Book 6:
Name: physics
Price: 300
Quantity: 10
Type: Educational
-----

*****
Book 5:
Name: biology
Price: 320
Quantity: 15
Type: Educational
-----
```



```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  Assignment1.exe
  Assignment2.cpp
  Assignment2.exe
  BookStore.cpp
  BookStore.exe
  demo.cpp
  demo.exe
  demos.cpp
  demos.exe
  linklist.cpp
  linklist.exe
  main.cpp
  main.exe
  p.cpp
  p.exe
  poly.cpp
  poly.exe
  postfix.cpp
  postfix.exe
  project.cpp
  project.exe
  queue.cpp
  queue.exe
  stack.cpp
  stack.exe
  tempCodeRunnerFil...
  > DSA
  > Java
  > OUTLINE
  > TIMELINE
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32
```

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  Assignment1.exe
  Assignment2.cpp
  Assignment2.exe
  BookStore.cpp
  BookStore.exe
  demo.cpp
  demo.exe
  demos.cpp
  demos.exe
  linklist.cpp
  linklist.exe
  main.cpp
  main.exe
  p.cpp
  p.exe
  poly.cpp
  poly.exe
  postfix.cpp
  postfix.exe
  project.cpp
  project.exe
  queue.cpp
  queue.exe
  stack.cpp
  stack.exe
  tempCodeRunnerFil...
  > DSA
  > Java
  > OUTLINE
  > TIMELINE
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32
```



```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
0 0 0 Connect Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32


5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 2
Enter the name of the book you want to purchase: biology
Book Found: biology (Available Quantity: 15)
Enter quantity to purchase: 10
Purchase successful! Total price: 3200
*****

===== Book Store Menu =====
1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 4
*****

Book 9:
Name: xyz
Price: 250
Quantity: 10
Type: Love
-----

Book 8:
Name: shivajimaharaj
Price: 300
Quantity: 10
Type: Story
-----

*****
```



```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
0 0 0 Connect Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32

*****

Book 7:
Name: pqr
Price: 200
Quantity: 10
Type: Love
-----

Book 6:
Name: physics
Price: 300
Quantity: 10
Type: Educational
-----

Book 5:
Name: biology
Price: 320
Quantity: 5
Type: Educational
-----

Book 4:
Name: jhasikirani
Price: 250
Quantity: 10
Type: Story
-----

Book 3:
Name: jangalbook
Price: 240
Quantity: 10
Type: Story
-----

*****
```



```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
  Connect
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32
```

Book 2:
Name: chemistry
Price: 350
Quantity: 10
Type: Educational

Book 1:
Name: abc
Price: 320
Quantity: 10
Type: Love

==== Book Store Menu ====

1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 6
enter the name want to search
biology
Book Found:
Name: biology
Price: 320
Quantity: 5
Type: Educational

==== Book Store Menu ====

1. Add Book

```
File Edit Selection View Go Run ... < -> cpp
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
CPP
  cpp
    Assignment1.exe
    Assignment2.cpp
    Assignment2.exe
    BookStore.cpp
    BookStore.exe
    demo.cpp
    demo.exe
    demos.cpp
    demos.exe
    linklist.cpp
    linklist.exe
    main.cpp
    main.exe
    p.cpp
    p.exe
    poly.cpp
    poly.exe
    postfix.cpp
    postfix.exe
    project.cpp
    project.exe
    queue.cpp
    queue.exe
    stack.cpp
    stack.exe
    tempCodeRunnerFil...
  DSA
  Java
  OUTLINE
  TIMELINE
  Connect
Ln 252, Col 20 Spaces: 4 UTF-8 CRLF {} C++ Win32
```

3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 6
enter the name want to search
biology
Book Found:
Name: biology
Price: 320
Quantity: 5
Type: Educational

==== Book Store Menu ====

1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: 8
Total price of all books in store: 23700

==== Book Store Menu ====

1. Add Book
2. purchase Book
3. Sort Book
4. Display Book
5. Update Book Name
6. search Book
7. countBook
8. Total Amount of Book
Your choice is: