Chapter 1: Rendering engines

The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt.





```
function render(page) {
  return engine.draw(page, scale);
}
```

The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt.

Chapter 1: Rendering engines

The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt.





```
function render(page) {
  return engine.draw(page, scale);
}
```

The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt. The quick brown fox jumps over the lazy dog; ∑ x² = ∫ f(t) dt.