

Configure Versa Secure Access Threat Notifications



For supported software information, click here.


You can configure a VOS device to send Versa Secure Access (VSA) threat notifications for features that support VSA notifications. These applications include:

- Advanced threat protection (ATP)
- · Antivirus (AV)
- · Cloud access security broker (CASB)
- Data loss prevention (DLP)
- Intrusion prevention system (IPS)
- IP filtering


The notifications occur when an application attempts an activity that is subject to a security rule. When this occurs, a notification is sent that identifies the application that was used and the activity that was attempted.

To configure VSA notifications:

- 1. In Director view:
 - a. Select the Administration tab in the top menu bar.
 - b. Select Appliances in the left menu bar.
 - c. Select a device name in the main panel. The view changes to Appliance view.
- 2. Select the Configuration tab in the top menu bar.
- 3. Select Objects & Connectors > Connectors > Users/Groups > Settings in the left menu bar.



4. Click the 🗹 Edit icon in the Notification pane. In the Edit Notification popup window, enter information for the following fields.



Field	Description
Timeout	Enter the timeout period, in seconds, after which notifications stop being sent.
	VERSA Requested activity blocked by CASB ▼ Access to the web site is blocked at this time.
	Please contact your administrator for more information. Application box_net
	Activity download_file URL dl.boxcloud.com
	OK This window will auto-close in 24 seconds
	Range: 1 through 254 seconds
	Default: 30 seconds
Suppression Interval	Enter the duplicate notification suppression interval, in seconds. If an event (an application plus the attempted activity) occurs that causes VOS to send a notification, and if the same event occurs within the suppression interval period, no additional notifications will be sent until the suppression interval ends. The notification message shows the how much time remains until the suppression interval ends:
	Range: 1 through 254 seconds
	Default: 120 seconds
Threat Notifications	Click the check box to enable VSA threat notifications.

5. Click OK.

Supported Software Information

Releases 22.1.1 and later support all content described in this article.

Additional Information

Configure the Versa Secure Access Service