WebClient Computing Jquery

Kookmin University

Department of Computer Science

Kyungyong Lee

Event Example

- event_mouse_enter_leave.html and js

```javascript
function bigger(x) {
  x.style.height = "64px";
  x.style.width = "64px";
}

function normal(x) {
  x.style.height = "32px";
  x.style.width = "32px";
}
```

```html
<!DOCTYPE html>
<html>
<head>
  <title>Javascript event</title>
  <script type="text/javascript" src="event_mouse_enter_leave.js"></script>
</head>
<body>
  <img onmouseover="bigger(this)" onmouseout="normal(this)" border="0" src="smiley.gif"
alt="Smiley" width="32" height="32">
</body>
</html>
```

Event Example

- event_keyboard.html and js

```html
<!DOCTYPE html>
<html>
<head>
  <title>Javascript event</title>
  <script type="text/javascript" src="event_keyboard.js"></script>
</head>
<body>
<input type="text" size="40" onkeypress="key_pressed(event)">
<p id="key-demo"></p>
</body>
</html>
```

```javascript
function key_pressed(event) {
  document.getElementById("key-demo").innerHTML = event.keyCode + " is pressed -
" + String.fromCharCode(event.keyCode);
}
```

More about event Keyword

- A javascript object that contains detailed information about an event itself
- Different event type can have different property in the object
- Details in http://www.w3schools.com/jsref/dom_obj_event.asp

What is jQuery

- A library that wraps Javascript
- Using jQuery makes your life much easier than using Javascript
- Great power with a small library
- Offers many features available to developers
- Cross browser support
  - jquery.com
- Defactor standard
  - Most popular Javascript library
  - Many other libraries are built using jQuery
- Add complex functions without making code complex
- Getting benefits from abstraction!!

jQuery, Javascript, and DOM



https://www.javacodegeeks.com/2016/01/7-ways-es2015-can-improve-your-javascript-programming.html
https://en.wikipedia.org/wiki/HTML

Reference

- edx jQuery course
- w3schools.com