```
BT003:~$ echo "mua." | sendmail –v mail@dt3.lboro
ot003@bt.1boro U=bt003 P=1oca1 S=272
@BT003:~$ delivering 1iS09S-0001Z3-U5
nslookup for mail@dt3.lboro
emote_smtp for mail@dt3.1boro
necting to mail.dt3.1boro [34.0.0.18]:25 ... connected
MTP<< 220 dt4 ESMTP Exim 4.82 Ubuntu Tue, 05 Nov 2019 14:49:45 +0000
MTP>> EHLO BTOO3
SMTP<< 250-dt4 Hello BT003 [23.0.0.34]
       250-SIZE 52428800
       250-8BITMIME
       250-PIPELINING
        250 HELP
 SMTP>> MAIL FROM:<br/>
<br/>
bt003@bt.lboro> SIZE=1304
 SMTP>> RCPT TO:<mail@dt3.lboro>
  SMTP>> DATA
  SMTP << 250 DK
  SMTP << 250 Accepted
  SMTP<< 354 Enter message, ending with "." on a line by itself
   SMTP>> writing message and terminating
    SMTP<< 250 OK id=11809R-0000fn-Co
    SMTP>> QUIT
  LOG: MAIN
    => mail@dt3.lboro R=dnslockup T=remote_smtp H=mail.dt3.lboro [34.0.0.18] C="250 OK id=1iS09R-0000fn-Co"
   I DG: MATN
     Completed
                                                                  TOSHIBA
```



v 24 13:03:03 End queue run: pid=1629