
- 60. Kelly E, Wen Q, Haddad D, O'Banion J. Effects of an aging population and racial demographics on eye disease prevalence: projections for Georgia through 2050. Am J Ophthalmol. 2020;210:35–40.
- **61.** Morse AR. The importance of patients' perspectives in providing ophthalmic care—lessons from the COVID-19 pandemic. *JAMA Ophthalmol*. 2021;139(5): 516–517.

Pictures & Perspectives



A Blinding Glioma

A 12-year-old girl presented with no light perception in the right eye. Ultrawide-field retinal imaging (\mathbf{A}) revealed a grayish papillary mass expanding into the vitreous cavity, ghost retinal vessels, and deep retinal hemorrhages. Brain magnetic resonance imaging showed a left-sided parieto-occipital tumor crossing the midline (\mathbf{B} , arrows) with an enlarged right optic nerve (arrowhead). Pathologic examination found highly cellular glial and microvascular proliferation, palisading necrosis, numerous mitoses (\mathbf{C} , arrow) (Hemalun Phloxin Saffron staining, left), and diffuse expression of the mutation H3F3A G34R (right). The diagnosis of diffuse hemispheric glioma H3 G34-mutant spreading along the right optical paths with intraocular extension was then confirmed (Magnified version of Figure \mathbf{A} - \mathbf{C} is available online at www.aaojournal.org, scale bars: 100 μ m and 50 μ m).

Alexandre Dentel, MD¹
Arnault Tauziède-Espariat, MD²
Alejandra Daruich, MD, PhD^{1,3}

¹Ophthalmology Department, Necker-Enfants Malades University Hospital, Assistance Publique, Hôpitaux de Paris, Paris, France; ²Neuropathology Department, GHU Paris Psychiatry and Neurosciences, Sainte-Anne Hospital, Paris, France; ³Centre de Recherche des Cordeliers, Paris, France