


- and earlier age of developing advanced age-related macular degeneration. *Invest Ophthalmol Vis Sci*. 2020;61(14):32–32.
39. Buitendijk GH, Ročtchina E, Myers C, et al. Prediction of age-related macular degeneration in the general population: the Three Continent AMD Consortium. *Ophthalmology*. 2013;120(12):2644–2655.
 40. Ding Y, Liu Y, Yan Q, et al. Bivariate analysis of age-related macular degeneration progression using genetic risk scores. *Genetics*. 2017;206(1):119–133.
 41. Warwick A, Lotery A. Genetics and genetic testing for age-related macular degeneration. *Eye*. 2018;32(5):849–857.
 42. Naj AC, Scott WK, Courtenay MD, et al. Genetic factors in nonsmokers with age-related macular degeneration revealed through genome-wide gene-environment interaction analysis. *Ann Hum Genet*. 2013;77(3):215–231.
 43. Seddon JM. Macular degeneration epidemiology: nature-nurture, lifestyle factors, genetic risk, and gene-environment interactions—the Weisenfeld Award Lecture. *Invest Ophthalmol Vis Sci*. 2017;58(14):6513–6528.
 44. Kim EK, Kim H, Vijayakumar A, et al. Associations between fruit and vegetable, and antioxidant nutrient intake and age-related macular degeneration by smoking status in elderly Korean men. *Nutrition Journal*. 2017;16(1):1–9.
 45. Colijn JM, Meester-Smoor M, Verzijden T, et al. Genetic risk, lifestyle, and age-related macular degeneration in Europe: the EYE-RISK Consortium. *Ophthalmology*. 2021;128(7):1039–1049.
 46. Chapman NA, Jacobs RJ, Braakhuis AJ. Role of diet and food intake in age-related macular degeneration: a systematic review. *Clin Exp Ophthalmol*. 2019;47(1):106–127.
 47. Fan H, Song JT. Potential mechanisms of macular degeneration protection by fatty fish consumption. *Curr Opin Pharmacol*. 2022;63:102186.
 48. McGuinness MB, Le J, Mitchell P, et al. Physical activity and age-related macular degeneration: a systematic literature review and meta-analysis. *Am J Ophthalmol*. 2017;180:29–38.
 49. de Jong S, Gagliardi G, Garanto A, et al. Implications of genetic variation in the complement system in age-related macular degeneration. *Prog Retin Eye Res*. 2021;84:100952.
 50. de Breuk A, Acar IE, Kersten E, et al. Development of a genotype assay for age-related macular degeneration: the EYE-RISK Consortium. *Ophthalmology*. 2021;128(11):1604–1617.

Pictures & Perspectives



Shrinking Diffuse Choroidal Hemangioma after Topical Use of β -Blocker

A 2-month-old girl was diagnosed with Sturge-Weber syndrome. A “tomato catsup” fundus (A) could be observed by RetCam III due to diffuse choroidal hemangioma (DCH). Intraocular pressure (IOP) was 14 mmHg. After using timolol maleate eye drops twice daily for 3 months, the DCH shrunk in color fundus image (B). The IOP was 11 mmHg. The patient was advised to maintain treatment with β -blockers and a follow-up visit was recommended. This case revealed the potential therapeutic effect of β -blockers upon DCH. (Magnified version of Figure A-B is available online at www.aaojournal.org).

WENTING ZHANG, MD

JIE PENG, MD

PEIQUAN ZHAO, MD, PhD

Department of Ophthalmology, Xin Hua Hospital Affiliated to Shanghai Jiao Tong University School of Medicine, Shanghai, China