- U.S. Department of Health and Human Services, Health Resources, Service Administration, National Center for Health Workforces Analysis. National and Regional Projections of Supply and Demand for Surgical Specialty Practitioners: 2013-2025. 2016. Rockville, Maryland.
- Feng PW, Ahluwalia A, Feng H, Adelman RA. National trends in the United States eye care workforce from 1995 to 2017. Am J Ophthalmol. 2020;218:128–135.
- Akosman S, Qi L, Pakhchanian H, et al. Using infodemiology metrics to assess patient demand for oculoplastic surgeons in the United States: insights from Google search trends. *Orbit*. 2022:1-7.
- 8. Hussey VM, Tao JP. Oculofacial plastic surgeon distribution by county in the United States. *Orbit*. 2021;41:687–690.
- U.S. Department of Health and Human Services. 2018 Requirements (2018 Common Rule). https://www.hhs.gov/ohrp/regulations-and-policy/regulations/45-cfr-46/revised-common-rule-regulatory-text/index.html; 2017. Accessed June 6, 2023.
- United States Census Bureau. U.S. Census Bureau QuickFacts: United States. https://www.census.gov/quickfacts/fact/table/ US/PST045222; 2022. Accessed June 6, 2023.
- Rosenblatt RA, Hart LG. Physicians and rural America. West J Med. 2000;173:348–351.

- Machado SR, Jayawardana S, Mossialos E, Vaduganathan M. Physician density by specialty type in urban and rural counties in the US, 2010 to 2017. *JAMA Netw Open.* 2021;4: e2033994.
- Walsh HL, Parrish A, Hucko L, et al. Access to pediatric ophthalmological care by geographic distribution and US population demographic characteristics in 2022. *JAMA Oph*thalmol. 2023;141:242–249.
- 14. Haun JN, Patel NR, French DD, et al. Association between health literacy and medical care costs in an integrated healthcare system: a regional population based study. BMC Health Serv Res. 2015;15:249.
- Rasu RS, Bawa WA, Suminski R, et al. Health literacy impact on national healthcare utilization and expenditure. *Int J Health Policy Manag.* 2015;4:747–755.
- Jamison A, Diaper C, Drummond S, et al. Telemedicine in oculoplastics: the real-life application of video consultation clinics. *Ophthalmic Plast Reconstr Surg*, 2021;37(3S):S104—S108.
- Lelli GJ, Luo S, Liu Y, van Landingham SW. Telemedicine use by oculoplastic surgeons during the COVID-19 pandemic. *Telemed J E Health*. 2022;28:878–887.
- 18. Hacker K, Anies M, Folb BL, Zallman L. Barriers to health care for undocumented immigrants: a literature review. *Risk Manag Healthc Policy*. 2015;8:175–183.

## **Pictures & Perspectives**



## Primary Localized Conjunctival Amyloidosis: A Bilateral Presentation

A 62-year-old man presented with visually significant ptosis of the bilateral upper eyelids. Levator function was normal with no evidence of lagophthalmos. Lid eversion demonstrated bilateral soft, nontender, yellow-white masses on the upper palpebral conjunctiva (A-B). The remainder of the ocular examination was unremarkable. Intraoperative biopsies of both eyelids revealed the amorphous extracellular, eosinophilic deposition seen in amyloid, and confirmed with Congo red (C) and crystal violet staining (D). Systemic involvement was ruled out with a normal serum-free light chain ratio with negative serum electrophoresis. Primary localized conjunctival amyloidosis was diagnosed. Eyelid position improved after external levator advancement. (Magnified version of Figure A-D is available online at www.aaojournal.org).

RICKY PARAMO, BS ANNE BARMETTLER, MD POOJA SRIVASTAVA, MD

Department of Ophthalmology, Montefiore Medical Center, Bronx, New York