
- Ravindran A, Goyal G, Go RS, Rech KL. Rosai-Dorfman disease displays a unique monocyte-macrophage phenotype characterized by expression of OCT2. Am J Surg Pathol. 2021;45:35–44.
- Herwig MC, Wojno T, Zhang Q, Grossniklaus HE. Langerhans cell histiocytosis of the orbit: five clinicopathologic cases and review of the literature. Surv Ophthalmol. 2013;58:330—340.
- Kiratli H, Tarlan B, Söylemezoğlu F. Langerhans cell histiocytosis of the orbit. Eur J Ophthalmol. 2013;23: 578–583.
- Koka K, Alam MS, Subramanian N, et al. Clinical spectrum and management outcomes of Langerhans cell histiocytosis of the orbit. *Indian J Ophthalmol*. 2020;68:1604.
- Şovrea AS, Bartoş DM, Bartoş A, et al. Solitary Langerhans histiocytosis of the orbit: case report and review of the literature. Rom J Morphol Embryol. 2017;58:1589–1595.
- Kostyra K, Kostkiewicz B. Langerhans cell histiocytosis of the orbit and frontal sinus of the adult woman: a first case report in Poland. Surg Neurol Int. 2019;10:234.
- 17. Lo C, Patel P, Charles NC. Langerhans cell histiocytosis presenting as a nodulo-ulcerative eyelid lesion. *Ophthalmic Plast Reconstr Surg.* 2017;33:S51—S52.

- Yamada H, Kurimoto T, Mori S, et al. A case of multi-system Langerhans Cell Histiocytosis with local invasion of the orbital apex. Case Rep Ophthalmol. 2019;10:319

 –326.
- Krishna H, Behari S, Pal L, et al. Solitary Langerhans-cell histiocytosis of the clivus and sphenoid sinus with parasellar and petrous extensions: case report and a review of literature. *Surg Neurol.* 2004;62:447–454.
- Masoomian B, Lally SE, Shields JA, Shields CL. Ophthalmic manifestations of Rosai-Dorfman disease in five patients. *J Curr Ophthalmol*. 2020;32:238.
- 21. Vemuganti GK, Naik MN, Honavar SG. Rosai Dorfman disease of the orbit. *J Hematol Oncol*. 2008:1:1–7.
- Seegenschmiedt H, Micke O, Olschewski T, et al. Radiotherapy is effective in symptomatic Langerhans Cell Histiocytosis (LCH): long-term results of a multicenter study in 63 patients. *Radiat Oncol.* 2003;57:S251.
- Kriz J, Eich HT, Bruns F, et al. Radiotherapy in Langerhans Cell Histiocytosis-a rare indication in a rare disease. *Radiat Oncol.* 2013;8:1–6.
- 24. Miller RC, Villà S, Kamer S, et al. Palliative treatment of Erdheim—Chester disease with radiotherapy: a rare cancer network study. *Radiother Oncol*. 2006;80:323—326.

Pictures & Perspectives



A Case of Pupillary Ruff Detachment

A 57-year-old man presented for routine eye examination with best corrected visual acuity of 20/20 in both eyes. Slit-lamp examination of his right eye revealed a brown thread-like structure hanging from the pupillary margin into the anterior chamber (Fig A-B) and loss of pupillary ruff on the medial margin of pupil (arrows), suggestive of pupillary ruff detachment. Anterior segment of left eye was found to be normal. He denied any ocular trauma. Patient was asymptomatic and hence required no intervention (Magnified version of Fig A-B is available online at www.aaojournal.org).

Harinikrishna Balakrishnan, MBBS, DO¹ Vishalini Ganesan, MBBS¹ Rathinam Sivakumar, DO, PhD²

¹Department of General Ophthalmology, Aravind Eye Hospital and Postgraduate Institute of Ophthalmology, Madurai, Tamil Nadu, India; ²Department of Uvea Services, Aravind Eye Hospital and Postgraduate Institute of Ophthalmology, Madurai, Tamil Nadu, India