

Hang Dai

Jan 2026

Beijing, China
✉ daihang@stu.pku.edu.cn
🌐 [daihangpku](https://daihangpku.github.io/)



Education

- 2023– Present **B.S. in Information and Computing Science, Peking University, Beijing**
- GPA(till now): 3.72/4.0
 - Relevant Coursework: Machine Learning, Computer Vision, Visual Computing And Learning
 - Expected Graduation: June 2027

Technical Skills

- Programming Python (PyTorch), C++
- CV NeRF, 3DGS, Segment Anything (SAM)
- RO imitation learning, simulators (ISAAC-SIM, Genesis), ROS, Real Arm (Franka)
- Languages Mandarin (Native), English (CET6 617)

Research Projects

- arXiv 2025 **TwinAligner: Visual-Dynamic Alignment Empowers Physics-aware Real2Sim2Real for Robotic Manipulation, As co-first author**
- A novel Real2Sim2Real system that addresses both visual and dynamic gaps
 - Providing scalable data collection and establishing a trustworthy iterative cycle
 - Website: <https://twin-aligner.github.io/>
- CVPR 2026 **FreeArtGS: Articulated Gaussian Splatting Under Free-moving Scenario, As first author**
- A novel method for reconstructing articulated objects under free-moving scenario
 - “Free-moving” refers to cases where the transformations of camera-to-world, object-to-world, and the joint state all vary simultaneously.
 - Website: <https://freeartgs.github.io/>

Awards & Internship

- Peking University Merit Student Award in the Academic Year of 2023-2024
- **Internship**: 2024 Summer-now at PKU-Agibot Lab, supervised by Prof. Hao Dong

Research Alignment

- Focus on building **scalable embodied intelligence systems** grounded in **3D perception**, enabling robots to generalize in open-world environments.
- Experienced in **Real2Sim2Real** robotic manipulation and **articulated reconstruction** in free-moving scenarios, with expertise in both simulation and real robots.
- Interested in **data-centric embodied learning**, including **3D asset generation, augmentation, and automated data collection** and **world model**.
- Eager to explore **Vision-Language-Action (VLA)** models and their application in grounding language-conditioned policies in 3D representations for robust task execution.