

The Slow-Mo World of Earth's First Animals -- and How Sex Hit the Accelerator

From: ScienceDaily Strange & Offbeat Mined: 2026-06-11 5 min read

Picture an ocean floor 570 million years ago, covered in fern-like creatures up to two meters tall. They have no mouths, no guts, no way to move. They just absorb nutrients from the water. And when they reproduce, they send out runners like strawberry plants sprouting genetically identical copies. This was life in the **Ediacaran** period, and according to a new study from the University of Cambridge, it was a world stuck in evolutionary slow motion.

The research, published in *Nature Ecology and Evolution*, tackles a long-standing **paleontological** mystery: why did animal diversity stay so low for millions of years after the first animals appeared? The answer, it seems, lies in how they reproduced. **Asexual** reproduction via runners meant neighboring organisms were often clones, sharing nutrients and facing little competition. "If you're connected to your neighbor by these runners, then you're sharing nutrients and you don't need to compete with them," explained co-author Professor Andrea Manica.

But competition is a crucial driver of evolution. Without it, species barely changed. The team, led by Dr. Emily Mitchell, studied fossils from Mistaken Point in Newfoundland using laser scanning, spatial analysis, and artificial intelligence. They then ran thousands of computer simulations, employing a technique called **Approximate Bayesian Computation** to work backward from the fossil record. The results showed that limited **dispersal** from **asexual** reproduction kept ecosystems simple.

Then, as life moved into shallower, more turbulent waters, stress arrived. Storms, shifting temperatures, and unpredictable nutrients made survival harder. "Stress essentially leads to sexual reproduction," said Mitchell. When organisms began swapping genes and dispersing farther, competition intensified, and diversity skyrocketed. This second wave of **Ediacaran** evolution set the stage for the even more dramatic **Cambrian explosion**, when animals became mobile and ecosystems grew complex.

So, the next time you see a strawberry patch, remember: those humble runners once ruled the world until sex changed everything.

Word Treasure

Ediacaran -- The name of a very ancient geological period (roughly 635-541 million years ago) when the first complex multicellular life appeared on Earth.

asexual -- A form of reproduction where an organism makes genetically identical copies of itself without a mate.

paleontological -- Relating to the study of fossils and ancient life forms to understand the history of life on Earth.

Approximate Bayesian Computation -- A statistical method that lets scientists work backwards from data (like fossil patterns) to figure out which evolutionary scenarios are most likely.

dispersal -- The movement of organisms or their offspring away from their birthplace, which

influences competition and genetic mixing.

Cambrian explosion -- A major event around 541 million years ago when most of the main animal groups suddenly appeared in the fossil record and ecosystems became much more complex.

Background you need

The Ediacaran period, named after the Ediacara Hills in Australia where its fossils were first found, was a time of strange, soft-bodied organisms that looked like ferns, discs, or quilted mattresses. They lived in deep, quiet oceans before animals had yet evolved mouths, eyes, or limbs.

Scientists at the University of Cambridge (a famous university in England) have been trying to solve a puzzle: why did these early animals not branch out into many species quickly? Professor Andrea Manica (an ecologist) and Dr. Emily Mitchell (a paleontologist) led a team that combined fossil evidence from Mistaken Point (a fossil-rich site in Newfoundland, Canada) with computer models.

The later Cambrian explosion, about 541 million years ago, is often called biology's 'big bang' because it gave rise to most of the major animal body plans we see today, including the first creatures with hard shells, legs, and complex senses. This study helps explain what finally broke the earlier evolutionary deadlock.

Reproduction in the earliest animals worked much like a strawberry patch: long, connecting runners created clones all around, meaning no genetic variety and little need to compete -- a recipe for stasis.

Break it down

LEAD: Vivid snapshot of the Ediacaran ocean floor -- fern-like giants that can't move, eat, or differ from each other.

+ detail: 'no mouths, no guts, no way to move'

MAIN FINDING: A new Cambridge study solves the mystery of why animal diversity stayed low for so long.

+ WHO: University of Cambridge researchers, led by Dr. Emily Mitchell

+ PUBLICATION: Nature Ecology and Evolution

MECHANISM: Asexual reproduction through runners created clone mats -- no competition, no evolution.

+ QUOTE: Prof. Andrea Manica on nutrient sharing and lack of competition

METHODS: Laser scanning, spatial analysis, AI, and computer simulations (Approximate Bayesian Computation) on fossils from Mistaken Point.

TURNING POINT: Life moved to shallower, stressful waters -- storms, temperature shifts, unpredictable nutrients.

+ CAUSE: 'Stress essentially leads to sexual reproduction,' says Mitchell.

+ RESULT: Gene swapping and wider dispersal ramped up competition -> diversity skyrocketed.

OUTCOME: This second Ediacaran wave set the scene for the even bigger Cambrian explosion of animal life.

KICKER: Modern strawberry runners as a reminder of the past -- until sex changed everything.

Why it matters

Understanding why the earliest animals barely changed for millions of years -- and how stress and sex finally unlocked diversity -- reveals a fundamental rule of life: competition is

an engine of innovation, and the way species reproduce can decide the pace of evolution itself.

Test what you remember

1. What period in Earth's history is described as 'stuck in evolutionary slow motion'?
 - (A) Cambrian period
 - (B) Ediacaran period
 - (C) Jurassic period
 - (D) Ordovician period
2. According to the Cambridge study, what main factor kept early animal diversity low for so long?
 - (A) Lack of food
 - (B) Cold ocean temperatures
 - (C) Asexual reproduction through runners
 - (D) Too much competition
3. Where did the team study fossils to run their computer simulations?
 - (A) Burgess Shale, Canada
 - (B) Mistaken Point, Newfoundland
 - (C) Great Barrier Reef, Australia
 - (D) Dover, England
4. What triggered the shift to sexual reproduction and more complex ecosystems, according to the researchers?
 - (A) A meteor impact
 - (B) Moving into shallower, more turbulent waters with more stress
 - (C) A rapid rise in oxygen levels
 - (D) The appearance of the first predators
5. What famous evolutionary event came after the second wave of Ediacaran evolution?
 - (A) The Great Oxygenation Event
 - (B) The Cambrian explosion
 - (C) The Cretaceous-Paleogene extinction
 - (D) The Snowball Earth period
6. Which technique did the research team use to work backward from the fossil record to test their ideas?
 - (A) Radiocarbon dating
 - (B) CT scanning
 - (C) Approximate Bayesian Computation
 - (D) DNA sequencing

Answer key (try the quiz first!): 1: B 2: C 3: B 4: B 5: B 6: C

Questions to think about

1. Positive: This study gives a satisfying answer to a long-standing riddle. The combination of fossil scans and advanced computer techniques shows how careful science can reconstruct rules of life from deep time, enriching our understanding of our own origins.

2. **Critical:** Some paleontologists might point out that the fossil record is patchy, and other factors -- like ocean chemistry -- probably played a role too. Focusing on reproduction as the single key may oversimplify a very complex set of environmental interactions.

3. Neutral / Analytical: The research highlights a broader pattern: evolutionary pace is often tied to how much organisms mix their genes. This principle isn't just about the distant past; it applies to conservation today, where isolated populations can stagnate and become more vulnerable.

4. **Forward-looking:** Future studies could investigate how the first sexual reproduction mechanisms actually evolved at the molecular level, and whether similar 'stress triggers' might be at work in other slow-evolving lineages on Earth -- or even on other planets.

MY THOUGHTS (at least 20 words):