

500x Faster: NASA's New AI Chip Could Give Spacecraft a Mind of Their Own

From: ScienceDaily Top Technology Mined: 2026-05-18 5 min read

Deep space is a terrible place for a computer. Temperatures swing hundreds of degrees in moments. Invisible radiation from the Sun and distant stars bombards electronics, flipping bits and triggering dreaded 'safe modes' where a spacecraft shuts down non-essential systems just to survive. That's why NASA's current fleet runs on ancient, rugged processors reliable but painfully slow. Now, imagine a chip that's not just tough, but smart. NASA's High Performance Spaceflight Computing project has built a **radiation-hardened** processor that delivers up to 100 times the computing power of today's spaceflight computers, and early tests at the Jet Propulsion Laboratory (JPL) in Southern California suggest it's actually 500 times faster than the chips currently used in spacecraft. 'We are putting these new chips through the wringer by carrying out radiation, thermal, and shock tests while also evaluating their performance through a rigorous functional test campaign,' said Jim Butler, the project manager at JPL. The chip, a **system-on-a-chip** (SoC) developed jointly with Microchip Technology Inc., crams central processing units, memory, networking, and input/output interfaces onto a single compact unit much like the SoC in your smartphone, but engineered to survive years in deep space without maintenance. To simulate real-world conditions, engineers fed it **high-fidelity** landing scenarios from actual NASA missions. The chip processed huge volumes of sensor data that would normally require power-hungry hardware. It passed. In a symbolic nod to computing history, the team sent an inaugural email titled 'Hello Universe.' The implications are staggering. With **onboard artificial intelligence**, future spacecraft could respond to unexpected situations in real time crucial when **communication delays** stretch to minutes or hours. A rover on Mars could **autonomously** decide to investigate an interesting rock without waiting for instructions from Earth. The chip could also process, store, and transmit massive scientific datasets far more efficiently. NASA envisions this technology supporting crewed missions to the Moon and Mars, where split-second decisions could be life-or-death. Once certified for spaceflight, the processor will be integrated into Earth orbiters, planetary rovers, deep-space probes, and crewed habitats. Testing began in February and continues for several more months, but the early results are unequivocal: this tiny chip represents a giant leap toward truly **autonomous** exploration.

Word Treasure

radiation-hardened -- Designed to keep working even when bombarded by high-energy particles from space.

system-on-a-chip -- A small chip that combines a computer's brain, memory, and communication parts into one unit.

autonomous -- Able to act on its own, without direct control from humans.

high-fidelity -- Very accurate and detailed, matching real-life conditions closely.

communication delays -- The time it takes for a radio signal to travel the vast distances

between Earth and a spacecraft.

onboard artificial intelligence -- Smart software running directly on the spacecraft, not relying on Earth's computers.

Background you need

Spacecraft computers have historically lagged far behind Earth-based technology because they must survive harsh radiation that can flip bits and force systems into safe mode. For decades, NASA's workhorse processor has been the RAD750, a radiation-hardened chip that runs at only 200 megahertz -- roughly the speed of a 1990s desktop computer. The Apollo guidance computer, which landed astronauts on the Moon in 1969, had just 4 kilobytes of RAM, yet its reliability set a standard for all space missions. The Jet Propulsion Laboratory in Southern California (JPL, the NASA center that built the Curiosity and Perseverance Mars rovers) has pioneered advanced robotics and computing for deep space. Because radio signals from Mars to Earth take up to 22 minutes one way, future landers and rovers need to think for themselves, making split-second decisions without waiting for a reply.

Microchip Technology Inc., the commercial partner on this project, specializes in building chips that can withstand extreme temperatures and radiation, a skill honed over decades of supplying components for military and space applications.

Break it down

LEAD: Deep space is a hostile environment for computers -- radiation, temperature swings, and long communication delays cripple performance.

+ - EXAMPLE: Ancient but reliable processors keep spacecraft in safe mode.

KEY EVENT: NASA's High Performance Spaceflight Computing project built a radiation-hardened SoC that is up to 500 times faster than current chips.

+ - WHO: Jim Butler, project manager at the Jet Propulsion Laboratory.

+ - WHAT: System-on-a-chip tested with radiation, thermal, and shock trials.

+ - HOW: Fed high-fidelity landing scenarios from real NASA missions.

SYMBOLIC MILESTONE: Team sent an inaugural email titled 'Hello Universe.'

IMPLICATIONS: Onboard AI enables real-time autonomous decisions during communication delays.

+ - MARS ROVER: Could investigate a rock without Earth's permission.

+ - CREWED MISSIONS: Split-second decisions for Moon and Mars habitats.

FUTURE VISION: Once certified, the chip will fly on orbiters, rovers, deep-space probes, and crewed habitats.

Why it matters

This leap in space computing could make human missions to Mars safer and bring the day closer when teenagers today might see astronauts or even their own peers live and work on another planet.

Test what you remember

1. How much faster is NASA's new chip compared to the processors currently used in spacecraft?
 - (A) 10 times
 - (B) 100 times
 - (C) 500 times
 - (D) 1,000 times
2. Where is the Jet Propulsion Laboratory (JPL) located?
 - (A) Florida
 - (B) Texas
 - (C) Southern California
 - (D) Washington, D.C.
3. What did engineers feed the chip to simulate real-world conditions?
 - (A) Video games
 - (B) High-fidelity landing scenarios
 - (C) Weather satellite data
 - (D) Stock market information
4. What was the subject line of the inaugural email sent by the team?
 - (A) Test Complete
 - (B) Hello World
 - (C) Hello Universe
 - (D) Mission Success
5. What is one major advantage of onboard AI for future Mars rovers?
 - (A) They can send emails to JPL faster
 - (B) They can autonomously decide to investigate interesting rocks
 - (C) They no longer need cameras
 - (D) They can charge their own batteries without sunlight
6. For which crewed missions does NASA envision using this new processor?
 - (A) Asteroid mining colonies
 - (B) Missions to Jupiter's moon Europa
 - (C) Missions to the Moon and Mars
 - (D) Tourist trips around Earth

Answer key (try the quiz first!): 1: C 2: C 3: B 4: C 5: B 6: C

Questions to think about

1. Positive: An AI-powered spacecraft can respond instantly to surprises, turning rovers into true scientific explorers and slashing the risk of deadly mistakes on crewed missions. More computing speed also means more data can be collected and sent home, accelerating discoveries about our solar system.

2. Negative / Critical: Giving machines so much autonomy is risky -- an onboard glitch could lead to a rover driving off a cliff or a life-support system failing without time for human intervention. The chip also requires years of costly certification, potentially delaying missions that depend on it.

3. **Neutral / Analytical:** Space computing follows a pattern: reliability is chosen over raw power until the failure rate is proven tolerable. The RAD750 has flown successfully for decades precisely because it is slow and simple. This new approach represents a deliberate trade-off between that heritage and the rising demand for on-site intelligence.

4. Forward-Looking: If the chip passes all tests, it could become the standard brain for a generation of spacecraft, from lunar outposts to interstellar probes. Long-term, it may enable fleets of autonomous drones exploring ocean moons like Europa, where instant Earth commands are impossible.

MY THOUGHTS (at least 20 words):