

A Model Shows How California's Earthquake 'Gate' Works

From: ScienceDaily All Mined: 2026-10-03 3 min read

A meeting point between two California **fault** systems can act a little like a gate, scientists report. Sometimes an earthquake **rupture** stops there. Under other conditions, it can continue onto the next **fault** system.

A **fault** is a break in Earth's **crust** where sections of rock can move past one another. When those sections become stuck, **stress** can build. An earthquake can happen when stored energy is released and the rocks move. A **rupture** is the breaking and movement that spreads along a **fault** during an earthquake.

The new study focuses on the San Andreas and San Jacinto **fault** systems. They come close together at Cajon Pass, northeast of Los Angeles. Researchers used a computer **model** to explore about 1,000 years of earthquake activity there.

The **model** suggests that **stress** in parts of the system now matches or exceeds the highest levels in its simulated history. These results are estimates from a **model**.

Past earthquakes show why the **junction** matters. In 1857, the Fort Tejon earthquake's **rupture** stopped at Cajon Pass. In 1812, the Wrightwood earthquake's **rupture** passed through the **junction** and involved both systems.

The researchers call Cajon Pass an earthquake gate because its behavior depends on changing **stress** conditions. It does not always block a **rupture** or always let one through.

The study helps scientists understand how **stress** builds and moves between **faults** over centuries.

Word Treasure

fault -- A break in Earth's crust where rock can move.

crust -- Earth's outer rocky layer.

stress -- Force acting on rock that can build while it is stuck.

rupture -- Breaking and movement spreading along a fault during an earthquake.

model -- A computer simulation used to explore how something works.

junction -- A place where different parts meet or connect.

Background you need

Earth's crust is its outer rocky layer. A fault is a break where rock can move.

The earthquake gate is a comparison: changing stress conditions can affect whether a rupture stops or continues.

Break it down

Introduces the earthquake gate comparison.

Explains faults, stress and ruptures.

Names the fault systems and describes the model.

Reports the model's stress estimates.

Compares two past earthquakes.

Explains what scientists can learn from the study.

Why it matters

Understanding how stress changes near a fault junction helps scientists study why an earthquake rupture may stop or continue onto another fault system.

Test what you remember

1. Which two fault systems does the study focus on?
 - (A) San Andreas and Wrightwood
 - (B) San Jacinto and Fort Tejon
 - (C) Wrightwood and Fort Tejon
 - (D) San Andreas and San Jacinto
2. Where do the two fault systems come close together?
 - (A) At Cajon Pass, southeast of Los Angeles
 - (B) At Cajon Pass, northeast of Los Angeles
 - (C) At Cajon Pass, southwest of Los Angeles
 - (D) At Cajon Pass, northwest of Los Angeles
3. About how much earthquake history did the researchers model?
 - (A) About 500 years
 - (B) About 100 years
 - (C) About 5,000 years
 - (D) About 1,000 years
4. What can happen when sections of rock become stuck?
 - (A) The crust becomes liquid.
 - (B) The fault closes forever.
 - (C) Stress can build.
 - (D) Stress always disappears.
5. What happened to the Fort Tejon earthquake's rupture in 1857?
 - (A) It crossed both fault systems.
 - (B) It stopped at Cajon Pass.
 - (C) It stopped before reaching either fault.
 - (D) It continued onto the next system.
6. Why do researchers compare Cajon Pass to a gate?
 - (A) It can stop or allow a rupture.
 - (B) It always lets ruptures continue.
 - (C) It prevents stress from building.
 - (D) It always stops every rupture.

Answer key (try the quiz first!): 1: D 2: B 3: D 4: C 5: B 6: A

MY THOUGHTS (at least 20 words):