

The Front-End Checklist

📁 The Front-End Checklist Application is perfect for modern websites and meticulous developers!

★ Generated on <http://frontendchecklist.com> ★

Project Name

Enterprise

Page title or URL

#snowfall-it

Developer's name or team

Daily Bruin

- 11/51 ✓ high priority
- 4/25 ✓ medium priority
- 2/16 ✓ low priority



HEAD

63 % Head items are ✓

This is head intro



- ☒ **Doctype:** The Doctype is HTML5 and is at the top of all your HTML pages.
- ☒ **Charset:** The charset declared (UTF-8) is declared correctly.
- ☒ **X-UA-Compatible:** The X-UA-Compatible Meta tag is present.
- ☒ **Viewport:** The viewport is declared correctly.
- ☒ **Title:** A title is used on all pages
- ☒ **Description:** A meta description is provided, it is unique and doesn't possess more than 150 characters.
- ☐ **Favicons:** Each favicon has been created and displays correctly.
- ☐ **Apple Touch Icon:** Apple touch favicon apple-mobile-web-app-capable are present
- ☒ **Windows Tiles:** Windows tiles are present and linked.

- ☐ **Canonical:** Use rel="canonical" to avoid duplicate content.

```
1 <!-- Helps prevent duplicate content issues -->
2 <link rel="canonical" href="http://example.com/2017/09/a-new-article-to-red.html">
```

view raw < <https://gist.github.com/thedaviddias/832a59506fd93e84d62dce0238b0cb23/raw/175b86cad9f92c8b6d84911dc041e181e945e8d9/index.html> >
 index.html < <https://gist.github.com/thedaviddias/832a59506fd93e84d62dce0238b0cb23#file-index-html> > hosted with ❤ by GitHub < <https://github.com> >

Documentation



-  [Use canonical URLs - Search Console Help - Google Support < https://support.google.com/webmasters/answer/139066?hl=en?ref=frontendchecklist >](https://support.google.com/webmasters/answer/139066?hl=en?ref=frontendchecklist)
-  [5 common mistakes with rel=canonical - Google Webmaster Blog < https://webmasters.googleblog.com/2013/04/5-common-mistakes-with-relcanonical.html?ref=frontendchecklist >](https://webmasters.googleblog.com/2013/04/5-common-mistakes-with-relcanonical.html?ref=frontendchecklist)

- ☒ **Language attribute:** The <code>lang</code> attribute of your website is specified and related to the language of the current page.
- ☒ **Direction attribute:** The direction of lecture is specified on the html tag (It can be used on another HTML tag).
- ☐ **Alternate language:** The language tag of your website is specified and related to the language of the current page.
- ☒ **Conditional comments:** Conditional comments are present for IE if needed.
- ☐ **RSS feed:** If your project is a blog or has articles, an RSS link was provided.
- ☒ **Inline critical CSS:** The inline critical CSS is correctly injected in the HEAD.
- ☒ **CSS order:** All CSS files are loaded before any JavaScript files in the HEAD


- ☐ **Facebook Open Graph:**

All Facebook Open Graph (OG) are tested and no one is missing or with a false information. Images need to be at least 600 x 315 pixels, 1200 x 630 pixels recommended. Using og:image:width and og:image:height will specify the image dimensions to the crawler so that it can render the image immediately without having to asynchronously download and process it.

Documentation


-  [A Guide to Sharing for Webmasters < https://developers.facebook.com/docs/sharing/webmasters/?ref=frontendchecklist >](https://developers.facebook.com/docs/sharing/webmasters/?ref=frontendchecklist)
-  [Best Practices - Sharing < https://developers.facebook.com/docs/sharing/best-practices/?ref=frontendchecklist >](https://developers.facebook.com/docs/sharing/best-practices/?ref=frontendchecklist)

Tools


-  [Test your page with the Facebook OG testing < https://developers.facebook.com/tools/debug/?ref=frontendchecklist >](https://developers.facebook.com/tools/debug/?ref=frontendchecklist)

● ☐ Twitter Card:

Documentation

-  [Getting started with cards — Twitter Developers < https://developer.twitter.com/en/docs/tweets/optimize-with-cards/guides/getting-started?ref=frontendchecklist >](https://developer.twitter.com/en/docs/tweets/optimize-with-cards/guides/getting-started?ref=frontendchecklist)

Tools

-  [Test your page with the Twitter card validator < https://cards-dev.twitter.com/validator?ref=frontendchecklist >](https://cards-dev.twitter.com/validator?ref=frontendchecklist)

HTML

12 % HTML items are ✓

This is html intro

- ☒ **HTML5 Semantic Elements:** HTML5 Semantic Elements are used appropriately (header, section, footer, main...).
- ☐ **Error pages:** Error 404 page and 5xx exist
- ☐ **Noopener:** In case you are using external links with target="_blank", your link should have a rel="noopener" attribute to prevent tab nabbing. If you need to support older versions of Firefox, use rel="noopener noreferrer"
- ☐ **Clean up comments:** Unnecessary code needs to be removed before sending the page to production.
- ☐ **W3C compliant:** All pages need to be tested with the W3C validator to identify possible issues in the HTML code.
- ☐ **HTML Lint:** I use tools to help me analyze any issues I could have on my HTML code.
- ☐ **Link checker:** There are no broken links in my page, verify that you don't have any 404 error.
- ☐ **Adblockers test:** Your website shows your content correctly with adblockers enabled

WEBFONTS

0 % Webfonts items are ✓

- ☐ **Webfont format:** WOFF, WOFF2 and TTF are supported by all modern browsers.
- ☐ **Webfont size:** Webfont sizes don't exceed 2 MB (all variants included).
- ☐ **Webfont loader:** Control loading behavior with a webfont loader.

CSS

17 % CSS items are ✓

- ☐ **Responsive Web Design:** The website is using responsive web design.
- ☐ **CSS Print:** A print stylesheet is provided and is correct on each page.

- ☒ **Unique ID:** If IDs are used, they are unique to a page.
- ☐ **Reset CSS:** A CSS reset (reset, normalize or reboot) is used and up to date.
- ☐ **JS prefix:** All classes (or id- used in JavaScript files) begin with js- and are not styled into the CSS files.
- ☒ **Embedded or inline CSS:** Avoid at all cost embedding CSS in <style> tags or using inline CSS
- ☐ **Vendor prefixes:** CSS vendor prefixes are used and are generated accordingly with your browser support compatibility.
- ☐ **Concatenation:** CSS files are concatenated in a single file (Not for HTTP/2).
- ☐ **Minification:** All CSS files are minified.
- ☐ **Non-blocking:** CSS files need to be non-blocking to prevent the DOM from taking time to load.
- ☐ **Stylelint:** All CSS or SCSS files are without any errors.
- ☐ **Responsive web design:** All pages were tested with the correct breakpoints.
- ☐ **CSS Validator:** The CSS was tested and pertinent errors were corrected.
- ☐ **Desktop Browsers:** All pages were tested on all current desktop browsers (Safari, Firefox, Chrome, Internet Explorer, EDGE...)
- ☐ **Mobile Browsers:** All pages were tested on all current mobile browsers (Native browser, Chrome, Safari...)
- ☐ **OS:** All pages were tested on all current OS (Windows, Android, iOS, Mac...)
- ☒ **Reading direction:** All pages need to be tested for LTR and RTL languages if they need to be supported.

JAVASCRIPT

0 % JavaScript items are ✓

- ☐ **JavaScript Inline:** You don't have any JavaScript code inline (mixed with your HTML code).
- ☐ **Concatenation:** JavaScript files are concatenated.
- ☐ **Minification:** JavaScript files are minified (you can add the .min suffix).
- ☐ **JavaScript security:**
- ☐ **Non-blocking:** JavaScript files are loaded asynchronously using async or deferred using defer attribute.
- ☐ **Modernizr:** If you need to target some specific features you can use a custom Modernizr to add classes in your <html> tag.
- ☐ **ESLint:** No errors are flagged by ESLint (based on your configuration or standards rules).

IMAGES

14 % Images items are ✓

- ☐ **Optimization:** All images are optimized to be rendered in the browser. WebP format could be used for critical

pages (like Homepage)

- ☐ **Picture/Srcset:** You use picture/srcset to provide the most appropriate image for the current viewport of the user.
- ☐ **Retina:** You provide layout images 2x or 3x, support retina display.
- ☒ **Sprite:** Small images are in a sprite file (in the case of icons, they can be in an SVG sprite image).
- ☐ **Width and Height:** Set width and height attributes on if the final rendered image size is known (can be omitted for CSS sizing).
- ☐ **Alternative text:** All have an alternative text which describe the image visually.
- ☐ **Lazy loading:** Images are lazyloaded (A noscript fallback is always provided).

ACCESSIBILITY

0 % Accessibility items are ✓

- ☐ **Progressive enhancement:** Major functionality like main navigation and search should work without JavaScript enabled.
- ☐ **Color contrast:** Color contrast should at least pass WCAG AA (AAA for mobile).
- ☐ **H1:** All pages have an H1 which is not the title of the website.
- ☐ **Headings:** Headings should be used properly in the right order (H1 to H6).
- ☐ **Role banner:** <header> has role="banner".
- ☐ **Role navigation:** <nav> has role="navigation".
- ☐ **Role main:** <main> has role="main".
- ☐ **Specific HTML5 input types are used:** This is especially important for mobile devices that show customized keypads and widgets for different types.
- ☐ **Label:** A label is associated with each input form element. In case a label can't be displayed, use aria-label instead.
- ☐ **Accessibility standards testing:** Use the WAVE tool to test if your page respects the accessibility standards.
- ☐ **Keyboard navigation:** Test your website using only your keyboard in a previsible order. All interactive elements are reachable and usable.
- ☐ **Screen-reader:** All pages were tested in a screen-reader (VoiceOver, ChromeVox, NVDA or Lynx).
- ☐ **Focus style:** If the focus is disabled, it is replaced by visible state in CSS.

PERFORMANCE

0 % Performance items are ✓

- ☐ **Page weight:** The weight of each page is between 0 and 500 KB.
- ☐ **Minified HTML:** Your HTML is minified.

- ☐ **Lazy loading:** Images, scripts and CSS need to be lazy loaded to improve the response time of the current page (See details in their respective sections)
- ☐ **Cookie size:** If you are using cookies be sure each cookie doesn't exceed 4096 bytes and your domain name doesn't have more than 20 cookies.
- ☐ **Third party components:**
- ☐ **DNS resolution:** DNS of third-party services that may be needed are resolved in advance during idle time using dns-prefetch.
- ☐ **Preconnection:** DNS lookup, TCP handshake and TLS negotiation with services that will be needed soon is done in advance during idle time using preconnect.
- ☐ **Prefetching:** Resources that will be needed soon (e.g. lazy loaded images) are requested in advance during idle time using prefetch.
- ☐ **Preloading:** Resources needed in the current page (e.g. scripts placed at the end of <body>) in advance using preload.
- ☐ **Google PageSpeed:** All your pages were tested (not only the homepage) and have a score of at least 90/100.

SEO

0 % SEO items are ✓

- ☐ **Google Analytics:** Google Analytics is installed and correctly configured.
- ☐ **Headings logic:** Heading text helps to understand the content in the current page.
- ☐ **sitemap.xml:** A sitemap.xml exists and was submitted to Google Search Console.
- ☐ **Structured Data:** Pages using structured data are tested and are without errors.
- ☐ **Sitemap HTML:** An HTML sitemap is provided and is accessible via a link in the footer of your website.
- ☐ **robots.txt:** The robots.txt is not blocking webpages.
- ☐ **Structured Data:** Pages using structured data are tested and are without errors. Structured data helps crawlers understand the content in the current page.
- ☐ **Sitemap HTML:** An HTML sitemap is provided and is accessible via a link in the footer of your website.

Made with ❤️ by [David Dias \("The"\) < https://thedaviddias.me >](https://thedaviddias.me)

Follow for the Open-Source Community.