

ЛАБОРАТОРНАЯ РАБОТА N2

ФайлПравкаВидИнструменты

Collections

Environments

History

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

HomeWorkspacesAPI Network

Search Postman

Invite

Upgrade

Настройки Доступа

OverviewGetting startedGET http://localhost:3000/api/

SaveShare

GEThttp://localhost:3000/api/usersSend

ParamsAuthorizationHeaders (6)BodyScriptsSettingsCookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

BodyCookiesHeaders (7)Test Results200 OK • 3 ms • 361 B

PrettyRawPreviewVisualizeJSON

```
1 {
2   "success": true,
3   "message": [
4     {
5       "id": 1,
6       "name": "Tom",
7       "age": 24
8     },
9     {
10      "id": 2,
11      "name": "Bob",
12      "age": 27
13    }
14  ]
15 }
```

PostbotCtrl Shift \

OnlineFind and replaceConsole

PostbotRunnerStart ProxyCookiesVaultTrash

```
let user = null;
// находим в массиве пользователя по id
for (let i = 0; i < users.length; i++) {
  if (users[i].id == id) {
    user = users[i];
    console.log("user found: " + user);
  }
}
```

JS index.js × {} users.json {} package.json {} package-lock.json

```
JS index.js > ...
1  const express = require("express");
2  const fs = require("fs");
```







