

N = 1024 | SNR = 1 dB | fixed sources 1-4/16

Paid header included | E = 2N | no class/text side information

Original



Source 00 | true class 0
Original R50 class 0

SwinJSCC: exact 80k



PSNR 15.07 LPIPS 0.662 DINO-L 0.076
R50 class 439 | p=0.062
Header accepted




Source 25 | true class 267
Original R50 class 267



PSNR 21.03 LPIPS 0.630 DINO-L 0.074
R50 class 927 | p=0.164
Header accepted



Source 50 | true class 558
Original R50 class 683



PSNR 17.76 LPIPS 0.575 DINO-L 0.023
R50 class 345 | p=0.105
Header accepted



Source 75 | true class 791
Original R50 class 791



PSNR 18.70 LPIPS 0.667 DINO-L 0.138
R50 class 974 | p=0.094
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 1 dB | fixed sources 5-8/16

Paid header included | E = 2N | no class/text side information

Original



Source 04 | true class 57
Original R50 class 57

SwinJSCC: exact 80k




PSNR 18.15 LPIPS 0.753 DINO-L -0.002
R50 class 275 | p=0.024
Header accepted



Source 21 | true class 229
Original R50 class 229




PSNR 18.73 LPIPS 0.704 DINO-L 0.039
R50 class 384 | p=0.025
Header accepted



Source 24 | true class 253
Original R50 class 253



PSNR 18.79 LPIPS 0.615 DINO-L 0.037
R50 class 167 | p=0.051
Header accepted



Source 29 | true class 314
Original R50 class 314



PSNR 21.46 LPIPS 0.646 DINO-L 0.171
R50 class 78 | p=0.121
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 1 dB | fixed sources 9-12/16


Paid header included | E = 2N | no class/text side information

Original



Source 33 | true class 344
Original R50 class 344

SwinJSCC: exact 80k



PSNR 20.26 LPIPS 0.707 DINO-L 0.051
R50 class 974 | p=0.024
Header accepted



Source 41 | true class 443
Original R50 class 443



PSNR 21.29 LPIPS 0.521 DINO-L 0.092
R50 class 862 | p=0.056
Header accepted



Source 52 | true class 570
Original R50 class 570



PSNR 18.27 LPIPS 0.675 DINO-L 0.421
R50 class 164 | p=0.131
Header accepted



Source 60 | true class 650
Original R50 class 593



PSNR 16.52 LPIPS 0.714 DINO-L 0.090
R50 class 290 | p=0.037
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 1 dB | fixed sources 13-16/16

Paid header included | E = 2N | no class/text side information

Original



Source 64 | true class 689
Original R50 class 669

SwinJSCC: exact 80k



PSNR 23.68 LPIPS 0.622 DINO-L 0.088
R50 class 126 | p=0.072
Header accepted



Source 87 | true class 890
Original R50 class 890



PSNR 19.21 LPIPS 0.480 DINO-L 0.068
R50 class 996 | p=0.026
Header accepted




Source 92 | true class 937
Original R50 class 937



PSNR 17.49 LPIPS 0.787 DINO-L 0.077
R50 class 465 | p=0.089
Header accepted



Source 95 | true class 961
Original R50 class 415



PSNR 18.66 LPIPS 0.533 DINO-L 0.025
R50 class 960 | p=0.115
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.